

Matthew D Robson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5220703/publications.pdf>

Version: 2024-02-01

188
papers

19,374
citations

¹¹⁶⁵¹
70
h-index

¹¹⁶⁰⁷
135
g-index

194
all docs

194
docs citations

194
times ranked

18175
citing authors

#	ARTICLE	IF	CITATIONS
1	Left Ventricular Non-Compaction. <i>Journal of the American College of Cardiology</i> , 2005, 46, 101-105.	2.8	1,075
2	Myocardial T1 mapping and extracellular volume quantification: a Society for Cardiovascular Magnetic Resonance (SCMR) and CMR Working Group of the European Society of Cardiology consensus statement. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 92.	3.3	864
3	Changes in connectivity profiles define functionally distinct regions in human medial frontal cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13335-13340.	7.1	632
4	Magnetic Resonance: An Introduction to Ultrashort TE (UTE) Imaging. <i>Journal of Computer Assisted Tomography</i> , 2003, 27, 825-846.	0.9	618
5	Shortened Modified Look-Locker Inversion recovery (ShMOLLI) for clinical myocardial T1-mapping at 1.5 and 3 T within a 9 heartbeat breathhold. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 69.	3.3	552
6	Normal Human Left and Right Ventricular and Left Atrial Dimensions Using Steady State Free Precession Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 775-782.	3.3	527
7	Acquisition and voxelwise analysis of multi-subject diffusion data with Tract-Based Spatial Statistics. <i>Nature Protocols</i> , 2007, 2, 499-503.	12.0	526
8	Noncontrast T1 Mapping for the Diagnosis of Cardiac Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 488-497.	5.3	517
9	Identification and Assessment of Anderson-Fabry Disease by Cardiovascular Magnetic Resonance Noncontrast Myocardial T1 Mapping. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 392-398.	2.6	399
10	Human non-contrast T1 values and correlation with histology in diffuse fibrosis. <i>Heart</i> , 2013, 99, 932-937.	2.9	390
11	Quantitative Investigation of Connections of the Prefrontal Cortex in the Human and Macaque using Probabilistic Diffusion Tractography. <i>Journal of Neuroscience</i> , 2005, 25, 8854-8866.	3.6	371
12	Non-contrast T1-mapping detects acute myocardial edema with high diagnostic accuracy: a comparison to T2-weighted cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 53.	3.3	368
13	Multiparametric magnetic resonance for the non-invasive diagnosis of liver disease. <i>Journal of Hepatology</i> , 2014, 60, 69-77.	3.7	367
14	Native T1 Mapping in Transthyretin Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 157-165.	5.3	339
15	T1 Mapping for the Diagnosis of Acute Myocarditis Using CMR. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 1048-1058.	5.3	318
16	Evidence for Microvascular Dysfunction in Hypertrophic Cardiomyopathy. <i>Circulation</i> , 2007, 115, 2418-2425.	1.6	315
17	Myocardial Tissue Characterization Using Magnetic Resonance Noncontrast T1 Mapping in Hypertrophic and Dilated Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 726-733.	2.6	286
18	The Evolution of Prefrontal Inputs to the Cortico-pontine System: Diffusion Imaging Evidence from Macaque Monkeys and Humans. <i>Cerebral Cortex</i> , 2006, 16, 811-818.	2.9	258

#	ARTICLE	IF	CITATIONS
19	UK Biobank's cardiovascular magnetic resonance protocol. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 8.	3.3	254
20	Between session reproducibility and between subject variability of diffusion MR and tractography measures. <i>NeuroImage</i> , 2006, 33, 867-877.	4.2	245
21	T1 Mapping for Myocardial Extracellular Volume Measurement by CMR. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 955-962.	5.3	245
22	Effects of High-Dose Modified-Release Nicotinic Acid on Atherosclerosis and Vascular Function. <i>Journal of the American College of Cardiology</i> , 2009, 54, 1787-1794.	2.8	237
23	Cardiovascular magnetic resonance by non contrast T1-mapping allows assessment of severity of injury in acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 15.	3.3	236
24	Normal variation of magnetic resonance T1 relaxation times in the human population at 1.5 T using ShMOLLI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 13.	3.3	216
25	Dynamic Changes of Edema and Late Gadolinium Enhancement After Acute Myocardial Infarction and Their Relationship to Functional Recovery and Salvage Index. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 228-236.	2.6	214
26	Subclinical myocardial inflammation and diffuse fibrosis are common in systemic sclerosis – a clinical study using myocardial T1-mapping and extracellular volume quantification. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 21.	3.3	200
27	Cardiovascular Magnetic Resonance Perfusion Imaging at 3-Tesla for the Detection of Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2007, 49, 2440-2449.	2.8	198
28	Magnetic resonance imaging with ultrashort TE (UTE) PULSE sequences: Technical considerations. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 279-289.	3.4	188
29	Effects of Off-Pump Versus On-Pump Coronary Surgery on Reversible and Irreversible Myocardial Injury. <i>Circulation</i> , 2004, 109, 345-350.	1.6	184
30	Native T1-mapping detects the location, extent and patterns of acute myocarditis without the need for gadolinium contrast agents. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 36.	3.3	184
31	Connectivity-based parcellation of human cortex using diffusion MRI: Establishing reproducibility, validity and observer independence in BA 44/45 and SMA/pre-SMA. <i>NeuroImage</i> , 2007, 34, 204-211.	4.2	182
32	Clinical ultrashort echo time imaging of bone and other connective tissues. <i>NMR in Biomedicine</i> , 2006, 19, 765-780.	2.8	180
33	Beneficial Cardiovascular Effects of Bariatric Surgical and Dietary Weight Loss in Obesity. <i>Journal of the American College of Cardiology</i> , 2009, 54, 718-726.	2.8	176
34	Multiparametric magnetic resonance imaging predicts clinical outcomes in patients with chronic liver disease. <i>Journal of Hepatology</i> , 2016, 64, 308-315.	3.7	170
35	Ectopic and Visceral Fat Deposition in Lean and Obese Patients With Type 2 Diabetes. <i>Journal of the American College of Cardiology</i> , 2016, 68, 53-63.	2.8	165
36	Diffuse Myocardial Fibrosis and Inflammation in Rheumatoid Arthritis. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 526-536.	5.3	164

#	ARTICLE	IF	CITATIONS
37	Measurements of the Temporal fMRI Response of the Human Auditory Cortex to Trains of Tones. <i>NeuroImage</i> , 1998, 7, 185-198.	4.2	160
38	MRI and clinical studies of facial and bulbar muscle involvement in MuSK antibody-associated myasthenia gravis. <i>Brain</i> , 2006, 129, 1481-1492.	7.6	160
39	Magnetic resonance imaging of cortical bone with ultrashort TE pulse sequences. <i>Magnetic Resonance Imaging</i> , 2005, 23, 611-618.	1.8	156
40	Reproducibility of native myocardial T1 mapping in the assessment of Fabry disease and its role in early detection of cardiac involvement by cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 99.	3.3	154
41	Multiparametric magnetic resonance imaging for the assessment of non-alcoholic fatty liver disease severity. <i>Liver International</i> , 2017, 37, 1065-1073.	3.9	145
42	Measurement of the point spread function in MRI using constant time imaging. <i>Magnetic Resonance in Medicine</i> , 1997, 38, 733-740.	3.0	142
43	Noncontrast myocardial T_1 mapping using cardiovascular magnetic resonance for iron overload. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1505-1511.	3.4	139
44	Pheochromocytoma Is Characterized by Catecholamine-Mediated Myocarditis, Focal and Diffuse Myocardial Fibrosis, and Myocardial Dysfunction. <i>Journal of the American College of Cardiology</i> , 2016, 67, 2364-2374.	2.8	139
45	T_1 measurements in the human myocardium: The effects of magnetization transfer on the SASHA and MOLLI sequences. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 664-670.	3.0	135
46	Molecular MRI enables early and sensitive detection of brain metastases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6674-6679.	7.1	131
47	Automatic Measurement of the Myocardial Interstitium. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 54-63.	5.3	127
48	Cardiac energetics, oxygenation, and perfusion during increased workload in patients with type 2 diabetes mellitus. <i>European Heart Journal</i> , 2016, 37, 3461-3469.	2.2	124
49	Myocardial Tissue Characterization by Magnetic Resonance Imaging. <i>Journal of Thoracic Imaging</i> , 2014, 29, 147-154.	1.5	122
50	Magic angle effects in MR neurography. <i>American Journal of Neuroradiology</i> , 2004, 25, 431-40.	2.4	122
51	Global impairment of brachial, carotid, and aortic vascular function in young smokers. <i>Journal of the American College of Cardiology</i> , 2004, 44, 2056-2064.	2.8	119
52	Global Improvement of Vascular Function and Redox State With Low-Dose Folic Acid. <i>Circulation</i> , 2007, 115, 2262-2270.	1.6	119
53	Adenosine Stress and Rest T1 Mapping Can Differentiate Between Ischemic, Infarcted, Remote, and Normal Myocardium Without the Need for Gadolinium Contrast Agents. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 27-36.	5.3	118
54	Effects of Catecholamine Stress on Diastolic Function and Myocardial Energetics in Obesity. <i>Circulation</i> , 2012, 125, 1511-1519.	1.6	117

#	ARTICLE	IF	CITATIONS
55	Differentiation of Athlete's Heart from Pathological Forms of Cardiac Hypertrophy by Means of Geometric Indices Derived from Cardiovascular Magnetic Resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 551-558.	3.3	115
56	Magnetic resonance imaging of the Achilles tendon using ultrashort TE (UTE) pulse sequences. <i>Clinical Radiology</i> , 2004, 59, 727-735.	1.1	107
57	Human cardiac ³¹ P magnetic resonance spectroscopy at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 304-315.	3.0	100
58	Myocardial Tissue Phase Mapping with Cine Phase-Contrast MR Imaging: Regional Wall Motion Analysis in Healthy Volunteers. <i>Radiology</i> , 2006, 238, 816-826.	7.3	94
59	Multiple Inflow Pulsed Arterial Spin-Labeling Reveals Delays in the Arterial Arrival Time in Minor Stroke and Transient Ischemic Attack. <i>American Journal of Neuroradiology</i> , 2010, 31, 1892-1894.	2.4	93
60	Relationship Between Regional Myocardial Oxygenation and Perfusion in Patients With Coronary Artery Disease. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 32-40.	2.6	92
61	MRI of the brain with ultra-short echo-time pulse sequences. <i>Neuroradiology</i> , 2003, 45, 887-892.	2.2	91
62	Diffusion-weighted multiple shot echo planar imaging of humans without navigation. <i>Magnetic Resonance in Medicine</i> , 1997, 38, 82-88.	3.0	90
63	Identification of Myocardial Disarray in Patients With Hypertrophic Cardiomyopathy and Ventricular Arrhythmias. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2493-2502.	2.8	88
64	Addressing a systematic vibration artifact in diffusion-weighted MRI. <i>Human Brain Mapping</i> , 2010, 31, 193-202.	3.6	85
65	Determination of cardiac volumes and mass with FLASH and SSFP cine sequences at 1.5 vs. 3 Tesla: A validation study. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 312-318.	3.4	81
66	Evidence for a vascular contribution to diffusion FMRI at high <i>b</i> value. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20967-20972.	7.1	81
67	Myocardial Oxygenation in Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1954-1964.	2.8	77
68	OXSA: An open-source magnetic resonance spectroscopy analysis toolbox in MATLAB. <i>PLoS ONE</i> , 2017, 12, e0185356.	2.5	77
69	Arterial Effects of Canakinumab in Patients With Atherosclerosis and Type 2 Diabetes or Glucose Intolerance. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1769-1780.	2.8	75
70	Black-Blood Multicontrast Imaging of Carotid Arteries with DANTE-prepared 2D and 3D MR Imaging. <i>Radiology</i> , 2014, 273, 560-569.	7.3	74
71	Magnetic resonance imaging of the knee with ultrashort TE pulse sequences. <i>Magnetic Resonance Imaging</i> , 2004, 22, 1061-1067.	1.8	73
72	Partial fourier partially parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1393-1401.	3.0	73

#	ARTICLE	IF	CITATIONS
73	CMR Native T1 Mapping Allows Differentiation of Reversible Versus Irreversible Myocardial Damage in ST-Segmentâ€“Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	71
74	Connectivity of the human periventricularâ€“periaqueductal gray region. <i>Journal of Neurosurgery</i> , 2005, 103, 1030-1034.	1.6	70
75	Receive array magnetic resonance spectroscopy: Whitened singular value decomposition (WSVD) gives optimal Bayesian solution. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 881-891.	3.0	67
76	Accelerated human cardiac diffusion tensor imaging using simultaneous multislice imaging. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 995-1004.	3.0	67
77	Myocardial perfusion and oxygenation are impaired during stress in severe aortic stenosis and correlate with impaired energetics and subclinical left ventricular dysfunction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 29.	3.3	65
78	Rapid quantification of myocardial lipid content in humans using single breathâ€“hold 1 H MRS at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 619-624.	3.0	64
79	A model for hepatic fibrosis: the competing effects of cell loss and iron on shortened modified Look-Locker inversion recovery<i>T</i>₁ (shMOLLI-<i>T</i>₁) in the liver. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 450-462.	3.4	64
80	Plaque Features Associated With Increased Cerebral Infarction After Minor Stroke and TIA. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 388-396.	5.3	60
81	Quantification of Lipid-Rich Core in Carotid Atherosclerosis Using Magnetic Resonance T2â€“Mapping. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 747-756.	5.3	60
82	Phase contrast ultrashort TE: A more reliable technique for measurement of highâ€“velocity turbulent stenotic jets. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 626-636.	3.0	59
83	Anti-TNF modulation reduces myocardial inflammation and improves cardiovascular function in systemic rheumatic diseases. <i>International Journal of Cardiology</i> , 2018, 270, 253-259.	1.7	58
84	Human imaging of phosphorus in cortical and trabecular bone in vivo. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 888-892.	3.0	55
85	Ultrashort TE chemical shift imaging (UTE-CSI). <i>Magnetic Resonance in Medicine</i> , 2005, 53, 267-274.	3.0	55
86	In-vivo quantitative T2 mapping of carotid arteries in atherosclerotic patients: segmentation and T2 measurement of plaque components. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 69.	3.3	55
87	Systolic ShMOLLI myocardial T1-mapping for improved robustness to partial-volume effects and applications in tachyarrhythmias. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 77.	3.3	55
88	Aortic 4D flow: Quantification of signal-to-noise ratio as a function of field strength and contrast enhancement for 1.5T, 3T, and 7T. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1864-1871.	3.0	55
89	Assessment of Left Atrial Volumes at 1.5 Tesla and 3 Tesla Using FLASH and SSFP Cine Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 673-679.	3.3	54
90	Early changes in arterial structure and function following statin initiation: Quantification by magnetic resonance imaging. <i>Atherosclerosis</i> , 2008, 197, 951-958.	0.8	54

#	ARTICLE	IF	CITATIONS
91	A consistent relationship between local white matter architecture and functional specialisation in medial frontal cortex. <i>NeuroImage</i> , 2006, 30, 220-227.	4.2	53
92	Blunted Myocardial Oxygenation Response During Vasodilator Stress in Patients With Hypertrophic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1169-1176.	2.8	53
93	Influence of fat on liver T_1 measurements using modified LookLocker inversion recovery (MOLLI) methods at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 105-111.	3.4	51
94	Diagnostic Value of Pre-Contrast T1 Mapping in Acute and Chronic Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 739-742.	5.3	50
95	Quantitative ultrashort echo time imaging for assessment of massive iron overload at 1.5 and 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1839-1851.	3.0	50
96	Reducing distortions in diffusion-weighted echo planar imaging with a dual-echo blip-reversed sequence. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 382-390.	3.0	49
97	Simultaneous assessment of cardiac metabolism and perfusion using copolarized [^{13}C]pyruvate and ^{13}C urea. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 151-158.	3.0	47
98	Quantitative imaging of magnetization transfer using multiple selective pulses. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1065-1072.	3.0	46
99	Functional and Structural Vascular Remodeling in Elite Rowers Assessed by Cardiovascular Magnetic Resonance. <i>Journal of the American College of Cardiology</i> , 2006, 48, 790-797.	2.8	44
100	Sex-specific characteristics of cardiac function, geometry, and mass in young adult elite athletes. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 297-303.	3.4	44
101	Coil combination for receive array spectroscopy: Are data-driven methods superior to methods using computed field maps?. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 473-487.	3.0	44
102	Contrast enhancement of short T2 tissues using ultrashort TE (UTE) pulse sequences. <i>Clinical Radiology</i> , 2004, 59, 720-726.	1.1	43
103	Cardiovascular Magnetic Resonance Imaging for Non-Invasive Assessment of Vascular Function: Validation against Ultrasound. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2006, 8, 381-387.	3.3	43
104	Inversion recovery at 7 T in the human myocardium: Measurement of T_1 , inversion efficiency and B_1 . <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1038-1046.	3.0	39
105	Cardiac perfusion imaging using hyperpolarized ^{13}C urea using flow sensitizing gradients. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1474-1483.	3.0	39
106	Multi-modal magnetic resonance imaging quantifies atherosclerosis and vascular dysfunction in patients with type 2 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2007, 4, 44-48.	2.0	38
107	Longitudinally and circumferentially directed movements of the left ventricle studied by cardiovascular magnetic resonance phase contrast velocity mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 48.	3.3	38
108	Quantitative magnetization transfer ultrashort echo time imaging of the Achilles tendon. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 1372-1376.	3.0	38

#	ARTICLE	IF	CITATIONS
109	A comparison of cardiac ³¹ P MRS at 1.5 and 3 T. <i>NMR in Biomedicine</i> , 2008, 21, 793-798.	2.8	37
110	Mapping tissue water T ₁ in the liver using the MOLLI T ₁ method in the presence of fat, iron and B ₀ inhomogeneity. <i>NMR in Biomedicine</i> , 2019, 32, e4030.	2.8	37
111	Influence of Contrast Agent Dose and Image Acquisition Timing on the Quantitative Determination of Nonviable Myocardial Tissue Using Delayed Contrast-Enhanced Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2004, 6, 541-548.	3.3	36
112	Measuring inorganic phosphate and intracellular pH in the healthy and hypertrophic cardiomyopathy hearts by in vivo 7T ³¹ P-cardiovascular magnetic resonance spectroscopy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 19.	3.3	35
113	A combined analysis and magnetic resonance imaging technique for computerised automatic measurement of cartilage thickness in the distal interphalangeal joint. <i>Magnetic Resonance Imaging</i> , 1995, 13, 709-718.	1.8	34
114	Using a whole-body ³¹ P birdcage transmit coil and 16-element receive array for human cardiac metabolic imaging at 7T. <i>PLoS ONE</i> , 2017, 12, e0187153.	2.5	34
115	Cardiac Cine MR-Imaging at 3T: FLASH vs SSFP. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2006, 8, 709-715.	3.3	32
116	No Evidence of Myocardial Oxygen Deprivation in Nonischemic Heart Failure. <i>Circulation: Heart Failure</i> , 2015, 8, 1088-1093.	3.9	31
117	Dilated Cardiomyopathy: Phosphorus ³¹ P MR Spectroscopy at 7 T. <i>Radiology</i> , 2016, 281, 409-417.	7.3	31
118	Three-dimensional strain-rate imaging. <i>Magnetic Resonance in Medicine</i> , 1996, 36, 537-546.	3.0	30
119	Magnetic resonance imaging of facial muscles. <i>Clinical Radiology</i> , 2007, 62, 1078-1086.	1.1	29
120	Irreversible Myocardial Injury: Assessment with Cardiovascular Delayed-Enhancement MR Imaging and Comparison of 1.5 and 3.0 T Initial Experience. <i>Radiology</i> , 2007, 242, 735-742.	7.3	27
121	Comparison of two ultrashort echo time sequences for the quantification of T ₁ within phantom and human Achilles tendon at 3 T. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1279-1284.	3.0	27
122	Non-invasive assessment of portal hypertension by multi-parametric magnetic resonance imaging of the spleen: A proof of concept study. <i>PLoS ONE</i> , 2019, 14, e0221066.	2.5	27
123	Reconstruction as a source of artifact in nongated single-shot diffusion-weighted EPI. <i>Magnetic Resonance Imaging</i> , 2005, 23, 899-905.	1.8	26
124	TREMR: T ₁ -resonance elastography with MR. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 815-821.	3.0	26
125	Automated localization and quality control of the aorta in cine CMR can significantly accelerate processing of the UK Biobank population data. <i>PLoS ONE</i> , 2019, 14, e0212272.	2.5	26
126	Imaging of the Achilles tendon in spondyloarthritis: a comparison of ultrasound and conventional, short and ultrashort echo time MRI with and without intravenous contrast. <i>European Radiology</i> , 2011, 21, 1144-1152.	4.5	25

#	ARTICLE	IF	CITATIONS
127	Phosphodiester content measured in human liver by in vivo ³¹ P MR spectroscopy at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 2095-2105.	3.0	25
128	T2 mapping MRI technique quantifies carotid plaque lipid, and its depletion after statin initiation, following acute myocardial infarction. <i>Atherosclerosis</i> , 2018, 279, 100-106.	0.8	25
129	Detection and monitoring of progressive degeneration of osteoarthritic cartilage by MRI. <i>Acta Orthopaedica</i> , 1995, 66, 130-138.	1.4	25
130	Evidence of a Direct Effect of Myocardial Steatosis on LV Hypertrophy and Diastolic Dysfunction in Adult and Adolescent Obesity. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1468-1470.	5.3	23
131	Reproducibility and accuracy of automated measurement for dynamic arterial lumen area by cardiovascular magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 797-808.	1.5	21
132	Quantification of carotid plaque lipid content with magnetic resonance T2 mapping in patients undergoing carotid endarterectomy. <i>PLoS ONE</i> , 2017, 12, e0181668.	2.5	21
133	Computerised planning of the acquisition of cardiac MR images. <i>Computerized Medical Imaging and Graphics</i> , 2004, 28, 411-418.	5.8	20
134	Investigating a Liver Fat. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 198-203.	2.4	20
135	Bloch-Siegert α mapping for human cardiac ³¹ P-MRS at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1047-1058.	3.0	18
136	The relationship of perivascular adipose tissue and atherosclerosis in the aorta and carotid arteries, determined by magnetic resonance imaging. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 286-293.	2.0	18
137	Creatine kinase rate constant in the human heart measured with ³¹ P-D localization at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 20-32.	3.0	17
138	Consequences of T2 relaxation during half-pulse slice selection for ultrashort TE imaging. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 610-615.	3.0	16
139	Automated tuning of an eight-channel cardiac transceiver array at 7 tesla using piezoelectric actuators. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2390-2397.	3.0	16
140	³¹ P cardiac magnetic resonance spectroscopy during leg exercise at 3 Tesla. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 819-826.	1.5	15
141	Loss of fine structure and edge sharpness in fast-spin-echo carotid wall imaging: Measurements and comparison with multiple-spin-echo in normal and atherosclerotic subjects. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1136-1143.	3.4	13
142	Normal values of regional and global myocardial wall motion in young and elderly individuals using navigator gated tissue phase mapping. <i>Age</i> , 2014, 36, 231-241.	3.0	13
143	Optimized saturation pulse train for human first-pass myocardial perfusion imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1450-1456.	3.0	13
144	Large dynamic range relative B1+ mapping. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 490-499.	3.0	13

#	ARTICLE	IF	CITATIONS
145	Diaphragm position can be accurately estimated from the scattering of a parallel transmit RF coil at 7 T. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2164-2169.	3.0	13
146	Hypertrophic cardiomyopathy in Noonan Syndrome closely mimics familial hypertrophic cardiomyopathy due to sarcomeric mutations. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 493-495.	1.5	12
147	Suppression of skeletal muscle signal using a crusher coil: A human cardiac ³¹ P MR spectroscopy study at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 962-972.	3.0	12
148	Accuracy of Quantitative MR Vessel Wall Imaging Applying a Semi-Automated Gradient Detection Algorithm? A Validation Study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2004, 6, 895-907.	3.3	11
149	A look-locker acquisition scheme for quantitative myocardial perfusion imaging with FAIR arterial spin labeling in humans at 3 tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 541-549.	3.0	11
150	Adiabatic excitation for ³¹ P MR spectroscopy in the human heart at 7 T: A feasibility study. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1667-1673.	3.0	11
151	Visualization of the Ruptured Plaque by Magnetic Resonance Imaging. <i>Circulation</i> , 2003, 108, 2542-2542.	1.6	10
152	Multimodal cardiovascular magnetic resonance quantifies regional variation in vascular structure and function in patients with coronary artery disease: Relationships with coronary disease severity. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, 61.	3.3	10
153	Feasibility of absolute quantification for ³¹ P MRS at 7 T. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 49-61.	3.0	10
154	Effects of steady state free precession parameters on cardiac mass, function, and volumes. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 583-589.	1.5	9
155	Cardiovascular Magnetic Resonance: Physics and Terminology. <i>Progress in Cardiovascular Diseases</i> , 2011, 54, 181-190.	3.1	9
156	Quantifying sclerotic bone metastases with 2D ultra short TE MRI: A feasibility study. <i>Cancer Biomarkers</i> , 2011, 7, 211-218.	1.7	9
157	Age and gender dependence of pre-contrast T1-relaxation times in normal human myocardium at 1.5T using ShMOLLI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	9
158	Quantitative MRI measurements of the Achilles tendon in spondyloarthritis using ultrashort echo times. <i>British Journal of Radiology</i> , 2012, 85, e293-e299.	2.2	8
159	Non-invasive imaging of carotid arterial restenosis using 3T cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 5.	3.3	8
160	Chasing the reflected wave back into the heart: a new hypothesis while the jury is still out. <i>Vascular Health and Risk Management</i> , 2011, 7, 365.	2.3	7
161	Microscopic magnetic resonance imaging reveals high prevalence of third coronary artery in human and rabbit heart. <i>Europace</i> , 2012, 14, v73-v81.	1.7	7
162	Hexagonal gradient scheme with RF spoiling improves spoiling performance for high-flip-angle fast gradient echo imaging. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1231-1237.	3.0	7

#	ARTICLE	IF	CITATIONS
163	Cardiac gating using scattering of an 8-channel parallel transmit coil at 7T. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 633-640.	3.0	7
164	Hydration and glycogen affect T ₁ relaxation times of liver tissue. <i>NMR in Biomedicine</i> , 2021, 34, e4530.	2.8	7
165	Quantification of acute myocardial injury by ShMOLLI T1-Mapping, T2-weighted and late gadolinium imaging in patients presenting with chest pain, positive troponins and non-obstructive coronary arteries. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, .	3.3	6
166	Histological validation of ShMOLLI equilibrium contrast CMR for the measurement of diffuse myocardial fibrosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	6
167	Highly trabeculated structure of the human endocardium underlies asymmetrical response to low-energy monophasic shocks. <i>Chaos</i> , 2017, 27, 093913.	2.5	6
168	Navigator-based reacquisition and estimation of motion-corrupted data: Application to multi-echo spin echo for carotid wall MRI. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 2026-2041.	3.0	6
169	Scattering matrix imaging pulse design for real-time respiration and cardiac motion monitoring. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 2169-2177.	3.0	5
170	Emerging artificial intelligence applications in liver magnetic resonance imaging. <i>World Journal of Gastroenterology</i> , 2021, 27, 6825-6843.	3.3	5
171	Pre-contrast ShMOLLI T1 mapping in cardiac AL amyloidosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	4
172	In-vivo T2 mapping of atherosclerotic plaques in carotid arteries. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	2
173	The diagnostic performance of non-contrast T1-mapping in patients with acute myocarditis on cardiovascular magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	2
174	T1-mapping accurately detects acute myocardial edema: a comparison to T2-weighted cardiovascular magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	2
175	Reply to: "Multiparametric magnetic resonance imaging to predict clinical outcomes in patients with chronic liver disease: A cautionary note on a promising technique". <i>Journal of Hepatology</i> , 2017, 66, 457-458.	3.7	2
176	A 'broken heart' artifact in cardiovascular MR. <i>International Journal of Cardiovascular Imaging</i> , 2003, 19, 437-437.	0.6	1
177	Magnetic resonance phase contrast velocity mapping for flow quantification in irregular heart rhythms using radial k-space ultrashort echo time imaging. <i>International Journal of Cardiology</i> , 2020, 317, 211-215.	1.7	1
178	<i>Cardiovascular Magnetic Resonance: Basic Principles, Methods and Techniques.</i> , 0, , 28-68.		0
179	Evaluation of 3-dimensional left ventricular velocities with cardiac MR imaging using navigator gated high temporal resolution tissue phase mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	3.3	0
180	Evaluation of left ventricular wall motion in ischaemic heart disease pre- and post-cardiac surgery using cardiac MR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0

#	ARTICLE	IF	CITATIONS
181	Non-contrast T1 mapping characterizes the myocardium beyond that achieved by late gadolinium enhancement in both hypertrophic and dilated cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2012, 14, .	3.3	0
182	Single breath-hold Vd(m) calculation as good as multi breath-hold technique in Equilibrium Contrast CMR. Journal of Cardiovascular Magnetic Resonance, 2012, 14, .	3.3	0
183	Response to Letter Regarding Article, "Myocardial Tissue Characterization Using Magnetic Resonance Noncontrast T1 Mapping in Hypertrophic and Dilated Cardiomyopathy": Circulation: Cardiovascular Imaging, 2013, 6, e2.	2.6	0
184	Systolic ShMOLLI T1-mapping is feasible in tachyarrhythmia, with improved image quality compared to diastolic readout. Journal of Cardiovascular Magnetic Resonance, 2015, 17, Q5.	3.3	0
185	Diffusion tensor magnetic resonance imaging of myocardial disarray in hypertrophic cardiomyopathy. , 2018, , .		0
186	Plaque and Wall Assessment. , 2010, , 334-346.		0
187	Abstract 15822: Phosphorus Magnetic Resonance Spectroscopy is More Precise at 7 Tesla Field Strength Than 3 Tesla in Patients With Dilated Cardiomyopathy. Circulation, 2015, 132, .	1.6	0
188	Carotid plaque lipid reduction, determined by T2 mapping, occurs early after high-intensity statin initiation in patients presented with acute myocardial infarction. , 2018, , .		0