

Eleonora Dal Grande

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5228898/publications.pdf>

Version: 2024-02-01

68
papers

2,273
citations

186265

28
h-index

223800

46
g-index

68
all docs

68
docs citations

68
times ranked

3518
citing authors

#	ARTICLE	IF	CITATIONS
1	Impacts of major health conditions affecting the Australian sheepmeat value chain: a review. <i>Australian Veterinary Journal</i> , 2021, 99, 32-39.	1.1	1
2	Associations between School Readiness and Student Wellbeing: A Six-Year Follow Up Study. <i>Child Indicators Research</i> , 2021, 14, 369-390.	2.3	11
3	Increasing gaps in health inequalities related to non-communicable diseases in South Australia; implications towards behavioural risk factor surveillance systems to provide evidence for action. <i>BMC Public Health</i> , 2019, 19, 37.	2.9	10
4	Assessing Heavy Episodic Drinking: A Random Survey of 18 to 34-Year-Olds in Four Cities in Four Different Continents. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 706.	2.6	2
5	Health and welfare profile of Australian baby boomers who live in rented accommodation – implications for the future. <i>Ageing and Society</i> , 2019, 39, 685-702.	1.7	5
6	Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990–2015: findings from the Global Burden of Disease Study 2015. <i>European Journal of Nutrition</i> , 2019, 58, 1299-1313.	3.9	49
7	Gout prevalence and predictors of urate-lowering therapy use: results from a population-based study. <i>Arthritis Research and Therapy</i> , 2018, 20, 143.	3.5	37
8	Clusters of alcohol abstainers and drinkers incorporating motives against drinking: a random survey of 18 to 30 year olds in four cities in four different continents. <i>AIMS Public Health</i> , 2018, 6, 15-33.	2.6	2
9	Lower educational level and unemployment increase the impact of cardiometabolic conditions on the quality of life: results of a population-based study in South Australia. <i>Quality of Life Research</i> , 2017, 26, 1521-1530.	3.1	19
10	The independent association of overweight and obesity with breathlessness in adults: a cross-sectional, population-based study. <i>European Respiratory Journal</i> , 2017, 50, 1700558.	6.7	20
11	Frailty and usage of health care systems: Results from the South Australian Monitoring and Surveillance System (SAMSS). <i>Maturitas</i> , 2017, 104, 36-43.	2.4	30
12	Two colliding epidemics – obesity is independently associated with chronic pain interfering with activities of daily living in adults 18 years and over; a cross-sectional, population-based study. <i>BMC Public Health</i> , 2016, 16, 1034.	2.9	22
13	Bias of health estimates obtained from chronic disease and risk factor surveillance systems using telephone population surveys in Australia: results from a representative face-to-face survey in Australia from 2010 to 2013. <i>BMC Medical Research Methodology</i> , 2016, 16, 44.	3.1	17
14	Pre-Survey Text Messages (SMS) Improve Participation Rate in an Australian Mobile Telephone Survey: An Experimental Study. <i>PLoS ONE</i> , 2016, 11, e0150231.	2.5	27
15	Parent-reported Mental Health Problems and Mental Health Services Use in South Australian School-aged Children. <i>AIMS Public Health</i> , 2016, 3, 750-768.	2.6	1
16	Heat-health behaviours of older people in two Australian states. <i>Australasian Journal on Ageing</i> , 2015, 34, E19-E25.	0.9	30
17	Who provides care for people dying of cancer? A comparison of a rural and metropolitan cohort in a South Australian bereaved population study. <i>Australian Journal of Rural Health</i> , 2015, 23, 24-31.	1.5	15
18	The Use of a Chronic Disease and Risk Factor Surveillance System to Determine the Age, Period and Cohort Effects on the Prevalence of Obesity and Diabetes in South Australian Adults - 2003–2013. <i>PLoS ONE</i> , 2015, 10, e0125233.	2.5	9

#	ARTICLE	IF	CITATIONS
19	Health Estimates Using Survey Raked-Weighting Techniques in an Australian Population Health Surveillance System. <i>American Journal of Epidemiology</i> , 2015, 182, 544-556.	3.4	39
20	A Population-Based Cross-Sectional Study That Defined Normative Population Data for the Life-Space Mobility Assessment-Composite Score. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 885-893.	1.2	24
21	Soft drink consumption and multimorbidity among adults. <i>Clinical Nutrition ESPEN</i> , 2015, 10, e71-e76.	1.2	18
22	Effect of social mobility in family financial situation and housing tenure on mental health conditions among South Australian adults: results from a population health surveillance system, 2009 to 2011. <i>BMC Public Health</i> , 2015, 15, 675.	2.9	3
23	Measuring Physical Inactivity: Do Current Measures Provide an Accurate View of "Sedentary" Video Game Time?. <i>Journal of Obesity</i> , 2014, 2014, 1-5.	2.7	18
24	Ten-year trends in major lifestyle risk factors using an ongoing population surveillance system in Australia. <i>Population Health Metrics</i> , 2014, 12, 31.	2.7	37
25	A survey of retirement intentions of baby boomers: an overview of health, social and economic determinants. <i>BMC Public Health</i> , 2014, 14, 355.	2.9	29
26	Do trial-and-error practices and the use of the internet influence how medicines are used?. <i>Australian Journal of Primary Health</i> , 2014, 20, 228.	0.9	1
27	Weighting of the data and analytical approaches may account for differences in overcoming the inadequate representativeness of the respondents to the third wave of a cohort study. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 461-464.	5.0	9
28	Uncovering an invisible network of direct caregivers at the end of life: A population study. <i>Palliative Medicine</i> , 2013, 27, 608-615.	3.1	60
29	Risk Factors, Health Effects and Behaviour in Older People during Extreme Heat: A Survey in South Australia. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 6721-6733.	2.6	69
30	Monosodium glutamate intake increases hemoglobin level over 5 years among Chinese adults. <i>Amino Acids</i> , 2012, 43, 1389-1397.	2.7	19
31	Reliability of self-reported health risk factors and chronic conditions questions collected using the telephone in South Australia, Australia. <i>BMC Medical Research Methodology</i> , 2012, 12, 108.	3.1	44
32	Association between soft drink consumption and asthma and chronic obstructive pulmonary disease among adults in Australia. <i>Respirology</i> , 2012, 17, 363-369.	2.3	41
33	Methodological issues associated with collecting sensitive information over the telephone - experience from an Australian non-suicidal self-injury (NSSI) prevalence study. <i>BMC Medical Research Methodology</i> , 2011, 11, 20.	3.1	10
34	Mental ill-health across the continuum of body mass index. <i>BMC Public Health</i> , 2011, 11, 765.	2.9	35
35	The use of chronic disease risk factor surveillance systems for evidence-based decision-making: physical activity and nutrition as examples. <i>International Journal of Public Health</i> , 2010, 55, 243-249.	2.3	7
36	Sampling and coverage issues of telephone surveys used for collecting health information in Australia: results from a face-to-face survey from 1999 to 2008. <i>BMC Medical Research Methodology</i> , 2010, 10, 77.	3.1	57

#	ARTICLE	IF	CITATIONS
37	Comparing self-reported and measured high blood pressure and high cholesterol status using data from a large representative cohort study. Australian and New Zealand Journal of Public Health, 2010, 34, 394-400.	1.8	43
38	Gender differences in asthma prevalence: Variations with socioeconomic disadvantage. Respirology, 2010, 15, 107-114.	2.3	17
39	Relationships Between Body Mass Index, Mental Health, and Suicidal Ideation: Population Perspective Using Two Methods. Australian and New Zealand Journal of Psychiatry, 2009, 43, 652-658.	2.3	37
40	Tracking Depression-Related Mental Health Literacy Across South Australia: A Decade of Change. Australian and New Zealand Journal of Psychiatry, 2009, 43, 476-483.	2.3	35
41	Population-attributable risk of childhood sexual abuse for symptoms of depression and suicidal ideation in adulthood. International Journal of Psychiatry in Clinical Practice, 2009, 13, 285-291.	2.4	5
42	Quantification and examination of depression-related mental health literacy. Journal of Evaluation in Clinical Practice, 2009, 15, 650-653.	1.8	18
43	Population attributable risk (PAR) of overweight and obesity on chronic diseases: South Australian representative, cross-sectional data, 2004-2006. Obesity Research and Clinical Practice, 2009, 3, 159-168.	1.8	16
44	Are baby boomers booming too much?. Obesity Research and Clinical Practice, 2008, 2, 203-214.	1.8	8
45	Self reported overall health status: Implications for intervention strategies. Australasian Medical Journal, 2008, , 44-57.	0.1	4
46	Have Education and Publicity about Depression Made a Difference? Comparison of Prevalence, Service use and Excess Costs in South Australia: 1998 and 2004. Australian and New Zealand Journal of Psychiatry, 2007, 41, 38-53.	2.3	16
47	Bipolar disorders in Australia. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 105-109.	3.1	20
48	Detecting determinants of suicidal ideation: South Australian surveillance system results. International Journal of Public Health, 2007, 52, 142-152.	2.6	35
49	Psychological factors and quality of life in arthritis: a population-based study. Clinical Rheumatology, 2007, 26, 1049-1054.	2.2	47
50	Coexistent Chronic Conditions and Asthma Quality of Life. Chest, 2006, 129, 285-291.	0.8	81
51	The North West Adelaide Health Study: detailed methods and baseline segmentation of a cohort for selected chronic diseases. Epidemiologic Perspectives and Innovations, 2006, 3, 4.	7.0	130
52	How valid are self-reported height and weight? A comparison between CATI self-report and clinic measurements using a large cohort study. Australian and New Zealand Journal of Public Health, 2006, 30, 238-246.	1.8	158
53	Factors Associated with Gamblers: A Population-based Cross-sectional Study of South Australian Adults. Journal of Gambling Studies, 2006, 22, 143-164.	1.6	33
54	Beware the pitfalls of ill-placed questions - revisiting questionnaire ordering. International Journal of Public Health, 2006, 51, 43-44.	2.6	1

#	ARTICLE	IF	CITATIONS
55	Do people with risky behaviours participate in biomedical cohort studies?. BMC Public Health, 2006, 6, 11.	2.9	37
56	Measuring social capital in a known disadvantaged urban community--health policy implications. Australia and New Zealand Health Policy, 2006, 3, 2.	2.2	2
57	Obesity in South Australian adults - prevalence, projections and generational assessment over 13 years. Australian and New Zealand Journal of Public Health, 2005, 29, 343-348.	1.8	33
58	Is there a difference in health estimates between people with listed and unlisted telephone numbers?. Australian and New Zealand Journal of Public Health, 2005, 29, 448-456.	1.8	27
59	Changes in mental health literacy about depression: South Australia, 1998 to 2004. Medical Journal of Australia, 2005, 183, 134-137.	1.7	56
60	Bipolar I and II Disorders in a Random and Representative Australian Population. Australian and New Zealand Journal of Psychiatry, 2005, 39, 726-729.	2.3	25
61	Population Comparison of Two Clinical Approaches to the Metabolic Syndrome: Implications of the new International Diabetes Federation consensus definition. Diabetes Care, 2005, 28, 2777-2779.	8.6	107
62	Subsyndromal depression: prevalence, use of health services and quality of life in an Australian population. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 293-298.	3.1	126
63	Population attributable risk of major depression for suicidal ideation in a random and representative community sample. Journal of Affective Disorders, 2003, 74, 267-272.	4.1	63
64	Domestic violence in South Australia: a population survey of males and females. Australian and New Zealand Journal of Public Health, 2003, 27, 543-550.	1.8	29
65	Prevalence of influenza immunisation in Australia and suggestions for future targeting of campaigns. International Journal of Public Health, 2002, 47, 91-99.	2.6	12
66	Suicidal Ideation in a Random Community Sample: Attributable Risk Due to Depression and Psychosocial and Traumatic Events. Australian and New Zealand Journal of Psychiatry, 2000, 34, 98-106.	2.3	148
67	Reliability of self-reported behavioural health risk factors in a South Australian telephone survey. Australian and New Zealand Journal of Public Health, 1999, 23, 528-530.	1.8	25
68	Random digit dialling and Electronic White Pages samples compared: demographic profiles and health estimates. Australian and New Zealand Journal of Public Health, 1999, 23, 627-633.	1.8	52