

Hunter B Moore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5238467/publications.pdf>

Version: 2024-02-01

89
papers

4,518
citations

136950

32
h-index

106344

65
g-index

90
all docs

90
docs citations

90
times ranked

3980
citing authors

#	ARTICLE	IF	CITATIONS
1	Study of Alteplase for Respiratory Failure in SARS-CoV-2 COVID-19. Chest, 2022, 161, 710-727.	0.8	36
2	The vexing triad of obesity, alcohol, and coagulopathy predicts the need for multiple operations in liver transplantation. American Journal of Surgery, 2022, , .	1.8	1
3	A combat casualty relevant dismantled complex blast injury model in swine. Journal of Trauma and Acute Care Surgery, 2022, 93, S110-S118.	2.1	8
4	Reply to "The role of tranexamic acid in trauma" a life-saving drug with proven benefit™. Nature Reviews Disease Primers, 2022, 8, .	30.5	0
5	Do not drink and lyse: alcohol intoxication increases fibrinolysis shutdown in injured patients. European Journal of Trauma and Emergency Surgery, 2021, 47, 1827-1835.	1.7	4
6	Whole Blood, Fixed Ratio, or Goal-Directed Blood Component Therapy for the Initial Resuscitation of Severely Hemorrhaging Trauma Patients: A Narrative Review. Journal of Clinical Medicine, 2021, 10, 320.	2.4	19
7	Are Hepatitis C Positive Female Liver Transplant Recipients Still at Increased Risk for Graft Failure? Re-Examining the Disparity in the Modern Era of Direct Acting Antiviral Agents. Transplantation, 2021, Publish Ahead of Print, .	1.0	0
8	Trauma-induced coagulopathy. Nature Reviews Disease Primers, 2021, 7, 30.	30.5	300
9	Fibrinolysis Shutdown in COVID-19: Clinical Manifestations, Molecular Mechanisms, and Therapeutic Implications. Journal of the American College of Surgeons, 2021, 232, 995-1003.	0.5	45
10	Trauma-Induced Coagulopathy: Diagnosis and Management in 2020. Current Anesthesiology Reports, 2021, 11, 363-372.	2.0	0
11	Preventing Thrombohemorrhagic Complications of Heparinized COVID-19 Patients Using Adjunctive Thromboelastography: A Retrospective Study. Journal of Clinical Medicine, 2021, 10, 3097.	2.4	16
12	28-day thawed plasma maintains ± 2 antiplasmin levels and inhibits tPA-induced fibrinolysis. Vox Sanguinis, 2021, 116, 181-189.	1.5	1
13	Clinical relevance and practical assessment of fibrinolysis shutdown. ANZ Journal of Surgery, 2020, 90, 413-414.	0.7	9
14	Association of Prehospital Plasma Transfusion With Survival in Trauma Patients With Hemorrhagic Shock When Transport Times Are Longer Than 20 Minutes. JAMA Surgery, 2020, 155, e195085.	4.3	169
15	Comment on "The S100A10 Pathway Mediates an Occult Hyperfibrinolytic Subtype in Trauma Patients". Annals of Surgery, 2020, 271, e110-e111.	4.2	3
16	A clinical coagulopathy score concurrent with viscoelastic testing defines opportunities to improve hemostatic resuscitation and enhance blood product utilization during liver transplantation. American Journal of Surgery, 2020, 220, 1379-1386.	1.8	13
17	Detection of early allograft dysfunction at 30 min of reperfusion in liver transplantation: An intraoperative diagnostic tool with real time assessment of graft function. American Journal of Surgery, 2020, 220, 1518-1525.	1.8	11
18	The use of thromboelastography to assess post-operative changes in coagulation and predict graft function in renal transplantation. American Journal of Surgery, 2020, 220, 1511-1517.	1.8	7

#	ARTICLE	IF	CITATIONS
19	Is there a role for tissue plasminogen activator as a novel treatment for refractory COVID-19 associated acute respiratory distress syndrome?. <i>Journal of Trauma and Acute Care Surgery</i> , 2020, 88, 713-714.	2.1	77
20	Computational model of tranexamic acid on urokinase mediated fibrinolysis. <i>PLoS ONE</i> , 2020, 15, e0233640.	2.5	8
21	Temporal Changes in Fibrinolysis following Injury. <i>Seminars in Thrombosis and Hemostasis</i> , 2020, 46, 189-198.	2.7	35
22	The Complexity of Trauma-Induced Coagulopathy. <i>Seminars in Thrombosis and Hemostasis</i> , 2020, 46, 114-115.	2.7	8
23	Tissue plasminogen activator (tPA) treatment for COVID-19 associated acute respiratory distress syndrome (ARDS): A case series. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 1752-1755.	3.8	456
24	Defining trauma-induced coagulopathy with respect to future implications for patient management: Communication from the SSC of the ISTH. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 740-747.	3.8	56
25	Modern Management of Bleeding, Clotting, and Coagulopathy in Trauma Patients: What Is the Role of Viscoelastic Assays?. <i>Current Trauma Reports</i> , 2020, 6, 69-81.	1.3	9
26	Plasma-first resuscitation to treat haemorrhagic shock in urban areas – Authors' reply. <i>Lancet</i> , The, 2020, 395, 562-563.	13.7	3
27	Forgot calcium? Admission ionized-calcium in two civilian randomized controlled trials of prehospital plasma for traumatic hemorrhagic shock. <i>Journal of Trauma and Acute Care Surgery</i> , 2020, 88, 588-596.	2.1	48
28	ISTH interim guidance on recognition and management of coagulopathy in COVID-19: A comment. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2060-2063.	3.8	178
29	Salvage use of tissue plasminogen activator (tPA) in the setting of acute respiratory distress syndrome (ARDS) due to COVID-19 in the USA: a Markov decision analysis. <i>World Journal of Emergency Surgery</i> , 2020, 15, 29.	5.0	33
30	Tranexamic acid is associated with reduced complement activation in trauma patients with hemorrhagic shock and hyperfibrinolysis on thromboelastography. <i>Blood Coagulation and Fibrinolysis</i> , 2020, 31, 578-582.	1.0	11
31	Precision medicine. <i>Annals of Surgery</i> , 2020, Publish Ahead of Print, .	4.2	7
32	Prospective assessment of fibrinolysis in morbid obesity: tissue plasminogen activator resistance improves after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 1153-1159.	1.2	14
33	It's sooner than you think: Blunt solid organ injury patients are already hypercoagulable upon hospital admission - Results of a bi-institutional, prospective study. <i>American Journal of Surgery</i> , 2019, 218, 1065-1073.	1.8	31
34	Response to Letter to the Editor submitted by Dr. Wada and Dr. Yamakawa re: Trauma-induced coagulopathy: The past, present, and future. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1574-1576.	3.8	1
35	Tranexamic acid for trauma: Repackaged and redelivered. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1626-1628.	3.8	2
36	The metabolic time line of pancreatic cancer: Opportunities to improve early detection of adenocarcinoma. <i>American Journal of Surgery</i> , 2019, 218, 1206-1212.	1.8	21

#	ARTICLE	IF	CITATIONS
37	Clot activators do not expedite the time to predict massive transfusion in trauma patients analyzed with tissue plasminogen activator thrombelastography. <i>Surgery</i> , 2019, 166, 408-415.	1.9	5
38	Trauma-induced coagulopathy: The past, present, and future. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 852-862.	3.8	159
39	Does Tranexamic Acid Improve Clot Strength in Severely Injured Patients Who Have Elevated Fibrin Degradation Products and Low Fibrinolytic Activity, Measured by Thrombelastography?. <i>Journal of the American College of Surgeons</i> , 2019, 229, 92-101.	0.5	41
40	The why and how our trauma patients die: A prospective Multicenter Western Trauma Association study. <i>Journal of Trauma and Acute Care Surgery</i> , 2019, 86, 864-870.	2.1	100
41	Discrepancies between conventional and viscoelastic assays in identifying trauma-induced coagulopathy. <i>American Journal of Surgery</i> , 2019, 217, 1037-1041.	1.8	27
42	TEG Lysis Shutdown Represents Coagulopathy in Bleeding Trauma Patients: Analysis of the PROPPR Cohort. <i>Shock</i> , 2019, 52, 639-640.	2.1	1
43	Fibrinolysis Shutdown in Trauma: Historical Review and Clinical Implications. <i>Anesthesia and Analgesia</i> , 2019, 129, 762-773.	2.2	95
44	Selective organ ischaemia/reperfusion identifies liver as the key driver of the post-injury plasma metabolome derangements. <i>Blood Transfusion</i> , 2019, 17, 347-356.	0.4	5
45	Increase in post-reperfusion sensitivity to tissue plasminogen activator-mediated fibrinolysis during liver transplantation is associated with abnormal metabolic changes and increased blood product utilisation. <i>Blood Transfusion</i> , 2019, 17, 312-320.	0.4	5
46	Utility of Viscoelastic Assays Beyond Coagulation: Can Preoperative Thrombelastography Indices Predict Tumor Histology, Nodal Disease, and Resectability in Patients Undergoing Pancreatectomy?. <i>Journal of the American College of Surgeons</i> , 2018, 227, 55-62.	0.5	20
47	Thrombin stimulates increased plasminogen activator inhibitor-1 release from liver compared to lung endothelium. <i>Journal of Surgical Research</i> , 2018, 225, 1-5.	1.6	13
48	Coagulopathy in Severe Sepsis: Interconnectivity of Coagulation and the Immune System. <i>Surgical Infections</i> , 2018, 19, 208-215.	1.4	21
49	Thrombin Provokes Degranulation of Platelet α -Granules Leading to the Release of Active Plasminogen Activator Inhibitor-1 (PAI-1). <i>Shock</i> , 2018, 50, 671-676.	2.1	37
50	Goal-directed Management of Coagulation. <i>Transplantation</i> , 2018, 102, e304-e305.	1.0	5
51	The Metabolopathy of Tissue Injury, Hemorrhagic Shock, and Resuscitation in a Rat Model. <i>Shock</i> , 2018, 49, 580-590.	2.1	18
52	Microfluidics contrasted to thrombelastography: perplexities in defining hypercoagulability. <i>Journal of Surgical Research</i> , 2018, 231, 54-61.	1.6	5
53	US National Trends in Violent and Unintentional Injuries, 2000 to 2016. <i>JAMA Surgery</i> , 2018, 153, 1154.	4.3	3
54	Plasma-first resuscitation to treat haemorrhagic shock during emergency ground transportation in an urban area: a randomised trial. <i>Lancet</i> , 2018, 392, 283-291.	13.7	252

#	ARTICLE	IF	CITATIONS
55	Hemoglobin-based oxygen carriers promote systemic hyperfibrinolysis that is both dependent and independent of plasmin. <i>Journal of Surgical Research</i> , 2017, 213, 166-170.	1.6	7
56	Tranexamic acid is associated with increased mortality in patients with physiological fibrinolysis. <i>Journal of Surgical Research</i> , 2017, 220, 438-443.	1.6	90
57	Is Coagulopathy an Appropriate Therapeutic Target During Critical Illness Such as Trauma or Sepsis?. <i>Shock</i> , 2017, 48, 159-167.	2.1	21
58	Freeze-dried plasma enhances clot formation and inhibits fibrinolysis in the presence of tissue plasminogen activator similar to pooled liquid plasma. <i>Transfusion</i> , 2017, 57, 2007-2015.	1.6	47
59	Viscoelastic Tissue Plasminogen Activator Challenge Predicts Massive Transfusion in 15 Minutes. <i>Journal of the American College of Surgeons</i> , 2017, 225, 138-147.	0.5	36
60	Thrombelastography indicates limitations of animal models of trauma-induced coagulopathy. <i>Journal of Surgical Research</i> , 2017, 217, 207-212.	1.6	16
61	Platelet adenosine diphosphate receptor inhibition provides no advantage in predicting need for platelet transfusion or massive transfusion. <i>Surgery</i> , 2017, 162, 1286-1294.	1.9	20
62	Targeting resuscitation to normalization of coagulating status: Hyper and hypocoagulability after severe injury are both associated with increased mortality. <i>American Journal of Surgery</i> , 2017, 214, 1041-1045.	1.8	39
63	The hypercoagulability paradox of chronic kidney disease: The role of fibrinogen. <i>American Journal of Surgery</i> , 2017, 214, 1215-1218.	1.8	35
64	Discussion of: "Targeting resuscitation to normalization of coagulating status: Hyper and hypocoagulability after severe injury are both associated with increased mortality". <i>American Journal of Surgery</i> , 2017, 214, 1046-1047.	1.8	3
65	Discussion of: "The hypercoagulability paradox of chronic kidney disease: The role of fibrinogen". <i>American Journal of Surgery</i> , 2017, 214, 1219.	1.8	0
66	14-Day thawed plasma retains clot enhancing properties and inhibits tPA-induced fibrinolysis. <i>Journal of Surgical Research</i> , 2017, 219, 145-150.	1.6	2
67	The need for a National Trauma Institute within the National Institutes of Health. <i>Journal of Trauma and Acute Care Surgery</i> , 2017, 82, 649.	2.1	2
68	Preoperative thrombelastography maximum amplitude predicts massive transfusion in liver transplantation. <i>Journal of Surgical Research</i> , 2017, 220, 171-175.	1.6	33
69	Management of Trauma-Induced Coagulopathy with Thrombelastography. <i>Critical Care Clinics</i> , 2017, 33, 119-134.	2.6	112
70	Fibrinolysis shutdown is associated with a fivefold increase in mortality in trauma patients lacking hypersensitivity to tissue plasminogen activator. <i>Journal of Trauma and Acute Care Surgery</i> , 2017, 83, 1014-1022.	2.1	82
71	Establishing Benchmarks for Resuscitation of Traumatic Circulatory Arrest: Success-to-Rescue and Survival among 1,708 Patients. <i>Journal of the American College of Surgeons</i> , 2016, 223, 42-50.	0.5	23
72	Rationale for the selective administration of tranexamic acid to inhibit fibrinolysis in the severely injured patient. <i>Transfusion</i> , 2016, 56, S110-4.	1.6	92

#	ARTICLE	IF	CITATIONS
73	Fatality and Severity of Firearm Injuries in a Denver Trauma Center, 2000-2013. JAMA - Journal of the American Medical Association, 2016, 315, 2465.	7.4	32
74	Goal-directed Hemostatic Resuscitation of Trauma-induced Coagulopathy. Annals of Surgery, 2016, 263, 1051-1059.	4.2	504
75	Pediatric emergency department thoracotomy: A 40-year review. Journal of Pediatric Surgery, 2016, 51, 315-318.	1.6	33
76	Metabolomics of trauma-associated death: shared and fluid-specific features of human plasma vs lymph. Blood Transfusion, 2016, 14, 185-94.	0.4	17
77	Fibrinolysis shutdown phenotype masks changes in rodent coagulation in tissue injury versus hemorrhagic shock. Surgery, 2015, 158, 386-392.	1.9	63
78	Shock-induced systemic hyperfibrinolysis is attenuated by plasma-first resuscitation. Journal of Trauma and Acute Care Surgery, 2015, 79, 897-904.	2.1	50
79	Effect of Pregnancy on Adverse Outcomes After General Surgery. JAMA Surgery, 2015, 150, 637.	4.3	34
80	Shock releases bile acid inducing platelet inhibition and fibrinolysis. Journal of Surgical Research, 2015, 195, 390-395.	1.6	36
81	Early hemorrhage triggers metabolic responses that build up during prolonged shock. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R1034-R1044.	1.8	57
82	Plasma Is the Physiologic Buffer of Tissue Plasminogen Activator-Mediated Fibrinolysis: Rationale for Plasma-First Resuscitation after Life-Threatening Hemorrhage. Journal of the American College of Surgeons, 2015, 220, 872-879.	0.5	45
83	Thrombelastographic pattern recognition in renal disease and trauma. Journal of Surgical Research, 2015, 194, 1-7.	1.6	17
84	Hemolysis Exacerbates Hyperfibrinolysis, Whereas Plateletolysis Shuts Down Fibrinolysis. Shock, 2015, 43, 39-46.	2.1	74
85	Hyperfibrinolysis, physiologic fibrinolysis, and fibrinolysis shutdown. Journal of Trauma and Acute Care Surgery, 2014, 77, 811-817.	2.1	376
86	Serum Biomarkers for Traumatic Brain Injury. Southern Medical Journal, 2014, 107, 248-255.	0.7	30
87	Bridging the Gap from T to K: Integrated Surgical Research Fellowship for the Next Generation of Surgical Scientists. Journal of the American College of Surgeons, 2014, 218, 279-282.	0.5	11
88	Mechanism of injury alone is not justified as the sole indication for computed tomographic imaging in blunt pediatric trauma. Journal of Trauma and Acute Care Surgery, 2013, 75, 995-1001.	2.1	27
89	RECURRENT HEPATITIS C AND REJECTION IN LIVER ALLOGRAFTS - AN APPROACH FOR MORE ACCURATE DIAGNOSIS. Transplantation, 2010, 90, 858.	1.0	0