Marc Le Bert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5241342/publications.pdf Version: 2024-02-01



MADO LE REDT

#	Article	IF	CITATIONS
1	Targeted autophagy disruption reveals the central role of macrophage iron metabolism in systemic iron homeostasis. Blood, 2022, , .	1.4	1
2	<i>Aryl hydrocarbon receptor</i> (<i>Ahr</i>)â€dependent <i>llâ€22</i> expression by type 3 innate lymphoid cells control of acute joint inflammation. Journal of Cellular and Molecular Medicine, 2021, 25, 4721-4731.	3.6	7
3	Chronic Pseudomonas aeruginosa Lung Infection Is IL-1R Independent, but Relies on MyD88 Signaling. ImmunoHorizons, 2021, 5, 273-283.	1.8	0
4	Deletion of Mocos induces xanthinuria with obstructive nephropathy and major metabolic disorders in mice. Kidney360, 2021, 2, 10.34067/KID.0001732021.	2.1	2
5	B-Cell Activating Factor Secreted by Neutrophils Is a Critical Player in Lung Inflammation to Cigarette Smoke Exposure. Frontiers in Immunology, 2020, 11, 1622.	4.8	10
6	MEK5/ERK5 signaling mediates ILâ€4â€induced M2 macrophage differentiation through regulation of câ€Myc expression. Journal of Leukocyte Biology, 2020, 108, 1215-1223.	3.3	23
7	Protective Role of the Nucleic Acid Sensor STING in Pulmonary Fibrosis. Frontiers in Immunology, 2020, 11, 588799.	4.8	13
8	Self-DNA release and STING-dependent sensing drives inflammation to cigarette smoke in mice. Scientific Reports, 2019, 9, 14848.	3.3	40
9	Blockade of IL-33R/ST2 Signaling Attenuates Toxoplasma gondii Ileitis Depending on IL-22 Expression. Frontiers in Immunology, 2019, 10, 702.	4.8	9
10	Muc5b-deficient mice develop early histological lung abnormalities. Biology Open, 2019, 8, .	1.2	11
11	PD-1 Is Involved in the Dysregulation of Type 2 Innate Lymphoid Cells in a Murine Model of Obesity. Cell Reports, 2018, 25, 2053-2060.e4.	6.4	62
12	STING-dependent sensing of self-DNA drives silica-induced lung inflammation. Nature Communications, 2018, 9, 5226.	12.8	176
13	Pannexin-1 channels contribute to seizure generation in human epileptic brain tissue and in a mouse model of epilepsy. Science Translational Medicine, 2018, 10, .	12.4	91
14	The probiotic strain Escherichia coli Nissle 1917 prevents papain-induced respiratory barrier injury and severe allergic inflammation in mice. Scientific Reports, 2018, 8, 11245.	3.3	18
15	The IL-33 Receptor ST2 Regulates Pulmonary Inflammation and Fibrosis to Bleomycin. Frontiers in Immunology, 2018, 9, 1476.	4.8	29
16	Inducible CTCF insulator delays the <i>IgH</i> 3′ regulatory region-mediated activation of germline promoters and alters class switching. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 6092-6097.	7.1	20
17	Protein kinase CÎ, controls type 2 innate lymphoid cell and TH2 responses to house dust mite allergen. Journal of Allergy and Clinical Immunology, 2017, 139, 1650-1666.	2.9	23
18	Innate myeloid cell TNFR1 mediates first line defence against primary Mycobacterium tuberculosis infection Scientific Reports, 2016, 6, 22454.	3.3	40

MARC LE BERT

#	Article	IF	CITATIONS
19	ILâ€1R1–MyD88 axis elicits papainâ€induced lung inflammation. European Journal of Immunology, 2016, 46, 2531-2541.	2.9	26
20	Controlled Mycobacterium tuberculosis infection in mice under treatment with anti-IL-17A or IL-17F antibodies, in contrast to TNF \hat{I} ± neutralization. Scientific Reports, 2016, 6, 36923.	3.3	34
21	Complete <i>cis</i> Exclusion upon Duplication of the Eμ Enhancer at the Immunoglobulin Heavy Chain Locus. Molecular and Cellular Biology, 2015, 35, 2231-2241.	2.3	3
22	The NLRP3 inflammasome is activated by nanoparticles through ATP, ADP and adenosine. Cell Death and Disease, 2015, 6, e1629-e1629.	6.3	162
23	Role of IL-1Î ² in Experimental Cystic Fibrosis upon P. aeruginosa Infection. PLoS ONE, 2014, 9, e114884.	2.5	21
24	Relative contribution of ILâ€1α, ILâ€1β and TNF to the host response to <i>Mycobacterium tuberculosis</i> and attenuated <i>M. bovis BCG</i> . Immunity, Inflammation and Disease, 2013, 1, 47-62.	2.7	87
25	Inflammasome: IL-1/IL-17 Response in Lung Inflammation. , 2013, , 157-164.		0
26	Inflammasome-IL-1-Th17 response in allergic lung inflammation. Journal of Molecular Cell Biology, 2012, 4, 3-10.	3.3	136
27	ATP release and purinergic signaling: a common pathway for particle-mediated inflammasome activation. Cell Death and Disease, 2012, 3, e403-e403.	6.3	209
28	Neutrophil Inhibitory Factor Selectively Inhibits the Endothelium-Driven Transmigration of Eosinophils <i>In Vitro</i> and Airway Eosinophilia in OVA-Induced Allergic Lung Inflammation. Journal of Allergy, 2012, 2012, 1-10.	0.7	7
29	IL-1 and IL-23 Mediate Early IL-17A Production in Pulmonary Inflammation Leading to Late Fibrosis. PLoS ONE, 2011, 6, e23185.	2.5	180
30	Sense transcription through the S region is essential for immunoglobulin class switch recombination. EMBO Journal, 2011, 30, 1608-1620.	7.8	15
31	EuroPhenome: a repository for high-throughput mouse phenotyping data. Nucleic Acids Research, 2010, 38, D577-D585.	14.5	75
32	Cigarette Smoke-Induced Pulmonary Inflammation Is TLR4/MyD88 and IL-1R1/MyD88 Signaling Dependent. Journal of Immunology, 2008, 180, 1169-1178.	0.8	296
33	Replacement of Iγ3 germ-line promoter by Iγ1 inhibits class-switch recombination to IgG3. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20484-20489.	7.1	12
34	Tumor necrosis factor is critical to control tuberculosis infection. Microbes and Infection, 2007, 9, 623-628.	1.9	83
35	Histological skin changes in heterozygote carriers of mutations in ABCC6, the gene causing pseudoxanthoma elasticum. Journal of the European Academy of Dermatology and Venereology, 2007, 21, 368-373.	2.4	17
36	The 5′HS4 insulator element is an efficient tool to analyse the transient expression of an Eμ-GFP vector in a transgenic mouse model. Transgenic Research, 2005, 14, 361-364.	2.4	11

MARC LE BERT

#	Article	IF	CITATIONS
37	Pseudoxanthoma elasticum: a clinical, pathophysiological and genetic update including 11 novel ABCC6 mutations. Journal of Medical Genetics, 2005, 42, 881-892.	3.2	259
38	Toll-like receptor pathways in the immune responses to mycobacteria. Microbes and Infection, 2004, 6, 946-959.	1.9	234
39	Mouse Embryonic Stem Cell Sorting for the Generation of Transgenic Mice by Sedimentation Field-Flow Fractionation. Analytical Chemistry, 2004, 76, 1580-1585.	6.5	43
40	Bidirectional transcriptional activity of the Pgk1 promoter and transmission ratio distortion in Capn3-deficient mice. Genomics, 2004, 84, 592-595.	2.9	6
41	Immunoglobulin class-switch recombination in mice devoid of any Sμ tandem repeat. Blood, 2004, 103, 3828-3836.	1.4	68
42	Combination of 3′ and 5′ IgH regulatory elements mimics the B-specific endogenous expression pattern of IgH genes from pro-B cells to mature B cells in a transgenic mouse model. Biochimica Et Biophysica Acta - Molecular Cell Research, 2003, 1642, 181-190.	4.1	11
43	Germ-line transcription occurs on both the functional and the non-functional alleles of immunoglobulin constant heavy chain genes. European Journal of Immunology, 2003, 33, 2108-2113.	2.9	28
44	Effect of the Eμ IgH enhancer on expression of a GFP reporter gene in transfected B cells and transgenic mice. Immunology Letters, 2003, 86, 77-83.	2.5	4
45	Insulators to improve expression of a 3′lgH LCR-driven reporter gene in transgenic mouse models. Biochemical and Biophysical Research Communications, 2003, 307, 466-471.	2.1	33
46	B Cell Development Arrest Upon Insertion of a <i>neo</i> Gene Between JH and Eμ: Promoter Competition Results in Transcriptional Silencing of Germline JH and Complete V(D)J Rearrangements. Journal of Immunology, 2002, 169, 6875-6882.	0.8	21
47	Localization of the 3′ IgH Locus Elements that Effect Long-Distance Regulation of Class Switch Recombination. Immunity, 2001, 15, 187-199.	14.3	191
48	Alternatively Spliced Focal Adhesion Kinase in Rat Brain with Increased Autophosphorylation Activity. Journal of Biological Chemistry, 1997, 272, 28720-28725.	3.4	52
49	Paranodin, a Glycoprotein of Neuronal Paranodal Membranes. Neuron, 1997, 19, 319-331.	8.1	231
50	Regulation of a Neuronal Form of Focal Adhesion Kinase by Anandamide. Science, 1996, 273, 1719-1722.	12.6	183
51	Switch in the expression of the K19/K18 keratin genes as a very early evidence of testicular differentiation in the rat. Mechanisms of Development, 1995, 52, 199-207.	1.7	26
52	Immortalization of Different Precursors of Glial Cells with a Targeted and Temperature-Sensitive Oncogene. Experimental Cell Research, 1994, 214, 373-380.	2.6	4
53	Seizure-related opening of the blood-brain barrier induced by soman: possible correlation with the acute neuropathology observed in poisoned rats. NeuroToxicology, 1990, 11, 493-508.	3.0	91
54	Are close contacts between astrocytes and endothelial cells a prerequisite condition of a blood-brain barrier? The rat subfornical organ as an example*. Biology of the Cell, 1989, 67, 159-165.	2.0	12

#	Article	IF	CITATIONS
55	Messenger RNAs of βâ€amyloid precursor protein and prion protein are regulated by nerve growth factor in PC12 cells. International Journal of Developmental Neuroscience, 1988, 6, 387-389.	1.6	49