
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5241636/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High-water-content mouldable hydrogels by mixing clay and a dendritic molecular binder. Nature, 2010, 463, 339-343.	27.8	1,446
2	Toward Intelligent Molecular Machines:  Directed Motions of Biological and Artificial Molecules and Assemblies. Chemical Reviews, 2005, 105, 1377-1400.	47.7	808
3	Mechanical twisting of a guest by a photoresponsive host. Nature, 2006, 440, 512-515.	27.8	634
4	Light-Driven Openâ ´`Close Motion of Chiral Molecular Scissors. Journal of the American Chemical Society, 2003, 125, 5612-5613.	13.7	328
5	A Cyclic Dimer of Metalloporphyrin Forms a Highly Stable Inclusion Complex with C60. Journal of the American Chemical Society, 1999, 121, 9477-9478.	13.7	314
6	Chaperonin-mediated stabilization and ATP-triggered release of semiconductor nanoparticles. Nature, 2003, 423, 628-632.	27.8	232
7	Crystal Structures of the Salts of Chiral Primary Amines with Achiral Carboxylic Acids:  Recognition of the Commonly-Occurring Supramolecular Assemblies of Hydrogen-Bond Networks and Their Role in the Formation of Conglomerates. Journal of the American Chemical Society, 1996, 118, 3441-3449.	13.7	196
8	Biomolecular robotics for chemomechanically driven guest delivery fuelled by intracellular ATP. Nature Chemistry, 2013, 5, 613-620.	13.6	195
9	Cyclic Dimers of Metalloporphyrins as Tunable Hosts for Fullerenes: A Remarkable Effect of Rhodium(III). Angewandte Chemie - International Edition, 2001, 40, 1857-1861.	13.8	169
10	Coumarin-derived transformable fluorescent sensor for Zn2+. Chemical Communications, 2012, 48, 4764.	4.1	147
11	Toward Long-Distance Mechanical Communication: Studies on a Ternary Complex Interconnected by a Bridging Rotary Module. Journal of the American Chemical Society, 2008, 130, 6725-6727.	13.7	116
12	Semibiological Molecular Machine with an Implemented "AND―Logic Gate for Regulation of Protein Folding. Journal of the American Chemical Society, 2006, 128, 3764-3769.	13.7	107
13	A Tubular Biocontainer: Metal Ion-Induced 1D Assembly of a Molecularly Engineered Chaperonin. Journal of the American Chemical Society, 2009, 131, 7556-7557.	13.7	89
14	Molecular Glues Carrying Multiple Guanidinium Ion Pendants via an Oligoether Spacer: Stabilization of Microtubules against Depolymerization. Journal of the American Chemical Society, 2009, 131, 1626-1627.	13.7	77
15	A Self-Locking Molecule Operative with a Photoresponsive Key. Journal of the American Chemical Society, 2006, 128, 11600-11605.	13.7	67
16	A Structured Monodisperse PEG for the Effective Suppression of Protein Aggregation. Angewandte Chemie - International Edition, 2013, 52, 2430-2434.	13.8	66
17	Reversible Ion Transportation Switch by a Ligand-Gated Synthetic Supramolecular Ion Channel. Journal of the American Chemical Society, 2014, 136, 15584-15595.	13.7	65
18	Mechano-Sensitive Synthetic Ion Channels. Journal of the American Chemical Society, 2017, 139, 18016-18023.	13.7	65

#	Article	IF	CITATIONS
19	Reversible operation of chiral molecular scissors by redox and UV light. Chemical Communications, 2007, , 1441.	4.1	64
20	Thermally Driven Polymorphic Transition Prompting a Nakedâ€Eyeâ€Detectable Bending and Straightening Motion of Single Crystals. Angewandte Chemie - International Edition, 2014, 53, 7173-7178.	13.8	64
21	Chiral ferrocenes as novel rotary modules for molecular machines. Organic and Biomolecular Chemistry, 2008, 6, 1871.	2.8	63
22	Chiral discrimination upon crystallisation of the diastereomeric salts of 1-arylethylamines with mandelic acid or p-methoxymandelic acid: interpretation of the resolution efficiencies on the basis of the crystal structures. Journal of the Chemical Society Perkin Transactions II, 1996, , 2615.	0.9	55
23	Design of resolving reagents: p-substituted mandelic acids as resolving reagents for 1-arylalkylamines. Tetrahedron: Asymmetry, 1996, 7, 1539-1542.	1.8	55
24	Ion Permeation by a Folded Multiblock Amphiphilic Oligomer Achieved by Hierarchical Construction of Self-Assembled Nanopores. Journal of the American Chemical Society, 2012, 134, 19788-19794.	13.7	54
25	Introduction: Molecular Motors. Chemical Reviews, 2020, 120, 1-4.	47.7	53
26	A high-performance, tailor-made resolving agent: remarkable enhancement of resolution ability by introducing a naphthyl group into the fundamental skeleton. Perkin Transactions II RSC, 2000, , 1339-1348.	1.1	52
27	Selfâ€Repair of a Oneâ€Dimensional Molecular Assembly in Mesoporous Silica by a Nanoscopic Template Effect. Angewandte Chemie - International Edition, 2010, 49, 4241-4245.	13.8	51
28	Molecular Design of a Novel Dendrimer Porphyrin for Supramolecular Fullerene/Dendrimer Hybridization. Macromolecules, 2000, 33, 9182-9184.	4.8	49
29	Catalysis of a Peptidic Micellar Assembly Covalently Immobilized within Mesoporous Silica Channels: Importance of Amphiphilic Spatial Design. Chemistry - A European Journal, 2007, 13, 1731-1736.	3.3	49
30	Photoisomerization of ammonium α,β-unsaturated carboxylates in the solid state: effect of the hydrogen-bond network on the reactivity. Journal of the Chemical Society Perkin Transactions II, 1996, , 247-253.	0.9	44
31	Shape-Directed Assembly of a "Macromolecular Barb―into Nanofibers: Stereospecific Cyclopolymerization of Isopropylidene Diallylmalonate. Journal of the American Chemical Society, 2010, 132, 3292-3294.	13.7	44
32	Effect of a Substituent on an Aromatic Group in Diastereomeric Resolution. Tetrahedron, 2000, 56, 6651-6655.	1.9	42
33	Controlling Volume Shrinkage in Soft Lithography through Heat-Induced Cross-Linking of Patterned Nanofibers. Journal of the American Chemical Society, 2011, 133, 2840-2843.	13.7	39
34	Adhesion Effects of a Guanidinium Ion Appended Dendritic "Molecular Glue―on the ATPâ€Đriven Sliding Motion of Actomyosin. Angewandte Chemie - International Edition, 2010, 49, 3030-3033.	13.8	37
35	Characterization of a novel type of carbonic anhydrase that acts without metal cofactors. BMC Biology, 2021, 19, 105.	3.8	37
36	A synthetic ion channel with anisotropic ligand response. Nature Communications, 2020, 11, 2924.	12.8	36

#	Article	IF	CITATIONS
37	Mimicking multipass transmembrane proteins: synthesis, assembly and folding of alternating amphiphilic multiblock molecules in liposomal membranes. Chemical Communications, 2011, 47, 194-196.	4.1	34
38	Chiral discrimination of 2-arylalkanoic acids by (1S,2R)-1-aminoindan-2-ol through the formation of a consistent columnar supramolecular hydrogen-bond network â€. Perkin Transactions II RSC, 2000, , 111-119.	1.1	33
39	Design of Resolving Agents Based on Crystal Engineering. Synlett, 2005, 2005, 0732-0743.	1.8	31
40	Oligo(4-aminopiperidine-4-carboxylic acid): An Unusual Basic Oligopeptide with an Acid-Induced Helical Conformation. Journal of the American Chemical Society, 2010, 132, 13176-13178.	13.7	31
41	Probability of spontaneously resolvable conglomerates for racemic acid/racemic amine salts predicted on the basis of the results of diastereomeric resolutions. Tetrahedron: Asymmetry, 2001, 12, 2927-2930.	1.8	29
42	Rational Design of CH/Ï€ Interaction Sites in a Basic Resolving Agent. Journal of Organic Chemistry, 2004, 69, 7436-7441.	3.2	29
43	Development of photoresponsive supramolecular machines inspired by biological molecular systems. Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 2012, 13, 136-147.	11.6	29
44	Metalâ€lon Permeation in Congested Nanochannels: The Exposure Effect of Ag <sup>+</sup> lons on the Phosphorescent Properties of a Gold(I)–Pyrazolate Complex that is Confined in the Nanoscopic Channels of Mesoporous Silica. Chemistry - an Asian Journal, 2012, 7, 2068-2072.	3.3	29
45	Chromatography-free synthesis of monodisperse oligo(ethylene glycol) mono-p-toluenesulfonates and quantitative analysis of oligomer purity. Polymer Chemistry, 2016, 7, 2389-2394.	3.9	29
46	Systematic study of chiral discrimination upon crystallisation. Part 2.1 Chiral discrimination of 2-arylalkanoic acids by (1R,2S )-2-amino-1,2-diphenylethanol. Journal of the Chemical Society Perkin Transactions II, 1998, , 1767-1776.	0.9	28
47	Single-Cell E.Âcoli Response to an Instantaneously Applied Chemotactic Signal. Biophysical Journal, 2014, 107, 730-739.	0.5	28
48	Chemical Modification of Amide-Based Catenanes and Rotaxanes II. Synthesis oftertiaryAmine [2]Catenanes and [2] Rotaxanes viaN-Methylation Followed by Borane Reduction ofsecondaryAmide [2]Catenanes and [2]Rotaxanes and Mobility of Their Components. Bulletin of the Chemical Society of Japan, 2001, 74, 149-155.	3.2	24
49	Optical Resolution of 1-(3-Methoxyphenyl)ethylamine with Enantiomerically Pure Mandelic Acid, and the Crystal Structure of Less-Soluble Diastereomeric Salt. Bulletin of the Chemical Society of Japan, 1993, 66, 3414-3418.	3.2	23
50	Newly characterized interaction stabilizes DNA structure: oligoethylene glycols stabilize G-quadruplexes CH–Ĩ€ interactions. Nucleic Acids Research, 2017, 45, 7021-7030.	14.5	23
51	Synthetic Ion Channel Formed by Multiblock Amphiphile with Anisotropic Dual-Stimuli-Responsiveness. Journal of the American Chemical Society, 2021, 143, 1348-1355.	13.7	23
52	Supramolecular Transmembrane Ion Channels Formed by Multiblock Amphiphiles. Accounts of Chemical Research, 2021, 54, 3700-3709.	15.6	23
53	Chiral Discrimination during Crystallization. Topics in Stereochemistry, 2003, , 207-265.	2.0	22
54	Crystallographic and Chiroptical Studies on Tetraarylferrocenes for Use as Chiral Rotary Modules for Molecular Machines. Chemistry - A European Journal, 2007, 13, 1724-1730.	3.3	22

#	Article	IF	CITATIONS
55	Protein stabilization by an amphiphilic short monodisperse oligo(ethylene glycol). Chemical Communications, 2015, 51, 8457-8460.	4.1	22
56	Micrometer-Size Vesicle Formation Triggered by UV Light. Langmuir, 2014, 30, 7289-7295.	3.5	21
57	Application of photoactive yellow protein as a photoresponsive module for controlling hemolytic activity of staphylococcal î±-hemolysin. Chemical Communications, 2012, 48, 4737.	4.1	19
58	Novel Copolyamides Containing [60]Fullerene in the Main Chain. Chemistry Letters, 1997, 26, 1037-1038.	1.3	18
59	Hermaphroditic Chirality of aD2-Symmetric Saddle-Shaped Porphyrin in Multicomponent Spontaneous Optical Resolution: Inclusion Cocrystals with Double-Helical Porphyrin Arrays. Angewandte Chemie - International Edition, 2006, 45, 3786-3790.	13.8	18
60	Multigram chromatography-free synthesis of octa(ethylene glycol) p-toluenesulfonate. Organic Chemistry Frontiers, 2016, 3, 1524-1534.	4.5	18
61	(2-Naphthyl)glycolic acid: a tailored resolving agent for p-substituted 1-arylethylamines. Tetrahedron: Asymmetry, 1998, 9, 2219-2222.	1.8	17
62	Monodisperse engineered PEGs for bio-related applications. Polymer Journal, 2018, 50, 689-697.	2.7	17
63	Supramolecular Mechanosensitive Potassium Channel Formed by Fluorinated Amphiphilic Cyclophane. Journal of the American Chemical Society, 2022, 144, 11802-11809.	13.7	17
64	Synthesis, absolute configuration, and application of enantiopuretrans-1-aminobenz[f]indan-2-ol. Chirality, 2005, 17, 108-112.	2.6	16
65	Synthesis and transformation of a novel methano[60]fullerene having a formyl group. Tetrahedron Letters, 2001, 42, 5069-5071.	1.4	15
66	Synthesis and Structure of Macrocyclic Bis(hydroxynaphthoic amide)s Connected by an Achiral or Chiral Diamine. Journal of Organic Chemistry, 2003, 68, 5812-5818.	3.2	15
67	Toward autonomously operating molecular machines driven by transition-metal catalyst. Molecular BioSystems, 2008, 4, 512.	2.9	15
68	Template sol–gel synthesis of mesostructured silica composites using metal complexes bearing amphiphilic side chains: immobilization of a polymeric Pt complex formed by a metallophilic interaction. Faraday Discussions, 2009, 143, 335.	3.2	14
69	Thermodriven Micrometerâ€Scale Aqueousâ€Phase Separation of Amphiphilic Oligoethylene Glycol Analogues. Chemistry - an Asian Journal, 2014, 9, 2778-2788.	3.3	14
70	A novel reaction of [60]fullerene. A formal [2+2] cycloaddition with aryloxy- and alkoxyketenes. Tetrahedron Letters, 1999, 40, 899-902.	1.4	13
71	Synthesis of methano[60]fullerene derivatives: the fluoride ion-mediated reaction of [60]fullerene with silylated nucleophiles. Tetrahedron Letters, 2001, 42, 5065-5067.	1.4	13
72	Enantiopuretrans- andcis-3-Aminoindan-1-ols: Preparation and Application as Novel Basic Resolving Agents. Chemistry Letters, 2002, 31, 266-267.	1.3	13

#	Article	IF	CITATIONS
73	Bioinspired multi-block molecules. Chemical Communications, 2016, 52, 2667-2678.	4.1	13
74	Synthesis and properties of polyamides with [60]fullerene in the main chain. Journal of Polymer Science Part A, 1998, 36, 3139-3146.	2.3	12
75	Chiral discrimination of 2-arylalkanoic acids by (1S,2S)-1-aminoindan-2-ol and (1S,2S)-2-aminoindan-1-ol: Correlation of the relative configuration of the amino and hydroxy groups with the pattern of a supramolecular hydrogen-bond network in the less-soluble diastereomeric salt. Chirality, 2003, 15, 564-570.	2.6	12
76	Photoreactive molecular complex of 2,5-distyrylpyrazine and ethyl 4-[2-(2-pyrazinyl)ethenyl]cinnamate. Formation of perfectly ordered polymer composite by crystalline-state photopolymerization. Journal of the American Chemical Society, 1993, 115, 3820-3821.	13.7	10
77	Synthesis and Structure of [2]CatenatedtertiaryOctamide and Octamine. Chemistry Letters, 1999, 28, 915-916.	1.3	10
78	Thermal-aggregation suppression of proteins by a structured PEG analogue: Importance of denaturation temperature for effective aggregation suppression. Biochemical Engineering Journal, 2014, 86, 41-48.	3.6	10
79	Thermoresponsive Self-assembly and Conformational Changes of Amphiphilic Monodisperse Short Poly(ethylene glycol)s in Water. Chemistry Letters, 2014, 43, 1055-1057.	1.3	10
80	Gâ€Quadruplexes with Tetra(ethylene glycol)â€Modified Deoxythymidines are Resistant to Nucleases and Inhibit HIVâ€1 Reverse Transcriptase. ChemBioChem, 2016, 17, 1399-1402.	2.6	10
81	Imidazoliniumâ€based Multiblock Amphiphile as Transmembrane Anion Transporter. Chemistry - an Asian Journal, 2021, 16, 147-157.	3.3	9
82	PhotochemicalEZ-Isomerization ofα,β-Unsaturated Amides and Thioamides in the Solid State. Bulletin of the Chemical Society of Japan, 1996, 69, 779-784.	3.2	8
83	From Electron Pump to Proton Channel. Science, 2006, 313, 51-52.	12.6	8
84	Thermal and optical properties of multiblock macrocycles with hysteretic polymorphic transition. Materials Chemistry Frontiers, 2018, 2, 969-974.	5.9	8
85	Aromatic Fluorination of Multiblock Amphiphile Enhances Its Incorporation into Lipid Bilayer Membranes. ChemistryOpen, 2020, 9, 301-303.	1.9	8
86	EZ-Isomerization of α,β-punsaturated Acid Derivatives in the Solid State. Molecular Crystals and Liquid Crystals, 1996, 276, 141-151.	0.3	7
87	Contrasting Topological Effect of PEG-Containing Amphiphiles to Natural Lipids on Stability of Vesicles. Langmuir, 2016, 32, 4546-4553.	3.5	7
88	Image analysis of Â/Â-tubulin rings in two-dimensional crystalline arrays of periodic mesoporous nanostructures. Journal of Biochemistry, 2010, 147, 555-563.	1.7	6
89	Thermally-induced lateral assembly of a PEG-containing amphiphile triggering vesicle budding. Chemical Communications, 2017, 53, 11662-11665.	4.1	6
90	Optical Resolution and Absolute Configuration ofantiHead-to-Head Umbelliferone Dimer. Bulletin of the Chemical Society of Japan, 1993, 66, 900-905.	3.2	5

#	Article	IF	CITATIONS
91	Formation of a Topochemically Photoreactive Mixed Crystal by Grinding and Its Mechanistic Interpretation. Bulletin of the Chemical Society of Japan, 1993, 66, 1204-1210.	3.2	5
92	TETHER-LINKED [60]FULLERENE-DONOR DYADS. Fullerenes, Nanotubes, and Carbon Nanostructures, 2001, 9, 467-475.	0.6	5
93	Light-triggered vesicle formation: important factors for generation of vesicles and possible applications. Pure and Applied Chemistry, 2014, 86, 1259-1267.	1.9	5
94	Synthesis and Thermal Responses of Polygonal Poly(ethylene glycol) Analogues. Chemistry - an Asian Journal, 2016, 11, 1028-1035.	3.3	5
95	Multifarious Polymorphism of a Multiblock Amphiphilic Macrocycle Bearing Thermally Responsive Polyether Segment. ACS Omega, 2018, 3, 414-418.	3.5	5
96	New Modified Deoxythymine with Dibranched Tetraethylene Glycol Stabilizes G-Quadruplex Structures. Molecules, 2020, 25, 705.	3.8	5
97	Formation of Ketones from Alkyl Nitrites in the Solid State. Chemistry Letters, 1996, 25, 217-218.	1.3	4
98	Molecular-level chiral discrimination and induction. Journal of Chemical Sciences, 1996, 108, 555-573.	1.5	4
99	Azidoacetamide, a neutral small organic azide. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o6-o8.	0.2	4
100	Regio- and Stereoselective Synthesis of atrans-4-[60]Fullerenobisacetic Acid Derivative by a Tether-Directed Biscyclopropanation: A Diacid Component Applicable for the Synthesis of Regio- and Stereo-regular [60]Fullerene Pearl-Necklace Polyamides. Chemistry Letters, 2002, 31, 728-729.	1.3	4
101	Heating effect of a one-dimensional molecular assembly on self-repairing capability in the nanoscopic channels of mesoporous silica. , 2010, , .		4
102	Thermally resistive phosphorescent molecular assembly in the channels of mesoporous silica nanocomposites. , 2012, , .		4
103	Enzymatically cleavable traceless biotin tags for protein PEGylation and purification. Chemical Communications, 2018, 54, 1913-1916.	4.1	4
104	Applications to water transport systems: general discussion. Faraday Discussions, 2018, 209, 389-414.	3.2	4
105	Heatâ€īriggered Crystallization of Liquid Crystalline Macrocycles Allowing for Conductance Switching through Hysteretic Thermal Phase Transitions. Chemistry - an Asian Journal, 2019, 14, 141-148.	3.3	4
106	Calcium-induced reversible assembly of phosphorylated amphiphile within lipid bilayer membranes. Chemical Communications, 2021, 57, 4106-4109.	4.1	4
107	Cyclic Dimers of Metalloporphyrins as Tunable Hosts for Fullerenes: A Remarkable Effect of Rhodium(III). Angewandte Chemie - International Edition, 2001, 40, 1857-1861.	13.8	4
108	Thermo-driven self-assembly of a PEG-containing amphiphile in a bilayer membrane. RSC Advances, 2020, 10, 25758-25762.	3.6	3

#	Article	IF	CITATIONS
109	Amplification of Light-induced Molecular-Shape Change by Supramolecular Machines. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2012, 25, 655-658.	0.3	2
110	Development of Stimuli-Responsive Multi-Block Amphiphiles. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2015, 28, 579-582.	0.3	2
111	Session 2SDA—Nonequilibrium energetics of biological molecular machines. Biophysical Reviews, 2020, 12, 273-274.	3.2	2
112	Design of Resolving Agents Based on Crystal Engineering. ChemInform, 2005, 36, no.	0.0	1
113	Template Sol-Gel Synthesis of Phosphorescent Mesoporous Silica Film Nanocomposites Using an Amphiphilic Gold (I) Pyrazolate Complex. Advanced Materials Research, 0, 364, 55-59.	0.3	1
114	Grafting synthetic transmembrane units to the engineered low-toxicity α-hemolysin to restore its hemolytic activity. Molecular BioSystems, 2014, 10, 3199-3206.	2.9	1
115	Localization of transmembrane multiblock amphiphilic molecules in phase-separated vesicles. Faraday Discussions, 2018, 209, 315-328.	3.2	1
116	Development of an Engineered Photoactive Yellow Protein as a Crossâ€Linking Junction for Construction of Photoresponsive Proteinâ€Polymer Conjugates. ChemPhotoChem, 2019, 3, 356-360.	3.0	1
117	Transetherification on Polyols by Intra- and Intermolecular Nucleophilic Substitutions. PLoS ONE, 2014, 9, e91912.	2.5	1
118	Development of Supramolecular Machines Allowing for Mechanical Communication between Molecules. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2009, 67, 1044-1052.	0.1	1
119	Role of Hydrogen-Bond Network in the Formation of a Conglomerate Nihon Kessho Gakkaishi, 1996, 38, 414-420.	0.0	1
120	Synthesis and Structure of Macrocyclic Bis(hydroxynaphthoic amide)s Connected by an Achiral or Chiral Diamine ChemInform, 2003, 34, no.	0.0	0
121	Rational Design of CH/? Interaction Sites in a Basic Resolving Agent ChemInform, 2005, 36, no.	0.0	Ο
122	Toward Intelligent Molecular Machines: Directed Motions of Biological and Artificial Molecules and Assemblies. ChemInform, 2005, 36, no.	0.0	0
123	Regio―and Stereoselective Synthesis of a transâ€4â€[60]Fullerenobisacetic Acid Derivative by a Tetherâ€Directed Biscyclopropanation: A Diacid Component Applicable for the Synthesis of Regio―and Stereoâ€Regular [60]Fullerene Pearlâ€Necklace Polyamides ChemInform, 2002, 33, 86-86.	0.0	Ο
124	Development of Bioinspired Molecular Machines and their Functions. Hyomen Kagaku, 2010, 31, 283-289.	0.0	0
125	Development of Self-Assembling Alternating Amphiphilic Compounds. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2014, 27, 557-560.	0.3	0
126	Reversible formation of multiple stimuli-responsive polymeric materials through processing control of trifunctional amphiphilic molecules. Chemical Communications, 2020, 56, 7881-7884.	4.1	0

#	Article	IF	CITATIONS
127	Chemical Molecular Machines and Robots. , 2021, , 1-13.		Ο
128	Dynamic Functional Materials Utilizing Chaperonins. Kobunshi, 2005, 54, 82-82.	0.0	0
129	Development and Functionalization of Structural Mimics of Multipass Transmembrane Proteins. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2013, 71, 1045-1050.	0.1	0
130	Properties of Imidazolinium-containing Multiblock Amphiphile in Lipid Bilayer Membranes. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2021, 34, 161-165.	0.3	0