
Robert Stackman Jr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5243583/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Assessing rodent hippocampal involvement in the novel object recognition task. A review. Behavioural Brain Research, 2015, 285, 105-117.	2.2	427
2	On the delay-dependent involvement of the hippocampus in object recognition memory. Neurobiology of Learning and Memory, 2004, 82, 26-34.	1.9	398
3	Hippocampal spatial representations require vestibular input. Hippocampus, 2002, 12, 291-303.	1.9	329
4	Firing Properties of Rat Lateral Mammillary Single Units: Head Direction, Head Pitch, and Angular Head Velocity. Journal of Neuroscience, 1998, 18, 9020-9037.	3.6	280
5	Firing Properties of Head Direction Cells in the Rat Anterior Thalamic Nucleus: Dependence on Vestibular Input. Journal of Neuroscience, 1997, 17, 4349-4358.	3.6	266
6	The Rodent Hippocampus Is Essential for Nonspatial Object Memory. Current Biology, 2013, 23, 1685-1690.	3.9	260
7	Small Conductance Ca ²⁺ -Activated K ⁺ Channels Modulate Synaptic Plasticity and Memory Encoding. Journal of Neuroscience, 2002, 22, 10163-10171.	3.6	249
8	The role of serotonin 5-HT2A receptors in memory and cognition. Frontiers in Pharmacology, 2015, 6, 225.	3.5	213
9	Prevention of age-related spatial memory deficits in a transgenic mouse model of Alzheimer's disease by chronic Ginkgo biloba treatment. Experimental Neurology, 2003, 184, 510-520.	4.1	202
10	Processing the head direction cell signal: A review and commentary. Brain Research Bulletin, 1996, 40, 477-484.	3.0	193
11	Small-Conductance Ca2+-Activated K+ Channel Type 2 (SK2) Modulates Hippocampal Learning, Memory, and Synaptic Plasticity. Journal of Neuroscience, 2006, 26, 1844-1853.	3.6	187
12	Chronic dietary α-lipoic acid reduces deficits in hippocampal memory of aged Tg2576 mice. Neurobiology of Aging, 2007, 28, 213-225.	3.1	155
13	Hippocampal Place Cell Instability after Lesions of the Head Direction Cell Network. Journal of Neuroscience, 2003, 23, 9719-9731.	3.6	153
14	Intraseptal administration of muscimol produces dose-dependent memory impairments in the rat. Behavioral and Neural Biology, 1989, 52, 357-369.	2.2	149
15	Passive Transport Disrupts Directional Path Integration by Rat Head Direction Cells. Journal of Neurophysiology, 2003, 90, 2862-2874.	1.8	144
16	Developmental Exposure to Polychlorinated Biphenyls Interferes with Experience-Dependent Dendritic Plasticity and Ryanodine Receptor Expression in Weanling Rats. Environmental Health Perspectives, 2009, 117, 426-435.	6.0	143
17	Stability of Spatial Working Memory across the Estrous Cycle of Long–Evans Rats. Neurobiology of Learning and Memory, 1997, 67, 167-171.	1.9	133
18	Stimulation of serotonin 2A receptors facilitates consolidation and extinction of fear memory in C57BL/6J mice. Neuropharmacology, 2013, 64, 403-413.	4.1	123

Robert Stackman Jr

#	Article	IF	CITATIONS
19	Rats with lesions of the vestibular system require a visual landmark for spatial navigation. Behavioural Brain Research, 2002, 128, 27-40.	2.2	112
20	Distinct Profile of Working Memory Errors Following Acute or Chronic Disruption of the Cholinergic Septohippocampal Pathway. Neurobiology of Learning and Memory, 1995, 64, 226-236.	1.9	105
21	Behavioral and neurobiological alterations induced by the immunotoxin 192-IgG-saporin: cholinergic and non-cholinergic effects following i.c.v. injection. Brain Research, 1995, 702, 233-245.	2.2	94
22	Maintenance of Rat Head Direction Cell Firing During Locomotion in the Vertical Plane. Journal of Neurophysiology, 2000, 83, 393-405.	1.8	87
23	Rat Head Direction Cell Responses in Zero-Gravity Parabolic Flight. Journal of Neurophysiology, 2004, 92, 2887-2997.	1.8	75
24	On the behavioral significance of head direction cells: Neural and behavioral dynamics during spatial memory tasks Behavioral Neuroscience, 2001, 115, 285-304.	1.2	62
25	Chlordiazepoxide-induced working memory impairments: Site specificity and reversal by flumazenil (R015-1788). Behavioral and Neural Biology, 1992, 57, 233-243.	2.2	60
26	Baclofen produces dose-related working memory impairments after intraseptal injection. Behavioral and Neural Biology, 1994, 61, 181-185.	2.2	59
27	The SK2-long isoform directs synaptic localization and function of SK2-containing channels. Nature Neuroscience, 2011, 14, 744-749.	14.8	52
28	In vivo pharmacological manipulation of small conductance Ca2+-activated K+ channels influences motor behavior, object memory and fear conditioning. Neuropharmacology, 2010, 58, 650-659.	4.1	50
29	Temporary inactivation reveals that the CA1 region of the mouse dorsal hippocampus plays an equivalent role in the retrieval of long-term object memory and spatial memory. Neurobiology of Learning and Memory, 2016, 133, 118-128.	1.9	49
30	Activation of serotonin 5-HT2C receptor suppresses behavioral sensitization and naloxone-precipitated withdrawal symptoms in heroin-treated mice. Neuroscience Letters, 2015, 607, 23-28.	2.1	43
31	Object Recognition Memory: Distinct Yet Complementary Roles of the Mouse CA1 and Perirhinal Cortex. Frontiers in Molecular Neuroscience, 2020, 13, 527543.	2.9	40
32	Intraseptal injection of GABA and benzodiazepine receptor ligands alters highaffinity choline transport in the hippocampus. Brain Research Bulletin, 1993, 31, 267-271.	3.0	39
33	Activation of serotonin 5-HT2C receptor suppresses behavioral sensitization and naloxone-precipitated withdrawal symptoms in morphine-dependent mice. Neuropharmacology, 2016, 101, 246-254.	4.1	39
34	Hemicholinium-3 prevents the working memory impairments and the cholinergic hypofunction induced by ethylcholine aziridinium ion (AF64A). Brain Research, 1989, 504, 269-275.	2.2	38
35	Directional Responding of C57BL/6J Mice in the Morris Water Maze Is Influenced by Visual and Vestibular Cues and Is Dependent on the Anterior Thalamic Nuclei. Journal of Neuroscience, 2012, 32, 10211-10225.	3.6	36
36	Vitamin E Prevents the Place Learning Deficit and the Cholinergic Hypofunction Induced by AF64A. Experimental Neurology, 1994, 125, 15-21.	4.1	33

Robert Stackman Jr

#	Article	IF	CITATIONS
37	Intraseptal Flumazenil Enhances, while Diazepam Binding Inhibitor Impairs, Performance in a Working Memory Task. Neurobiology of Learning and Memory, 1996, 66, 341-352.	1.9	32
38	The neurosteroid allopregnanolone impairs object memory and contextual fear memory in male C57BL/6J mice. Hormones and Behavior, 2014, 66, 238-246.	2.1	30
39	Blockade of Serotonin 5-HT2A Receptors Suppresses Behavioral Sensitization and Naloxone-Precipitated Withdrawal Symptoms in Morphine-Treated Mice. Frontiers in Pharmacology, 2016, 7, 514.	3.5	26
40	Encoding of Contextual Fear Memory Requires De Novo Proteins in the Prelimbic Cortex. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 158-169.	1.5	25
41	Anatomical specificity and time-dependence of chlordiazepoxide-induced spatial memory impairments Behavioral Neuroscience, 1995, 109, 436-445.	1.2	24
42	Examination of the hippocampal contribution to serotonin 5-HT2A receptor-mediated facilitation of object memory in C57BL/6J mice. Neuropharmacology, 2016, 109, 332-340.	4.1	23
43	Spatial working memory is preserved in rats treated with anabolic-androgenic steroids. Brain Research, 1996, 737, 313-316.	2.2	22
44	Reversible inactivation of the medial septum or nucleus basalis impairs working memory in rats: A dissociation of memory and performance Behavioral Neuroscience, 1998, 112, 1114-1124.	1.2	21
45	AF64A (ethylcholine mustard aziridinium) impairs acquisition and performance of a spatial, but not a cued water maze task: Relation to cholinergic hypofunction. Physiology and Behavior, 1993, 54, 1227-1233.	2.1	19
46	Object and place information processing by CA1 hippocampal neurons of C57BL/6J mice. Journal of Neurophysiology, 2020, 123, 1247-1264.	1.8	18
47	Contextual memory deficits observed in mice overexpressing small conductance Ca ²⁺ -activated K ⁺ type 2 (K _{Ca} 2.2, SK2) channels are caused by an encoding deficit. Learning and Memory, 2008, 15, 208-213.	1.3	17
48	A single intraseptal injection of nerve growth factor facilitates radial maze performance following damage to the medial septum in rats. Brain Research, 1995, 679, 99-109.	2.2	14
49	Medial septal benzodiazepine receptors modulate hippocampal evoked responses and long-term potentiation. Brain Research, 1996, 717, 12-21.	2.2	14
50	Effect of a hallucinogenic serotonin 5â€HT 2A receptor agonist on visually guided, hippocampalâ€dependent spatial cognition in C57BL/6J mice. Hippocampus, 2017, 27, 558-569.	1.9	8
51	Small-Conductance Ca2+-Activated K+ Channel 2 in the Dorsal Horn of Spinal Cord Participates in Visceral Hypersensitivity in Rats. Frontiers in Pharmacology, 2018, 9, 840.	3.5	8
52	Reversible inactivation of the medial septum or nucleus basalis impairs working memory in rats: A dissociation of memory and performance Behavioral Neuroscience, 1998, 112, 1114-1124.	1.2	8
53	Modulation of Memory by Benzodiazepine-Acetylcholine Interactions. , 1992, , 312-328.		6
54	Anatomical specificity and time-dependence of chlordiazepoxide-induced spatial memory impairments Behavioral Neuroscience, 1995, 109, 436-445.	1.2	6

#	Article	IF	CITATIONS
55	Behavioral Correlates of Neuronal Activity Recorded as Single-Units: Promises and Pitfalls as Illustrated by the Rodent Head Direction Cell Signal. Neuromethods, 2011, , 127-167.	0.3	1
56	Mice recognize 3D objects from recalled 2D pictures, support for picture-object equivalence. Scientific Reports, 2022, 12, 4184.	3.3	1
57	Vitamin E attenuates the effects of both reversible and irreversible inhibitors of high-affinity choline transport in vivo. Restorative Neurology and Neuroscience, 1997, 11, 83-89.	0.7	Ο
58	Path Integration in the Rat Head-Direction Circuit. , 1998, , 579-584.		0