Arsen Khvedelidze

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5244995/publications.pdf

Version: 2024-02-01

222 papers 4,867 citations

94433 37 h-index 57 g-index

227 all docs

227 docs citations

times ranked

227

6941 citing authors

#	Article	IF	CITATIONS
1	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
2	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
3	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
4	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
5	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
6	Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, 2021, 2021, 1.	4.7	54
7	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
8	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	15
9	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	28
10	Angular analysis of the decay B+ \hat{a} †' K \hat{a} ^—(892)+ \hat{l} ½+ \hat{l} ½ \hat{a} °' in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = TeV. Journal of High Energy Physics, 2021, 2021, 1.	= 8 _{4.7}	9
11	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\frac{5}{13}$ = 13,ext $\{7\}$ = 13. European Physical Journal C, 2021, 81, 378.	3.9	40
12	Measurements of the differential cross sections of the production of Z + jets and \hat{l}^3 + jets and of Z boson emission collinear with a jet in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
13	In-medium modification of dijets in PbPb collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
14	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
15	On Families of Wigner Functions for N-Level Quantum Systems. Symmetry, 2021, 13, 1013.	2.2	2
16	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
17	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
18	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123

#	Article	IF	Citations
19	Kenfack – Życzkowski indicator of nonclassicality for two non-equivalent representations of Wigner function of qutrit. Physics Letters, Section A: General, Atomic and Solid State Physics, 2021, 412, 127591.	2.1	1
20	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb \hat{a} '1 of proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
21	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the ττbb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	11
22	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	36
23	Parameterizing qudit states. Discrete and Continuous Models and Applied Computational Science, 2021, 29, 361-386.	0.3	0
24	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
25	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
26	Search for a heavy resonance decaying to a top quark and a W boson at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.	4.7	1
27	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
28	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
29	Search for a light pseudoscalar Higgs boson in the boosted $\hat{1}/4\hat{1}/4\hat{1}$, $\hat{1}$, final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	23
30	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
31	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
32	COMET Phase-I technical design report. Progress of Theoretical and Experimental Physics, 2020, 2020, .	6.6	66
33	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	37
34	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{13}{ext}$ European Physical Journal C, 2020, 80, 752.	3.9	23
35	Search for decays of the 125 GeV Higgs boson into a Z boson and a ϕor ϕ meson. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
36	Search for supersymmetry in proton-proton collisions at $\$\$ \cdot \$ = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4

3

#	Article	IF	CITATIONS
37	The Global Indicator of Classicality of an Arbitrary N-Level Quantum System. Journal of Mathematical Sciences, 2020, 251, 301-314.	0.4	2
38	Search for new neutral Higgs bosons through the $\$ mathrm{H}o mathrm{ZA}o {ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	27
39	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{{}^{}\$\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
40	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\mbox{mathrm {PbPb}$$ collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 2.76$$ and 5.02$$,ext {TeV}$$. European Physical Journal C, 2020, 80, 534.$	3.9	14
41	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
42	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
43	Search for lepton flavour violating decays of a neutral heavy Higgs boson to 14 , and el, in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	15
44	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
45	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26
46	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	13
47	Measurement of $hose {t}{ar{hbox {t}}}$ normalised multi-differential cross sections in $f(x) = 1$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	3.9	33
48	On Overall Measure of Non-classicality of N-level Quantum System and Its Universality in the Large N Limit. Lecture Notes in Computer Science, 2020, , 244-255.	1.3	0
49	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
50	Inclusive search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
51	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
52	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
53	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\frac{1}{5} = 13$,ext $\frac{1}{5} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
54	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{\{uft(\{770\}ight)\}\}_{}^{}\}\}\}$ $\{0\}$ \$\$\$\$\text{photoproduction in ultraperipheral pPb collisions at \$\$sqrt\{smash [b]\{s_{_\mathrm \{NN\}}\}} = 5.02,ext \{Te\}ext \{V\} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33

#	Article	IF	CITATIONS
55	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
56	On the Moduli Space of Wigner Quasiprobability Distributions for N-Dimensional Quantum Systems. Journal of Mathematical Sciences, 2019, 240, 617-633.	0.4	3
57	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
58	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $\$$ {ext {p}} {ext {p}} \$\$ collisions at $\$$ sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 773.	3.9	8
59	Search for resonant production of second-generation sleptons with same-sign dimuon events in protonae force proton collisions at $\frac{13}{5} = 13$, ext $\frac{10}{5} = 13$ TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
60	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
61	Search for the pair production of light top squarks in the e± 1 4 4 6" final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
62	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
63	Measurement of the $\$ {mathrm {t}overline{mathrm {t}}}\$\$ t t production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
64	Search for nonresonant Higgs boson pair production in the $\$$ mathrm{b}overline{mathrm{b}} mathrm{b}) s\$ final state at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
65	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
66	Search for single production of vector-like quarks decaying to a top quark and a $\$ mathrm {W} \$\$ W boson in protonâ \in "proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
67	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
68	Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
69	Measurements of $\$ mathrm{t}overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
70	Search for $\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
71	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
72	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14

#	Article	IF	CITATIONS
73	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
74	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
75	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
76	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
77	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ \$\$. European Physical Journal C, 2019, 79, 893.	3.9	12
78	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
79	Search for supersymmetry using Higgs boson to diphoton decays at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
80	On the Stratifications of 2-Qubits X-State Space. EPJ Web of Conferences, 2018, 173, 02011.	0.3	0
81	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. Physical Review Letters, 2018, 120, 071802. Observation of Electroweak Production of Same-Sign <mml:math< td=""><td>7.8</td><td>40</td></mml:math<>	7.8	40
82	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>W</mml:mi> Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at <mml:math< td=""><td>7.8</td><td>86</td></mml:math<>	7.8	86
83	mins:mml="inttp://www.w3.org/1998/Math/MathML" Measurement of qualifoliting production cross sections in pp collisions at <mmi:math <mmi:math="" at="" col<="" collision="" collisions="" cross="" display="inline" in="" of="" pp="" production="" qualifoliting="" sections="" td="" the="" winner=""><td>l:mo>=nl:ศ_ัง><m< td=""><td>nml:mo><mn nml34n>13</mn </td></m<></td></mmi:math>	l:mo>=nl:ศ _ั ง> <m< td=""><td>nml:mo><mn nml34n>13</mn </td></m<>	nml:mo> <mn nml34n>13</mn
84	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>p</mml:mi> <mml:mi>p</mml:mi> collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt><mml:mo>=</mml:mo><<mml:mn>13<td>4.7 n> < mml·r</td><td>10 ntext> <</td></mml:mn></mml:math 	4.7 n> < mml·r	10 ntext> <
85	in final states with large missing transverse momentum and two Higgs bosons decaying via <mml:math \$\$="" \$\$,ext="" \$\$sqrt{s}="" 2018,="" 291.<="" 78,="" a="" and="" at="" boson="" c,="" collisions="" decaying="" european="" events="" for="" imbalance="" in="" journal="" large="" leptonically="" momentum="" new="" physical="" physics="" proton–proton="" s="13" search="" td="" tev.="" transverse="" with="" z="" {tev}\$\$=""><td>3.9</td><td>27</td></mml:math>	3.9	27
86	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p → Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell \$\$ Z → 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
87	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
88	Measurement of the inclusive $\mbox{mathrm{t}}$ mathrm{t} squarement of the inclusive $\mbox{mathrm{t}}$ with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
89	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0
90	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6

#	Article	IF	Citations
91	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
92	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
93	Measurement of differential cross sections in the kinematic angular variable \ddot{i} for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
94	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
95	momentum in pp collisions at <mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mml:mo>=<mml:mtext>TeV</mml:mtext></mml:mo></mml:math> . Physics Letters, Section B: Nuclear.	ml:#10> <n< td=""><td>nml:mn>13<</td></n<>	nml:mn>13<
96	Elementary Particle and High-Energy Physics, 2018, 780, 118-143. On the Generation of Random Ensembles of Qubits and Qutrits Computing Separability Probabilities for Fixed Rank States. EPJ Web of Conferences, 2018, 173, 02010.	0.3	2
97	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
98	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
99	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{NN}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
100	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
101	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
102	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \ddot{l} , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
103	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
104	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
105	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
106	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
107	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
108	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ $\sqrt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	Article	IF	Citations
109	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
110	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
111	Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
112	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} ," " \hat{a} channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
113	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
114	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
115	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
116	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
117	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \hat{I}_3 , \hat{I}_3 , \hat{I}_3 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
118	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
119	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. Journal of Instrumentation, 2018, 13, P05011-P05011.	1.2	241
120	Search for beyond the standard model Higgs bosons decaying into a $\$$ mathrm{b}overline{mathrm{b}} $\$$ pair in pp collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
121	Search for lepton flavour violating decays of the Higgs boson to 141 , and eI, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
122	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying i, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
123	Electroweak production of two jets in association with a Z boson in protonâ \in proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
124	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
125	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{l} , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
126	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13

#	Article	IF	CITATIONS
127	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
128	Search for excited quarks of light and heavy flavor in γâ€+â€jet final states in proton–proton collisions at s=13TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 390-411.	4.1	7
129	Search for supersymmetry in proton-proton collisions at 13ÂTeV using identified top quarks. Physical Review D, 2018, 97, . Search for new physics in events with two soft oppositely charged leptons and missing transverse	4.7	23
130	momentum in protonâ€"proton collisions at <mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msgrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msgrt><mml:mo>=</mml:mo></mml:math>	ml:#1 <mark>0</mark> > <m< td=""><td>ıml:mn>13</td></m<>	ıml:mn>13
131	width="0.2em" /> <mml:mtext>TeV<imml:mtext>. Physics Letters, Section B: Nuclear, Ximml:math>. Physics Letters, Section B: Nuclear, Ximml:mid=451-51 overflow="sciol"><mml:mid=451-51 overflow="sciol"><mml:mid=451-51 overf<="" td=""><td>4.1</td><td>37</td></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></mml:mid=451-51></imml:mtext></mml:mtext>	4.1	37
132	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
133	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
134	Search for top squarks and dark matter particles in opposite-charge dilepton final states at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msqrt><mml:msqrt><mml:msqrt><mml:mn>13<td>ın>4.7 ın><mml:r< td=""><td>ntext> <</td></mml:r<></td></mml:mn></mml:msqrt></mml:msqrt></mml:msqrt></mml:math>	ın>4.7 ın> <mml:r< td=""><td>ntext> <</td></mml:r<>	ntext> <
135	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{p\}$ 1, 2018, 78, 1.		3
136	Observation of the decay B+â†T(2S)[•(1020)K+ in pp collisions at <mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msqrt><mml:mi>s</mml:mi><mml:mo>=</mml:mo><mml:mn>8<mml:mtext>TeV</mml:mtext></mml:mn></mml:msqrt></mml:math> . Physics Letters, Section B: Nuclear,	nn ≭k ı mml:ı	ms p ace
137	Elementary Particle and High-Energy Physics, 2017, 764, 66-86. Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
138	Measurement of prompt and nonprompt $\frac{J}{{psi}}$ production in $\frac{p}{mathrm {p}}$ p p and $\frac{p}{p}$ p p and $\frac{p}{mathrm {p}}$ p Pb collisions at $\frac{s}{r}$ mathrm $\frac{NN}} = 5.02$,ext $\frac{TeV}{s}$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
139	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
140	Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=8$ s = 8 \$,ext {TeV}\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
141	Measurement of the jet mass in highly boosted \$\${mathrm{t}}overline{mathrm{t}}\$\$ events from pp collisions at \$\$sqrt{s}=8\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2017, 77, 467.	3.9	23
142	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
143	Observation of Y(1S) pair production in proton-proton collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
144	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13$ \$\$ $sqrt{s}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13

#	Article	IF	Citations
145	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
146	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{i}}$ and pp \hat{a} †' $\hat{Z}^{\hat{i}}$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	S _{4.7}	10
147	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in protonâ€"proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
148	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
149	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
150	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
151	The Spectrum and Separability of Mixed Two-Qubit X-States. Journal of Mathematical Sciences, 2017, 224, 349-359.	0.4	2
152	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ or $s=8$ and $s=8$ such that $s=8$ are $s=8$ and $s=8$ are $s=8$	3.9	23
153	On the Ring of Local Unitary Invariants for Mixed X-States of Two Qubits. Journal of Mathematical Sciences, 2017, 224, 238-249.	0.4	0
154	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
155	Measurement of electroweak-induced production of $\hat{Wl^3}$ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
156	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
157	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
158	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
159	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
160	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	3.9	57
161	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
162	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17

#	Article	IF	CITATIONS
163	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
164	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
165	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
166	Search for high-mass $Z\hat{I}^3$ resonances in e+eâ ⁻ \hat{I}^3 and $\hat{I}^1/4 + \hat{I}^1/4$ â ⁻ \hat{I}^3 final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	[;] 4.7	7
167	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
168	Measurement of the double-differential inclusive jet cross section in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
169	On a charged particle's spin evolution induced by a strong laser. Journal of Physics: Conference Series, 2016, 672, 012002.	0.4	O
170	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$\$qrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
171	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
172	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt $s=13$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
173	Search for supersymmetry in pp collisions at $s=13$ \$\$ $sqrt{s}=13$ \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
174	On the Geometric Probability of Entangled Mixed States. Journal of Mathematical Sciences, 2015, 209, 988-1004.	0.4	4
175	Constructing the SU(2) \tilde{A} — U(1) Orbit Space for Qutrit Mixed States. Journal of Mathematical Sciences, 2015, 209, 878-889.	0.4	O
176	Describing the Orbit Space of the Global Unitary Actions for Mixed Qudit States. Journal of Mathematical Sciences, 2014, 200, 682-689.	0.4	3
177	Entanglement of spins under a strong laser influence. Physica Scripta, 2013, T153, 014026.	2.5	O
178	Separability of two-qubit state in terms of local invariants. Physics of Particles and Nuclei Letters, 2011, 8, 451-454.	0.4	0
179	Constraints on SU(2) ⊗ SU(2) invariant polynomials for a pair of entangled qubits. Physics of Atomic Nuclei, 2011, 74, 893-900.	0.4	2
180	Hamiltonian reduction of SU(2) gluodynamics. Physics of Particles and Nuclei, 2011, 42, 414-437.	0.7	0

#	Article	IF	CITATIONS
181	SU(6) Casimir invariants and SU(2) ⊗ SU(3) scalars for a mixed qubit-qutrit state. Journal of Mathematical Sciences, 2011, 179, 690-701.	0.4	2
182	On the ring of local polynomial invariants for a pair of entangled qubits. Journal of Mathematical Sciences, 2010, 168, 368-378.	0.4	4
183	On precession of entangled spins in a strong laser field. Physics of Atomic Nuclei, 2009, 72, 786-793.	0.4	1
184	Light-cone Yang-Mills mechanics: SU(2) vs. SU(3). Theoretical and Mathematical Physics(Russian) Tj ETQq0 0 () rgBT /Over 0.9	lock 10 Tf 50
185	On the homogeneous Gröbner basis for tensors. Programming and Computer Software, 2008, 34, 101-106.	0.9	0
186	Creating a monopole in 4D gauge theories. Physics of Atomic Nuclei, 2008, 71, 930-936.	0.4	O
187	Classical dynamics of a charged particle in a laser field beyond the dipole approximation. Physical Review A, 2008, 77, .	2.5	4
188	PERTURBATIVE CALCULATION OF THE VEV OF THE MONOPOLE CREATION OPERATOR., 2007,,.		0
189	Magnetic monopoles in 4D: a perturbative calculation. Journal of High Energy Physics, 2006, 2006, 145-145.	4.7	4
190	Approaching continuum monopoles. AIP Conference Proceedings, 2006, , .	0.4	0
191	On the Hamiltonian reduction of geodesic motion on SU(3) to SU(3)/SU(2). Journal of Mathematical Physics, 2006, 47, 112902.	1.1	7
192	The Higgs field and the ultraviolet behaviour of the vortex operator in 2+1 dimensions. Journal of High Energy Physics, 2004, 2004, 003-003.	4.7	2
193	On the Hamiltonian Formulation of Gauge Theories in Terms of Physical Variables. Journal of Mathematical Sciences, 2004, 119, 513-555.	0.4	2
194	Translational groups as generators of gauge transformations. Physical Review D, 2003, 68, .	4.7	1
195	UnconstrainedSU(2)Yang-Mills theory with a topological term in the long-wavelength approximation. Physical Review D, 2003, 67, .	4.7	9
196	Bianchi type I cosmology and the Euler-Calogero-Sutherland model. Physical Review D, 2002, 66, .	4.7	0
197	On unconstrained SU(2) gluodynamics with theta angle. European Physical Journal C, 2002, 24, 137-141.	3.9	2
198	Generalized Calogero–Moser–Sutherland models from geodesic motion on group manifold. Physics Letters, Section A: General, Atomic and Solid State Physics, 2002, 299, 522-530.	2.1	9

#	Article	IF	Citations
199	Classical mechanics on the GL(n, â,,) group and Euler-Calogero-Sutherland model. Physics of Atomic Nuclei, 2002, 65, 1042-1046.	0.4	1
200	Charges, Monopoles and Gauge Invariance. , 2002, , 205-211.		0
201	Generalized Hamiltonian dynamics of Friedmann cosmology with scalar and spinor matter source fields. Classical and Quantum Gravity, 2001, 18, 1767-1785.	4.0	7
202	On the groundstate of Yang–Mills quantum mechanics. Physics Letters, Section A: General, Atomic and Solid State Physics, 2000, 267, 96-100.	2.1	9
203	Euler-Calogero-Moser model fromSU(2)Yang-Mills theory. Physical Review D, 2000, 62, .	4.7	13
204	Cosmological perturbations in a Friedmann-Robertson-Walker model with a scalar field and false vacuum decay. Physical Review D, 2000, 62, .	4.7	37
205	Unconstrained Hamiltonian formulation of SU(2) gluodynamics. Physical Review D, 1999, 59, .	4.7	18
206	Hamiltonian reduction of SU(2) Dirac-Yang-Mills mechanics. Physical Review D, 1998, 57, 7488-7500.	4.7	16
207	Description of Friedmann observables in quantum universe. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 402, 263-269.	4.1	11
208	The time surface term in quantum gravity. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 365, 35-40.	4.1	12
209	Admissible gauges for constrained systems. Physical Review D, 1996, 53, 2160-2172.	4.7	12
210	On Abelianization of first class constraints. Journal of Mathematical Physics, 1996, 37, 1760-1771.	1.1	18
211	Covariant gauges for constrained systems. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 363, 76-78.	4.1	1
212	Gaugeless reduction of gravity and the evolution of the Universe. Physical Review D, 1995, 51, 5654-5663.	4.7	6
213	Pair-interaction approximation in the equations of quantum field theory for a four-body system. Theoretical and Mathematical Physics(Russian Federation), 1992, 90, 62-74.	0.9	12
214	Bound-state wave functions at rest in describing deep inelastic scattering. Nuclear Physics A, 1991, 523, 597-613.	1.5	1
215	TO THE PAIR-INTERACTIONS APPROXIMATION IN EQUATIONS OF THE QUANTUM FIELD THEORY FOR A FOUR PARTICLE SYSTEM., 1991,,.		О
216	Are quarks nonrelativistic in the nucleon?. Il Nuovo Cimento A, 1990, 103, 1669-1674.	0.2	0

#	Article	IF	CITATIONS
217	Expansion of the boost operator in powers of the coupling constant. Theoretical and Mathematical Physics (Russian Federation), 1989, 78, 252-260.	0.9	1
218	Relativistic form factor in terms of wave functions of composite systems at rest. Theoretical and Mathematical Physics (Russian Federation), 1989, 78, 162-167.	0.9	0
219	Representation of symmetry group transformation operators in the interaction picture. Theoretical and Mathematical Physics(Russian Federation), 1987, 73, 1239-1242.	0.9	0
220	Covariant evolution operator in composite models of quantum field theory. Theoretical and Mathematical Physics (Russian Federation), 1987, 72, 710-720.	0.9	2
221	Large-angle scattering for nonlocal quasipotentials. Theoretical and Mathematical Physics(Russian) Tj ${\sf ETQq1\ 1}$	0.784314 r	gBŢ/Overloc
222	SOLVING THE UHLMANN EQUATION FOR THE BURES- FISHER METRIC ON THE SUBSET OF RANK-DEFICIENT QUDIT STATES. , 0, , .		0