Haegyeom Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5249682/publications.pdf

Version: 2024-02-01

90 papers

14,994 citations

26630 56 h-index 83 g-index

95 all docs 95 docs citations 95 times ranked 13855 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Understanding of electrochemical K+/Na+ exchange mechanisms in layered oxides. Energy Storage Materials, 2022, 47, 105-112. | 18.0 | 8 |
| 2 | Solid-State Calcium-lon Diffusion in Ca _{1.5} Ba _{0.5} Si ₅ O ₃ N ₆ . Chemistry of Materials, 2022, 34, 128-139. | 6.7 | 7 |
| 3 | Cation-disordered rocksalt-type high-entropy cathodes for Li-ion batteries. Nature Materials, 2021, 20, 214-221. | 27.5 | 290 |
| 4 | Promises and Challenges of Next-Generation "Beyond Li-ion―Batteries for Electric Vehicles and Grid Decarbonization. Chemical Reviews, 2021, 121, 1623-1669. | 47.7 | 769 |
| 5 | Computational and experimental search for potential polyanionic K-ion cathode materials. Journal of Materials Chemistry A, 2021, 9, 18564-18575. | 10.3 | 15 |
| 6 | Toward autonomous design and synthesis of novel inorganic materials. Materials Horizons, 2021, 8, 2169-2198. | 12.2 | 61 |
| 7 | Insights into Layered Oxide Cathodes for Rechargeable Batteries. Molecules, 2021, 26, 3173. | 3.8 | 16 |
| 8 | "Na Redistribution―Induced By K Intercalation during Na/K Ion Exchange in a Layered Oxide Cathode. ECS Meeting Abstracts, 2021, MA2021-01, 358-358. | 0.0 | 0 |
| 9 | Toward the Development of a High-Voltage Mg Cathode Using a Chromium Sulfide Host. , 2021, 3, 1213-1220. | | 12 |
| 10 | Review on Interface and Interphase Issues in Sulfide Solid-State Electrolytes for All-Solid-State Li-Metal Batteries. Electrochem, 2021, 2, 452-471. | 3.3 | 32 |
| 11 | Synthetic accessibility and stability rules of NASICONs. Nature Communications, 2021, 12, 5752. | 12.8 | 47 |
| 12 | Design Principles for High-Capacity Mn-Based Cation-Disordered Rocksalt Cathodes. CheM, 2020, 6, 153-168. | 11.7 | 103 |
| 13 | The interplay between thermodynamics and kinetics in the solid-state synthesis of layered oxides. Nature Materials, 2020, 19, 1088-1095. | 27.5 | 129 |
| 14 | Ultrahigh power and energy density in partially ordered lithium-ion cathode materials. Nature Energy, 2020, 5, 213-221. | 39.5 | 158 |
| 15 | Direct Observation of Alternating Octahedral and Prismatic Sodium Layers in O3â€₹ype Transition Metal Oxides. Advanced Energy Materials, 2020, 10, 2001151. | 19.5 | 39 |
| 16 | Multiscale factors in designing alkali-ion (Li, Na, and K) transition metal inorganic compounds for next-generation rechargeable batteries. Energy and Environmental Science, 2020, 13, 4406-4449. | 30.8 | 77 |
| 17 | Na ⁺ Redistribution by Electrochemical Na ⁺ /K ⁺ Exchange in Layered Na _{<i>x</i>} Ni ₂ SbO ₆ . Chemistry of Materials, 2020, 32, 4312-4323. | 6.7 | 14 |
| 18 | A Highâ€Energy NASICONâ€Type Cathode Material for Naâ€Ion Batteries. Advanced Energy Materials, 2020, 10, 1903968. | 19.5 | 116 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 19 | Origin of Capacity Degradation of High-Voltage KVPO ₄ F Cathode. Journal of the Electrochemical Society, 2020, 167, 110555. | 2.9 | 22 |
| 20 | High Energy Polyanion Cathode for K-lon Batteries: KVPO4F. ECS Meeting Abstracts, 2020, MA2020-01, 210-210. | 0.0 | 0 |
| 21 | The Interplay between Thermodynamics and Kinetics in the Solid-State Synthesis of Layered Oxides. ECS Meeting Abstracts, 2020, MA2020-02, 313-313. | 0.0 | 0 |
| 22 | (Invited) How Does Intercalation Ion Species Determine the Electrochemical Properties of Cathode Materials for Rechargeable Batteries?. ECS Meeting Abstracts, 2020, MA2020-02, 169-169. | 0.0 | 0 |
| 23 | Investigation of Alkaliâ€ion (Li, Na, and K) Intercalation in K <i>_x</i> VPO ₄ F (<i>x</i> â^1⁄4 0) Cathode. Advanced Functional Materials, 2019, 29, 1902392. | 14.9 | 35 |
| 24 | Next-Generation Cathode Materials for Non-aqueous Potassium-lon Batteries. Trends in Chemistry, 2019, 1, 682-692. | 8. 5 | 70 |
| 25 | Hidden structural and chemical order controls lithium transport in cation-disordered oxides for rechargeable batteries. Nature Communications, 2019, 10, 592. | 12.8 | 162 |
| 26 | Graphitic Carbon Materials for Advanced Sodiumâ€lon Batteries. Small Methods, 2019, 3, 1800227. | 8.6 | 81 |
| 27 | Suppression of Voltage Decay through Manganese Deactivation and Nickel Redox Buffering in Highâ€Energy Layered Lithiumâ€Rich Electrodes. Advanced Energy Materials, 2018, 8, 1800606. | 19.5 | 97 |
| 28 | Intrinsic Nanodomains in Triplite LiFeSO ₄ F and Its Implication in Lithiumâ€lon Diffusion. Advanced Energy Materials, 2018, 8, 1701408. | 19.5 | 16 |
| 29 | Recent Progress and Perspective in Electrode Materials for Kâ€lon Batteries. Advanced Energy Materials, 2018, 8, 1702384. | 19.5 | 549 |
| 30 | The 2018 Colin Garfield Fink Postdoctoral Summer Fellowship $\hat{a} \in ``Summary Report: Investigation of Alkali Ion (Li, Na, and K) Intercalation in KxVPO4F Host Material. Electrochemical Society Interface, 2018, 27, 78-79.$ | 0.4 | 0 |
| 31 | Stoichiometric Layered Potassium Transition Metal Oxide for Rechargeable Potassium Batteries. Chemistry of Materials, 2018, 30, 6532-6539. | 6.7 | 108 |
| 32 | A New Strategy for Highâ€Voltage Cathodes for Kâ€lon Batteries: Stoichiometric KVPO ₄ F. Advanced Energy Materials, 2018, 8, 1801591. | 19.5 | 130 |
| 33 | Lithium-free transition metal monoxides for positive electrodes in lithium-ion batteries. Nature Energy, 2017, 2, . | 39.5 | 94 |
| 34 | Reaction chemistry in rechargeable Li–O ₂ batteries. Chemical Society Reviews, 2017, 46, 2873-2888. | 38.1 | 314 |
| 35 | K″on Batteries Based on a P2â€Type K _{0.6} CoO ₂ Cathode. Advanced Energy Materials, 2017, 7, 1700098. | 19.5 | 250 |
| 36 | Exploiting Lithium–Ether Coâ€Intercalation in Graphite for Highâ€Power Lithiumâ€Ion Batteries. Advanced Energy Materials, 2017, 7, 1700418. | 19.5 | 122 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Investigation of Potassium Storage in Layered P3â€√ype K _{0.5} MnO ₂ Cathode. Advanced Materials, 2017, 29, 1702480. | 21.0 | 268 |
| 38 | Communicationâ€"O3-Type Layered Oxide with a Quaternary Transition Metal Composition for Na-Ion Battery Cathodes: NaTi _{0.25} Fe _{0.25} Co _{0.25} Ni _{0.25} O ₂ . Journal of the Electrochemical Society, 2017, 164, A3484-A3486. | 2.9 | 16 |
| 39 | Conditions for Reversible Na Intercalation in Graphite: Theoretical Studies on the Interplay Among Guest Ions, Solvent, and Graphite Host. Advanced Energy Materials, 2017, 7, 1601519. | 19.5 | 219 |
| 40 | Understanding Origin of Voltage Hysteresis in Conversion Reaction for Na Rechargeable Batteries: The Case of Cobalt Oxides. Advanced Functional Materials, 2016, 26, 5042-5050. | 14.9 | 61 |
| 41 | Restoration of thermally reduced graphene oxide by atomic-level selenium doping. NPG Asia Materials, 2016, 8, e338-e338. | 7.9 | 45 |
| 42 | A comparative study of graphite electrodes using the co-intercalation phenomenon for rechargeable Li, Na and K batteries. Chemical Communications, 2016, 52, 12618-12621. | 4.1 | 99 |
| 43 | Lithium-excess olivine electrode for lithium rechargeable batteries. Energy and Environmental Science, 2016, 9, 2902-2915. | 30.8 | 49 |
| 44 | Recent Progress in Electrode Materials for Sodiumâ€lon Batteries. Advanced Energy Materials, 2016, 6, 1600943. | 19.5 | 815 |
| 45 | Dissolution and ionization of sodium superoxide in sodium–oxygen batteries. Nature Communications, 2016, 7, 10670. | 12.8 | 129 |
| 46 | Highâ€Performance Sodiumâ€ion Hybrid Supercapacitor Based on Nb ₂ O ₅ @Carbon Core–Shell Nanoparticles and Reduced Graphene Oxide Nanocomposites. Advanced Functional Materials, 2016, 26, 3711-3719. | 14.9 | 363 |
| 47 | Sodium Storage Behavior in Natural Graphite using Etherâ€based Electrolyte Systems. Advanced Functional Materials, 2015, 25, 534-541. | 14.9 | 625 |
| 48 | Energy Storage: Sodium Storage Behavior in Natural Graphite using Ether-based Electrolyte Systems (Adv. Funct. Mater. 4/2015). Advanced Functional Materials, 2015, 25, 652-652. | 14.9 | 3 |
| 49 | Sodium intercalation chemistry in graphite. Energy and Environmental Science, 2015, 8, 2963-2969. | 30.8 | 369 |
| 50 | Ordered-mesoporous Nb2O5/carbon composite as a sodium insertion material. Nano Energy, 2015, 16, 62-70. | 16.0 | 124 |
| 51 | Facile Synthesis of Nb ₂ O ₅ @Carbon Coreâ€"Shell Nanocrystals with Controlled Crystalline Structure for High-Power Anodes in Hybrid Supercapacitors. ACS Nano, 2015, 9, 7497-7505. | 14.6 | 411 |
| 52 | Sodiumâ€ion Storage in Pyroproteinâ€Based Carbon Nanoplates. Advanced Materials, 2015, 27, 6914-6921. | 21.0 | 120 |
| 53 | High Energy Organic Cathode for Sodium Rechargeable Batteries. Chemistry of Materials, 2015, 27, 7258-7264. | 6.7 | 160 |
| 54 | Ultraâ€Thin Hollow Carbon Nanospheres for Pseudocapacitive Sodiumâ€Ion Storage. ChemElectroChem, 2015, 2, 359-365. | 3.4 | 66 |

| # | Article | IF | Citations |
|----|--|--------------------|----------------|
| 55 | Understanding the Degradation Mechanisms of LiNi _{0.5} Cathode Material in Lithium Ion Batteries. Advanced Energy Materials, 2014, 4, 1300787. | 19.5 | 893 |
| 56 | Graphene for advanced Li/S and Li/air batteries. Journal of Materials Chemistry A, 2014, 2, 33-47. | 10.3 | 166 |
| 57 | Superior Rechargeability and Efficiency of Lithium–Oxygen Batteries: Hierarchical Air Electrode Architecture Combined with a Soluble Catalyst. Angewandte Chemie - International Edition, 2014, 53, 3926-3931. | 13.8 | 407 |
| 58 | Recent progress on flexible lithium rechargeable batteries. Energy and Environmental Science, 2014, 7, 538-551. | 30.8 | 355 |
| 59 | Novel transition-metal-free cathode for high energy and power sodium rechargeable batteries. Nano Energy, 2014, 4, 97-104. | 16.0 | 71 |
| 60 | The Reaction Mechanism and Capacity Degradation Model in Lithium Insertion Organic Cathodes, Li ₂ C ₆ O ₆ , Using Combined Experimental and First Principle Studies. Journal of Physical Chemistry Letters, 2014, 5, 3086-3092. | 4.6 | 81 |
| 61 | Size-selective synthesis of mesoporous LiFePO ₄ /C microspheres based on nucleation and growth rate control of primary particles. Journal of Materials Chemistry A, 2014, 2, 5922-5927. | 10.3 | 35 |
| 62 | Advanced Hybrid Supercapacitor Based on a Mesoporous Niobium Pentoxide/Carbon as High-Performance Anode. ACS Nano, 2014, 8, 8968-8978. | 14.6 | 380 |
| 63 | Aqueous Rechargeable Li and Na Ion Batteries. Chemical Reviews, 2014, 114, 11788-11827. | 47.7 | 1,183 |
| 64 | Lithiumâ€lon Batteries: Organic Nanohybrids for Fast and Sustainable Energy Storage (Adv. Mater.) Tj ETQq0 0 C |) rgBT /Ον 21.0 | erlock 10 Tf 5 |
| 65 | Organic Nanohybrids for Fast and Sustainable Energy Storage. Advanced Materials, 2014, 26, 2558-2565. | 21.0 | 210 |
| 66 | Anti-Site Reordering in LiFePO ₄ : Defect Annihilation on Charge Carrier Injection. Chemistry of Materials, 2014, 26, 5345-5351. | 6.7 | 52 |
| 67 | Highâ€Performance Hybrid Supercapacitor Based on Grapheneâ€Wrapped Li ₄ Ti ₅ O ₁₂ and Activated Carbon. ChemElectroChem, 2014, 1, 125-130. | 3.4 | 137 |
| 68 | Effects of sulfur doping on graphene-based nanosheets for use as anode materials in lithium-ion batteries. Journal of Power Sources, 2014, 262, 79-85. | 7.8 | 203 |
| 69 | All-graphene-battery: bridging the gap between supercapacitors and lithium ion batteries. Scientific Reports, 2014, 4, 5278. | 3.3 | 185 |
| 70 | A New High-Energy Cathode for a Na-Ion Battery with Ultrahigh Stability. Journal of the American Chemical Society, 2013, 135, 13870-13878. | 13.7 | 393 |
| 71 | A Novel Highâ€Energy Hybrid Supercapacitor with an Anatase TiO ₂ –Reduced Graphene Oxide Anode and an Activated Carbon Cathode. Advanced Energy Materials, 2013, 3, 1500-1506. | 19.5 | 510 |
| 72 | Understanding the Electrochemical Mechanism of the New Iron-Based Mixed-Phosphate Na ₄ Fe ₃ (PO ₄) ₂ (P ₂ O ₇) in a Na Rechargeable Battery. Chemistry of Materials, 2013, 25, 3614-3622. | 6.7 | 237 |

| # | Article | IF | Citations |
|----|--|-------------------|-----------|
| 73 | Mechanism of Co3O4/graphene catalytic activity in Li–O2 batteries using carbonate based electrolytes. Electrochimica Acta, 2013, 90, 63-70. | 5.2 | 48 |
| 74 | Scalable Functionalized Graphene Nano-platelets as Tunable Cathodes for High-performance Lithium Rechargeable Batteries. Scientific Reports, 2013, 3, 1506. | 3.3 | 84 |
| 75 | Factors that Affect the Phase Behavior of Multi-Component Olivine (LiFe <i>_x</i> Mn <i>_y</i> Co _{1-<i>x</i>-<i>y</i>} PO ₄ ; 0) Tj ETQ Reaction, lournal of the Electrochemical Society, 2013, 160, A444-A448, | q1 <u>.1</u> 0.78 | 4314 rgBT |
| 76 | Defect-free solvothermally assisted synthesis of microspherical mesoporous LiFePO4/C. RSC Advances, 2013, 3, 3421. | 3.6 | 40 |
| 77 | Multicomponent Effects on the Crystal Structures and Electrochemical Properties of Spinel-Structured $M < sub > 3 < sub > 0 < sub > 4 < sub > 0 < sub > 4 < sub > 0 < sub > 4 < sub > 0 < sub > 6 < sub > 10 < s$ | 6.7 | 138 |
| 78 | Critical Role of Oxygen Evolved from Layered Li–Excess Metal Oxides in Lithium Rechargeable Batteries. Chemistry of Materials, 2012, 24, 2692-2697. | 6.7 | 255 |
| 79 | Multiscale Multiparadigm in Silico Design of New Materials for Li-ion Batteries. ECS Meeting Abstracts, 2012, , . | 0.0 | O |
| 80 | The potential for long-term operation of a lithium–oxygen battery using a non-carbonate-based electrolyte. Chemical Communications, 2012, 48, 8374. | 4.1 | 100 |
| 81 | Nano-graphite platelet loaded with LiFePO4 nanoparticles used as the cathode in a high performance Li-ion battery. Carbon, 2012, 50, 1966-1971. | 10.3 | 36 |
| 82 | Highly Laminated Electrospun ZnO Nanofibrous Film on the Transparent Conducting Oxide for Photovoltaic Device. Journal of Electrochemical Science and Technology, 2012, 3, 68-71. | 2.2 | 2 |
| 83 | Highly Laminated Electrospun ZnO Nanofibrous Film on the Transparent Conducting Oxide for Photovoltaic Device. Journal of Electrochemical Science and Technology, 2012, 3, 68-71. | 2.2 | 0 |
| 84 | The predicted crystal structure of Li4C6O6, an organic cathode material for Li-ion batteries, from first-principles multi-level computational methods. Energy and Environmental Science, 2011, 4, 4938. | 30.8 | 41 |
| 85 | Graphene-Based Hybrid Electrode Material for High-Power Lithium-Ion Batteries. Journal of the Electrochemical Society, 2011, 158, A930. | 2.9 | 44 |
| 86 | Neutron and X-ray Diffraction Study of Pyrophosphate-Based Li $<$ sub $>$ 2â \in " $<$ i $>x<$ ii $<$ /sub $>$ MP $<$ sub $>$ 2 $<$ /sub $>$ O $<$ sub $>$ 7 $<$ /sub $>$ (M = Fe, Co) for Lithium Rechargeable Battery Electrodes. Chemistry of Materials, 2011, 23, 3930-3937. | 6.7 | 106 |
| 87 | Invited paper: Preparation and electrochemical characterization of doped spinel LiMn1.88Ge0.1Li0.02O4 cathode material. Electronic Materials Letters, 2011, 7, 105-108. | 2.2 | 9 |
| 88 | Highly reversible Co3O4/graphene hybrid anode for lithium rechargeable batteries. Carbon, 2011, 49, 326-332. | 10.3 | 357 |
| 89 | Electrochemical and ex-situ analysis on manganese oxide/graphene hybrid anode for lithium rechargeable batteries. Journal of Materials Research, 2011, 26, 2665-2671. | 2.6 | 39 |
| 90 | SnO2/graphene composite with high lithium storage capability for lithium rechargeable batteries. Nano Research, 2010, 3, 813-821. | 10.4 | 178 |