Jung Hye Kwon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5250836/publications.pdf

Version: 2024-02-01

104 3,215 26 52 papers citations h-index g-index

108 108 108 4212 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Overcoming Barriers in Cancer Pain Management. Journal of Clinical Oncology, 2014, 32, 1727-1733.	1.6	265
2	Concepts and definitions for "supportive care,―"best supportive care,―"palliative care,―and "h care―in the published literature, dictionaries, and textbooks. Supportive Care in Cancer, 2013, 21, 659-685.	hospice 2.2	249
3	Concepts and Definitions for "Actively Dying,―"End of Life,―"Terminally Ill,―"Terminal Care,― "Transition of Care― A Systematic Review. Journal of Pain and Symptom Management, 2014, 47, 77-89.	and 1.2	233
4	Minimal clinically important differences in the Edmonton Symptom Assessment Scale in cancer patients: A prospective, multicenter study. Cancer, 2015, 121, 3027-3035.	4.1	183
5	Access to Palliative Care Among Patients Treated at a Comprehensive Cancer Center. Oncologist, 2012, 17, 1574-1580.	3.7	173
6	Comparison of treatment strategies for patients with intestinal diffuse large B-cell lymphoma: surgical resection followed by chemotherapy versus chemotherapy alone. Blood, 2011, 117, 1958-1965.	1.4	121
7	Minimal Clinically Important Difference in the Physical, Emotional, and Total Symptom Distress Scores of the Edmonton Symptom Assessment System. Journal of Pain and Symptom Management, 2016, 51, 262-269.	1.2	115
8	Multicenter retrospective analysis of 581 patients with primary intestinal non-hodgkin lymphoma from the Consortium for Improving Survival of Lymphoma (CISL). BMC Cancer, 2011, 11, 321.	2.6	107
9	Frequency, Predictors, and Medical Record Documentation of Chemical Coping Among Advanced Cancer Patients. Oncologist, 2015, 20, 692-697.	3.7	79
10	Predictors of Long-Term Opioid Treatment Among Patients Who Receive Chemoradiation for Head and Neck Cancer. Oncologist, 2013, 18, 768-774.	3.7	73
11	Changes in Symptom Intensity Among Cancer Patients Receiving Outpatient Palliative Care. Journal of Pain and Symptom Management, 2013, 46, 652-660.	1.2	68
12	Bortezomib and the Increased Incidence of Herpes Zoster in Patients with Multiple Myeloma. Clinical Lymphoma and Myeloma, 2008, 8, 237-240.	1.4	59
13	Phase II study of a cremophor-free, polymeric micelle formulation of paclitaxel for patients with advanced urothelial cancer previously treated with gemcitabine and platinum. Investigational New Drugs, 2012, 30, 1984-1990.	2.6	59
14	Targeted Agent Use in Cancer Patients at the End of Life. Journal of Pain and Symptom Management, 2013, 46, 1-8.	1.2	59
15	Frequency, Outcome, and Predictors of Success Within 6 Weeks of an Opioid Rotation Among Outpatients with Cancer Receiving Strong Opioids. Oncologist, 2013, 18, 212-220.	3.7	51
16	Validation of the Edmonton Symptom Assessment System in Korean Patients With Cancer. Journal of Pain and Symptom Management, 2013, 46, 947-956.	1.2	50
17	Investigating the Feasibility of Targeted Next-Generation Sequencing to Guide the Treatment of Head and Neck Squamous Cell Carcinoma. Cancer Research and Treatment, 2019, 51, 300-312.	3.0	48
18	Priorities of a "good death―according to cancer patients, their family caregivers, physicians, and the general population: a nationwide survey. Supportive Care in Cancer, 2018, 26, 3479-3488.	2.2	46

#	Article	IF	CITATIONS
19	Chemical coping versus pseudoaddiction in patients with cancer pain. Palliative and Supportive Care, 2014, 12, 413-417.	1.0	39
20	Prognostic Impact of TTF-1 Expression in Non-Squamous Non-Small-Cell Lung Cancer: A Meta-Analysis. Journal of Cancer, 2018, 9, 4279-4286.	2.5	38
21	Clinical Characteristics of Cancer Patients Referred Early to Supportive and Palliative Care. Journal of Palliative Medicine, 2013, 16, 148-155.	1.1	36
22	A multicenter phase II study of everolimus in patients with progressive unresectable adenoid cystic carcinoma. BMC Cancer, 2014, 14, 795.	2.6	36
23	Polypharmacy, Inappropriate Medication Use, and Drug Interactions in Older Korean Patients with Cancer Receiving First-Line Palliative Chemotherapy. Oncologist, 2020, 25, e502-e511.	3.7	32
24	Consistency of symptom clusters among advanced cancer patients seen at an outpatient supportive care clinic in a tertiary cancer center. Palliative and Supportive Care, 2013, 11, 473-480.	1.0	31
25	A Pilot Study To Define Chemical Coping in Cancer Patients Using the Delphi Method. Journal of Palliative Medicine, 2015, 18, 703-706.	1.1	31
26	Comprehensive analysis of peripheral T-cell and natural killer/T-cell lymphoma in Asian patients: A multinational, multicenter, prospective registry study in Asia. The Lancet Regional Health - Western Pacific, 2021, 10, 100126.	2.9	30
27	Characteristics and Outcomes of Patients Admitted to the Acute Palliative Care Unit From the Emergency Center. Journal of Pain and Symptom Management, 2014, 47, 1028-1034.	1.2	29
28	Clinical Features and Survival Outcomes in Patients with Multiple Myeloma: Analysis of Web-Based Data from the Korean Myeloma Registry. Acta Haematologica, 2009, 122, 200-210.	1.4	28
29	Psychometric Validation of the Edmonton Symptom Assessment System in Chinese Patients. Journal of Pain and Symptom Management, 2015, 50, 712-717.e2.	1.2	26
30	Off-Label Medication Use in the Inpatient Palliative Care Unit. Journal of Pain and Symptom Management, 2017, 54, 46-54.	1.2	26
31	Randomized Phase II Study of Axitinib versus Observation in Patients with Recurred or Metastatic Adenoid Cystic Carcinoma. Clinical Cancer Research, 2021, 27, 5272-5279.	7.0	26
32	Experience of Barriers to Pain Management in Patients Receiving Outpatient Palliative Care. Journal of Palliative Medicine, 2013, 16, 908-914.	1.1	25
33	Predicting cumulative incidence of adverse events in older patients with cancer undergoing first-line palliative chemotherapy: Korean Cancer Study Group (KCSG) multicentre prospective study. British Journal of Cancer, 2018, 118, 1169-1175.	6.4	25
34	Attitudes of the General Public, Cancer Patients, Family Caregivers, and Physicians Toward Advance Care Planning: A Nationwide Survey Before the Enforcement of the Life-Sustaining Treatment Decision-Making Act. Journal of Pain and Symptom Management, 2019, 57, 774-782.	1.2	25
35	Single-agent Capecitabine in Patients with Metastatic Colorectal Cancer Refractory to 5-Fluorouracil/Leucovorin Chemotherapy. Japanese Journal of Clinical Oncology, 2004, 34, 400-404.	1.3	23
36	Factors Associated With Attrition in a Multicenter Longitudinal Observational Study of Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2018, 55, 938-945.	1.2	23

#	Article	IF	CITATIONS
37	Randomized Phase III Trial of Irinotecan Plus Cisplatin versus Etoposide Plus Cisplatin in Chemotherapy-Na $ ilde{A}$ -ve Korean Patients with Extensive-Disease Small Cell Lung Cancer. Cancer Research and Treatment, 2019, 51, 119-127.	3.0	23
38	Attitudes toward early palliative care in cancer patients and caregivers: a Korean nationwide survey. Cancer Medicine, 2018, 7, 1784-1793.	2.8	22
39	Predictors of high score patient-reported barriers to controlling cancer pain: a preliminary report. Supportive Care in Cancer, 2013, 21, 1175-1183.	2.2	21
40	Comparison of attitudes towards five end-of-life care interventions (active pain control, withdrawal) Tj ETQq0	0 0 rgBT /Ov 1.9	verlock 10 Tf 5 20
41	caregivers, physicians and the general Korean population. BMJ Open, 2018, 8, e020519. Consensus guidelines for the definition of the end stage of disease and last days of life and criteria for medical judgment. Journal of the Korean Medical Association, 2018, 61, 509.	0.3	19
42	Dose-finding study of docetaxel, oxaliplatin, and S-1 for patients with advanced gastric cancer. Cancer Chemotherapy and Pharmacology, 2009, 64, 877-883.	2.3	18
43	The Impacts of Prognostic Awareness on Mood and Quality of Life Among Patients With Advanced Cancer. American Journal of Hospice and Palliative Medicine, 2020, 37, 904-912.	1.4	18
44	Adopting Advance Directives Reinforces Patient Participation in End-of-Life Care Discussion. Cancer Research and Treatment, 2016, 48, 753-758.	3.0	18
45	A phase II study with gemcitabine and split-dose cisplatin in patients with advanced non-small cell lung cancer. Lung Cancer, 2006, 54, 57-62.	2.0	17
46	Efficacy and safety of oxycodone/naloxone as addâ€on therapy to gabapentin or pregabalin for the management of chemotherapyâ€induced peripheral neuropathy in Korea. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e448-e454.	1.1	17
47	Adenocarcinoma has an excellent outcome with pemetrexed treatment in Korean patients: A prospective, multicenter trial. Lung Cancer, 2009, 66, 338-343.	2.0	16
48	A phase II study of pemetrexed and carboplatin as a salvage therapy for platinum-pretreated patients with non-small cell lung cancer. Lung Cancer, 2010, 70, 71-76.	2.0	16
49	Primary Thyroid Marginal Zone B-Cell Lymphoma of the Mucosa-Associated Lymphoid Tissue Type: Clinical Manifestation and Outcome of a Rare Disease – Consortium for Improving Survival of Lymphoma Study. Acta Haematologica, 2012, 127, 100-104.	1.4	16
50	Weekly rituximab consolidation following four cycles of Râ€∢scp>CHOP induction chemotherapy in very elderly patients with diffuse large Bâ€cell lymphoma: Consortium for improving survival of lymphoma study (<scp>CISL</scp>). European Journal of Haematology, 2015, 94, 504-510.	2.2	16
51	Spiritual Well-being Among Palliative Care Patients With Different Religious Affiliations: A Multicenter Korean Study. Journal of Pain and Symptom Management, 2018, 56, 893-901.	1.2	16
52	Docetaxel + 5-Fluorouracil + Cisplatin 3-day Combination Chemotherapy as a First-line Treatment in Patients with Unresectable Gastric Cancer. Japanese Journal of Clinical Oncology, 2005, 35, 380-385.	1.3	15
53	Life-Sustaining Treatment States in Korean Cancer Patients after Enforcement of Act on Decisions on Life-Sustaining Treatment for Patients at the End of Life. Cancer Research and Treatment, 2021, 53, 908-916.	3.0	14
54	Highly elevated serum lactate dehydrogenase is associated with central nervous system relapse in patients with diffuse large B-cell lymphoma: Results of a multicenter prospective cohort study. Oncotarget, 2016, 7, 72033-72043.	1.8	14

#	Article	IF	Citations
55	Behaviors and Attitudes toward the Use of Complementary and Alternative Medicine among Korean Cancer Patients. Cancer Research and Treatment, 2019, 51, 851-860.	3.0	14
56	Multiple mucosa-associated lymphoid tissue organs involving marginal zone B cell lymphoma: organ-specific relationships and the prognostic factors. Consortium for improving survival of lymphoma study. International Journal of Hematology, 2010, 92, 510-517.	1.6	13
57	Characteristics of Advanced Cancer Patients With Cancer-Related Fatigue Enrolled in Clinical Trials and Patients Referred to Outpatient Palliative Care Clinics. Journal of Pain and Symptom Management, 2013, 45, 534-541.	1.2	13
58	Phase II study of weekly carboplatin and irinotecan as first-line chemotherapy for patients with advanced non-small cell lung cancer. Cancer Chemotherapy and Pharmacology, 2013, 71, 1591-1597.	2.3	12
59	Sedation for terminally ill cancer patients. Medicine (United States), 2019, 98, e14278.	1.0	12
60	Improved prognostic stratification using NCCN- and GELTAMO-international prognostic index in patients with diffuse large B-cell lymphoma. Oncotarget, 2017, 8, 92171-92182.	1.8	12
61	Clinical features and outcomes of Hodgkin's lymphoma in Korea: Consortium for Improving Survival of Lymphoma (CISL). Annals of Hematology, 2012, 91, 223-233.	1.8	11
62	Phase II trial of gemcitabine and S-1 for patients with advanced pancreatic cancer. Cancer Chemotherapy and Pharmacology, 2013, 72, 845-852.	2.3	11
63	Factors Associated With Survival After Opioid Rotation in Cancer Patients Presenting to an Outpatient Supportive Care Center. Journal of Pain and Symptom Management, 2014, 48, 92-98.	1.2	11
64	Phase II study of gemcitabine and S-1 combination chemotherapy in patients with metastatic biliary tract cancer. Cancer Chemotherapy and Pharmacology, 2015, 75, 711-718.	2.3	11
65	The Situation of Life-Sustaining Treatment One Year after Enforcement of the Act on Decisions on Life-Sustaining Treatment for Patients at the End-of-Life in Korea: Data of National Agency for Management of Life-Sustaining Treatment. Cancer Research and Treatment, 2021, 53, 897-907.	3.0	11
66	Relapsed or refractory nongastric marginal zone Bâ€cell lymphoma: Multicenter retrospective analysis of 92 cases. American Journal of Hematology, 2009, 84, 826-829.	4.1	10
67	Phase I/II trial with docetaxel and S-1 for patients with advanced or recurrent gastric cancer with consideration to age. Cancer Chemotherapy and Pharmacology, 2009, 63, 509-516.	2.3	10
68	Systemic chemotherapy after cranial irradiation in patients with brain metastases from non-small cell lung cancer: A retrospective study. Lung Cancer, 2009, 63, 405-409.	2.0	10
69	A prospective, open-label, multicenter study of the clinical efficacy of extended-release hydromorphone in treating cancer pain inadequately controlled by other analgesics. Supportive Care in Cancer, 2014, 22, 741-750.	2.2	10
70	Is spirituality related to survival in advanced cancer inpatients in Korea?. Palliative and Supportive Care, 2018, 16, 669-676.	1.0	10
71	Induction of cytotoxic T lymphocytes by dendritic cells pulsed with murine leukemic cell RNA. American Journal of Hematology, 2004, 75, 121-127.	4.1	9
72	Stage IV marginal zone B ell lymphoma – prognostic factors and the role of rituximab: Consortium for Improving Survival of Lymphoma (CISL) study. Cancer Science, 2010, 101, 2443-2447.	3.9	8

#	Article	IF	CITATIONS
73	Discordance between Physician and the General Public Perceptions of Prognostic Disclosure to Children with Serious Illness: a Korean Nationwide Study. Journal of Korean Medical Science, 2018, 33, e327.	2.5	7
74	The Glasgow Prognostic Score is a significant predictor of peripheral T-cell lymphoma (PTCL) treated with CHOP-based chemotherapy and comparable with PTCL prognostic scores. International Journal of Hematology, 2019, 110, 438-446.	1.6	7
75	"The surprise questions―using variable time frames in hospitalized patients with advanced cancer. Palliative and Supportive Care, 2022, 20, 221-225.	1.0	7
76	Calcified Carcinoma of the Gallbladder with Calcified Nodal Metastasis Presenting as a Porcelain Gallbladder: A Case Report. Cancer Research and Treatment, 2011, 43, 71-74.	3.0	7
77	Multicenter Retrospective Analysis of Clinical Characteristics, Treatment Patterns, and Outcomes in Very Elderly Patients with Diffuse Large B-Cell Lymphoma: The Korean Cancer Study Group LY16-01. Cancer Research and Treatment, 2018, 50, 590-598.	3.0	7
78	Erythropoietin Response Is Inadequate in Cancer Patients Receiving Chemotherapy. International Journal of Hematology, 2001, 74, 416-420.	1.6	6
79	Paclitaxel/Platinum-based Perioperative Chemotherapy and Surgery in Stage IIIA Non-small Cell Lung Cancer. Japanese Journal of Clinical Oncology, 2005, 35, 6-12.	1.3	6
80	Bilateral subdural hemorrhage as a possible adverse event of gefitinib in a patient with non-small cell lung cancer. Lung Cancer, 2009, 64, 121-123.	2.0	6
81	Current Status and Cardinal Features of Patient Autonomy after Enactment of the Life-Sustaining Treatment Decisions Act in Korea. Cancer Research and Treatment, 2021, 53, 917-925.	3.0	6
82	Phase II study with fractionated schedule of docetaxel and cisplatin in patients with advanced non-small cell lung cancer. Cancer Chemotherapy and Pharmacology, 2010, 66, 889-897.	2.3	5
83	Waldeyer's ring marginal zone B cell lymphoma: are the clinical and prognostic features nodal or extranodal? A study by the Consortium for Improving Survival of Lymphoma (CISL). International Journal of Hematology, 2012, 96, 631-637.	1.6	5
84	Unmet needs related to the quality of life of advanced cancer patients in Korea: a qualitative study. BMC Palliative Care, 2021, 20, 58.	1.8	5
85	Pilot study for the Psychometric Validation of the Sheffield Profile for Assessment and Referral to Care (SPARC) in Korean Cancer Patients. Cancer Research and Treatment, 2021, 53, 25-31.	3.0	5
86	Prospective Validation of The Korean Cancer Study Group Geriatric Score (KG)-7, a Novel Geriatric Screening Tool, in Older Patients with Advanced Cancer Undergoing First-line Palliative Chemotherapy. Cancer Research and Treatment, 2019, 51, 1249-1256.	3.0	5
87	Prevalence and Predictive Factors for Upfront Dose Reduction of the First Cycle of First-Line Chemotherapy in Older Adults with Metastatic Solid Cancer: Korean Cancer Study Group (KCSG) Multicenter Study. Cancers, 2021, 13, 331.	3.7	4
88	A Phase II Study to Evaluate the Efficacy of Ramosetron, Aprepitant, and Dexamethasone in Preventing Cisplatin-Induced Nausea and Vomiting in Chemotherapy-Naive Cancer Patients. Cancer Research and Treatment, 2013, 45, 172-177.	3.0	4
89	The Clinical Utility of FDG PET-CT in Evaluation of Bone Marrow Involvement by Lymphoma. Cancer Research and Treatment, 2015, 47, 458-464.	3.0	4
90	Attitudes of the General Population, Cancer Patients, their Family Caregivers, and Physicians toward Dying and Death: A Nationwide Survey. Global Journal of Health Science, 2017, 9, 201-11.	0.2	4

#	Article	IF	CITATIONS
91	Is there role of additional chemotherapy after definitive local treatment for stage I/II marginal zone lymphoma?: Consortium for Improving Survival of Lymphoma (CISL) study. International Journal of Hematology, 2015, 102, 420-425.	1.6	3
92	Development of a One-item Screening Question to Assess Spiritual Well-Being for Advanced Cancer Inpatients in Korea. Journal of Pain and Symptom Management, 2021, 62, 910-917.	1.2	3
93	Preparation and Practice of the Necessary Documents in Hospital for the "Act on Decision of Life-Sustaining Treatment for Patients at the End-of-Life― Cancer Research and Treatment, 2021, 53, 926-934.	3.0	3
94	Factors related to spiritual well-being in the last days of life in three East Asian countries: An international multicenter prospective cohort study. Palliative Medicine, 2021, 35, 1564-1577.	3.1	3
95	Palliative Sedation in End-of-Life Patients in Eastern Asia: A Narrative Review. Cancer Research and Treatment, 2022, 54, 644-650.	3.0	3
96	A phase II study of mitomycin-C and S-1 as third-line chemotherapy in patients with advanced colorectal cancer. Oncology Letters, 2011, 2, 1253-1256.	1.8	2
97	Assessing Patient Care in Palliative Care Using the Healthcare Matrix. Journal of Palliative Medicine, 2013, 16, 987-992.	1.1	2
98	Characteristics and treatment patterns in older patients with locally advanced head and neck cancer (KCSG HN13-01). Korean Journal of Internal Medicine, 2022, 37, 190-200.	1.7	2
99	Community Care for Cancer Patients in Rural Areas: An Integrated Regional Cancer Center and Public Health Center Partnership Model. The Korean Journal of Hospice and Palliative Care, 2021, 24, 226-234.	0.7	2
100	Utility of an immunoglobulin gene rearrangement assay based on multiplex PCR in detecting bone marrow involvement in B-cell non-Hodgkin lymphoma. Blood Research, 2017, 52, 141.	1.3	1
101	Cutaneous T-cell lymphoma in Asian patients: a multinational, multicenter, prospective registry study in Asia. International Journal of Hematology, 2021, 114, 355-362.	1.6	1
102	Surrogate decision making of chemotherapy consent: do we really provide informed consent of chemotherapy for patients?. Korean Journal of Internal Medicine, 2019, 34, 626-633.	1.7	1
103	Awareness of Doctors' Shared Decision-Making in Life-Sustaining Care Decisions. The Korean Journal of Hospice and Palliative Care, 2021, 24, 204-213.	0.7	1
104	The Attitudes of Physicians and the General Public toward Prognostic Disclosure of Different Serious Illnesses: a Korean Nationwide Study. Journal of Korean Medical Science, 2020, 35, e401.	2.5	0