
Michael R Phillips

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5254601/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of social cognition using an adapted Chinese version of the Reading the Mind in the Eyes Test in drug-naive and regularly medicated individuals with chronic schizophrenia and healthy controls in rural China. Psychological Medicine, 2022, 52, 3655-3667.	4.5	4
2	Suicide Risk and Prevention During the COVID-19 Pandemic: One Year On. Archives of Suicide Research, 2022, 26, 1944-1949.	2.3	42
3	Determinants of never-treated status in rural versus urban contexts for individuals with schizophrenia in a population-based study in China. BMC Psychiatry, 2022, 22, 128.	2.6	2
4	Neurodegenerative model of schizophrenia: Growing evidence to support a revisit. Schizophrenia Research, 2022, 243, 154-162.	2.0	36
5	Stigma and discrimination associated with mental illness and other stigmatizing conditions in China using two cultural-sensitive measures of stigma: interpersonal distance and occupational restrictiveness. Psychological Medicine, 2021, 51, 2804-2813.	4.5	5
6	Restrictions of access to pesticides in suicide prevention. , 2021, , 713-718.		0
7	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry,the, 2021, 8, 579-588.	7.4	455
8	How mental health care should change as a consequence of the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 813-824.	7.4	1,101
9	Early Diagnosis of Mild Cognitive Impairment Based on Eye Movement Parameters in an Aging Chinese Population. Frontiers in Aging Neuroscience, 2020, 12, 221.	3.4	15
10	Association Between the Duration of Untreated Psychosis and Selective Cognitive Performance in Community-Dwelling Individuals With Chronic Untreated Schizophrenia in Rural China. JAMA Psychiatry, 2020, 77, 1116.	11.0	27
11	Advancing study of cognitive impairments for antipsychotic-naÃ ⁻ ve psychosis comparing high-income versus low- and middle-income countries with a focus on urban China: Systematic review of cognition and study methodology. Schizophrenia Research, 2020, 220, 1-15.	2.0	6
12	Obesity in Patients Younger Than 60 Years Is a Risk Factor for COVID-19 Hospital Admission. Clinical Infectious Diseases, 2020, 71, 896-897.	5.8	996
13	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 468-471.	7.4	1,054
14	Relationship of the high proportion of suicidal acts involving ingestion of pesticides to the low male-to-female ratio of suicide rates in China. Epidemiology and Psychiatric Sciences, 2020, 29, e114.	3.9	15
15	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
16	Suicide Prevention in the Western Pacific Region. Crisis, 2020, 41, S80-S98.	1.2	9
17	World Mental Health Day 2020: Promoting Global Mental Health During COVID-19. China CDC Weekly, 2020, 2, 844-847.	2.3	6
18	The Young Lives Matter study protocol: A case-control study of the determinants of suicide attempts in young people in India. Wellcome Open Research, 2020, 5, 262.	1.8	1

#	Article	IF	CITATIONS
19	Effectiveness of an Assertive Community Treatment program for people with severe schizophrenia in mainland China – a 12-month randomized controlled trial. Psychological Medicine, 2019, 49, 969-979.	4.5	17
20	Outcomes of Communityâ€Based Suicide Prevention Approaches That Involve Reducing Access to Pesticides: A Systematic Literature Review. Suicide and Life-Threatening Behavior, 2019, 49, 1019-1031.	1.9	12
21	Relationship of religiosity to mental health literacy, stigma, social distance, and occupational restrictiveness in Ningxia Province, China. Mental Health, Religion and Culture, 2019, 22, 400-415.	0.9	10
22	Authors' Reply. Suicide and Life-Threatening Behavior, 2019, 49, 1780-1781.	1.9	0
23	Global, regional, and national burden of epilepsy, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 357-375.	10.2	526
24	International Study of Definitions of English-Language Terms for Suicidal Behaviours: protocol of an opinion survey. BMJ Open, 2019, 9, e025770.	1.9	2
25	Tracking development assistance for health from China, 2007–2017. BMJ Global Health, 2019, 4, e001513.	4.7	16
26	Prevalence of psychiatric diagnoses in individuals who die by suicide or attempt suicide in China based on independent structured diagnostic interviews with different informants. Journal of Psychiatric Research, 2018, 98, 30-38.	3.1	8
27	Assessing knowledge and attitudes about mental illness in Ningxia, China. Transcultural Psychiatry, 2018, 55, 94-119.	1.6	9
28	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Psychiatry,the, 2018, 5, 987-1012.	7.4	885
29	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	7.4	189
30	Prevalence, correlates, comorbidity, and age of onset of alcohol use disorders in adult males from five provinces in China. Drug and Alcohol Dependence, 2017, 173, 170-177.	3.2	22
31	The global burden of fatal self-poisoning with pesticides 2006-15: Systematic review. Journal of Affective Disorders, 2017, 219, 93-104.	4.1	318
32	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	6.2	306
33	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	10.2	1,521
34	Association analysis between mitogen-activated protein/extracellular signal-regulated kinase (MEK) gene polymorphisms and depressive disorder in the Han Chinese population. Journal of Affective Disorders, 2017, 222, 120-125.	4.1	6
35	Relationship of drinking motives with alcohol consumption and alcohol-related problems identified in a representative community-based study from Ningxia, China. Addictive Behaviors, 2017, 74, 156-161.	3.0	10
36	The Tianjin Mental Health Survey (TJMHS): study rationale, design and methods. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	16

#	Article	IF	CITATIONS
37	Authors' reply. British Journal of Psychiatry, 2017, 210, 167-168.	2.8	Ο
38	Psychometric properties of the <scp>D</scp> rinking <scp>M</scp> otives <scp>Q</scp> uestionnaireâ€ <scp>R</scp> evised among communityâ€dwelling current drinkers in the <scp>N</scp> ingxia autonomous region of <scp>C</scp> hina. Drug and Alcohol Review, 2016, 35, 433-441.	2.1	14
39	Would the use of dimensional measures improve the utility of psychiatric diagnoses?. World Psychiatry, 2016, 15, 38-39.	10.4	4
40	DSM-IV Axis II personality disorders and suicide and attempted suicide in China. British Journal of Psychiatry, 2016, 209, 319-326.	2.8	13
41	Prospective relationship of depressive symptoms, drinking, and tobacco smoking among middle-aged and elderly community-dwelling adults: Results from the China Health and Retirement Longitudinal Study (CHARLS). Journal of Affective Disorders, 2016, 195, 136-143.	4.1	107
42	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Clobal Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	2.4	898
43	Cause-specific mortality for 240 causes in China during 1990–2013: a systematic subnational analysis for the Global Burden of Disease Study 2013. Lancet, The, 2016, 387, 251-272.	13.7	1,121
44	Translated and annotated version of the 2015-2020 National Mental Health Work Plan of the People's Republic of China. Shanghai Archives of Psychiatry, 2016, 28, 4-17.	0.7	45
45	Suicidal Behavior in Relatives or Associates Moderates the Strength of Common Risk Factors for Suicide. Suicide and Life-Threatening Behavior, 2015, 45, 505-517.	1.9	4
46	Closing the knowledge gap in secondhand smoke exposure among children: employment of a five-minute household survey in China. Public Health, 2015, 129, 716-724.	2.9	0
47	Relationship between knowledge about the harms of smoking and smoking status in the 2010 Global Adult Tobacco China Survey. Tobacco Control, 2015, 24, 54-61.	3.2	47
48	Marriage outcome and relationship with urban versus rural context for individuals with psychosis in a population-based study in China. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1501-1509.	3.1	9
49	Prevalence of alcohol use disorders in mainland China: a systematic review. Addiction, 2015, 110, 761-774.	3.3	65
50	Authors' reply. British Journal of Psychiatry, 2014, 204, 403-404.	2.8	0
51	Will RDoC hasten the decline of America's global leadership role in mental health?. World Psychiatry, 2014, 13, 40-41.	10.4	20
52	Pregnancy and suicide: towards a coherent narrative. Lancet Psychiatry,the, 2014, 1, 168-170.	7.4	3
53	Cross-sectional study of attitudes about suicide among psychiatrists in Shanghai. BMC Psychiatry, 2014, 14, 87.	2.6	19
54	Secondary analysis of existing data: opportunities and implementation. Shanghai Archives of Psychiatry, 2014, 26, 371-5.	0.7	105

#	Article	IF	CITATIONS
55	Internal consistency and test-retest reliability of the Chinese version of the 5-item Duke University Religion Index. Shanghai Archives of Psychiatry, 2014, 26, 300-9.	0.7	8
56	Can China's new mental health law substantially reduce the burden of illness attributable to mental disorders?. Lancet, The, 2013, 381, 1964-1966.	13.7	42
57	Malnutrition in early life and adult mental health: Evidence from a natural experiment. Social Science and Medicine, 2013, 97, 259-266.	3.8	79
58	China's New Mental Health Law: Reframing Involuntary Treatment. American Journal of Psychiatry, 2013, 170, 588-591.	7.2	51
59	Employment outcome for people with schizophrenia in rural <i>v</i> . urban China: population-based study. British Journal of Psychiatry, 2013, 203, 272-279.	2.8	36
60	Retrospective Identification of Episodes of Deliberate Self-Harm from Emergency Room Registers in General Hospitals: An Example from Shanghai. Archives of Suicide Research, 2013, 17, 345-359.	2.3	7
61	Matched case-control study of medically serious attempted suicides in rural China. Shanghai Archives of Psychiatry, 2013, 25, 22-31.	0.7	10
62	Case-Control Study in China of Risk Factors for Suicide in Men With Alcohol Use Disorders. Journal of Studies on Alcohol and Drugs, 2012, 73, 15-20.	1.0	11
63	The changing global face of suicide. Lancet, The, 2012, 379, 2318-2319.	13.7	110
64	The Next Generation of Psychological Autopsy Studies. Suicide and Life-Threatening Behavior, 2012, 42, 86-103.	1.9	50
65	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	13.7	9,397
66	Effects of labeling and interpersonal contact upon attitudes towards schizophrenia: implications for reducing mental illness stigma in urban China. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1459-1473.	3.1	48
67	Case–Control Study of the Relationship of Functioning to Suicide in a Community-Based Sample of Individuals with Schizophrenia in China. Community Mental Health Journal, 2012, 48, 317-320.	2.0	5
68	The prevalence of somatoform disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. General Hospital Psychiatry, 2012, 34, 339-344.	2.4	14
69	Indepth Interviews with 244 Female Suicide Attempters and Their Associates in Northern China. Crisis, 2012, 33, 66-72.	1.2	13
70	The Next Generation of Psychological Autopsy Studies. Suicide and Life-Threatening Behavior, 2011, 41, 594-613.	1.9	85
71	China—a call for papers. Lancet, The, 2011, 377, 1301.	13.7	0
72	Epidemiology of Alcohol Use in Rural Men in Two Provinces of China. Journal of Studies on Alcohol and Drugs, 2011, 72, 333-340.	1.0	28

#	Article	IF	CITATIONS
73	Clozapine <i>v.</i> chlorpromazine in treatment-naive, first-episode schizophrenia: 9-year outcomes of a randomised clinical trial. British Journal of Psychiatry, 2011, 199, 281-288.	2.8	69
74	Understanding Self-Harm in Victims of Intimate Partner Violence: A Qualitative Analysis of Calls Made by Victims to a Crisis Hotline in China. Violence Against Women, 2011, 17, 532-544.	1.7	12
75	Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations. PLoS Medicine, 2011, 8, e1001122.	8.4	246
76	Cohort-specific risk of suicide for different mental disorders in China. British Journal of Psychiatry, 2010, 196, 467-473.	2.8	36
77	Age-Specific Characteristics of Serious Suicide Attempters in China. Suicide and Life-Threatening Behavior, 2010, 40, 383-393.	1.9	14
78	Prevalence and rates of recognition of anxiety disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. General Hospital Psychiatry, 2010, 32, 192-200.	2.4	16
79	Comparison of patients with and without mental disorders treated for suicide attempts in the emergency departments of four general hospitals in Shenyang, China. General Hospital Psychiatry, 2010, 32, 549-555.	2.4	28
80	"Excessive Thinking" as Explanatory Model for Schizophrenia: Impacts on Stigma and "Moral" Status in Mainland China. Schizophrenia Bulletin, 2010, 36, 836-845.	4.3	60
81	Rethinking the Role of Mental Illness in Suicide. American Journal of Psychiatry, 2010, 167, 731-733.	7.2	83
82	Case-control study of the relationship of depressive symptoms to suicide in a community-based sample of individuals with schizophrenia in China. Schizophrenia Research, 2010, 122, 226-231.	2.0	19
83	Alcohol use disorders and acute alcohol use preceding suicide in China. Addictive Behaviors, 2010, 35, 152-156.	3.0	20
84	A call for Papers from China. Lancet, The, 2010, 376, 217.	13.7	0
85	The Acceptability of Suicide Among Rural Residents, Urban Residents, and College Students from Three Locations in China. Crisis, 2010, 31, 183-193.	1.2	21
86	Repetition of Suicide Attempts. Crisis, 2010, 31, 194-201.	1.2	86
87	Validity of Proxy-Based Reports of Impulsivity and Aggression in Chinese Research on Suicidal Behavior. Crisis, 2010, 31, 137-142.	1.2	25
88	Epidemiology of Alcohol Abuse and Dependence in Rural Chinese Men. Alcoholism: Clinical and Experimental Research, 2009, 33, 1770-1776.	2.4	32
89	Nonfatal Suicidal Behavior Among Chinese Women Who Have Been Physically Abused by Their Male Intimate Partners. Suicide and Life-Threatening Behavior, 2009, 39, 648-658.	1.9	8
90	Prevalence, treatment, and associated disability of mental disorders in four provinces in China during 2001–05: an epidemiological survey. Lancet, The, 2009, 373, 2041-2053.	13.7	919

#	Article	IF	CITATIONS
91	Mental illness in China – Authors' reply. Lancet, The, 2009, 374, 1065.	13.7	2
92	Pesticide exposure and suicidal ideation in rural communities in Zhejiang Province, China. Bulletin of the World Health Organization, 2009, 87, 745-753.	3.3	59
93	Prevalence and rates of recognition of depressive disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. Journal of Affective Disorders, 2008, 110, 46-54.	4.1	57
94	Evolution of China's health-care system. Lancet, The, 2008, 372, 1715-1716.	13.7	53
95	Effectiveness of brief intervention and contact for suicide attempters: a randomized controlled trial in five countries. Bulletin of the World Health Organization, 2008, 86, 703-709.	3.3	375
96	Biological, Life Course, and Cross-Cultural Studies All point Toward the Value of Dimensional and Developmental Ratings in the Classification of Psychosis. Schizophrenia Bulletin, 2007, 33, 868-876.	4.3	73
97	Predictors of Low-Intent and High-Intent Suicide Attempts in Rural China. American Journal of Public Health, 2007, 97, 1842-1846.	2.7	61
98	No health without mental health. Lancet, The, 2007, 370, 859-877.	13.7	2,727
99	Attitudes Toward Suicide Among Chinese People in Hong Kong. Suicide and Life-Threatening Behavior, 2007, 37, 565-575.	1.9	38
100	The global distribution of fatal pesticide self-poisoning: Systematic review. BMC Public Health, 2007, 7, 357.	2.9	710
101	Assessing depressive symptoms in persons who die of suicide in mainland China. Journal of Affective Disorders, 2007, 98, 73-82.	4.1	82
102	Diet, activity, and other lifestyle risk factors for forearm fracture in postmenopausal women in China: a case-control study. Menopause, 2006, 13, 102-110.	2.0	8
103	Low-planned suicides in China. Psychological Medicine, 2005, 35, 1197-1204.	4.5	114
104	Suicide attempts, plans, and ideation in culturally diverse sites: the WHO SUPRE-MISS community survey. Psychological Medicine, 2005, 35, 1457-1465.	4.5	338
105	Characteristics of attempted suicides seen in emergency-care settings of general hospitals in eight low- and middle-income countries. Psychological Medicine, 2005, 35, 1467-1474.	4.5	117
106	Suicide Prevention Strategies. JAMA - Journal of the American Medical Association, 2005, 294, 2064.	7.4	2,352
107	Understanding the unique characteristics of suicide in China: national psychological autopsy study. Biomedical and Environmental Sciences, 2005, 18, 379-89.	0.2	93
108	Self poisoning with pesticides. BMJ: British Medical Journal, 2004, 328, 42-44.	2.3	398

#	Article	IF	CITATIONS
109	Suicide and the unique prevalence pattern of schizophrenia in mainland China:a retrospective observational study. Lancet, The, 2004, 364, 1062-1068.	13.7	132
110	Causal Attributions About Schizophrenia in Families in China: Expressed Emotion and Patient Relapse Journal of Abnormal Psychology, 2004, 113, 592-602.	1.9	39
111	Suicide prevention in developing countries: where should we start?. World Psychiatry, 2004, 3, 156-7.	10.4	17
112	Atypical and Conventional Antipsychotic Drugs in Treatment-Naive First-Episode Schizophrenia: A 52-Week Randomized Trial of Clozapine Vs Chlorpromazine. Neuropsychopharmacology, 2003, 28, 995-1003.	5.4	319
113	Stigma and expressed emotion: a study of people with schizophrenia and their family members in China. British Journal of Psychiatry, 2002, 181, 488-493.	2.8	213
114	Suicide rates in China, 1995–99. Lancet, The, 2002, 359, 835-840.	13.7	708
115	Suicide rates in China. Lancet, The, 2002, 359, 2274-2275.	13.7	61
116	Risk factors for suicide in China: a national case-control psychological autopsy study. Lancet, The, 2002, 360, 1728-1736.	13.7	760
117	Attempted Suicide among Young Rural Women in the People's Republic of China: Possibilities for Prevention. Suicide and Life-Threatening Behavior, 2002, 32, 359-369.	1.9	78
118	Characteristics, experience, and treatment of schizophrenia in China. Dialogues in Clinical Neuroscience, 2001, 3, 109-119.	3.7	33
119	Causes of schizophrenia reported by patients' family members in China. British Journal of Psychiatry, 2000, 177, 20-25.	2.8	123
120	Mental health services in China. Epidemiologia E Psichiatria Sociale, 2000, 9, 84-88.	0.9	11
121	Development and Validation of a Calcium Intake Questionnaire for Postmenopausal Women in China. Annals of Epidemiology, 2000, 10, 169-175.	1.9	23
122	Effects of Parenteral Nutrition Support and Chemotherapy on the Phasic Composition of Tumor Cells in Gastrointestinal Cancer. Journal of Parenteral and Enteral Nutrition, 1999, 23, 237-241.	2.6	35
123	Suicide and social change in China. Culture, Medicine and Psychiatry, 1999, 23, 25-50.	1.2	182
124	Giardia Cyst and Cryptosporidium Oocyst Survival in Water, Soil, and Cattle Feces. Journal of Environmental Quality, 1999, 28, 1991-1996.	2.0	166
125	Comparison of Schizophrenic Patients' Families and Normal Families in China, Using Chinese Versions of FACES-II and the Family Environment Scales. Family Process, 1998, 37, 95-106.	2.6	85
126	The Transformation of China's Mental Health Services. China Journal, 1998, 39, 1-36.	0.2	67

#	Article	IF	CITATIONS
127	Comparison of the effects of different rates of feeding in acute infantile diarrhea: A randomized control trial. Journal of Clinical Epidemiology, 1997, 50, S14.	5.0	0
128	Reliability of the SANS. American Journal of Psychiatry, 1996, 153, 138-138.	7.2	2
129	Erotomanic Symptoms in 42 Chinese Schizophrenic Patients. British Journal of Psychiatry, 1996, 169, 501-508.	2.8	15
130	Chinese Societies and Mental Health.Tsung-Yi Lin , Wen-Shing Tseng , Eng-Kung Yeh. China Journal, 1996, 36, 176-180.	0.2	2
131	Expressed Emotion in Mainland China: Chinese Families with Schizophrenic Patients. International Journal of Mental Health, 1995, 24, 54-75.	1.3	38
132	The Social Context of Psychiatric Rehabilitation in China. British Journal of Psychiatry, 1994, 165, 11-18.	2.8	19
133	A Brief History of the Development of Rehabilitative Services in China. British Journal of Psychiatry, 1994, 165, 19-27.	2.8	11
134	Community-Based Psychiatric Rehabilitation in Shanghai. British Journal of Psychiatry, 1994, 165, 70-79.	2.8	27
135	A Rating Instrument for the Evaluation of In-Patient Rehabilitation Programmes in China. British Journal of Psychiatry, 1994, 165, 58-65.	2.8	5
136	Randomised-Control Trial of Family Intervention for 78 First-Episode Male Schizophrenic Patients. British Journal of Psychiatry, 1994, 165, 96-102.	2.8	138
137	Future Opportunities and Challenges for the Development of Psychiatric Rehabilitation in China. British Journal of Psychiatry, 1994, 165, 128-142.	2.8	21
138	Changes in the Positive and Negative Symptoms of Schizophrenic In-patients in China. British Journal of Psychiatry, 1991, 159, 226-231.	2.8	17
139	Validity and Reliability of the Chinese Hamilton Depression Rating Scale. British Journal of Psychiatry, 1988, 152, 660-664.	2.8	277
140	The interaction of mental illness, criminal behavior and culture: Native Alaskan mentally ill criminal offenders. Culture, Medicine and Psychiatry, 1986, 10, 123-149.	1.2	12
141	CAN "CLINICALLY APPLIED ANTHROPOLOGY―SURVIVE IN MEDICAL CARE SETTINGS?. Medical Anthropology Quarterly, 1985, 16, 31-36.	1.4	10