

Jeffrey Driban

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/525600/publications.pdf>

Version: 2024-02-01

124
papers

4,417
citations

136885

32
h-index

128225

60
g-index

124
all docs

124
docs citations

124
times ranked

5226
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 1967.	3.8	556
2	OARSI Clinical Trials Recommendations: Design, conduct, and reporting of clinical trials for knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 747-760.	0.6	165
3	Responsiveness and Minimally Important Differences for 4 Patient-Reported Outcomes Measurement Information System Short Forms: Physical Function, Pain Interference, Depression, and Anxiety in Knee Osteoarthritis. <i>Journal of Pain</i> , 2017, 18, 1096-1110.	0.7	155
4	Sex Differences in Head Acceleration During Heading While Wearing Soccer Headgear. <i>Journal of Athletic Training</i> , 2008, 43, 578-584.	0.9	132
5	Comparative Effectiveness of Tai Chi Versus Physical Therapy for Knee Osteoarthritis. <i>Annals of Internal Medicine</i> , 2016, 165, 77.	2.0	124
6	Is Participation in Certain Sports Associated With Knee Osteoarthritis? A Systematic Review. <i>Journal of Athletic Training</i> , 2017, 52, 497-506.	0.9	121
7	Postures, typing strategies, and gender differences in mobile device usage: An observational study. <i>Applied Ergonomics</i> , 2012, 43, 408-412.	1.7	116
8	Reliability and validity of three quality rating instruments for systematic reviews of observational studies. <i>Research Synthesis Methods</i> , 2011, 2, 110-118.	4.2	115
9	Inflammation and glucose homeostasis are associated with specific structural features among adults without knee osteoarthritis: a cross-sectional study from the osteoarthritis initiative. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 1.	0.8	105
10	Osteoarthritis-related biomarkers following anterior cruciate ligament injury and reconstruction: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1-12.	0.6	103
11	Is osteoarthritis a heterogeneous disease that can be stratified into subsets?. <i>Clinical Rheumatology</i> , 2010, 29, 123-131.	1.0	93
12	Patient-Reported Outcomes Measurement Information System (PROMIS) instruments among individuals with symptomatic knee osteoarthritis: a cross-sectional study of floor/ceiling effects and construct validity. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 253.	0.8	86
13	Association of Knee Injuries With Accelerated Knee Osteoarthritis Progression: Data From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2014, 66, 1673-1679.	1.5	83
14	Risk factors and the natural history of accelerated knee osteoarthritis: a narrative review. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 332.	0.8	81
15	Evaluation of bone marrow lesion volume as a knee osteoarthritis biomarker - longitudinal relationships with pain and structural changes: data from the Osteoarthritis Initiative. <i>Arthritis Research and Therapy</i> , 2013, 15, R112.	1.6	79
16	Vitamin D Deficiency Is Associated with Progression of Knee Osteoarthritis. <i>Journal of Nutrition</i> , 2014, 144, 2002-2008.	1.3	77
17	Greater Mechanical Loading During Walking Is Associated With Less Collagen Turnover in Individuals With Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2016, 44, 425-432.	1.9	76
18	Characterization of posture and comfort in laptop users in non-desk settings. <i>Applied Ergonomics</i> , 2012, 43, 392-399.	1.7	65

#	ARTICLE	IF	CITATIONS
19	Tibiofemoral Osteoarthritis After Surgical or Nonsurgical Treatment of Anterior Cruciate Ligament Rupture: A Systematic Review. <i>Journal of Athletic Training</i> , 2017, 52, 507-517.	0.9	65
20	Test-retest reliability and sensitivity of the 20-meter walk test among patients with knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 166.	0.8	62
21	Dietary Fat Intake and Radiographic Progression of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2017, 69, 368-375.	1.5	61
22	Effects of Prescription Nonsteroidal Antiinflammatory Drugs on Symptoms and Disease Progression Among Patients With Knee Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 724-732.	2.9	50
23	Quantitative bone marrow lesion size in osteoarthritic knees correlates with cartilage damage and predicts longitudinal cartilage loss. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 217.	0.8	46
24	Assessing the comparative effectiveness of Tai Chi versus physical therapy for knee osteoarthritis: design and rationale for a randomized trial. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 333.	3.7	46
25	Osteoarthritis and the Tactical Athlete: A Systematic Review. <i>Journal of Athletic Training</i> , 2016, 51, 952-961.	0.9	45
26	The relationship between meniscal pathology and osteoarthritis depends on the type of meniscal damage visible on magnetic resonance images: data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 76-84.	0.6	45
27	Individuals with incident accelerated knee osteoarthritis have greater pain than those with common knee osteoarthritis progression: data from the Osteoarthritis Initiative. <i>Clinical Rheumatology</i> , 2016, 35, 1565-1571.	1.0	40
28	Coronal tibial slope is associated with accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 299.	0.8	38
29	Running does not increase symptoms or structural progression in people with knee osteoarthritis: data from the osteoarthritis initiative. <i>Clinical Rheumatology</i> , 2018, 37, 2497-2504.	1.0	38
30	An Electromyographic Assessment of the "Bear Hug": An Examination for the Evaluation of the Subscapularis Muscle. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2008, 24, 1265-1270.	1.3	36
31	Comparison of self-report and objective measures of physical activity in US adults with osteoarthritis. <i>Rheumatology International</i> , 2016, 36, 1355-1364.	1.5	35
32	Objectively Measured Physical Activity and Symptoms Change in Knee Osteoarthritis. <i>American Journal of Medicine</i> , 2016, 129, 497-505.e1.	0.6	35
33	Milk Consumption and Progression of Medial Tibiofemoral Knee Osteoarthritis: Data From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2014, 66, 802-809.	1.5	34
34	Walking Speed As a Potential Indicator of Cartilage Breakdown Following Anterior Cruciate Ligament Reconstruction. <i>Arthritis Care and Research</i> , 2016, 68, 793-800.	1.5	34
35	The relationship between smoking and knee osteoarthritis in the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 465-472.	0.6	34
36	Is There an Association Between a History of Running and Symptomatic Knee Osteoarthritis? A Cross-sectional Study From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2017, 69, 183-191.	1.5	34

#	ARTICLE	IF	CITATIONS
37	Association of subchondral bone texture on magnetic resonance imaging with radiographic knee osteoarthritis progression: data from the Osteoarthritis Initiative Bone Ancillary Study. <i>European Radiology</i> , 2018, 28, 4687-4695.	2.3	34
38	Accelerated Knee Osteoarthritis Is Characterized by Destabilizing Meniscal Tears and Preradiographic Structural Disease Burden. <i>Arthritis and Rheumatology</i> , 2019, 71, 1089-1100.	2.9	34
39	Risk factors can classify individuals who develop accelerated knee osteoarthritis: Data from the osteoarthritis initiative. <i>Journal of Orthopaedic Research</i> , 2018, 36, 876-880.	1.2	33
40	Joint Inflammation and Early Degeneration Induced by High-Force Reaching Are Attenuated by Ibuprofen in an Animal Model of Work-Related Musculoskeletal Disorder. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-17.	3.0	32
41	Thrombospondin-1 and transforming growth factor beta are pro-inflammatory molecules in rheumatoid arthritis. <i>Translational Research</i> , 2008, 152, 95-98.	2.2	31
42	Bone marrow lesions are associated with altered trabecular morphometry. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1519-1526.	0.6	31
43	Meniscal extrusion or subchondral damage characterize incident accelerated osteoarthritis: Data from the osteoarthritis initiative. <i>Clinical Anatomy</i> , 2015, 28, 792-799.	1.5	31
44	Development of a clinical prediction algorithm for knee osteoarthritis structural progression in a cohort study: value of adding measurement of subchondral bone density. <i>Arthritis Research and Therapy</i> , 2017, 19, 95.	1.6	31
45	The Evaluation of Electrodermal Properties in the Identification of Myofascial Trigger Points. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 780-784.	0.5	30
46	Osteoarthritis and Aging: Young Adults with Osteoarthritis. <i>Current Epidemiology Reports</i> , 2020, 7, 9-15.	1.1	30
47	Muscle Power Is an Independent Determinant of Pain and Quality of Life in Knee Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 3166-3173.	2.9	29
48	Associations between cartilage proteoglycan density and patient outcomes 12 months following anterior cruciate ligament reconstruction. <i>Knee</i> , 2018, 25, 118-129.	0.8	29
49	Cross-sectional DXA and MR measures of tibial periarticular bone associate with radiographic knee osteoarthritis severity. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 686-693.	0.6	28
50	Best performing definition of accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2016, 8, 165-171.	1.2	28
51	Development of a rapid knee cartilage damage quantification method using magnetic resonance images. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 264.	0.8	27
52	Pain and functional trajectories in symptomatic knee osteoarthritis over up to 12 weeks of exercise exposure. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 501-512.	0.6	26
53	Quantification of bone marrow lesion volume and volume change using semi-automated segmentation: data from the osteoarthritis initiative. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 3.	0.8	25
54	Exploratory analysis of osteoarthritis progression among medication users: data from the Osteoarthritis Initiative. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2016, 8, 207-219.	1.2	25

#	ARTICLE	IF	CITATIONS
55	Prevalence of Radiographic Knee Osteoarthritis After Anterior Cruciate Ligament Reconstruction, With or Without Meniscectomy: An Evidence-Based Practice Article. <i>Journal of Athletic Training</i> , 2017, 52, 606-609.	0.9	25
56	Knee symptoms among adults at risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Clinical Rheumatology</i> , 2017, 36, 1083-1089.	1.0	25
57	Knee Pain and a Prior Injury Are Associated with Increased Risk of a New Knee Injury: Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2015, 42, 1463-1469.	1.0	24
58	Systolic and pulse pressure associate with incident knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Clinical Rheumatology</i> , 2017, 36, 2121-2128.	1.0	24
59	Symptom Assessment in Knee Osteoarthritis Needs to Account for Physical Activity Level. <i>Arthritis and Rheumatology</i> , 2015, 67, 2897-2904.	2.9	23
60	A novel comparative effectiveness study of Tai Chi versus aerobic exercise for fibromyalgia: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 34.	0.7	22
61	Five-Year Clinical Outcomes of a Randomized Trial of Anterior Cruciate Ligament Treatment Strategies: An Evidence-Based Practice Paper. <i>Journal of Athletic Training</i> , 2015, 50, 110-112.	0.9	22
62	Impact of physical activity and mechanical loading on biomarkers typically used in osteoarthritis assessment: current concepts and knowledge gaps. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2017, 9, 11-21.	1.2	20
63	Outcome Expectations and Osteoarthritis: Association of Perceived Benefits of Exercise With Self-Efficacy and Depression. <i>Arthritis Care and Research</i> , 2017, 69, 491-498.	1.5	20
64	Longterm Effectiveness of Intraarticular Injections on Patient-reported Symptoms in Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2018, 45, 1316-1324.	1.0	20
65	Overweight older adults, particularly after an injury, are at high risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Clinical Rheumatology</i> , 2016, 35, 1071-1076.	1.0	18
66	Dose-Response Effects of Tai Chi and Physical Therapy Exercise Interventions in Symptomatic Knee Osteoarthritis. <i>PM and R</i> , 2018, 10, 712-723.	0.9	18
67	Development of a Rapid Cartilage Damage Quantification Method for the Lateral Tibiofemoral Compartment Using Magnetic Resonance Images: Data from the Osteoarthritis Initiative. <i>BioMed Research International</i> , 2015, 2015, 1-5.	0.9	17
68	The Role of Athletic Trainers in Preventing and Managing Posttraumatic Osteoarthritis in Physically Active Populations: a Consensus Statement of the Athletic Trainers' Osteoarthritis Consortium. <i>Journal of Athletic Training</i> , 2017, 52, 610-623.	0.9	17
69	Risk of Knee Osteoarthritis Over 24 Months in Individuals Who Decrease Walking Speed During a 12-Month Period: Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2017, 44, 1265-1270.	1.0	17
70	Neuronal structural protein polymorphism and concussion in college athletes. <i>Brain Injury</i> , 2011, 25, 1108-1113.	0.6	16
71	The associations between radiographic hand osteoarthritis definitions and hand pain: data from the osteoarthritis initiative. <i>Rheumatology International</i> , 2018, 38, 403-413.	1.5	16
72	The incidence and characteristics of accelerated knee osteoarthritis among women: the Chingford cohort. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 60.	0.8	16

#	ARTICLE	IF	CITATIONS
73	Subjective Crepitus as a Risk Factor for Incident Symptomatic Knee Osteoarthritis: Data From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2018, 70, 53-60.	1.5	15
74	Defining and evaluating a novel outcome measure representing end-stage knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Clinical Rheumatology</i> , 2016, 35, 2523-2530.	1.0	14
75	Sex differences in the association of skin advanced glycation endproducts with knee osteoarthritis progression. <i>Arthritis Research and Therapy</i> , 2017, 19, 36.	1.6	14
76	Knee Alignment Is Quantitatively Related to Periarticular Bone Morphometry and Density, Especially in Patients With Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 212-221.	2.9	14
77	Erosive Hand Osteoarthritis: Incidence and Predictive Characteristics Among Participants in the Osteoarthritis Initiative. <i>Arthritis and Rheumatology</i> , 2021, 73, 2015-2024.	2.9	14
78	Biochemical comparison of osteoarthritic knees with and without effusion. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 273.	0.8	13
79	Osteoarthritis year 2011 in review: clinical. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 197-200.	0.6	13
80	Glucose homeostasis influences the risk of incident knee osteoarthritis: Data from the osteoarthritis initiative. <i>Journal of Orthopaedic Research</i> , 2017, 35, 2282-2287.	1.2	13
81	Factors Associated with the Use of Hyaluronic Acid and Corticosteroid Injections among Patients with Radiographically Confirmed Knee Osteoarthritis: A Retrospective Data Analysis. <i>Clinical Therapeutics</i> , 2017, 39, 347-358.	1.1	13
82	Lacrosse Equipment and Cervical Spinal Cord Space During Immobilization: Preliminary Analysis. <i>Journal of Athletic Training</i> , 2010, 45, 39-43.	0.9	12
83	Mindfulness Is Associated With Treatment Response From Nonpharmacologic Exercise Interventions in Knee Osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2265-2273.e1.	0.5	12
84	Characteristics of Accelerated Hand Osteoarthritis: Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2019, 46, 422-428.	1.0	12
85	The Potential of Multiple Synovial-Fluid Protein-Concentration Analyses in the Assessment of Knee Osteoarthritis. <i>Journal of Sport Rehabilitation</i> , 2010, 19, 411-421.	0.4	11
86	Soft Drink intake and progression of radiographic knee osteoarthritis: data from the osteoarthritis initiative. <i>BMJ Open</i> , 2013, 3, e002993.	0.8	11
87	Magnetic Resonance Image Sequence Influences the Relationship between Bone Marrow Lesions Volume and Pain: Data from the Osteoarthritis Initiative. <i>BioMed Research International</i> , 2015, 2015, 1-5.	0.9	11
88	Biochemical Response to a Moderate Running Bout in Participants With or Without a History of Acute Knee Injury. <i>Journal of Athletic Training</i> , 2017, 52, 567-574.	0.9	11
89	Effects of Tai Chi versus Physical Therapy on Mindfulness in Knee Osteoarthritis. <i>Mindfulness</i> , 2017, 8, 1195-1205.	1.6	11
90	A single recent injury is a potent risk factor for the development of accelerated knee osteoarthritis: data from the osteoarthritis initiative. <i>Rheumatology International</i> , 2017, 37, 1759-1764.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Adults with incident accelerated knee osteoarthritis are more likely to receive a knee replacement: data from the Osteoarthritis Initiative. <i>Clinical Rheumatology</i> , 2018, 37, 1115-1118.	1.0	11
92	Incident hand OA is strongly associated with reduced peripheral blood leukocyte telomere length. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1651-1657.	0.6	11
93	Medication and supplement use for managing joint symptoms among patients with knee and hip osteoarthritis: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 47.	0.8	10
94	Bone marrow lesion volume reduction is not associated with improvement of other periarticular bone measures: data from the Osteoarthritis Initiative. <i>Arthritis Research and Therapy</i> , 2013, 15, R153.	1.6	9
95	Posttraumatic Bone Marrow Lesion Volume and Knee Pain Within 4 Weeks After Anterior Cruciate Ligament Injury. <i>Journal of Athletic Training</i> , 2017, 52, 575-580.	0.9	9
96	Athletic Trainersâ€™ Osteoarthritis Consortium: Raising Awareness of Osteoarthritis in the Sports Medicine Community. <i>International Journal of Athletic Therapy and Training</i> , 2017, 22, 1-3.	0.1	9
97	Osteoarthritis action alliance consensus opinion - best practice features of anterior cruciate ligament and lower limb injury prevention programs. <i>World Journal of Orthopedics</i> , 2017, 8, 726.	0.8	9
98	Prevalence of Early Knee Osteoarthritis Illness Among Various <scp>Patientâ€™Reported</scp> Classification Criteria After Anterior Cruciate Ligament Reconstruction. <i>Arthritis Care and Research</i> , 2022, 74, 377-385.	1.5	9
99	An in-vivo model of functional head impact testing in non-helmeted athletes. Proceedings of the Institution of Mechanical Engineers, Part P: <i>Journal of Sports Engineering and Technology</i> , 2009, 223, 117-123.	0.4	8
100	Validation of quantitative magnetic resonance imaging-based apparent bone volume fraction in peri-articular tibial bone of cadaveric knees. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 143.	0.8	8
101	Physical activity levels and quality of life relate to collagen turnover and inflammation changes after running. <i>Journal of Orthopaedic Research</i> , 2017, 35, 612-617.	1.2	8
102	Intra-articular Corticosteroid Injections in the Hip and Knee: Perhaps Not as Dangerous as They Want You to Believe?. <i>Radiology</i> , 2020, 295, 249-250.	3.6	8
103	Patterns of intra-articular injection use after initiation of treatment in patients with knee osteoarthritis: data from the osteoarthritis initiative. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1607-1614.	0.6	7
104	Characterizing the distinct structural changes associated with selfâ€™reported knee injury among individuals with incident knee osteoarthritis: Data from the osteoarthritis initiative. <i>Clinical Anatomy</i> , 2018, 31, 330-334.	1.5	7
105	Role of Magnetic Resonance Imaging in Classifying Individuals Who Will Develop Accelerated Radiographic Knee Osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2420-2428.	1.2	7
106	Accelerated knee osteoarthritis is associated with pre-radiographic degeneration of the extensor mechanism and cruciate ligaments: data from the Osteoarthritis Initiative. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 308.	0.8	7
107	On the use of coupled shape priors for segmentation of magnetic resonance images of the knee. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 19, 1-1.	3.9	6
108	Diffuse tibiofemoral cartilage change prior to the development of accelerated knee osteoarthritis: Data from the osteoarthritis initiative. <i>Clinical Anatomy</i> , 2019, 32, 369-378.	1.5	6

#	ARTICLE	IF	CITATIONS
109	Sample size calculations for detecting disease-modifying osteoarthritis drug effects on the incidence of end-stage knee osteoarthritis in clinical trials: Data from the Osteoarthritis Initiative. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 3-8.	1.6	6
110	Structure and Function of Joints. , 2009, , 51-60.		6
111	Adults With Incident Accelerated Knee Osteoarthritis Are More Likely to Use Pharmacological Treatment Options and Receive Arthroscopic Knee Surgery: Data From the Osteoarthritis Initiative. <i>ACR Open Rheumatology</i> , 2019, 1, 359-364.	0.9	5
112	A Decline in Walking Speed Is Associated With Incident Knee Replacement in Adults With and at Risk for Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2021, 48, 579-584.	1.0	5
113	Anatomical evaluation of the tibial nerve within the popliteal fossa. <i>Clinical Anatomy</i> , 2007, 20, 694-698.	1.5	4
114	Novel Framework for Measuring Whole Knee Osteoarthritis Progression Using Magnetic Resonance Imaging. <i>Arthritis Care and Research</i> , 2022, 74, 799-808.	1.5	4
115	A curve evolution method for identifying weak edges with applications to the segmentation of magnetic resonance images of the knee. , 2011, , .		3
116	Tapping into the Evidence Pipeline—The Role of Social Media in Evidence-Based Practice. <i>International Journal of Athletic Therapy and Training</i> , 2016, 21, 1-4.	0.1	2
117	A novel approach to studying early knee osteoarthritis illustrates that bilateral medial tibiofemoral osteoarthritis is a heritable phenotype: an offspring study. <i>Rheumatology International</i> , 2022, 42, 1063-1072.	1.5	2
118	Athletic Trainers Have an Important Role in Preventing and Treating Osteoarthritis. <i>Journal of Athletic Training</i> , 2017, 52, 489-490.	0.9	1
119	Reply. <i>Arthritis and Rheumatology</i> , 2020, 72, 198-200.	2.9	1
120	Reply. <i>Arthritis and Rheumatology</i> , 2015, 67, 2278-2280.	2.9	0
121	Reply. <i>Arthritis and Rheumatology</i> , 2016, 68, 1047-1048.	2.9	0
122	Reply. <i>Arthritis and Rheumatology</i> , 2016, 68, 1565-1566.	2.9	0
123	Reply. <i>Arthritis Care and Research</i> , 2018, 70, 957-957.	1.5	0
124	The Inverse OARSI-OMERACT Criteria Is a Valid Indicator of the Clinical Worsening of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2021, 48, 442-446.	1.0	0