

# Ricardo Garilleti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5256534/publications.pdf>

Version: 2024-02-01

93

papers

2,391

citations

304743

22

h-index

233421

45

g-index

93

all docs

93

docs citations

93

times ranked

1864

citing authors

#	ARTICLE	IF	CITATIONS
1	An annotated checklist of the mosses of Europe and Macaronesia. <i>Journal of Bryology</i> , 2006, 28, 198-267.	1.2	493
2	An annotated checklist of bryophytes of Europe, Macaronesia and Cyprus. <i>Journal of Bryology</i> , 2020, 42, 1-116.	1.2	240
3	The database of the <scp>PREDICTS</scp> (Projecting Responses of Ecological Diversity In Changing Environments) Tj ETQq1 1 0.784314 rgBT /Over 1.9 186		
4	New national and regional bryophyte records, 33. <i>Journal of Bryology</i> , 2012, 34, 281-291.	1.2	79
5	Integrative taxonomy successfully resolves the pseudo-cryptic complex of the disjunct epiphytic moss <i>Orthotrichum consimile</i> s.l. (Orthotrichaceae). <i>Taxon</i> , 2012, 61, 1180-1198.	0.7	75
6	<i>Lewinskya</i>, a New Genus to Accommodate the Phaneroporous and Monoicous Taxa of <i>Orthotrichum</i> (Bryophyta, Orthotrichaceae). <i>Cryptogamie, Bryologie</i> , 2016, 37, 361-382.	0.2	75
7	New national and regional bryophyte records, 35. <i>Journal of Bryology</i> , 2013, 35, 129-139.	1.2	63
8	Unnoticed diversity within the disjunct moss <i>Orthotrichum tenellum</i> s.l. validated by morphological and molecular approaches. <i>Taxon</i> , 2013, 62, 1133-1152.	0.7	58
9	Conserved Organisation of 45S rDNA Sites and rDNA Gene Copy Number among Major Clades of Early Land Plants. <i>PLoS ONE</i> , 2016, 11, e0162544.	2.5	55
10	New national and regional bryophyte records, 17. <i>Journal of Bryology</i> , 2007, 29, 277-283.	1.2	52
11	New national and regional bryophyte records, 36. <i>Journal of Bryology</i> , 2013, 35, 228-238.	1.2	47
12	New national and regional bryophyte records, 40. <i>Journal of Bryology</i> , 2014, 36, 223-244.	1.2	46
13	Integrative taxonomy sheds light on an old problem: the <i>Ulota crispa</i> complex (Orthotrichaceae,) Tj ETQq1 1 0.784314 rgBT /Over 1.6 46		
14	New national and regional bryophyte records, 41. <i>Journal of Bryology</i> , 2014, 36, 306-324.	1.2	45
15	Species richness of epiphytic bryophytes: drivers across scales on the edge of the Mediterranean. <i>Ecography</i> , 2014, 37, 80-93.	4.5	37
16	The epiphytic bryoflora of the Jbel Bouhalla (Rif, Morocco), including a new variety of moss, <i>Orthotrichum speciosum</i> var. <i>brevisetum</i> . <i>Journal of Bryology</i> , 2003, 25, 271-280.	1.2	32
17	Epiphytic bryoflora of the Atlas and Antiatlas Mountains, including a synthesis of the distribution of epiphytic bryophytes in Morocco. <i>Journal of Bryology</i> , 2006, 28, 312-330.	1.2	32
18	New national and regional bryophyte records, 43. <i>Journal of Bryology</i> , 2015, 37, 128-147.	1.2	31

#	ARTICLE	IF	CITATIONS
19	Is it really you, <i>O. rhototrichum acuminatum</i> ? Ascertaining a new case of intercontinental disjunction in mosses. <i>Botanical Journal of the Linnean Society</i> , 2016, 180, 30-49.	1.6	28
20	New national and regional bryophyte records, 49. <i>Journal of Bryology</i> , 2016, 38, 327-347.	1.2	26
21	Some interesting Orthotrichum species from mainland Greece and Evvia. <i>Journal of Bryology</i> , 2003, 25, 129-134.	1.2	25
22	<i>Ulota larrainii</i> (Orthotrichoideae, Orthotrichaceae, Bryophyta) a new species from Chile, with comments on the worldwide diversification of the genus. <i>Phytotaxa</i> , 2015, 217, 133.	0.3	25
23	A survey of the epiphytic bryophyte flora of the Rif and Tazzeka Mountains (northern Morocco). <i>Journal of Bryology</i> , 2005, 27, 23-34.	1.2	24
24	Do mosses really exhibit so large distribution ranges? Insights from the integrative taxonomic study of the <i>Lewinskya affinis</i> complex (Orthotrichaceae, Bryopsida). <i>Molecular Phylogenetics and Evolution</i> , 2019, 140, 106598.	2.7	23
25	Two new species of <i>Ulota</i> (Orthotrichaceae, Bryopsida) with multicellular spores, from the Hengduan Mountains, Southwestern China. <i>Journal of Bryology</i> , 2011, 33, 210-220.	1.2	18
26	< i>Orthotrichum hispanicum sp. nov. (Bryopsida, Orthotrichaceae), from eastern Spain. <i>Journal of Bryology</i> , 2000, 22, 263-267.	1.2	17
27	<i>Orthotrichum shawii</i> Wilson, a distinct European species. <i>Journal of Bryology</i> , 2000, 22, 183-192.	1.2	17
28	New national and regional bryophyte records, 51. <i>Journal of Bryology</i> , 2017, 39, 177-190.	1.2	17
29	A new look at <i>Orthotrichum scanicum</i> Grånvall (Orthotrichaceae, Bryophyta). <i>Journal of Bryology</i> , 2009, 31, 86-92.	1.2	16
30	Epiphytic bryophytes in harsh environments: the <i>Juniperus thurifera</i> forests. <i>Journal of Bryology</i> , 2010, 32, 23-31.	1.2	16
31	Assessing the conservation values and tourism threats in Barrientos Island, Antarctic Peninsula. <i>Journal of Environmental Management</i> , 2020, 266, 110593.	7.8	16
32	Tree age-dependent changes among epiphytic bryophyte communities in Mediterranean environments. A case study from Sicily (Italy). <i>Plant Biosystems</i> , 2010, 144, 241-249.	1.6	15
33	Let's make <i>Pulvigera</i> great again: re-circumscription of a misunderstood group of Orthotrichaceae that diversified in North America. <i>Botanical Journal of the Linnean Society</i> , 2020, 193, 180-206.	1.6	15
34	New <i>Ulota</i> species with multicellular spores from southern South America. <i>Bryologist</i> , 2012, 115, 585-600.	0.6	14
35	<i>Orthotrichum acuminatum</i> H. Philib. new to the Canary Islands. <i>Journal of Bryology</i> , 1999, 21, 75-75.	1.2	13
36	<i>Orthotrichum vittii</i> , a New Epiphytic Moss from Spain. <i>Bryologist</i> , 1999, 102, 53.	0.6	13

#	ARTICLE	IF	CITATIONS
37	<i>Orthotrichum pilosissimum</i> (Orthotrichaceae), a new moss from arid areas of Nevada with unique axillary hairs. <i>Bryologist</i> , 2011, 114, 316-324.	0.6	13
38	<i>Zygodon catarinoi</i> (Orthotrichaceae, Bryopsida), a new epiphytic species from the Western Mediterranean Basin. <i>Nova Hedwigia</i> , 2006, 82, 247-256.	0.4	12
39	<i>Orthotrichum karoo</i> (Orthotrichaceae), a new species with hyaline-awned leaves from southwestern Africa. <i>Bryologist</i> , 2009, 112, 194-201.	0.6	12
40	The long journey of <i>Orthotrichum shevockii</i> (Orthotrichaceae, Bryopsida): From California to Macaronesia. <i>PLoS ONE</i> , 2019, 14, e0211017.	2.5	12
41	Insights Into the Evolutionary History of the Subfamily Orthotrichoideae (Orthotrichaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T Plant Science, 2021, 12, 629035.	3.6	12
42	<i>Orthotrichum handiense</i> , sp. nov. from Fuerteventura, Canary Islands. <i>Bryologist</i> , 1999, 102, 619.	0.6	11
43	< i> <i>Orthotrichum consobrinum</i> </i> Cardot in Western Europe and South-Western Asia. <i>Journal of Bryology</i> , 2009, 31, 80-85.	1.2	11
44	< i> <i>Orthotrichum lewinskyae</i> sp. nov.</i> (Orthotrichaceae, Musci), a Moroccan epiphytic moss related to < i> <i>O. scanicum</i> </i> GrÃ¶nv. and < i> <i>O. holmenii</i> </i> Lew.-Haap. <i>Journal of Bryology</i> , 1997, 19, 457-464.	1.2	10
45	<i>Orthotrichum anodon</i> (Orthotrichaceae), a new species from California, and its relationships to other Orthotricha with puckered capsule mouths. <i>Bryologist</i> , 2006, 109, 188-196.	0.6	10
46	<i>Orthotrichum Norrisii</i> (Orthotrichaceae), A New Epiphytic Californian Moss. <i>Bryologist</i> , 2008, 111, 670-675.	0.6	10
47	New national and regional bryophyte records, 54. <i>Journal of Bryology</i> , 2018, 40, 74-97.	1.2	10
48	New national and regional bryophyte records, 67. <i>Journal of Bryology</i> , 2021, 43, 301-311.	1.2	10
49	<i>Orthotrichum casasianum</i> , a new epiphytic moss from humid forests of Northern Spain. <i>Journal of Bryology</i> , 1999, 21, 47-53.	1.2	9
50	On the presence of <i>Orthotrichum shawii</i> (Orthotrichaceae) in California. <i>Bryologist</i> , 2006, 109, 510-515.	0.6	9
51	< i> <i>Lewinskya transcaucasica</i> </i> (Orthotrichaceae, Bryopsida)< i>sp. nov</i>. A contribution to the bryophyte flora of Georgia. <i>Journal of Bryology</i> , 2018, 40, 31-38.	1.2	9
52	New national and regional bryophyte records, 66. <i>Journal of Bryology</i> , 2021, 43, 193-212.	1.2	9
53	New differential characters for <i>Orthotrichum rogeri</i> Brid. (Orthotrichaceae, Bryopsida). <i>Nova Hedwigia</i> , 2002, 75, 207-216.	0.4	9
54	<i>Orthotrichum acuminatum</i> H. Philib. and <i>Orthotrichum philibertii</i> Venturi (Musci): new species to the Sicilian bryoflora. <i>Webbia</i> , 2000, 55, 57-63.	0.3	8

#	ARTICLE	IF	CITATIONS
55	Re-evaluation of <i>Orthotrichum Rhytiore</i> (Orthotrichaceae). <i>Bryologist</i> , 2008, 111, 323-327.	0.6	8
56	<i>Orthotrichum hispanicum</i> in the Turkish Caucasus and Kashmir. <i>Journal of Bryology</i> , 2009, 31, 46-47.	1.2	8
57	Tackling a long-standing problem: Typification of < i>Orthotrichum crispum</i>, < i>Ulota crispula</i> and < i>Ulota intermedia</i> (Bryopsida: Orthotrichaceae). <i>Taxon</i> , 2016, 65, 862-866.	0.7	8
58	Comparing three complete mitochondrial genomes of the moss genus <i>Orthotrichum</i> Hedw.. <i>Mitochondrial DNA Part B: Resources</i> , 2016, 1, 168-170.	0.4	8
59	< i>Lewinskya lamiana</i> sp. nov. (Orthotrichaceae, Bryopsida), a Distinct Moss from an Exceptional Habitat in the Southern Iberian Peninsula. <i>Cryptogamie, Bryologie</i> , 2018, 39, 259-270.	0.2	8
60	<i>Orthotrichum macrocephalum</i> sp. nov., a New Moss of Section Diaphana from the Iberian Peninsula. <i>Bryologist</i> , 1994, 97, 402.	0.6	7
61	<i>Orthotrichum underwoodii</i> , sp. nov. (Orthotrichaceae, Bryopsida) from California. <i>Bryologist</i> , 2001, 104, 268-273.	0.6	7
62	Drivers of plant richness patterns of Mediterranean riparian forests at local and regional scales have bottom-up and top-down effects. <i>Journal of Vegetation Science</i> , 2019, 30, 485-497.	2.2	7
63	An NGS-Based Phylogeny of Orthotrichaceae (Orthotrichaceae, Bryophyta) With the Proposal of the New Genus <i>Rehubryum</i> From Zealandia. <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	7
64	Peristomal ornamentation, a precise character for discrimination of <i>Ulota bruchii</i> and <i>U. crispa</i> (Bryopsida, Orthotrichaceae). <i>Journal of Bryology</i> , 2000, 22, 273-278.	1.2	6
65	A peculiar new <i>Orthotrichum</i> species (Orthotrichaceae, Bryopsida) from central Argentina. <i>Botanical Journal of the Linnean Society</i> , 0, 155, 477-482.	1.6	6
66	<i>Orthotrichum mazimpakanum</i> sp. nov. and <i>O. anodon</i> (Orthotrichaceae), two similar species from California. <i>Bryologist</i> , 2011, 114, 346-355.	0.6	6
67	<i>Orthotrichum galiciae</i> (Orthotrichaceae, Bryopsida), a new species from Ethiopia. <i>Nova Hedwigia</i> , 2006, 83, 199-206.	0.4	6
68	New national and regional bryophyte records, 68. <i>Journal of Bryology</i> , 2021, 43, 387-402.	1.2	6
69	Nouvelles donnes sur la presence d' Vent. dans le bassin miterranen. <i>Cryptogamie, Bryologie</i> , 1999, 20, 267-270.	0.2	5
70	Confirmation of the identity of <i>Orthotrichum arcangelianum</i> Massari. <i>Journal of Bryology</i> , 2002, 24, 81-83.	1.2	5
71	Vindication of <i>Ulota pygmaeothecia</i> (Orthotrichaceae, Bryophyta). <i>Phytotaxa</i> , 2017, 317, 161.	0.3	5
72	Distribution and abundance of corticolous species of the genus <i>Viola</i> (Orthotrichaceae, Musci) in the NW Iberian Peninsula. <i>Nova Hedwigia</i> , 2000, 70, 461-470.	0.4	5

#	ARTICLE	IF	CITATIONS
73	The Lewinskya affinis complex (Orthotrichaceae) revisited: species description and differentiation. <i>Bryologist</i> , 2020, 123, .	0.6	5
74	< i>Ulota</i> s.l. (Orthotrichaceae, Bryidae) at southernmost Mediterranean localities: not a simple matter. <i>Plant Biosystems</i> , 2022, 156, 1448-1455.	1.6	5
75	On the presence of Orthotrichum Pllichellum Sm. in Spain. <i>Journal of Bryology</i> , 1998, 20, 246-249.	1.2	4
76	Some new or remarkable Orthotrichum records from Portugal. <i>Cryptogamie, Bryologie</i> , 2001, 22, 279-285.	0.2	4
77	View on Bryophyte Conservation in Peninsular and Balearic Spain: Analysis of Red Lists and Legal Protection. <i>Cryptogamie, Bryologie</i> , 2017, 38, 19-51.	0.2	4
78	Orthotrichum scanicum Gronv. (Orthotrichaceae, Musci) new to the Iberian Peninsula. <i>Nova Hedwigia</i> , 1999, 69, 429-432.	0.4	4
79	Ulota drummondii(Orthotrichaceae, Bryopsida) in the Iberian Peninsula. <i>Cryptogamie, Bryologie</i> , 2018, 39, 377-387.	0.2	4
80	Typification of twenty-six varieties of Orthotrichum (Orthotrichaceae, Bryopsida) published by G. Venturi. <i>Nova Hedwigia</i> , 2007, 84, 503-512.	0.4	3
81	A new lectotypification of Ulota macrodontia DusăCn ex Malta (Orthotrichaceae, Bryophyta). <i>Journal of Bryology</i> , 2016, 38, 355-359.	1.2	3
82	On the mend of bryophyte conservation in Spain: preparing a proposal for the inclusion of bryophytes in national species protection catalogues. <i>Mediterranean Botany</i> , 2018, 39, 119-128.	0.9	3
83	Two complex typifications and a new name to unravel Ulota germana sensu Malta non (Mont.) Mitt. (Orthotrichaceae). <i>Bryologist</i> , 2020, 123, 163.	0.6	3
84	Reinstatement of the Patagonian moss Ulota glabella Mitt. (Bryophyta, Orthotrichaceae). <i>European Journal of Taxonomy</i> , 0, 726, 83-101.	0.6	3
85	Global geographical range and population size of the habitat specialist< i>Codonoblepharon forsteri</i>(Dicks.) Goffinet in a changing climate. <i>Journal of Bryology</i> , 2022, 44, 35-50.	1.2	3
86	Orthotrichum sprucei Mont. in the Mediterranean area of the Iberian peninsula. <i>Cryptogamie, Bryologie</i> , 2000, 21, 267-271.	0.2	2
87	On the priority of Orthotrichum cylindrocarpum over O. coulteri and Lesquereux's early vindication of an autonomous American bryology. <i>Taxon</i> , 2019, 68, 137-141.	0.7	2
88	Earliest herbarium evidence for the occurrence of Lewinskya acuminata (Orthotrichaceae) in East Africa. <i>Journal of Bryology</i> , 2020, 42, 186-188.	1.2	2
89	New localities for Rhynchostegium alopecuroides(Brid.) A. J. E. Smith in the Iberian Peninsula. <i>Journal of Bryology</i> , 1994, 18, 200-202.	1.2	1
90	Lectotypification and differentiation of Zygodon magellanicus Malta and Z. papillatus Mont. (Orthotrichaceae, Musci), two often confused Andean-Patagonian species.. <i>Nova Hedwigia</i> , 2002, 74, 149-157.	0.4	1

#	ARTICLE	IF	CITATIONS
91	Updated description and distribution of the Patagonian moss <i>Ulota macrodontia</i> Dusén ex Malta (Orthotrichaceae). <i>Journal of Bryology</i> , 0, , 1-5.	1.2	1
92	Estudios corológicos en Orchidaceae. <i>Bulletin De La Société Botanique De France Lettres Botaniques</i> , 1992, 139, 283-293.	0.1	0
93	New Data on <i>Orthotrichum gigantosporum</i> Lewinsky (Orthotrichaceae, Bryophyta), a Widespread Northern Andean-Patagonian Endemic Moss. <i>Cryptogamie, Bryologie</i> , 2021, 42, .	0.2	0