

# Marcos F Minicucci

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5258062/publications.pdf>

Version: 2024-02-01

143  
papers

2,336  
citations

257357

24  
h-index

289141

40  
g-index

149  
all docs

149  
docs citations

149  
times ranked

3446  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Serum Myostatin Levels, Hospital Mortality, and Muscle Mass and Strength Following ST-Elevation Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2022, 31, 365-371.	0.2	5
2	Association between frailty and C-terminal agrin fragment with 3-month mortality following ST-elevation myocardial infarction. <i>Experimental Gerontology</i> , 2022, 158, 111658.	1.2	5
3	The Role of Extracellular Matrix in the Experimental Acute Aortic Regurgitation Model in Rats. <i>Heart Lung and Circulation</i> , 2022, , .	0.2	2
4	A Review of Current Clinical Concepts in the Pathophysiology, Etiology, Diagnosis, and Management of Hypercalcemia. <i>Medical Science Monitor</i> , 2022, 28, e935821.	0.5	23
5	Jaboticaba ( <i>Myrciaria jaboticaba</i> ) Attenuates Ventricular Remodeling after Myocardial Infarction in Rats. <i>Antioxidants</i> , 2022, 11, 249.	2.2	3
6	A��sai supplementation ( <i>Euterpe oleracea</i> Mart.) attenuates cardiac remodeling after myocardial infarction in rats through different mechanistic pathways. <i>PLoS ONE</i> , 2022, 17, e0264854.	1.1	8
7	Is there a relationship between preoperative cytological diagnosis and evolution in patients with differentiated thyroid carcinoma? A retrospective study. <i>Archives of Endocrinology and Metabolism</i> , 2022, , .	0.3	0
8	The role of glucose metabolism and insulin resistance in cardiac remodelling induced by cigarette smoke exposure. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 1314-1318.	1.6	9
9	Clinical and echocardiographic predictors of left ventricular remodeling following anterior acute myocardial infarction. <i>Clinics</i> , 2021, 76, e2732.	0.6	0
10	Urea to albumin ratio is a predictor of mortality in patients with septic shock. <i>Clinical Nutrition ESPEN</i> , 2021, 42, 361-365.	0.5	5
11	Efficacy of Flower Therapy for Anxiety in Overweight or Obese Adults: A Randomized Placebo-Controlled Clinical Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2021, 27, 416-422.	2.1	2
12	Association of Phase Angle, but Not Inflammation and Overhydration, With Physical Function in Peritoneal Dialysis Patients. <i>Frontiers in Nutrition</i> , 2021, 8, 686245.	1.6	5
13	Suplementa��o de Vitamina D Induz Remodela��o Card��aca em Ratos: Associa��o com a Prote��na de Intera��o com a Tiorredoxina e a Tiorredoxina. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 970-978.	0.3	4
14	Green Tea ( <i>Camellia sinensis</i> ) Extract Increased Topoisomerase II��, Improved Antioxidant Defense, and Attenuated Cardiac Remodeling in an Acute Doxorubicin Toxicity Model. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-10.	1.9	10
15	Association between GLIM criteria for diagnosis of malnutrition and hospital mortality in patients receiving parenteral nutrition. <i>Nutrire</i> , 2021, 46, .	0.3	2
16	Clinical trials in cardiac xenotransplantation: Are we ready to overcome barriers?. <i>Journal of Cardiac Surgery</i> , 2021, 36, 3796-3801.	0.3	1
17	Influ��ncia do Consumo de Suco de Laranja ( <i>Citrus Sinensis</i> ) na Remodela��o Card��aca de Ratos Submetidos a Infarto do Mioc��rdio. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 1127-1136.	0.3	7
18	Current perspectives on defining and mitigating frailty in relation to critical illness. <i>Clinical Nutrition</i> , 2021, 40, 5430-5437.	2.3	3

#	ARTICLE	IF	CITATIONS
19	Pera orange ( <i>Citrus sinensis</i> ) and Moro orange ( <i>Citrus sinensis</i> (L.) Osbeck) juices attenuate left ventricular dysfunction and oxidative stress and improve myocardial energy metabolism in acute doxorubicin-induced cardiotoxicity in rats. <i>Nutrition</i> , 2021, 91-92, 111350.	1.1	13
20	Meal timing and frequency implications in the development and prognosis of chronic kidney disease. <i>Nutrition</i> , 2021, 91-92, 111427.	1.1	0
21	Effect of respiratory muscle training on expiratory muscle strength and abdominal electrical activity in the acute phase of Stroke. <i>Medicine, Case Reports and Study Protocols</i> , 2021, 2, e0146.	0.0	0
22	Safety of the effective radiation dose received during stroke hospitalization. <i>Jornal Vascular Brasileiro</i> , 2021, 20, e20210142.	0.1	0
23	Insights Into Thiamine Supplementation in Patients With Septic Shock. <i>Frontiers in Medicine</i> , 2021, 8, 805199.	1.2	10
24	Orange Juice Attenuates Circulating miR-150-5p, miR-25-3p, and miR-451a in Healthy Smokers: A Randomized Crossover Study. <i>Frontiers in Nutrition</i> , 2021, 8, 775515.	1.6	5
25	Skipping breakfast concomitant with late-night dinner eating is associated with worse outcomes following ST-segment elevation myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2311-2313.	0.8	9
26	Dysphagia and tube feeding after stroke are associated with poorer functional and mortality outcomes. <i>Clinical Nutrition</i> , 2020, 39, 2786-2792.	2.3	36
27	Impact of Modality and Intensity of Early Exercise Training on Ventricular Remodeling after Myocardial Infarction. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-6.	1.9	9
28	<i>Spondias mombin</i> L. attenuates ventricular remodelling after myocardial infarction associated with oxidative stress and inflammatory modulation. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 7862-7872.	1.6	14
29	Respiratory Function and Grip Strength in the Acute Phase of Stroke Are Associated with Stroke Severity and Disability at Hospital Discharge. <i>Rehabilitation Research and Practice</i> , 2020, 2020, 1-10.	0.5	2
30	Comparison of morphometry and ventricular function of healthy and smoking young people. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 66.	0.7	6
31	Strain pattern and T-wave alterations are predictors of mortality and poor neurologic outcome following stroke. <i>Clinical Cardiology</i> , 2020, 43, 568-573.	0.7	6
32	Should we introduce a feeding tube before assessing the risk of variceal bleeding?. <i>Clinical Nutrition</i> , 2020, 39, 1304.	2.3	1
33	<i>Euterpe Oleracea</i> Mart. (Açaí) Reduces Oxidative Stress and Improves Energetic Metabolism in Myocardial Ischemia-Reperfusion Injury in Rats. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 78-86.	0.3	15
34	Evaluation of peptidylarginine deiminase 4 and PADI4 polymorphisms in sepsis-induced acute kidney injury. <i>Revista Da Associação Médica Brasileira</i> , 2020, 66, 1515-1520.	0.3	4
35	Embolic stroke of undetermined source (ESUS) cohort of Brazilian patients in a university hospital. <i>Arquivos De Neuro-Psiquiatria</i> , 2019, 77, 315-320.	0.3	2
36	Role of Thiamin in Health and Disease. <i>Nutrition in Clinical Practice</i> , 2019, 34, 558-564.	1.1	55

#	ARTICLE	IF	CITATIONS
37	Protein Carbonyl, But Not Malondialdehyde, Is Associated With ICU Mortality in Patients With Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2019, 34, 669-673.	1.3	8
38	Euterpe oleracea Mart. (Açaí) Supplementation Attenuates Acute Doxorubicin-Induced Cardiotoxicity in Rats. <i>Cellular Physiology and Biochemistry</i> , 2019, 53, 388-399.	1.1	18
39	Performance of cardiovascular risk scores in mortality prediction ten years after Acute Coronary Syndromes. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 1074-1079.	0.3	0
40	Adductor Pollicis Muscle Thickness and Obesity Are Associated with Poor Outcome after Stroke: A Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 1375-1380.	0.7	2
41	Protein carbonyl concentration as a biomarker for development and mortality in sepsis-induced acute kidney injury. <i>Bioscience Reports</i> , 2018, 38, .	1.1	11
42	Cross-Cultural Adaptation of the Physician Orders for Life-Sustaining Treatment Form to Brazil. <i>Journal of Palliative Medicine</i> , 2018, 21, 815-819.	0.6	11
43	Lipid damage is the best marker of oxidative injury during the cardiac remodeling process induced by tobacco smoke. <i>BMC Pharmacology &amp; Toxicology</i> , 2018, 19, 74.	1.0	9
44	Zinc Supplementation Attenuates Cardiac Remodeling After Experimental Myocardial Infarction. <i>Cellular Physiology and Biochemistry</i> , 2018, 50, 353-362.	1.1	15
45	Spondias mombin supplementation attenuated cardiac remodelling process induced by tobacco smoke. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3996-4004.	1.6	8
46	Peptidylarginine deiminase 4 concentration, but not PADI4 polymorphisms, is associated with ICU mortality in septic shock patients. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 4732-4737.	1.6	23
47	Erythrocyte SOD1 activity, but not SOD1 polymorphisms, is associated with ICU mortality in patients with septic shock. <i>Free Radical Biology and Medicine</i> , 2018, 124, 199-204.	1.3	3
48	VEGFR-2: One of Pioglitazone's Signaling Pathways in the Heart. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 111, 170-171.	0.3	1
49	Is There a Role For Whole Body Vibration in Protecting Cardiovascular Disease?. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 112, 38-39.	0.3	0
50	Anastomosis entre vasos ilíacos y obturadores en la región retropúbica: estudio en cadáveres. [Anastomosis among iliac vessels and obturators in the retropubic region: Study in cadavers].. <i>Revista De La Asociación Argentina De Ortopedia Y Traumatología</i> , 2018, 83, 205-209.	0.0	0
51	Goldman score, but not Detsky or Lee indices, predicts mortality 6 months after hip fracture. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 134.	0.8	12
52	Cardiac Remodeling Induced by All-Trans Retinoic Acid is Detrimental in Normal Rats. <i>Cellular Physiology and Biochemistry</i> , 2017, 43, 1449-1459.	1.1	13
53	Phase angle is associated with the length of ICU stay in patients with non-ST elevation acute coronary syndrome. <i>Nutrire</i> , 2017, 42, .	0.3	4
54	Impact of coronary intensive care unit in treatment of myocardial infarction. <i>Revista Da Associação Médica Brasileira</i> , 2017, 63, 242-247.	0.3	2

#	ARTICLE	IF	CITATIONS
55	Tomato ( <i>Lycopersicon esculentum</i> ) or lycopene supplementation attenuates ventricular remodeling after myocardial infarction through different mechanistic pathways. <i>Journal of Nutritional Biochemistry</i> , 2017, 46, 117-124.	1.9	41
56	Rosemary supplementation ( <i>Rosmarinus officinalis</i> L.) attenuates cardiac remodeling after myocardial infarction in rats. <i>PLoS ONE</i> , 2017, 12, e0177521.	1.1	15
57	Thiamine as a metabolic resuscitator in septic shock: one size does not fit all. <i>Journal of Thoracic Disease</i> , 2016, 8, E471-E472.	0.6	8
58	Cardiac Remodeling: Concepts, Clinical Impact, Pathophysiological Mechanisms and Pharmacologic Treatment. <i>Arquivos Brasileiros De Cardiologia</i> , 2016, 106, 62-9.	0.3	233
59	Erythrocyte superoxide dismutase as a biomarker of septic acute kidney injury. <i>Annals of Intensive Care</i> , 2016, 6, 95.	2.2	21
60	Green tea ( <i>Cammellia sinensis</i> ) attenuates ventricular remodeling after experimental myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 225, 147-153.	0.8	22
61	Effects of early aldosterone antagonism on cardiac remodeling in rats with aortic stenosis-induced pressure overload. <i>International Journal of Cardiology</i> , 2016, 222, 569-575.	0.8	6
62	Pamidronate Attenuates Oxidative Stress and Energetic Metabolism Changes but Worsens Functional Outcomes in Acute Doxorubicin-Induced Cardiotoxicity in Rats. <i>Cellular Physiology and Biochemistry</i> , 2016, 40, 431-442.	1.1	10
63	Nutrire, the official journal of the Brazilian Society for Food and Nutrition, enters a new phase by joining BioMed Central. <i>Nutrire</i> , 2016, 41, .	0.3	3
64	Vitamin D role in smoking women and cardiac remodeling. <i>Nutrire</i> , 2016, 41, .	0.3	6
65	Phase angle is associated with advanced fibrosis in patients chronically infected with hepatitis C virus. <i>Life Sciences</i> , 2016, 154, 30-33.	2.0	10
66	Pentoxifylline Attenuates Cardiac Remodeling Induced by Tobacco Smoke Exposure. <i>Arquivos Brasileiros De Cardiologia</i> , 2016, 106, 396-403.	0.3	9
67	Roles of the TaqI and BsmI vitamin D receptor gene polymorphisms in hospital mortality of burn patients. <i>Clinics</i> , 2016, 71, 470-473.	0.6	1
68	Association between Functional Variables and Heart Failure after Myocardial Infarction in Rats. <i>Arquivos Brasileiros De Cardiologia</i> , 2016, 106, 105-12.	0.3	8
69	Tomato ( <i>Lycopersicon esculentum</i> ) Supplementation Induces Changes in Cardiac miRNA Expression, Reduces Oxidative Stress and Left Ventricular Mass, and Improves Diastolic Function. <i>Nutrients</i> , 2015, 7, 9640-9649.	1.7	12
70	Vitamin D serum levels are associated with handgrip strength but not with muscle mass or length of hospital stay after hip fracture. <i>Nutrition</i> , 2015, 31, 931-934.	1.1	31
71	Acute Doxorubicin-Induced Cardiotoxicity is Associated with Matrix Metalloproteinase-2 Alterations in Rats. <i>Cellular Physiology and Biochemistry</i> , 2015, 35, 1924-1933.	1.1	46
72	Associations of vitamin D deficiency with postoperative gait and mortality among patients with fractures of the proximal femur. <i>Revista Brasileira De Ortopedia</i> , 2015, 50, 153-158.	0.6	6

#	ARTICLE	IF	CITATIONS
73	Pamidronate Attenuates Diastolic Dysfunction Induced by Myocardial Infarction Associated with Changes in Geometric Patterning. <i>Cellular Physiology and Biochemistry</i> , 2015, 35, 259-269.	1.1	7
74	Obesity: A Growing Multifaceted Problem. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 105, 448-9.	0.3	5
75	The Role of Lipotoxicity in Smoke Cardiomyopathy. <i>PLoS ONE</i> , 2014, 9, e113739.	1.1	25
76	Left ventricular sphericity index predicts systolic dysfunction in rats with experimental aortic regurgitation. <i>Journal of Applied Physiology</i> , 2014, 116, 1259-1262.	1.2	6
77	Serum thiamine concentration and oxidative stress as predictors of mortality in patients with septic shock. <i>Journal of Critical Care</i> , 2014, 29, 249-252.	1.0	81
78	Vitamin D supplementation intensifies cardiac remodeling after experimental myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 176, 1225-1226.	0.8	7
79	Metabolic Syndrome Criteria As Predictors of Insulin Resistance, Inflammation and Mortality in Chronic Hemodialysis Patients. <i>Metabolic Syndrome and Related Disorders</i> , 2014, 12, 443-449.	0.5	15
80	Erythrocyte selenium concentration predicts intensive care unit and hospital mortality in patients with septic shock: a prospective observational study. <i>Critical Care</i> , 2014, 18, R92.	2.5	21
81	Vitamin D Induces Increased Systolic Arterial Pressure via Vascular Reactivity and Mechanical Properties. <i>PLoS ONE</i> , 2014, 9, e98895.	1.1	23
82	Impact of Different Obesity Assessment Methods after Acute Coronary Syndromes. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 103, 19-24.	0.3	5
83	Infarct Size as Predictor of Systolic Functional Recovery after Myocardial Infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 102, 549-56.	0.3	5
84	Taurine attenuates cardiac remodeling after myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 168, 4925-4926.	0.8	10
85	Delayed rather than early exercise training attenuates ventricular remodeling after myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 170, e3-e4.	0.8	10
86	Cardiac remodeling induced by 13-cis retinoic acid treatment in acne patients. <i>International Journal of Cardiology</i> , 2013, 163, 68-71.	0.8	6
87	Waist circumference, but not body mass index, is a predictor of ventricular remodeling after anterior myocardial infarction. <i>Nutrition</i> , 2013, 29, 122-126.	1.1	13
88	Impact of the Length of Vitamin D Deficiency on Cardiac Remodeling. <i>Circulation: Heart Failure</i> , 2013, 6, 809-816.	1.6	59
89	Energy Metabolism in Cardiac Remodeling and Heart Failure. <i>Cardiology in Review</i> , 2013, 21, 135-140.	0.6	75
90	Mini Nutritional Assessment predicts gait status and mortality 6 months after hip fracture. <i>British Journal of Nutrition</i> , 2013, 109, 1657-1661.	1.2	59

#	ARTICLE	IF	CITATIONS
91	Effect of Beta-Carotene on Oxidative Stress and Expression of Cardiac Connexin 43. Arquivos Brasileiros De Cardiologia, 2013, 101, 233-9.	0.3	10
92	Smoking is Associated with Remodeling of Gap Junction in the Rat Heart: Smoker's Paradox Explanation?. Arquivos Brasileiros De Cardiologia, 2013, 100, 274-280.	0.3	9
93	Serum Metalloproteinases 2 and 9 as Predictors of Gait Status, Pressure Ulcer and Mortality after Hip Fracture. PLoS ONE, 2013, 8, e57424.	1.1	5
94	Mechanisms Involved in the Beneficial Effects of Spironolactone after Myocardial Infarction. PLoS ONE, 2013, 8, e76866.	1.1	5
95	Metalloproteinases-2 and -9 Predict Left Ventricular Remodeling after Myocardial Infarction. Arquivos Brasileiros De Cardiologia, 2013, 100, 315-21.	0.3	17
96	Association between left ventricular diastolic dysfunction and severity of chronic obstructive pulmonary disease. Clinics, 2013, 68, 772-776.	0.6	28
97	Periostin as a modulator of chronic cardiac remodeling after myocardial infarction. Clinics, 2013, 68, 1344-1349.	0.6	16
98	Association between phase angle, anthropometric measurements, and lipid profile in HCV-infected patients. Clinics, 2013, 68, 1555-1558.	0.6	8
99	Impact of Ventricular Geometric Pattern on Cardiac Remodeling after Myocardial Infarction. Arquivos Brasileiros De Cardiologia, 2013, 100, 518-23.	0.3	3
100	Aldosterone is not Involved in the Ventricular Remodeling Process Induced by Tobacco Smoke Exposure. Cellular Physiology and Biochemistry, 2012, 30, 1191-1201.	1.1	6
101	Role of vitamin D in the cardiac remodeling induced by tobacco smoke exposure. International Journal of Cardiology, 2012, 155, 472-473.	0.8	15
102	Influence of AIN-93 diet on mortality and cardiac remodeling after myocardial infarction in rats. International Journal of Cardiology, 2012, 156, 265-269.	0.8	12
103	Predictors of Right Ventricle Dysfunction After Anterior Myocardial Infarction. Canadian Journal of Cardiology, 2012, 28, 438-442.	0.8	12
104	Handgrip strength predicts pressure ulcers in patients with hip fractures. Nutrition, 2012, 28, 874-878.	1.1	27
105	Atrophic Cardiac Remodeling Induced by Taurine Deficiency in Wistar Rats. PLoS ONE, 2012, 7, e41439.	1.1	17
106	Tachycardia-induced cardiomyopathy. BMJ Case Reports, 2012, 2012, bcr2012006587-bcr2012006587.	0.2	5
107	Prevalence and predictors of ventricular remodeling after anterior myocardial infarction in the era of modern medical therapy. Medical Science Monitor, 2012, 18, CR276-CR281.	0.5	19
108	Early echocardiographic predictors of increased left ventricular end-diastolic pressure three months after myocardial infarction in rats. Medical Science Monitor, 2012, 18, BR253-BR258.	0.5	9



#	ARTICLE	IF	CITATIONS
109	Cardiac Remodeling Induced by Smoking: Concepts, Relevance, and Potential Mechanisms. <i>Inflammation and Allergy: Drug Targets</i> , 2012, 11, 442-447.	1.8	22
110	Critical infarct size to induce ventricular remodeling, cardiac dysfunction and heart failure in rats. <i>International Journal of Cardiology</i> , 2011, 151, 242-243.	0.8	35
111	Preditores ecocardiográficos de remodelação ventricular após o infarto agudo do miocárdio em ratos. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 97, 502-506.	0.3	7
112	Retinoic acid prevents ventricular remodeling induced by tobacco smoke exposure in rats. <i>Acta Cardiologica</i> , 2011, 66, 3-7.	0.3	16
113	Influence of different doses of retinoic acid on cardiac remodeling. <i>Nutrition</i> , 2011, 27, 824-828.	1.1	10
114	Parenteral branched-chain amino acids for hepatic encephalopathy. What is the grade of recommendation?. <i>Clinical Nutrition</i> , 2011, 30, 131-131.	2.3	2
115	Heart Failure After Myocardial Infarction: Clinical Implications and Treatment. <i>Clinical Cardiology</i> , 2011, 34, 410-414.	0.7	160
116	Tobacco Smoke Induces Ventricular Remodeling Associated with an Increase in NADPH Oxidase Activity. <i>Cellular Physiology and Biochemistry</i> , 2011, 27, 305-312.	1.1	38
117	Influence of Taurine on Cardiac Remodeling Induced by Tobacco Smoke Exposure. <i>Cellular Physiology and Biochemistry</i> , 2011, 27, 291-298.	1.1	15
118	Relevância do padrão de remodelamento ventricular no modelo de infarto do miocárdio em ratos. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 95, 635-639.	0.3	10
119	Padrão de remodelação e função ventricular em ratos expostos à fumaça do cigarro. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 94, 224-228.	0.3	13
120	Ventricular Remodeling Induced by Tissue Vitamin A Deficiency in Rats. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 395-402.	1.1	34
121	Tissue Vitamin A Insufficiency Results in Adverse Ventricular Remodeling after Experimental Myocardial Infarction. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 523-530.	1.1	36
122	Influence of lisinopril on cardiac remodeling induced by tobacco smoke exposure. <i>Medical Science Monitor</i> , 2010, 16, BR255-9.	0.5	8
123	Papel da lipoperoxidação na intensificação da remodelação causada pelo betacaroteno após o infarto. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 93, 34-38.	0.3	5
124	Efeitos da administração de beta-bloqueador na remodelação ventricular induzida pelo tabagismo em ratos. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 92, 479-483.	0.3	7
125	The Role of Oxidative Stress and Lipid Peroxidation in Ventricular Remodeling Induced by Tobacco Smoke Exposure after Myocardial Infarction. <i>Clinics</i> , 2009, 64, 691-697.	0.6	26
126	Spontaneous Recovery from Long-term Phrenic Nerve Palsy. <i>Southern Medical Journal</i> , 2009, 102, 115-116.	0.3	1



#	ARTICLE	IF	CITATIONS
127	Scurvy induced by obsessive-compulsive disorder. <i>BMJ Case Reports</i> , 2009, 2009, bcr0720080462-bcr0720080462.	0.2	5
128	Infarto do miocárdio experimental em ratos: análise do modelo. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 93, 434-440.	0.3	51
129	Cardiovascular Remodeling Induced by Passive Smoking. <i>Inflammation and Allergy: Drug Targets</i> , 2009, 8, 334-339.	1.8	30
130	Heart failure due to right ventricular metastatic neuroendocrine tumor. <i>International Journal of Cardiology</i> , 2008, 126, e25-e26.	0.8	4
131	Deficiência de tiamina como causa de cor pulmonale reversível. <i>Arquivos Brasileiros De Cardiologia</i> , 2008, 91, e7-9.	0.3	20
132	Exposure time and ventricular remodeling induced by tobacco smoke exposure in rats. <i>Medical Science Monitor</i> , 2008, 14, BR62-66.	0.5	9
133	Tobacco smoke-induced left ventricular remodelling is not associated with metalloproteinase-2 or -9 activation. <i>European Journal of Heart Failure</i> , 2007, 9, 1081-1085.	2.9	28
134	Efeitos do betacaroteno e do tabagismo sobre a remodelação cardíaca pós-infarto do miocárdio. <i>Arquivos Brasileiros De Cardiologia</i> , 2007, 89, 135-41, 151-7.	0.3	4
135	Comparação de diferentes métodos para medida do tamanho do infarto experimental crônico em Ratos. <i>Arquivos Brasileiros De Cardiologia</i> , 2007, 89, 93-98.	0.3	10
136	Internato de Clínica Médica em hospital secundário: a experiência da Faculdade de Medicina de Botucatu. <i>Revista Brasileira De Educacao Medica</i> , 2007, 31, 186-189.	0.0	2
137	Myxedema Ascites with Elevated Serum CA 125 Concentration. <i>American Journal of the Medical Sciences</i> , 2006, 331, 103-104.	0.4	9
138	Î²-Carotene supplementation results in adverse ventricular remodeling after acute myocardial infarction. <i>Nutrition</i> , 2006, 22, 146-151.	1.1	8
139	Retinoic Acid Supplementation Attenuates Ventricular Remodeling after Myocardial Infarction in Rats. <i>Journal of Nutrition</i> , 2005, 135, 2326-2328.	1.3	42
140	Î²-Carotene Attenuates the Paradoxical Effect of Tobacco Smoke on the Mortality of Rats after Experimental Myocardial Infarction. <i>Journal of Nutrition</i> , 2005, 135, 2109-2113.	1.3	28
141	O uso da gastrostomia percutânea endoscópica. <i>Revista De Nutricao</i> , 2005, 18, 553-559.	0.4	3
142	Edema generalizado e circulação hiperdinâmica: um possível caso de beribéri. <i>Arquivos Brasileiros De Cardiologia</i> , 2004, 83, 176-8; 173-5.	0.3	4
143	Association between pre-operative complications, comorbidities, and in-hospital mortality in a hip fracture cohort: a register study in a tertiary hospital in Brazil. <i>International Orthopaedics</i> , 0, , .	0.9	1