

# Yuriy Kit

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5265277/publications.pdf>

Version: 2024-02-01

14  
papers

151  
citations

1163117

8  
h-index

1199594

12  
g-index

15  
all docs

15  
docs citations

15  
times ranked

163  
citing authors

#	ARTICLE	IF	CITATIONS
1	Isolation and identification in human blood serum of the proteins possessing the ability to bind with 48 kDa form of unconventional myosin 1c and their possible diagnostic and prognostic value. <i>Biomedical Chromatography</i> , 2021, 35, e5029.	1.7	4
2	The Recombinant Fragment of Human $\beta$ -Casein Induces Cell Death by Targeting the Proteins of Mitochondrial Import in Breast Cancer Cells. <i>Cancers</i> , 2020, 12, 1427.	3.7	9
3	The purification and identification of human blood serum proteins with affinity to the antitumor active RL2 lactaptin using magnetic microparticles. <i>Biomedical Chromatography</i> , 2019, 33, e4647.	1.7	3
4	Monodisperse magnetic poly(glycidyl methacrylate) microspheres for isolation of autoantibodies with affinity for the 46 kDa form of unconventional Myo1C present in autoimmune patients. <i>Mikrochimica Acta</i> , 2018, 185, 262.	5.0	18
5	Characteristics of Potential Protein Biomarkers Extracted with 10% TCA from Blood Serum of Non-Hodgkin's Lymphoma and Multiple Myeloma Patients. <i>International Journal of Molecular and Cellular Medicine</i> , 2017, 6, 235-238.	1.1	1
6	Identification of a 48 kDa form of unconventional myosin 1c in blood serum of patients with autoimmune diseases. <i>Biochemistry and Biophysics Reports</i> , 2016, 5, 175-179.	1.3	16
7	Identification of SER-PRO-CYS Peptide in Blood Serum of Multiple Sclerosis Patients. <i>Protein and Peptide Letters</i> , 2016, 23, 808-811.	0.9	3
8	Two-step chromatography purification of IgGs possessing sialidase activity from human blood serum. <i>Biomedical Chromatography</i> , 2015, 29, 328-332.	1.7	2
9	Detection of novel auto-antigens in patients with recurrent miscarriage: description of an approach and preliminary findings. <i>Croatian Medical Journal</i> , 2014, 55, 259-264.	0.7	10
10	Antibody-mediated sialidase activity in blood serum of patients with multiple myeloma. <i>Journal of Molecular Recognition</i> , 2011, 24, 576-584.	2.1	12
11	Anti-histone H1 IgGs from blood serum of systemic lupus erythematosus patients are capable of hydrolyzing histone H1 and myelin basic protein. <i>Journal of Molecular Recognition</i> , 2010, 23, 495-502.	2.1	18
12	AMID: new insights on its intracellular localization and expression at apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2008, 13, 729-732.	4.9	26
13	Detection and characterization of IgG-and sIgA-abzymes capable of hydrolyzing histone H1. <i>Biochemistry (Moscow)</i> , 2008, 73, 950-956.	1.5	11
14	In vivo expression and characteristics of novel $\beta$ -mannose-rich glycoprotein markers of apoptotic cells. <i>Cell Biology International</i> , 2005, 29, 920-928.	3.0	18