

V De Re

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/526783/publications.pdf>

Version: 2024-02-01

213
papers

5,299
citations

94433

37
h-index

118850

62
g-index

216
all docs

216
docs citations

216
times ranked

5364
citing authors

#	ARTICLE	IF	CITATIONS
1	Second-line treatments for Advanced Hepatocellular Carcinoma: A Systematic Review and Bayesian Network Meta-analysis. <i>Clinical and Experimental Medicine</i> , 2022, 22, 65-74.	3.6	41
2	HER2-CDH1 Interaction via Wnt/B-Catenin Is Associated with Patients' Survival in HER2-Positive Metastatic Gastric Adenocarcinoma. <i>Cancers</i> , 2022, 14, 1266.	3.7	2
3	<i>PDCD1</i> and <i>IFNL4</i> genetic variants and risk of developing hepatitis C virus-related diseases. <i>Liver International</i> , 2021, 41, 133-149.	3.9	3
4	Biomarkers and OLGIM Stage for Prospective Preneoplastic Risk Stratification. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 2677.	4.4	0
5	Proteomics signature of autoimmune atrophic gastritis: towards a link with gastric cancer. <i>Gastric Cancer</i> , 2021, 24, 666-679.	5.3	10
6	A Score for Predicting Freedom from Progression of Children and Adolescents with Hodgkin Lymphoma. <i>Hemato</i> , 2021, 2, 264-280.	0.6	0
7	The Evolving Role of Immune Checkpoint Inhibitors in Hepatocellular Carcinoma Treatment. <i>Vaccines</i> , 2021, 9, 532.	4.4	65
8	Proteomic Exploration of Plasma Exosomes and Other Small Extracellular Vesicles in Pediatric Hodgkin Lymphoma: A Potential Source of Biomarkers for Relapse Occurrence. <i>Diagnostics</i> , 2021, 11, 917.	2.6	13
9	Polymorphisms in Pepsinogen C and miRNA Genes Associate with High Serum Pepsinogen II in Gastric Cancer Patients. <i>Microorganisms</i> , 2021, 9, 126.	3.6	4
10	KIR-HLA Functional Repertoire Influences Trastuzumab Efficiency in Patients With HER2-Positive Breast Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 791958.	4.8	2
11	Family's History Based on the CDH1 Germline Variant (c.360delG) and a Suspected Hereditary Gastric Cancer Form. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4904.	4.1	1
12	Actors on the Scene: Immune Cells in the Myeloma Niche. <i>Frontiers in Oncology</i> , 2020, 10, 599098.	2.8	51
13	Low Pepsinogen I/II Ratio and High Gastrin-17 Levels Typify Chronic Atrophic Autoimmune Gastritis Patients With Gastric Neuroendocrine Tumors. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00238.	2.5	23
14	Overview of Epstein-Barr-Virus-Associated Gastric Cancer Correlated with Prognostic Classification and Development of Therapeutic Options. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9400.	4.1	12
15	Epstein-Barr virus BART microRNAs in EBV-associated Hodgkin lymphoma and gastric cancer. <i>Infectious Agents and Cancer</i> , 2020, 15, 42.	2.6	29
16	HB-EGF-EGFR Signaling in Bone Marrow Endothelial Cells Mediates Angiogenesis Associated with Multiple Myeloma. <i>Cancers</i> , 2020, 12, 173.	3.7	28
17	Proteomic Profiles and Biological Processes of Relapsed vs. Non-Relapsed Pediatric Hodgkin Lymphoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2185.	4.1	7
18	P.05.34 EVALUATION OF NEOANGIOGENESIS IN LOCALLY ADVANCED GASTRIC CANCER BEFORE AND AFTER NEOADJUVANT RADIOCHEMOTHERAPY BY PROBE CONFOCAL LASER ENDOMICROSCOPY (PCLE). <i>Digestive and Liver Disease</i> , 2019, 51, e198.	0.9	0

#	ARTICLE	IF	CITATIONS
19	Evaluation of neoangiogenesis in locally advanced gastric cancer before and after neoadjuvant radiochemotherapy by probe confocal laser endomicroscopy (PCLE). <i>Annals of Oncology</i> , 2019, 30, iv80-iv81.	1.2	1
20	Carcinogenesis and Metastasis in Liver: Cell Physiological Basis. <i>Cancers</i> , 2019, 11, 1731.	3.7	26
21	Classical Hodgkinâ€™s Lymphoma in the Era of Immune Checkpoint Inhibition. <i>Journal of Clinical Medicine</i> , 2019, 8, 1596.	2.4	15
22	BRAF Mutations and Dysregulation of the MAP Kinase Pathway Associated to Sinonasal Mucosal Melanomas. <i>Journal of Clinical Medicine</i> , 2019, 8, 1577.	2.4	9
23	Differential <i>Helicobacter pylori</i> Plasticity in the Gastric Niche of Subjects at Increased Gastric Cancer Risk. <i>Pathogens</i> , 2019, 8, 65.	2.8	6
24	Diagnosis and Surveillance: Endoscopic Hallmarks. <i>Current Clinical Pathology</i> , 2019, , 43-52.	0.0	0
25	Genetic and Epigenetic Mechanisms in Gastric Cancer. <i>Current Clinical Pathology</i> , 2019, , 25-40.	0.0	1
26	Immunomodulation and Immunotherapy for Gastric Cancer. <i>Current Clinical Pathology</i> , 2019, , 189-212.	0.0	1
27	Polymorphism in Toll-Like Receptors and <i>Helicobacter Pylori</i> Motility in Autoimmune Atrophic Gastritis and Gastric Cancer. <i>Cancers</i> , 2019, 11, 648.	3.7	20
28	Cancer Diagnostic and Predictive Biomarkers 2018. <i>BioMed Research International</i> , 2019, 2019, 1-3.	1.9	3
29	Complete and Durable Response to Combined Chemo/Radiation Therapy in EGFR Wild-Type Lung Adenocarcinoma with Diffuse Brain Metastases. <i>Diagnostics</i> , 2019, 9, 42.	2.6	0
30	Clinical Significance of Polymorphisms in Immune Response Genes in Hepatitis C-Related Hepatocellular Carcinoma. <i>Frontiers in Microbiology</i> , 2019, 10, 475.	3.5	11
31	Insights into the Regulation of Tumor Angiogenesis by Micro-RNAs. <i>Journal of Clinical Medicine</i> , 2019, 8, 2030.	2.4	61
32	A new mutation of the CDH1 gene in a patient with an aggressive signet-ring cell carcinoma of the stomach. <i>Cancer Biology and Therapy</i> , 2018, 19, 254-259.	3.4	9
33	Genetic polymorphisms and PG1/PG2 and G17 levels can predict gastric carcinoids in autoimmune atrophic chronic gastritis patients. <i>Annals of Oncology</i> , 2018, 29, v24.	1.2	0
34	Proteomic Identification of Plasma Biomarkers in Children and Adolescents with Recurrent Hodgkin Lymphoma. <i>Journal of Cancer</i> , 2018, 9, 4650-4658.	2.5	14
35	Molecular Features Distinguish Gastric Cancer Subtypes. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3121.	4.1	22
36	P.01.13 METABOLOMICS AS COMPLEMENTARY OMIC APPROACH TO IMPLEMENT RISK CRITERIA FOR FIRST-DEGREE RELATIVES OF GASTRIC CANCER PATIENTS. <i>Digestive and Liver Disease</i> , 2018, 50, e124-e125.	0.9	0

#	ARTICLE	IF	CITATIONS
37	Immunotherapy for Gastric Cancer: Time for a Personalized Approach?. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1602.	4.1	48
38	1029 - Is it Possible to Predict the Presence Gastric Carcinoids in Autoimmune Atrophic Chronic Gastritis Patients?. <i>Gastroenterology</i> , 2018, 154, S-197.	1.3	0
39	Su1243 - Metabolomics as Complementary Omic Approach to Implement Risk Criteria for First-Degree Relatives of Gastric Cancer Patients. <i>Gastroenterology</i> , 2018, 154, S-515.	1.3	0
40	Characterizing Metastatic HER2-Positive Gastric Cancer at the CDH1 Haplotype. <i>International Journal of Molecular Sciences</i> , 2018, 19, 47.	4.1	17
41	Use of Metabolomics as a Complementary Omic Approach to Implement Risk Criteria for First-Degree Relatives of Gastric Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2018, 19, 750.	4.1	26
42	Quantitative Proteomic Approach Targeted to Fibrinogen β^2 Chain in Tissue Gastric Carcinoma. <i>International Journal of Molecular Sciences</i> , 2018, 19, 759.	4.1	16
43	Molecular and Pathological Features of Gastric Cancer in Lynch Syndrome and Familial Adenomatous Polyposis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1682.	4.1	30
44	Proposed Molecular and miRNA Classification of Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1683.	4.1	64
45	Cancer treatment and the KIR \times HLA system: an overview. <i>Clinical and Experimental Medicine</i> , 2017, 17, 419-429.	3.6	21
46	Coagulation and fibrinolysis in gastric cancer. <i>Annals of the New York Academy of Sciences</i> , 2017, 1404, 27-48.	3.8	87
47	P.08.10: Interference of PG2 Tata Box Region with the Serum PG2 Level in Gastric Cancer. <i>Digestive and Liver Disease</i> , 2017, 49, e182-e183.	0.9	0
48	Protein signature characterizing <i>Helicobacter pylori</i> strains of patients with autoimmune atrophic gastritis, duodenal ulcer and gastric cancer. <i>Infectious Agents and Cancer</i> , 2017, 12, 22.	2.6	8
49	Interference of PG2 TATA BOX region with the serum PG2 level in gastric cancer. <i>Annals of Oncology</i> , 2017, 28, iii1.	1.2	1
50	New Insights into the Pathogenesis of Celiac Disease. <i>Frontiers in Medicine</i> , 2017, 4, 137.	2.6	53
51	Identification of protein clusters predictive of tumor response in rectal cancer patients receiving neoadjuvant chemo-radiotherapy. <i>Oncotarget</i> , 2017, 8, 28328-28341.	1.8	25
52	Notch4 and mhc class II polymorphisms are associated with hcv-related benign and malignant lymphoproliferative diseases. <i>Oncotarget</i> , 2017, 8, 71528-71535.	1.8	11
53	HLA-G+3027 polymorphism is associated with tumor relapse in pediatric Hodgkin's lymphoma. <i>Oncotarget</i> , 2017, 8, 105957-105970.	1.8	5
54	Angiogenesis Inhibitors for the Treatment of Hepatocellular Carcinoma. <i>Frontiers in Pharmacology</i> , 2016, 7, 428.	3.5	63

#	ARTICLE	IF	CITATIONS
55	Angiogenesis evaluation in locally advanced colo-rectal and gastric cancers by probe-based Confocal Laser Endomicroscopy (pCLE). <i>Annals of Oncology</i> , 2016, 27, iv48.	1.2	1
56	Polymorphism of CDH1 Promoter Is a Predictor of Clinical Outcome in Patients with Metastatic Gastric Cancer Treated with chemotherapy. <i>Annals of Oncology</i> , 2016, 27, iv21.	1.2	0
57	OC.04.7 IDENTIFICATION OF PROTEOMIC PROFILES ASSOCIATED WITH TUMOR REGRESSION GRADING IN RECTAL CANCER. <i>Digestive and Liver Disease</i> , 2016, 48, e85-e86.	0.9	0
58	OC.04.2 GENETIC DIVERSITY OF THE KIR/HLA SYSTEM AND OUTCOME OF PATIENTS WITH METASTATIC COLORECTAL CANCER TREATED WITH CHEMOTHERAPY. <i>Digestive and Liver Disease</i> , 2016, 48, e83-e84.	0.9	0
59	Pepsinogens to Distinguish Patients With Gastric Intestinal Metaplasia and Helicobacter pylori Infection Among Populations at Risk for Gastric Cancer. <i>Clinical and Translational Gastroenterology</i> , 2016, 7, e183.	2.5	35
60	HCV-related liver and lymphoproliferative diseases: association with polymorphisms of IL28B and TLR2. <i>Oncotarget</i> , 2016, 7, 37487-37497.	1.8	16
61	Dendritic cells accumulate in the bone marrow of myeloma patients where they protect tumor plasma cells from CD8+ T-cell killing. <i>Blood</i> , 2015, 126, 1443-1451.	1.4	78
62	Notch4 and MHC class II polymorphisms contribute to HCV-related benign and malignant lymphoproliferative diseases. <i>Digestive and Liver Disease</i> , 2015, 47, e14.	0.9	0
63	P0752 : NOTCH4 and MHC class II polymorphisms contribute to HCV-related benign and malignant lymphoproliferative diseases. <i>Journal of Hepatology</i> , 2015, 62, S611.	3.7	0
64	Su1708 Probe-Based Confocal LASER Endomicroscopy (pCLE) for Angiogenesis Evaluation in Locally Advanced Rectal and Gastric Cancers. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB385-AB386.	1.0	0
65	Genetic Diversity of the KIR/HLA System and Susceptibility to Hepatitis C Virus-Related Diseases. <i>PLoS ONE</i> , 2015, 10, e0117420.	2.5	54
66	Genetic Diversity of the KIR/HLA System and Outcome of Patients with Metastatic Colorectal Cancer Treated with Chemotherapy. <i>PLoS ONE</i> , 2014, 9, e84940.	2.5	40
67	Differential Proteomics of Helicobacter pylori Associated with Autoimmune Atrophic Gastritis. <i>Molecular Medicine</i> , 2014, 20, 57-71.	4.4	19
68	Impact of Immunogenetic IL28B Polymorphism on Natural Outcome of HCV Infection. <i>BioMed Research International</i> , 2014, 2014, 1-8.	1.9	16
69	Levels of Soluble E-Cadherin in Breast, Gastric, and Colorectal Cancers. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	39
70	Improving detection of celiac disease patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 721-724.	1.6	5
71	OC.13.1 IN VITRO CHARACTERIZATION OF CDH1 VARIANTS FIRST BY IMMORTALIZATION OF PERIPHERAL B-CELLS OF PATIENTS. <i>Digestive and Liver Disease</i> , 2014, 46, S30.	0.9	0
72	P.01.10 DIFFERENTIAL PROTEOMICS OF COLORECTAL CANCER: SEARCHING FOR SENTINEL CANCER AND ANGIOGENIC PROTEINS. <i>Digestive and Liver Disease</i> , 2014, 46, S55-S56.	0.9	0

#	ARTICLE	IF	CITATIONS
73	The versatile role of gliadin peptides in celiac disease. <i>Clinical Biochemistry</i> , 2013, 46, 552-560.	1.9	27
74	A novel CDH1 germline missense mutation in a sporadic gastric cancer patient in north-east of Italy. <i>Clinical and Experimental Medicine</i> , 2013, 13, 149-157.	3.6	14
75	T cell receptor variable \hat{I}^2 gene repertoire in liver and peripheral blood lymphocytes of chronically hepatitis C virus-infected patients with and without mixed cryoglobulinaemia. <i>Clinical and Experimental Immunology</i> , 2013, 172, 254-262.	2.6	8
76	Sa1870 Helicobacter pylori Virulence Factors in First Degree Relatives of Gastric Cancer Patients. <i>Gastroenterology</i> , 2013, 144, S-324.	1.3	3
77	Identification and sequence analysis of a novel human leukocyte antigen allele <i>B*51:141</i> . <i>Tissue Antigens</i> , 2013, 81, 55-56.	1.0	3
78	A new human leukocyte antigen class I allele: <i>HLA-A*02:374</i> . <i>Tissue Antigens</i> , 2013, 81, 48-49.	1.0	5
79	Application of 2D-DIGE to formalin-fixed diseased tissue samples from hospital repositories: Results from four case studies. <i>Proteomics - Clinical Applications</i> , 2013, 7, 252-263.	1.6	19
80	The Frequency of CD127 ⁺ Hepatitis C Virus (HCV)-Specific T Cells but Not the Expression of Exhaustion Markers Predicts the Outcome of Acute HCV Infection. <i>Journal of Virology</i> , 2013, 87, 4772-4777.	3.4	50
81	Sorafenib for the treatment of unresectable hepatocellular carcinoma in HIV-positive patients. <i>Anti-Cancer Drugs</i> , 2013, 24, 212-218.	1.4	32
82	Identification and Characterization of CDH1 Germline Variants in Sporadic Gastric Cancer Patients and in Individuals at Risk of Gastric Cancer. <i>PLoS ONE</i> , 2013, 8, e77035.	2.5	32
83	Endomicroscopy and Cancer: A New Approach to the Visualization of Neoangiogenesis. <i>Gastroenterology Research and Practice</i> , 2012, 2012, 1-5.	1.5	17
84	Molecular Signature in HCV-Positive Lymphomas. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-9.	3.3	12
85	IGKV3 Proteins as Candidate "Off-the-Shelf" Vaccines for Kappa-Light Chain-Restricted B-Cell Non-Hodgkin Lymphomas. <i>Clinical Cancer Research</i> , 2012, 18, 4080-4091.	7.0	14
86	Mo1577 Different Protein Expression and Genes Patterns of Helicobacter Pylori in Pathological Disorders of the Gastric Mucosa. <i>Gastroenterology</i> , 2012, 142, S-633.	1.3	1
87	Successful Vaccination Induces Multifunctional Memory T-Cell Precursors Associated With Early Control of Hepatitis C Virus. <i>Gastroenterology</i> , 2012, 143, 1048-1060.e4.	1.3	64
88	Mo1633 Probe-Based Confocal Laser Endomicroscopy: In Vivo Analysis of Angiogenesis as a New Basis for a Translational Approach for Colo-Rectal and Gastric Cancers. <i>Gastroenterology</i> , 2012, 142, S-646.	1.3	0
89	Mo1576 Exocrine-Endocrine Modulation in Common Gastric Carcinomas. <i>Gastroenterology</i> , 2012, 142, S-632.	1.3	0
90	2-D Gel Electrophoresis: Constructing 2D-Gel Proteome Reference Maps. <i>Methods in Molecular Biology</i> , 2012, 815, 163-173.	0.9	3

#	ARTICLE	IF	CITATIONS
91	Evaluation of the suitability of archival <scp>B</scp>ouinâ€fixed paraffinâ€embedded tissue specimens to proteomic investigation. <i>Electrophoresis</i> , 2012, 33, 1375-1384.	2.4	6
92	Multiparametric Analyses of Human PBMCs Loaded Ex Vivo with a Candidate Idiotype Vaccine for HCV-Related Lymphoproliferative Disorders. <i>PLoS ONE</i> , 2012, 7, e44870.	2.5	4
93	Molecular Features of Lymphoproliferation in Mixed Cryoglobulinemia. , 2012, , 259-265.		0
94	Molecular Insights into the Disease Mechanisms of Type II Mixed Cryoglobulinemia. , 2012, , 107-111.		0
95	PC.1.6: GLIADIN AND TISSUE TRANSGLUTAMINASE MEDIATE PPAR DOWNREGULATION IN INTESTINAL CELLS OF PATIENTS WITH CELIAC DISEASE. <i>Digestive and Liver Disease</i> , 2011, 43, S117.	0.9	0
96	P.1.122: AUTOIMMUNE CHRONIC ATROPHIC GASTRITIS AND HELICOBACTER PYLORI: PREVALENCE OF THE INFECTION AND GENETIC HETEROGENEITY. <i>Digestive and Liver Disease</i> , 2011, 43, S188.	0.9	1
97	KIR/HLA Combination Associated with the Risk of Complications in Celiac Disease. <i>International Journal of Biological Markers</i> , 2011, 26, 221-228.	1.8	10
98	Antibody Vh Repertoire Differences between Resolving and Chronically Evolving Hepatitis C Virus Infections. <i>PLoS ONE</i> , 2011, 6, e25606.	2.5	31
99	KIR Molecules: Recent Patents of Interest for the Diagnosis and Treatment of Several Autoimmune Diseases, Chronic Inflammation, and B-cell Malignancies. <i>Recent Patents on DNA & Gene Sequences</i> , 2011, 5, 169-174.	0.7	5
100	Extrahepatic disorders of HCV infection: A distinct entity of B-cell neoplasia?. <i>International Journal of Oncology</i> , 2010, 36, 1331-40.	3.3	36
101	Pegylated interferon-Î±, ribavirin, and rituximab combined therapy of hepatitis C virusâ€related mixed cryoglobulinemia: a long-term study. <i>Blood</i> , 2010, 116, 343-353.	1.4	236
102	MTHFR polymorphisms in gastric cancer and in first-degree relatives of patients with gastric cancer. <i>Tumor Biology</i> , 2010, 31, 23-32.	1.8	32
103	Proteomic Analyses Lead to a Better Understanding of Celiac Disease: Focus on Epitope Recognition and Autoantibodies. <i>Digestive Diseases and Sciences</i> , 2010, 55, 3041-3046.	2.3	7
104	Hepatitis C virusâ€induced oxidative stress and mitochondrial dysfunction: A focus on recent advances in proteomics. <i>Proteomics - Clinical Applications</i> , 2010, 4, 782-793.	1.6	37
105	Identification of a new Patr-B*01 variant, Patr-B*0102, by sequence-based typing in a chimpanzee (Pan) Tj ETQq1 1,0,784314 rgBT /Ove	1.0	0
106	HLA DR-DQ combination associated with the increased risk of developing human HCV positive non-Hodgkin's lymphoma is related to the type II mixed cryoglobulinemia. <i>Tissue Antigens</i> , 2010, 75, 127-135.	1.0	22
107	PPAR Signaling Pathway and Cancer-Related Proteins Are Involved in Celiac Disease-Associated Tissue Damage. <i>Molecular Medicine</i> , 2010, 16, 199-209.	4.4	47
108	Do gliadin and tissue transglutaminase mediate PPAR downregulation in intestinal cells of patients with coeliac disease?: Figure 1. <i>Gut</i> , 2010, 59, 1730.2-1731.	12.1	11

#	ARTICLE	IF	CITATIONS
109	Immune signatures in human PBMCs of idiopathic vaccine for HCV-related lymphoproliferative disorders. <i>Journal of Translational Medicine</i> , 2010, 8, 18.	4.4	12
110	OC.06.2 CDH1 ANALYSIS AS A POSSIBLE MARKER FOR EARLY GASTRIC CANCER IN FIRST DEGREE GC-RELATIVES. <i>Digestive and Liver Disease</i> , 2010, 42, S84.	0.9	0
111	P.40 KIR/HLA GENOTYPE ASSOCIATED WITH COMPLICATED CELIAC DISEASE. <i>Digestive and Liver Disease</i> , 2010, 42, S117.	0.9	0
112	Interferon-based therapy for chronic hepatitis C: current and future perspectives. <i>Hepatitis Monthly</i> , 2010, 10, 231-2.	0.2	5
113	Clonal CD27 ⁺ CD19 ⁺ B Cell Expansion through Inhibition of FCγRIIR in HCV ⁺ Cryoglobulinemic Patients. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 326-333.	3.8	7
114	Galectin-10, Eosinophils, and Celiac Disease. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 357-364.	3.8	32
115	Characterization of Antibodies Directed against the Immunoglobulin Light Chain Variable Chain Region (VK) of Hepatitis C Virus-Related Type II Mixed Cryoglobulinemia and B Cell Proliferations. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 152-160.	3.8	12
116	Comment re: Ran-GTP Control of Tumor Cell Mitosis. <i>Cancer Research</i> , 2009, 69, 1240-1240.	0.9	4
117	Undifferentiated nasopharyngeal carcinoma from a nonendemic area: Protective role of HLA allele products presenting conserved EBV epitopes. <i>International Journal of Cancer</i> , 2009, 125, 1358-1364.	5.1	18
118	Pegylated interferon plus ribavirin for HCV-positive indolent non-Hodgkin lymphomas. <i>British Journal of Haematology</i> , 2009, 145, 255-257.	2.5	60
119	Human immunodeficiency virus-associated precursor T-lymphoblastic leukemia/lymphoblastic lymphoma: report of a case and review of the literature. <i>Human Pathology</i> , 2009, 40, 1045-1049.	2.0	5
120	Two-dimensional gel proteome reference map of human small intestine.. <i>Proteome Science</i> , 2009, 7, 10.	1.7	8
121	Identification of proteins associated to multi-drug resistance in LoVo human colon cancer cells. <i>International Journal of Oncology</i> , 2009, , .	3.3	2
122	HCV inhibits antigen processing and presentation and induces oxidative stress response in gastric mucosa. <i>Proteomics - Clinical Applications</i> , 2008, 2, 1290-1299.	1.6	13
123	Spontaneous T cell responses to Epstein-Barr virus-encoded BART1 protein and derived peptides in patients with nasopharyngeal carcinoma: Bases for improved immunotherapy. <i>International Journal of Cancer</i> , 2008, 123, 1100-1107.	5.1	32
124	Description of two new major histocompatibility complex (MHC) class II DRB1 [Pan troglodytes (Patr)-DRB1] alleles. <i>Tissue Antigens</i> , 2008, 71, 490-492.	1.0	1
125	Identification of new major histocompatibility complex-A, -B, -C alleles in chimpanzees (Pan) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj	1.0	0
126	A new HLA-A*680106 allele identified in individuals with celiac disease from the Friuli area of northeast Italy. <i>Tissue Antigens</i> , 2008, 72, 491-492.	1.0	10

#	ARTICLE	IF	CITATIONS
127	Recent prognostic factors in diffuse large B-cell lymphoma indicate NF- κ B pathway as a target for new therapeutic strategies. <i>Leukemia and Lymphoma</i> , 2008, 49, 2048-2058.	1.3	29
128	OC1.01.1 PPAR SIGNALLING PATHWAY IS INVOLVED IN CD-ASSOCIATED INFLAMMATION. <i>Digestive and Liver Disease</i> , 2008, 40, S9.	0.9	0
129	OC3.05.3 BLOOD DONATION AND IRON DEFICIENCY: ANOTHER POSSIBLE FACE OF CELIAC DISEASE. <i>Digestive and Liver Disease</i> , 2008, 40, S49.	0.9	0
130	OC3.05.4 RELATIONSHIP BETWEEN GALECTIN-10 EXPRESSION AND SEVERITY OF CELIAC DISEASE ABOLISHED IN THE PRESENCE OF T CELL CLONAL EXPANSION. <i>Digestive and Liver Disease</i> , 2008, 40, S49-S50.	0.9	0
131	PA.40 IDENTIFICATION OF A NEW HLA-A*680102 VARIANT, ASSOCIATED WITH ANCESTRAL HAPLOTYPE B8-DR3 FROM TWO ITALIAN PATIENTS FROM FRIULI WITH CELIAC DISEASE. <i>Digestive and Liver Disease</i> , 2008, 40, S90.	0.9	0
132	PA.46 B*08-CW*07 PREDISPOSING FOR ADULT CELIAC DISEASE. <i>Digestive and Liver Disease</i> , 2008, 40, S92.	0.9	0
133	Association of t(14;18) translocation with HCV infection in gastrointestinal MALT lymphomas. <i>Journal of Hepatology</i> , 2008, 49, 170-174.	3.7	31
134	Fibronectin gene polymorphisms are associated with the development of B-cell lymphoma in type II mixed cryoglobulinemia. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 80-83.	0.9	15
135	Mixed cryoglobulinemia syndrome as an additional autoimmune disorder associated with risk for lymphoma development. <i>Blood</i> , 2008, 111, 5760-5760.	1.4	11
136	Hepatitis C virus productive infection in mononuclear cells from patients with cryoglobulinaemia. <i>Clinical and Experimental Immunology</i> , 2007, 147, 241-248.	2.6	42
137	Elevated B cell-activating factor of the tumour necrosis factor family in coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 1434-1439.	1.5	25
138	Bone marrow B-cell clonal expansion in type II mixed cryoglobulinaemia: association with nephritis. <i>Rheumatology</i> , 2007, 46, 1657-1661.	1.9	20
139	Recent Patents Relating To HCV Molecules Like Putative Targets For Therapeutic Intervention. <i>Recent Patents on DNA & Gene Sequences</i> , 2007, 1, 186-194.	0.7	0
140	B-Cell Lymphomas Associated With HCV Infection. <i>Gastroenterology</i> , 2007, 132, 1205-1207.	1.3	21
141	Genetic insights into the disease mechanisms of type II mixed cryoglobulinemia induced by hepatitis C virus. <i>Digestive and Liver Disease</i> , 2007, 39, S65-S71.	0.9	20
142	Identification of four novel MHC-C alleles in chimpanzees. <i>Tissue Antigens</i> , 2007, 70, 78-79.	1.0	2
143	Proteins specifically hyperexpressed in a coeliac disease patient with aberrant T cells. <i>Clinical and Experimental Immunology</i> , 2007, 148, 402-409.	2.6	14
144	Role of the HLA Class II: HCV-Related Disorders. <i>Annals of the New York Academy of Sciences</i> , 2007, 1107, 308-318.	3.8	19

#	ARTICLE	IF	CITATIONS
145	Protein Expression Profile of Celiac Disease Patient with Aberrant T Cell by Two-dimensional Difference Gel Electrophoresis. <i>Annals of the New York Academy of Sciences</i> , 2007, 1109, 429-440.	3.8	3
146	HCV-Related Immunocytoma and Type II Mixed Cryoglobulinemia-Associated Autoantigens. <i>Annals of the New York Academy of Sciences</i> , 2007, 1110, 121-130.	3.8	8
147	An Italian multicenter controlled study of HCV-related malignancies: Role of the HLA class II. <i>Digestive and Liver Disease</i> , 2006, 38, S30.	0.9	1
148	Identification of Novel Chimpanzee MHC Class I and II Alleles Using an Improved Sequence-Based Typing Strategy. <i>Human Immunology</i> , 2006, 67, 63-72.	2.4	9
149	HCV-NS3 and IgG-Fc crossreactive IgM in patients with type II mixed cryoglobulinemia and B-cell clonal proliferations. <i>Leukemia</i> , 2006, 20, 1145-1154.	7.2	72
150	Reply:. <i>Hepatology</i> , 2006, 43, 1167-1168.	7.3	2
151	Antibody Production and In Vitro Behavior of CD27-Defined B-Cell Subsets: Persistent Hepatitis C Virus Infection Changes the Rules. <i>Journal of Virology</i> , 2006, 80, 3923-3934.	3.4	69
152	Type II mixed cryoglobulinaemia as an oligo rather than a mono B-cell disorder: evidence from GeneScan and MALDI-TOF analyses. <i>Rheumatology</i> , 2006, 45, 685-693.	1.9	32
153	Hepatitis C virus infection, cryoglobulinaemia, and beyond. <i>Rheumatology</i> , 2006, 46, 572-578.	1.9	87
154	Identification of a novel human DRB1*13 allele by sequence-based DRB typing. <i>Tissue Antigens</i> , 2005, 66, 246-247.	1.0	6
155	HCV-associated B cell clonalities in the liver do not carry the t(14;18) chromosomal translocation. <i>Hepatology</i> , 2005, 42, 1019-1027.	7.3	25
156	Analysis of aberrant somatic hypermutation (SHM) in non-Hodgkin's lymphomas of patients with chronic HCV infection. <i>Journal of Pathology</i> , 2005, 206, 87-91.	4.5	29
157	Hepatitis C virus (HCV) infection and lymphoproliferative disorders. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 2460.	3.0	25
158	JH6 Gene Usage among HCV-Associated MALT Lymphomas Harboring t(14;18) Translocation. <i>Journal of Immunology</i> , 2005, 174, 3839.1-3839.	0.8	7
159	Latent Membrane Protein 1 Deletion Mutants Accumulate in Reed-Sternberg Cells of Human Immunodeficiency Virus-Related Hodgkin's Lymphoma. <i>Journal of Virology</i> , 2005, 79, 2643-2649.	3.4	14
160	Elevated serum levels of osteopontin in HCV-associated lymphoproliferative disorders. <i>Cancer Biology and Therapy</i> , 2005, 4, 1192-1194.	3.4	27
161	Aggressive forms of non-Hodgkin's lymphoma in two patients bearing coinfection of Epstein-Barr and hepatitis C viruses. <i>International Journal of Oncology</i> , 2005, 26, 945.	3.3	3
162	Intrahepatic B cell clonal expansions and extrahepatic manifestations of chronic HCV infection. <i>European Journal of Immunology</i> , 2004, 34, 126-136.	2.9	97

#	ARTICLE	IF	CITATIONS
163	Second Primary Lymphoma or Recurrence: A Dilemma Solved by VDJ Rearrangement Analysis. <i>Leukemia and Lymphoma</i> , 2004, 45, 1539-1543.	1.3	20
164	Hepatitis C virus-related hepatocellular carcinoma and B-cell lymphoma patients show a different profile of major histocompatibility complex class II alleles. <i>Human Immunology</i> , 2004, 65, 1397-1404.	2.4	26
165	Extrasalivary lymphoma development in Sjögren's syndrome: Clonal evolution from parotid gland lymphoproliferation and role of local triggering. <i>Arthritis and Rheumatism</i> , 2003, 48, 3181-3186.	6.7	43
166	Low frequency of bcl-2 rearrangement in HCV-associated non-Hodgkin's lymphoma tissue. <i>Leukemia</i> , 2003, 17, 1433-1436.	7.2	22
167	Monoclonal antibody treatment of mixed cryoglobulinemia resistant to interferon α with an anti-CD20. <i>Blood</i> , 2003, 101, 3818-3826.	1.4	361
168	Hepatitis C Virus, B-cell Proliferation and Lymphomas. <i>Leukemia and Lymphoma</i> , 2002, 43, 747-751.	1.3	43
169	Absence of human parvovirus B19 DNA in myoepithelial sialadenitis of primary Sjogren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 855-856.	0.9	10
170	Lack of Hcv Infection in Malignant, Cells Refutes the Hypothesis of a Direct Transforming Action of the Virus in the Pathogenesis of Hcv-Associated B-Cell NHLs. <i>Tumori</i> , 2002, 88, 400-406.	1.1	21
171	Salivary gland B cell lymphoproliferative disorders in Sjögren's syndrome present a restricted use of antigen receptor gene segments similar to those used by hepatitis C virus-associated non-Hodgkin's lymphomas. <i>European Journal of Immunology</i> , 2002, 32, 903.	2.9	104
172	Differentiation between non-Hodgkin's lymphoma recurrence and second primary lymphoma by VDJ rearrangement analysis. <i>British Journal of Haematology</i> , 2002, 118, 809-812.	2.5	14
173	Pre-malignant and malignant lymphoproliferations in an HCV-infected type II mixed cryoglobulinemic patient are sequential phases of an antigen-driven pathological process. <i>International Journal of Cancer</i> , 2000, 87, 211-216.	5.1	125
174	Oligoclonal non-neoplastic B cell expansion is the key feature of type II mixed cryoglobulinemia: Clinical and molecular findings do not support a bone marrow pathologic diagnosis of indolent B cell lymphoma. <i>Arthritis and Rheumatism</i> , 2000, 43, 94-102.	6.7	142
175	Gastric mucosa as an additional extrahepatic localization of hepatitis C virus: Viral detection in gastric low-grade lymphoma associated with autoimmune disease and in chronic gastritis. <i>Hepatology</i> , 2000, 31, 182-189.	7.3	83
176	Sequence analysis of the immunoglobulin antigen receptor of hepatitis C virus-associated non-Hodgkin lymphomas suggests that the malignant cells are derived from the rheumatoid factor-producing cells that occur mainly in type II cryoglobulinemia. <i>Blood</i> , 2000, 96, 3578-3584.	1.4	205
177	Sequence analysis of the immunoglobulin antigen receptor of hepatitis C virus-associated non-Hodgkin lymphomas suggests that the malignant cells are derived from the rheumatoid factor-producing cells that occur mainly in type II cryoglobulinemia. <i>Blood</i> , 2000, 96, 3578-84.	1.4	70
178	Biologically relevant phenotypic changes and enhanced growth properties induced in B lymphocytes by an EBV strain derived from a histologically aggressive Hodgkin's disease. , 1999, 80, 240-249.		12
179	Epstein-Barr Virus Strains With Latent Membrane Protein-1 Deletions: Prevalence in the Italian Population and High Association With Human Immunodeficiency Virus-Related Hodgkin's Disease. <i>Blood</i> , 1997, 89, 1723-1731.	1.4	15
180	Epstein-Barr Virus Strains With Latent Membrane Protein-1 Deletions: Prevalence in the Italian Population and High Association With Human Immunodeficiency Virus-Related Hodgkin's Disease. <i>Blood</i> , 1997, 89, 1723-1731.	1.4	46

#	ARTICLE	IF	CITATIONS
181	Epstein-Barr virus strains with latent membrane protein-1 deletions: prevalence in the Italian population and high association with human immunodeficiency virus-related Hodgkin's disease. <i>Blood</i> , 1997, 89, 1723-31.	1.4	9
182	Characteristics of EBV-infected cells in HIV-related lymphadenopathy: Implications for the pathogenesis of EBV-associated and EBV-unrelated lymphomas of HIV-seropositive individuals. <i>International Journal of Cancer</i> , 1995, 63, 652-659.	5.1	23
183	MDM2 overexpression does not account for stabilization of wild-type p53 protein in non-Hodgkin's lymphomas. <i>Blood</i> , 1995, 85, 3239-3246.	1.4	42
184	Local suppression of Epstein-Barr virus (EBV)-specific cytotoxicity in biopsies of EBV-positive Hodgkin's disease. <i>Blood</i> , 1995, 86, 1493-1501.	1.4	160
185	The Relevance of VDJ PCR Protocols in Detecting B-Cell Clonal Expansion in Lymphomas and Other Lymphoproliferative Disorders. <i>Tumori</i> , 1995, 81, 405-409.	1.1	17
186	Head and Neck Lymphomas Associated With Human Immunodeficiency Virus Infection. <i>JAMA Otolaryngology</i> , 1995, 121, 210-218.	1.2	19
187	Genotypic and immunohistological demonstration of the progression of an unusual reactive-like B-cell lymphoproliferative disorder to a high grade diffuse lymphoma. <i>Human Pathology</i> , 1995, 26, 348-354.	2.0	2
188	Association of Epstein-Barr Virus with Hodgkin's Disease. <i>Infectious Agents and Pathogenesis</i> , 1995, , 375-393.	0.1	6
189	Human Herpesvirus 6: A Survey of Presence and Variant Distribution in Normal Peripheral Lymphocytes and Lymphoproliferative Disorders. <i>Journal of Infectious Diseases</i> , 1994, 170, 211-215.	4.0	121
190	p53 protein over-expression and p53 gene abnormalities in HIV-1-related non-Hodgkin's lymphomas. <i>International Journal of Cancer</i> , 1994, 56, 662-667.	5.1	18
191	Frequent detection of human herpesvirus 6 DNA in HIV-associated lymphadenopathy. <i>Lancet, The</i> , 1994, 344, 543.	13.7	11
192	The polymerase chain reaction detects B cell clonalities in patients with Sjögren's syndrome and suspected malignant lymphoma. <i>Journal of Rheumatology</i> , 1994, 21, 1497-501.	2.0	29
193	High incidence of monoclonal EBV episomes in Hodgkin's disease and anaplastic large-cell positive lymphomas in HIV-positive patients. <i>International Journal of Cancer</i> , 1993, 54, 53-59.	5.1	43
194	Subtypes of Epstein-Barr virus in HIV-1-associated and HIV-1-unrelated Hodgkin's disease cases. <i>International Journal of Cancer</i> , 1993, 54, 895-898.	5.1	24
195	Type 2 Epstein-Barr Virus Genome and Latent Membrane Protein-1 Expression in a T-Cell-Rich Lymphoma of Probable B-Cell Lineage. <i>American Journal of Clinical Pathology</i> , 1993, 100, 541-549.	0.7	10
196	Association between B-type Epstein-Barr virus and Hodgkin's disease in immunocompromised patients [letter; comment]. <i>Blood</i> , 1993, 82, 328-330.	1.4	12
197	Demonstration of a unique Epstein-Barr virus-positive cellular clone in metachronous multiple localizations of Hodgkin's disease. <i>American Journal of Pathology</i> , 1993, 142, 33-8.	3.8	24
198	Association between B-type Epstein-Barr virus and Hodgkin's disease in immunocompromised patients. <i>Blood</i> , 1993, 82, 328-30.	1.4	5

#	ARTICLE	IF	CITATIONS
199	Association of Epstein-Barr virus genome with mixed cellularity and cellular phase nodular sclerosis Hodgkin's disease subtypes. <i>Annals of Oncology</i> , 1992, 3, 307-310.	1.2	24
200	Detection of HIV-1 genome in lymph-node biopsies by polymerase chain reaction: a useful tool for epidemiological studies. <i>Aids</i> , 1991, 5, 1531-1532.	2.2	0
201	A clinicopathologic study of lymphoid neoplasias associated with human immunodeficiency virus infection in Italy. <i>Cancer</i> , 1991, 68, 842-852.	4.1	85
202	Genotypic and Immunophenotypic Characterization of Two Human Light Chainâ€“ â€“ Only B-Cell Non-Hodgkin's Lymphomas. <i>American Journal of Clinical Pathology</i> , 1990, 94, 390-396.	0.7	1
203	A coordinated proto-oncogene expression characterizes MCF 247 murine leukemia virus-induced T-cell lymphomas irrespectively of proviral insertion affecting myc loci. <i>Leukemia Research</i> , 1990, 14, 549-558.	0.8	5
204	Aids-related B-cell non-Hodgkin's lymphomas in direct blood-stream HIV-infected patients: Pathogenesis and differentiation features. <i>International Journal of Cancer</i> , 1990, 45, 883-888.	5.1	12
205	Report of an unusual small lymphocytic B-cell lymphoma selectively involving the B-zone of lymph node. <i>Cancer</i> , 1990, 66, 302-312.	4.1	10
206	Histopathologic, immunophenotypic, and genotypic analysis of Ki-1 anaplastic large cell lymphomas that express histiocyte-associated antigens. <i>Cancer</i> , 1990, 66, 2547-2556.	4.1	45
207	Is the Epstein-Barr Virus Involved in Hodgkin's Disease?. <i>Tumori</i> , 1989, 75, 345-350.	1.1	32
208	Immunoglobulin and T cell receptor gene rearrangements and in situ immunophenotyping in lymphoproliferative disorders. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1989, 414, 223-230.	1.4	23
209	N-myc activation by proviral insertion in MCF 247-induced murine T-cell lymphomas. <i>Oncogene</i> , 1989, 4, 1009-14.	5.9	21
210	Nuclear oncogene amplification or rearrangement is not involved in human colorectal malignancies. <i>European Journal of Cancer & Clinical Oncology</i> , 1988, 24, 1321-1328.	0.7	15
211	Activation by Point Mutation of Ki-ras Gene Occurring in Transfected Human Normal dna. <i>Tumori</i> , 1988, 74, 499-506.	1.1	0
212	Ha-ras-1 restriction fragment length polymorphism and susceptibility to colon adenocarcinoma. <i>British Journal of Cancer</i> , 1987, 56, 1-5.	6.4	37
213	Hepatocellular Carcinoma Intrinsic Cell Death Regulates Immune Response and Prognosis. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	2