## Kazuo Takimiya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5267916/publications.pdf Version: 2024-02-01



| #  | Article  | IF             | CITATIONS |
|----|--|----------------|-----------|
| 1  | Thienoaceneâ€Based Organic Semiconductors. Advanced Materials, 2011, 23, 4347-4370.  | 21.0           | 865       |
| 2  | Highly Soluble [1]Benzothieno[3,2- <i>b</i> ]benzothiophene (BTBT) Derivatives for High-Performance,<br>Solution-Processed Organic Field-Effect Transistors. Journal of the American Chemical Society, 2007,<br>129, 15732-15733.            | 13.7           | 852       |
| 3  | Facile Synthesis of Highly π-Extended Heteroarenes,<br>Dinaphtho[2,3-b:2†,3†-f]chalcogenopheno[3,2-b]chalcogenophenes, and Their Application to Field-Effect<br>Transistors. Journal of the American Chemical Society, 2007, 129, 2224-2225. | 13.7           | 826       |
| 4  | Efficient inverted polymer solar cells employing favourable molecular orientation. Nature Photonics, 2015, 9, 403-408.   | 31.4           | 769       |
| 5  | Organic Semiconductors Based on [1]Benzothieno[3,2- <i>b</i> ][1]benzothiophene Substructure.<br>Accounts of Chemical Research, 2014, 47, 1493-1502.   | 15.6           | 440       |
| 6  | 2,7-Diphenyl[1]benzothieno[3,2-b]benzothiophene, A New Organic Semiconductor for Air-Stable<br>Organic Field-Effect Transistors with Mobilities up to 2.0 cm2V-1s-1. Journal of the American Chemical<br>Society, 2006, 128, 12604-12605.    | 13.7           | 405       |
| 7  | Molecular Ordering of Highâ€Performance Soluble Molecular Semiconductors and Reâ€evaluation of<br>Their Fieldâ€Effect Transistor Characteristics. Advanced Materials, 2008, 20, 3388-3392.   | 21.0           | 374       |
| 8  | Stretchable and waterproof elastomer-coated organic photovoltaics for washable electronic textile applications. Nature Energy, 2017, 2, 780-785.   | 39.5           | 369       |
| 9  | High-efficiency polymer solar cells with small photon energy loss. Nature Communications, 2015, 6, 10085.  | 12.8           | 358       |
| 10 | Solutionâ€Processable Organic Single Crystals with Bandlike Transport in Fieldâ€Effect Transistors.<br>Advanced Materials, 2011, 23, 523-526.  | 21.0           | 348       |
| 11 | Patternable Solutionâ€Crystallized Organic Transistors with High Charge Carrier Mobility. Advanced<br>Materials, 2011, 23, 1626-1629.  | 21.0           | 337       |
| 12 | Synthesis, Characterization, and Transistor and Solar Cell Applications of a<br>Naphthobisthiadiazole-Based Semiconducting Polymer. Journal of the American Chemical Society, 2012,<br>134, 3498-3507.                                       | 13.7           | 323       |
| 13 | Implication of Fluorine Atom on Electronic Properties, Ordering Structures, and Photovoltaic<br>Performance in Naphthobisthiadiazole-Based Semiconducting Polymers. Journal of the American<br>Chemical Society, 2016, 138, 10265-10275.     | 13.7           | 319       |
| 14 | Alkylated Dinaphtho[2,3â€ <i>b</i> :2′,3′â€ <i>f</i> ]Thieno[3,2â€b]Thiophenes (C <sub><i>n</i></sub> â€DN<br>Organic Semiconductors for Highâ€Performance Thinâ€Film Transistors. Advanced Materials, 2011, 23,<br>1222-1225.               | √TTs):<br>21.0 | 310       |
| 15 | Naphthodithiophene–Naphthobisthiadiazole Copolymers for Solar Cells: Alkylation Drives the<br>Polymer Backbone Flat and Promotes Efficiency. Journal of the American Chemical Society, 2013, 135,<br>8834-8837.                              | 13.7           | 301       |
| 16 | Organic transistors with high thermal stability for medical applications. Nature Communications, 2012, 3, 723.   | 12.8           | 290       |
| 17 | Linear- and Angular-Shaped Naphthodithiophenes: Selective Synthesis, Properties, and Application to Organic Field-Effect Transistors. Journal of the American Chemical Society, 2011, 133, 5024-5035.  | 13.7           | 276       |
| 18 | Thiophene–Thiazolothiazole Copolymers: Significant Impact of Side Chain Composition on Backbone Orientation and Solar Cell Performances. Advanced Materials, 2014, 26, 331-338.  | 21.0           | 275       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Functional oligothiophenes as advanced molecular electronic materials. Journal of Materials<br>Chemistry, 2002, 12, 2565-2575.   | 6.7  | 258       |
| 20 | Consecutive Thiophene-Annulation Approach to ï€-Extended Thienoacene-Based Organic<br>Semiconductors with [1]Benzothieno[3,2- <i>b</i> ][1]benzothiophene (BTBT) Substructure. Journal of<br>the American Chemical Society, 2013, 135, 13900-13913.                  | 13.7 | 256       |
| 21 | Very High Mobility in Solution-Processed Organic Thin-Film Transistors of Highly Ordered<br>[1]Benzothieno[3,2-b]benzothiophene Derivatives. Applied Physics Express, 2009, 2, 111501.   | 2.4  | 254       |
| 22 | Synthesis and Spectroscopic Properties of a Series of β-Blocked Long Oligothiophenes up to the 96-mer:Â<br>Revaluation of Effective Conjugation Length. Journal of the American Chemical Society, 2003, 125,<br>5286-5287.   | 13.7 | 235       |
| 23 | 2,6-Diphenylbenzo[1,2-b:4,5-bâ€`]dichalcogenophenes: A New Class of High-Performance Semiconductors<br>for Organic Field-Effect Transistors. Journal of the American Chemical Society, 2004, 126, 5084-5085.   | 13.7 | 227       |
| 24 | Contact Resistance and Megahertz Operation of Aggressively Scaled Organic Transistors. Small, 2012, 8, 73-79.  | 10.0 | 217       |
| 25 | Flexible Lowâ€Voltage Organic Transistors and Circuits Based on a Highâ€Mobility Organic<br>Semiconductor with Good Air Stability. Advanced Materials, 2010, 22, 982-985.  | 21.0 | 213       |
| 26 | π-Building Blocks for Organic Electronics: Revaluation of "Inductive―and "Resonance―Effects of<br>Ï€-Electron Deficient Units. Chemistry of Materials, 2014, 26, 587-593.  | 6.7  | 211       |
| 27 | Impact of Isomeric Structures on Transistor Performances in Naphthodithiophene Semiconducting Polymers. Journal of the American Chemical Society, 2011, 133, 6852-6860.  | 13.7 | 205       |
| 28 | Extensive Quinoidal Oligothiophenes with Dicyanomethylene Groups at Terminal Positions as Highly<br>Amphoteric Redox Molecules. Journal of the American Chemical Society, 2005, 127, 8928-8929.  | 13.7 | 204       |
| 29 | Dianthra[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophene (DATT): Synthesis, Characterization, and FET Characteristics of New ΀-Extended Heteroarene with Eight Fused Aromatic Rings. Journal of the American Chemical Society, 2011, 133, 8732-8739. | 13.7 | 199       |
| 30 | Organic Electronics on Banknotes. Advanced Materials, 2011, 23, 654-658.   | 21.0 | 197       |
| 31 | 2,7-Diphenyl[1]benzoselenopheno[3,2-b][1]benzoselenophene as a Stable Organic Semiconductor for a<br>High-Performance Field-Effect Transistor. Journal of the American Chemical Society, 2006, 128,<br>3044-3050.  | 13.7 | 193       |
| 32 | Solution-Processible n-Channel Organic Field-Effect Transistors Based on<br>Dicyanomethylene-Substituted Terthienoquinoid Derivative. Journal of the American Chemical Society,<br>2007, 129, 11684-11685.   | 13.7 | 191       |
| 33 | One-pot Synthesis of Benzo[ <i>b</i> ]thiophenes and Benzo[ <i>b</i> ]selenophenes from<br><i>o</i> -Halo-Substituted Ethynylbenzenes: Convenient Approach to Mono-, Bis-, and<br>Tris-Chalcogenophene-Annulated Benzenes. Organic Letters, 2009, 11, 2473-2475.     | 4.6  | 187       |
| 34 | High-Mobility Semiconducting Naphthodithiophene Copolymers. Journal of the American Chemical<br>Society, 2010, 132, 5000-5001.   | 13.7 | 184       |
| 35 | Naphthodithiophenediimide (NDTI): Synthesis, Structure, and Applications. Journal of the American Chemical Society, 2013, 135, 11445-11448.  | 13.7 | 172       |
| 36 | Dinaphthopentalenes: Pentalene Derivatives for Organic Thinâ€Film Transistors. Angewandte Chemie -<br>International Edition, 2010, 49, 7728-7732.  | 13.8 | 170       |

| #  | Article   | IF              | CITATIONS |
|----|---|-----------------|-----------|
| 37 | Large Photocurrent Generation of Gold Electrodes Modified with [60]Fullerene-Linked<br>Oligothiophenes Bearing a Tripodal Rigid Anchor. Journal of the American Chemical Society, 2002, 124,<br>532-533.                                | 13.7            | 168       |
| 38 | Synthesis, Properties, and Structures of<br>Benzo[1,2- <i>b</i> :4,5- <i>bâ€~</i> ]bis[ <i>b</i> ]benzothiophene and<br>Benzo[1,2- <i>b</i> :4,5- <i>bâ€~</i> ]bis[ <i>b</i> ]benzoselenophene. Organic Letters, 2007, 9,<br>4499-4502. | 4.6             | 168       |
| 39 | Dinaphtho[2,3-b:2′,3′-f]thieno[3,2-b]thiophene (DNTT) thin-film transistors with improved performance<br>and stability. Organic Electronics, 2011, 12, 1370-1375.   | 2.6             | 162       |
| 40 | Drastic Change of Molecular Orientation in a Thiazolothiazole Copolymer by Molecularâ€Weight<br>Control and Blending with PC <sub>61</sub> BM Leads to High Efficiencies in Solar Cells. Advanced<br>Materials, 2012, 24, 425-430.      | 21.0            | 157       |
| 41 | Solutionâ€Crystallized Organic Fieldâ€Effect Transistors with Chargeâ€Acceptor Layers: Highâ€Mobility and<br>Lowâ€Thresholdâ€Voltage Operation in Air. Advanced Materials, 2011, 23, 3309-3314.   | 21.0            | 156       |
| 42 | Backbone orientation in semiconducting polymers. Polymer, 2015, 59, A1-A15.   | 3.8             | 156       |
| 43 | Synthesis, Properties, Crystal Structures, and Semiconductor Characteristics of<br>Naphtho[1,2- <i>b</i> :5,6- <i>b</i> ′]dithiophene and -diselenophene Derivatives. Journal of Organic<br>Chemistry, 2010, 75, 1228-1234.             | 3.2             | 154       |
| 44 | Facile Synthesis, Structure, and Properties of Benzo[1,2-b:4,5-bâ€~]dichalcogenophenes. Journal of<br>Organic Chemistry, 2005, 70, 10569-10571.   | 3.2             | 149       |
| 45 | Naphthodithiophenediimide–Benzobisthiadiazole-Based Polymers: Versatile n-Type Materials for<br>Field-Effect Transistors and Thermoelectric Devices. Macromolecules, 2017, 50, 857-864.   | 4.8             | 145       |
| 46 | On the Biradicaloid Nature of Long Quinoidal Oligothiophenes: Experimental Evidence Guided by<br>Theoretical Studies. Angewandte Chemie - International Edition, 2007, 46, 9057-9061.   | 13.8            | 143       |
| 47 | Dimeric Tetrathiafulvalenes: New electron donors. Advanced Materials, 1996, 8, 203-211.   | 21.0            | 142       |
| 48 | High-performance dinaphtho-thieno-thiophene single crystal field-effect transistors. Applied Physics<br>Letters, 2009, 95, .  | 3.3             | 141       |
| 49 | Triphenyleno[1,12-bcd:4,5-b′c′d′:8,9-b″c″d″]trithiophene: the first bowl-shaped heteroaromatic.<br>Communications, 1999, , 1859-1860.   | Chemical<br>4.1 | 140       |
| 50 | Temperatureâ€Independent Transport in Highâ€Mobility Dinaphthoâ€Thienoâ€Thiophene (DNTT) Single Crystal<br>Transistors. Advanced Materials, 2013, 25, 3478-3484.  | 21.0            | 133       |
| 51 | Pyrrolo-Annelated Tetrathiafulvalenes:Â The Parent Systems. Journal of Organic Chemistry, 2000, 65, 5794-5805.  | 3.2             | 129       |
| 52 | A 4 V Operation, Flexible Braille Display Using Organic Transistors, Carbon Nanotube Actuators, and<br>Organic Static Randomâ€Access Memory. Advanced Functional Materials, 2011, 21, 4019-4027.  | 14.9            | 128       |
| 53 | Naphthodithiophene-Based Donor–Acceptor Polymers: Versatile Semiconductors for OFETs and OPVs.<br>ACS Macro Letters, 2012, 1, 437-440.  | 4.8             | 128       |
| 54 | Development of New Semiconducting Materials for Durable High-performance Air-stable Organic<br>Field-effect Transistors. Chemistry Letters, 2007, 36, 578-583.  | 1.3             | 127       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | ((Alkyloxy)carbonyl)cyanomethylene-Substituted Thienoquinoidal Compounds: a New Class of Soluble<br>n-Channel Organic Semiconductors for Air-Stable Organic Field-Effect Transistors. Journal of the<br>American Chemical Society, 2010, 132, 10453-10466.  | 13.7 | 127       |
| 56 | Chasing the "Killer―Phonon Mode for the Rational Design of Lowâ€Disorder, Highâ€Mobility Molecular<br>Semiconductors. Advanced Materials, 2019, 31, e1902407.   | 21.0 | 126       |
| 57 | Contact Doping and Ultrathin Gate Dielectrics for Nanoscale Organic Thinâ€Film Transistors. Small, 2011, 7, 1186-1191.  | 10.0 | 122       |
| 58 | Isomerically Pure Anthra[2,3- <i>b</i> :6,7- <i>b</i> ′]-difuran ( <i>anti</i> -ADF), -dithiophene<br>( <i>anti</i> -ADT), and -diselenophene ( <i>anti</i> -ADS): Selective Synthesis, Electronic Structures, and<br>Application to Organic Field-Effect Transistors. Journal of Organic Chemistry, 2012, 77, 8099-8111. | 3.2  | 111       |
| 59 | Very Small Bandgap π-Conjugated Polymers with Extended Thienoquinoids. Journal of the American<br>Chemical Society, 2016, 138, 7725-7732.   | 13.7 | 111       |
| 60 | Naphthodithiophenediimide–Bithiopheneimide Copolymers for Highâ€Performance nâ€Type Organic<br>Thermoelectrics: Significant Impact of Backbone Orientation on Conductivity and Thermoelectric<br>Performance. Advanced Materials, 2020, 32, e2002060.   | 21.0 | 111       |
| 61 | All-Polymer Solar Cell with High Near-Infrared Response Based on a Naphthodithiophene Diimide<br>(NDTI) Copolymer. ACS Macro Letters, 2014, 3, 872-875.   | 4.8  | 110       |
| 62 | High Yield Ultrafast Intramolecular Singlet Exciton Fission in a Quinoidal Bithiophene. Journal of<br>Physical Chemistry Letters, 2015, 6, 1375-1384.   | 4.6  | 106       |
| 63 | Flexible Lowâ€Voltage Organic Complementary Circuits: Finding the Optimum Combination of Semiconductors and Monolayer Gate Dielectrics. Advanced Materials, 2015, 27, 207-214.  | 21.0 | 106       |
| 64 | Flexible Lowâ€Voltage Organic Transistors with High Thermal Stability at 250 °C. Advanced Materials, 2013, 25, 3639-3644.   | 21.0 | 101       |
| 65 | Flexible low-voltage organic thin-film transistors and circuits based on C <sub>10</sub> -DNTT.<br>Journal of Materials Chemistry, 2012, 22, 4273-4277.   | 6.7  | 99        |
| 66 | Porphyrinâ^'Oligothiopheneâ^'Fullerene Triads as an Efficient Intramolecular Electron-Transfer System.<br>Organic Letters, 2002, 4, 309-311.  | 4.6  | 97        |
| 67 | Sheet-Type Flexible Organic Active Matrix Amplifier System Using Pseudo-CMOS Circuits With Floating-Gate Structure. IEEE Transactions on Electron Devices, 2012, 59, 3434-3441.   | 3.0  | 97        |
| 68 | Synthesis and Properties of a Series of the Longest Oligothiophenes up to the 48-mer. Bulletin of the Chemical Society of Japan, 2001, 74, 979-988.   | 3.2  | 94        |
| 69 | General Synthesis of Dinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophene (DNTT)<br>Derivatives. Organic Letters, 2011, 13, 3430-3433.   | 4.6  | 94        |
| 70 | High-mobility organic thin-film transistors based on a small-molecule semiconductor deposited in vacuum and by solution shearing. Organic Electronics, 2013, 14, 3213-3221.   | 2.6  | 94        |
| 71 | Naphthobischalcogenadiazole Conjugated Polymers: Emerging Materials for Organic Electronics.<br>Advanced Materials, 2017, 29, 1605218.  | 21.0 | 91        |
| 72 | Design strategy for air-stable organic semiconductors applicable to high-performance field-effect transistors. Science and Technology of Advanced Materials, 2007, 8, 273-276.  | 6.1  | 89        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Solution-Processible Organic Semiconductors Based on Selenophene-Containing Heteroarenes,<br>2,7-Dialkyl[1]benzoselenopheno[3,2- <i>b</i> ][1]benzoselenophenes (C <sub><i>n</i></sub> -BSBSs):<br>Syntheses, Properties, Molecular Arrangements, and Field-Effect Transistor Characteristics.<br>Chemistry of Materials, 2009, 21, 903-912. | 6.7  | 89        |
| 74 | Synthesis, Optical, and Conductive Properties of Long Oligothiophenes and Their Utilization as<br>Molecular Wires. Bulletin of the Chemical Society of Japan, 2001, 74, 1789-1801.   | 3.2  | 87        |
| 75 | Solution-processed, Self-organized Organic Single Crystal Arrays with Controlled Crystal<br>Orientation. Scientific Reports, 2012, 2, 393.   | 3.3  | 87        |
| 76 | Organic Field-Effect Transistor Using Oligoselenophene as an Active Layer. Chemistry of Materials, 2003, 15, 6-7.  | 6.7  | 86        |
| 77 | Photoinduced Electron Transfer in Porphyrin-Oligothiophene-Fullerene Linked Triads by Excitation of a Porphyrin Moiety. Journal of Physical Chemistry B, 2004, 108, 10700-10710.   | 2.6  | 86        |
| 78 | Syntheses, Structures, Spectroscopic Properties, and π-Dimeric Interactions of<br>[n.n]Quinquethiophenophanes. Journal of the American Chemical Society, 2005, 127, 8082-8089.   | 13.7 | 86        |
| 79 | Comparison among Perylene Diimide (PDI), Naphthalene Diimide (NDI), and Naphthodithiophene Diimide<br>(NDTI) Based n-Type Polymers for All-Polymer Solar Cells Application. Macromolecules, 2017, 50,<br>3179-3185.  | 4.8  | 85        |
| 80 | Naphthodithiophenes as building units for small molecules to polymers; a case study for in-depth<br>understanding of structure–property relationships in organic semiconductors. Journal of Materials<br>Chemistry C, 2013, 1, 1297-1304.  | 5.5  | 84        |
| 81 | Transient nature of graphene quantum dot formation via a hydrothermal reaction. RSC Advances, 2014, 4, 55709-55715.  | 3.6  | 84        |
| 82 | Detailed analysis and contact properties of low-voltage organic thin-film transistors based on<br>dinaphtho[2,3-b:2′,3′-f]thieno[3,2-b]thiophene (DNTT) and its didecyl and diphenyl derivatives. Organic<br>Electronics, 2016, 35, 33-40.   | 2.6  | 83        |
| 83 | Dithienylthienothiophenebisimide, a Versatile Electronâ€Deficient Unit for Semiconducting Polymers.<br>Advanced Materials, 2016, 28, 6921-6925.  | 21.0 | 83        |
| 84 | Naphthodithiophene Diimide (NDTI)-Based Semiconducting Copolymers: From Ambipolar to Unipolar<br>n-Type Polymers. Macromolecules, 2015, 48, 576-584.   | 4.8  | 81        |
| 85 | Naphtho[2,3- <i>b</i> :6,7- <i>b</i> â€2]dichalcogenophenes: Syntheses, Characterizations, and Chalcogene<br>Atom Effects on Organic Field-Effect Transistor and Organic Photovoltaic Devices. Chemistry of<br>Materials, 2012, 24, 190-198.   | 6.7  | 80        |
| 86 | Diphenyl Derivatives of Dinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophene: Organic<br>Semiconductors for Thermally Stable Thin-Film Transistors. ACS Applied Materials & Interfaces,<br>2013, 5, 2331-2336.  | 8.0  | 80        |
| 87 | Effect of Chalcogen Atom on the Properties of Naphthobischalcogenadiazole-Based π-Conjugated<br>Polymers. Chemistry of Materials, 2015, 27, 6558-6570.   | 6.7  | 78        |
| 88 | Recent Synthetic Advances of Tetrathiafulvalene-Based Organic Conductors. Bulletin of the Chemical<br>Society of Japan, 2004, 77, 43-58.   | 3.2  | 75        |
| 89 | Benzobisthiazoleâ€Based Semiconducting Copolymers Showing Excellent Environmental Stability in<br>Highâ€Humidity Air. Advanced Materials, 2010, 22, 4993-4997.   | 21.0 | 74        |
| 90 | Quinoidal Oligothiophenes: Towards Biradical Ground‣tate Species. Chemistry - A European Journal,<br>2010, 16, 470-484.  | 3.3  | 74        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Megahertz operation of flexible low-voltage organic thin-film transistors. Organic Electronics, 2013, 14, 1516-1520.   | 2.6  | 73        |
| 92  | Naphthodithiophene Diimide-Based Copolymers: Ambipolar Semiconductors in Field-Effect Transistors<br>and Electron Acceptors with Near-Infrared Response in Polymer Blend Solar Cells. Macromolecules,<br>2016, 49, 1752-1760.                          | 4.8  | 73        |
| 93  | Pyrrolo Annelated Tetrathiafulvalenes:Â The Parent Systems. Organic Letters, 1999, 1, 1291-1294.   | 4.6  | 70        |
| 94  | Quasi One-Dimensional Organic Superconductor MDT-TSFâ‹Aul2 withTc=4.5 K at Ambient Pressure.<br>Angewandte Chemie - International Edition, 2001, 40, 1122-1125.  | 13.8 | 70        |
| 95  | Tuning the effective spin-orbit coupling in molecular semiconductors. Nature Communications, 2017,<br>8, 15200.  | 12.8 | 70        |
| 96  | 2,6-Diarylnaphtho[1,8-bc:5,4-bâ€~câ€~]dithiophenes as New High-Performance Semiconductors for Organic<br>Field-Effect Transistors. Journal of the American Chemical Society, 2005, 127, 3605-3612.   | 13.7 | 69        |
| 97  | [2,2′]Bi[naphtho[2,3-b]furanyl]: a versatile organic semiconductor with a furan–furan junction.<br>Chemical Communications, 2012, 48, 5892.  | 4.1  | 69        |
| 98  | Thienannulation: Efficient Synthesis of Ï€â€Extended Thienoacenes Applicable to Organic<br>Semiconductors. European Journal of Organic Chemistry, 2013, 2013, 217-227.   | 2.4  | 69        |
| 99  | Highly Oriented Polymer Semiconductor Films Compressed at the Surface of Ionic Liquids for<br>Highâ€Performance Polymeric Organic Fieldâ€Effect Transistors. Advanced Materials, 2014, 26, 6430-6435.  | 21.0 | 69        |
| 100 | Vapour deposited films of quinoidal biselenophene and bithiophene derivatives as active layers of n-channel organic field-effect transistors. Journal of Materials Chemistry, 2004, 14, 1367.  | 6.7  | 68        |
| 101 | Synthesis and Photophysical Properties of Ferroceneâ^'Oligothiopheneâ^'Fullerene Triads. Journal of<br>Organic Chemistry, 2004, 69, 7183-7189.   | 3.2  | 68        |
| 102 | Quinacridone-Based Semiconducting Polymers: Implication of Electronic Structure and Orientational<br>Order for Charge Transport Property. Chemistry of Materials, 2012, 24, 1235-1243.   | 6.7  | 68        |
| 103 | Control of Major Carriers in an Ambipolar Polymer Semiconductor by Selfâ€Assembled Monolayers.<br>Advanced Materials, 2017, 29, 1602893.   | 21.0 | 66        |
| 104 | Design and elaboration of organic molecules for high field-effect-mobility semiconductors. Synthetic<br>Metals, 2016, 217, 68-78.  | 3.9  | 65        |
| 105 | Thiophene-Fused Naphthalene Diimides: New Building Blocks for Electron Deficient π-Functional<br>Materials. Bulletin of the Chemical Society of Japan, 2018, 91, 121-140.  | 3.2  | 65        |
| 106 | Benzothienobenzothiophene-Based Molecular Conductors: High Conductivity, Large Thermoelectric<br>Power Factor, and One-Dimensional Instability. Journal of the American Chemical Society, 2016, 138,<br>3920-3925.                                     | 13.7 | 64        |
| 107 | Novel dibenzo[a,e]pentalene-based conjugated polymers. Journal of Materials Chemistry C, 2014, 2, 64-70.   | 5.5  | 63        |
| 108 | Three Structural Isomers of Dinaphthothieno[3,2- <i>b</i> ]thiophenes: Elucidation of Physicochemical<br>Properties, Crystal Structures, and Field-Effect Transistor Characteristics. Bulletin of the Chemical<br>Society of Japan, 2010, 83, 120-130. | 3.2  | 61        |

| #   | Article   | IF            | CITATIONS |
|-----|---|---------------|-----------|
| 109 | Organic Pseudo-CMOS Circuits for Low-Voltage Large-Gain High-Speed Operation. IEEE Electron Device Letters, 2011, 32, 1448-1450.  | 3.9           | 61        |
| 110 | α-Modified Naphthodithiophene Diimides—Molecular Design Strategy for Air-Stable n-Channel Organic<br>Semiconductors. Chemistry of Materials, 2015, 27, 6418-6425.   | 6.7           | 60        |
| 111 | Air-stable solution-processed ambipolar organic field-effect transistors based on a<br>dicyanomethylene-substituted terheteroquinoid derivative. Chemical Communications, 2009, , 3919.   | 4.1           | 59        |
| 112 | Reverseâ€Offset Printed Ultrathin Ag Mesh for Robust Conformal Transparent Electrodes for<br>Highâ€Performance Organic Photovoltaics. Advanced Materials, 2018, 30, e1707526.   | 21.0          | 59        |
| 113 | Thermally, Operationally, and Environmentally Stable Organic Thin-Film Transistors Based on<br>Bis[1]benzothieno[2,3- <i>d</i> :2′,3′- <i>d</i> ′]naphtho[2,3- <i>b</i> :6,7- <i>b</i> à€²]dithiophene Deriva<br>Effective Synthesis, Electronic Structures, and Structureâ€"Property Relationship. Chemistry of<br>Materials. 2015, 27, 5049-5057. | tives:<br>6.7 | 58        |
| 114 | An ambipolar organic field-effect transistor using oligothiophene incorporated with two<br>[60]fullerenes. Journal of Materials Chemistry, 2004, 14, 2840.  | 6.7           | 55        |
| 115 | Highâ€Speed Flexible Organic Fieldâ€Effect Transistors with a 3D Structure. Advanced Materials, 2011, 23, 3047-3051.  | 21.0          | 55        |
| 116 | Direct formation of organic semiconducting single crystals by solvent vapor annealing on a polymer base film. Journal of Materials Chemistry, 2012, 22, 8462.   | 6.7           | 55        |
| 117 | Polyether-Bridged Sexithiophene as a Complexation-Gated Molecular Wire for Intramolecular<br>Photoinduced Electron Transfer. Journal of the American Chemical Society, 2005, 127, 15372-15373.  | 13.7          | 54        |
| 118 | One-step synthesis of [1]benzothieno[3,2-b][1]benzothiophene from o-chlorobenzaldehyde.<br>Tetrahedron Letters, 2011, 52, 285-288.  | 1.4           | 54        |
| 119 | A Convenient Preparation of 1,3-Dithiole-2-thione and 1,3-Diselenole-2-selone Derivatives. Synlett, 1997, 1997, 319-321.  | 1.8           | 53        |
| 120 | Free-electron-like Hall effect in high-mobility organic thin-film transistors. Physical Review B, 2010, 81,   | 3.2           | 53        |
| 121 | Highly Efficient and Stable Solar Cells Based on Thiazolothiazole and Naphthobisthiadiazole<br>Copolymers. Scientific Reports, 2015, 5, 14202.  | 3.3           | 53        |
| 122 | Synthesis and Spectroscopic Properties of [2.2]Quinquethiophenophane as an Ideal π-Dimer Model.<br>Organic Letters, 2000, 2, 4197-4199.   | 4.6           | 52        |
| 123 | Synthesis and Photophysical Properties of Two Dual Oligothiophene-Fullerene Linkage Molecules as<br>Photoinduced Long-Distance Charge Separation Systems. Journal of Organic Chemistry, 2006, 71,<br>1761-1768.   | 3.2           | 52        |
| 124 | Synthesis and Characterization of Benzo[1,2- <i>b</i> :3,4- <i>b′</i> :5,6- <i>b′′</i> ]trithiophene (BTT)<br>Oligomers. Journal of Organic Chemistry, 2011, 76, 4061-4070.   | 3.2           | 52        |
| 125 | Spectral properties of the longest oligothiophenes in the oxidation states. Synthetic Metals, 2001, 119, 413-414.   | 3.9           | 51        |
| 126 | Solution-Processed Dioctylbenzothienobenzothiophene-Based Top-Gate Organic Transistors with High<br>Mobility, Low Threshold Voltage, and High Electrical Stability. Applied Physics Express, 2010, 3, 121601.   | 2.4           | 50        |

| #   | Article  | IF             | CITATIONS |
|-----|--|----------------|-----------|
| 127 | Largely ï€-Extended Thienoacenes with Internal Thieno[3,2- <i>b</i> ]thiophene Substructures: Synthesis,<br>Characterization, and Organic Field-Effect Transistor Applications. Organic Letters, 2012, 14, 4914-4917.  | 4.6            | 50        |
| 128 | Correlation between interdomain carrier hopping and apparent mobility in polycrystalline organic transistors as investigated by electron spin resonance. Physical Review B, 2012, 85, .  | 3.2            | 50        |
| 129 | Electrical characteristics of single-component ambipolar organic field-effect transistors and effects of air exposure on them. Journal of Applied Physics, 2008, 103, .  | 2.5            | 49        |
| 130 | Angularâ€Shaped 4,9â€Dialkyl α―and βâ€Naphthodithiopheneâ€Based Donor–Acceptor Copolymers: Investi<br>of Isomeric Structural Effects on Molecular Properties and Performance of Fieldâ€Effect Transistors<br>and Photovoltaics. Advanced Functional Materials, 2015, 25, 6131-6143.                  | gation<br>14.9 | 49        |
| 131 | Quinoidal Oligothiophenes with (Acyl)cyanomethylene Termini: Synthesis, Characterization,<br>Properties, and Solution Processed n-Channel Organic Field-Effect Transistors. Chemistry of<br>Materials, 2011, 23, 795-804.  | 6.7            | 48        |
| 132 | Reversible Dimerization and Polymerization of a Janus Diradical To Produce Labile Câ^'C Bonds and Large Chromic Effects. Angewandte Chemie - International Edition, 2016, 55, 14563-14568.   | 13.8           | 47        |
| 133 | Novel Selenocycle-Fused TTF-Type of Electron Donors Forming Conducting Molecular Complexes:Â<br>Bis(ethyleneseleno)tetrathiafulvalene (BES-TTF), Diselenolotetrathiafulvalene (DS-TTF), and<br>Bis(ethyleneseleno)tetraselenafulvalene (BES-TSF). Journal of Organic Chemistry, 1998, 63, 8865-8872. | 3.2            | 46        |
| 134 | Control of Photoinduced Energy- and Electron-Transfer Steps in Zinc<br>Porphyrinâ''Oligothiopheneâ´Fullerene Linked Triads with Solvent Polarity. Journal of Physical<br>Chemistry B, 2005, 109, 14365-14374.  | 2.6            | 46        |
| 135 | FET Characteristics of Dinaphthothienothiophene (DNTT) on Si/SiO2 Substrates with Various<br>Surface-Modifications. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai<br>Shi], 2007, 20, 57-59.  | 0.3            | 46        |
| 136 | Unique three-dimensional (3D) molecular array in dimethyl-DNTT crystals: a new approach to 3D<br>organic semiconductors. Chemical Science, 2010, 1, 179.   | 7.4            | 46        |
| 137 | Preparation and Photoelectrochemical Properties of Gold Electrodes Modified with<br>[60]Fullerene-Linked Oligothiophenes. Chemistry Letters, 2000, 29, 570-571.  | 1.3            | 45        |
| 138 | Organic superconductor with an incommensurate anion structure: (MDTâ^'TSF)(AuI2)0.44. Physical<br>Review B, 2002, 65, .  | 3.2            | 45        |
| 139 | Alkylated 2,6-Bis(dicyanomethylene)-2,6-dihydrobenzo[1,2- <i>b</i> :4,5- <i>b</i> â€2]dithiophenes: New<br>Soluble n-Channel Organic Semiconductors for Air-stable OFETs. Chemistry Letters, 2009, 38, 568-569.  | 1.3            | 45        |
| 140 | Singleâ€Crystalâ€Like Organic Thinâ€Film Transistors Fabricated from<br>Dinaphtho[2,3â€ <i>b</i> :2′,3′â€ <i>f</i> ]thieno[3,2â€ <i>b</i> ]thiophene (DNTT) Precursor–Polystyrene<br>Advanced Materials, 2015, 27, 6606-6611.  | Belanols.      | 45        |
| 141 | TTF–porphyrin dyads as novel photoinduced electron transfer systems. Tetrahedron Letters, 2003, 44,<br>161-165.  | 1.4            | 44        |
| 142 | High Operation Stability of Ultraflexible Organic Solar Cells with Ultravioletâ€Filtering Substrates.<br>Advanced Materials, 2019, 31, e1808033.   | 21.0           | 44        |
| 143 | Synthetic Procedure for Various Selenium-Containing Electron Donors of the<br>Bis(Ethylenedithio)tetrathiafulvalene (BEDT-TTF) Type. Journal of Organic Chemistry, 2002, 67,<br>4218-4227.   | 3.2            | 43        |
| 144 | Quinoidal Naphtho[1,2- <i>b</i> :5,6- <i>b</i> ′]dithiophenes for Solution-Processed n-Channel Organic<br>Field-Effect Transistors. Organic Letters, 2014, 16, 1334-1337.  | 4.6            | 43        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Flat-Lying Semiconductor–Insulator Interfacial Layer in DNTT Thin Films. ACS Applied Materials &<br>Interfaces, 2015, 7, 1833-1840.   | 8.0  | 43        |
| 146 | Soluble Organic Semiconductor Precursor with Specific Phase Separation for Highâ€Performance<br>Printed Organic Transistors. Advanced Materials, 2015, 27, 727-732.   | 21.0 | 43        |
| 147 | Soluble Dinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophene Derivatives for<br>Solution-Processed Organic Field-Effect Transistors. ACS Applied Materials & Interfaces, 2016, 8,<br>3810-3824.                  | 8.0  | 43        |
| 148 | Syntheses, Unique Strained Molecular Structures, and Unusual Transannular Electronic Interactions<br>of a Series of Crisscross-Overlapped Tetrathiafulvalenophanes. Journal of Organic Chemistry, 1997, 62,<br>5567-5574.             | 3.2  | 42        |
| 149 | Orthogonally Functionalized Naphthodithiophenes: Selective Protection and Borylation. Organic Letters, 2012, 14, 4718-4721.   | 4.6  | 42        |
| 150 | Synthesis and Photovoltaic Effects of Oligothiophenes Incorporated with Two [60]Fullerenes.<br>Chemistry Letters, 2004, 33, 654-655.  | 1.3  | 41        |
| 151 | Development and Photovoltaic Performance of Oligothiophene-sensitized TiO2Solar Cells. Chemistry<br>Letters, 2006, 35, 592-593.   | 1.3  | 41        |
| 152 | Application of flash vacuum pyrolysis to the synthesis of sulfur-containing heteroaromatic systems.<br>Tetrahedron Letters, 1999, 40, 2789-2792.  | 1.4  | 40        |
| 153 | Oligothiophene/fullerene Dyads as Active Photovoltaic Materials. Chemistry Letters, 2003, 32, 404-405.  | 1.3  | 40        |
| 154 | Molecular Modification of 2,6-Diphenylbenzo[1,2-b:4,5-bâ€2]dichalcogenophenes by Introduction of<br>Strong Electron-withdrawing Groups: Conversion from p- to n-Channel OFET Materials. Chemistry<br>Letters, 2006, 35, 1200-1201.    | 1.3  | 39        |
| 155 | Development of <i>N</i> -Alkyl-Substituted Bis(pyrrolo[3,4- <i>d</i> ])tetrathiafulvalenes as Organic<br>Semiconductors for Solution-Processible Field-Effect Transistors. Chemistry of Materials, 2007, 19,<br>5230-5237.            | 6.7  | 39        |
| 156 | Forming semiconductor/dielectric double layers by one-step spin-coating for enhancing the performance of organic field-effect transistors. Organic Electronics, 2012, 13, 1146-1151.  | 2.6  | 39        |
| 157 | "Manipulation―of Crystal Structure by Methylthiolation Enabling Ultrahigh Mobility in a<br>Pyreneâ€Based Molecular Semiconductor. Advanced Materials, 2021, 33, e2102914.   | 21.0 | 39        |
| 158 | Highly Conductive 1 : 1 Radical Cation Salts of Anthra[1,9-cd: 4,10-c′d′]bis[1,2]dichalcogenoles. Bulletin<br>of the Chemical Society of Japan, 1994, 67, 766-772.  | 3.2  | 38        |
| 159 | 2,6-Dialkylbenzo[1,2- <i>b</i> :4,5- <i>b</i> ′]dithiophenes (C <i>n</i> BDTs) as Soluble Organic<br>Semiconductors for Solution-processed Organic Field-effect Transistors. Chemistry Letters, 2008, 37,<br>284-285.                 | 1.3  | 38        |
| 160 | Sodium Sulfide-Promoted Thiophene-Annulations: Powerful Tools for Elaborating Organic<br>Semiconducting Materials. Chemistry of Materials, 2017, 29, 256-264.   | 6.7  | 38        |
| 161 | Synthesis and photophysical properties of [60]fullerene-oligo(thienylene–ethynylene) dyads.<br>Tetrahedron Letters, 2001, 42, 6877-6881.  | 1.4  | 37        |
| 162 | Raman Spectroscopy Shows Interchain through Space Charge Delocalization in a Mixed Valence<br>Oligothiophene Cation and in Its i€-Dimeric Biradicaloid Dication. Journal of the American Chemical<br>Society, 2008, 130, 14028-14029. | 13.7 | 36        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | Contrasting Effect of Alkylation on the Ordering Structure in Isomeric Naphthodithiophene-Based<br>Polymers. Macromolecules, 2014, 47, 3502-3510.   | 4.8  | 36        |
| 164 | Naphthodithiophenediimide (NDTI)-based triads for high-performance air-stable, solution-processed ambipolar organic field-effect transistors. Journal of Materials Chemistry C, 2015, 3, 4244-4249.   | 5.5  | 36        |
| 165 | Selenium-Substituted β-Methylthiobenzo[1,2- <i>b</i> :4,5- <i>b</i> ′]dithiophenes: Synthesis, Packing Structure, and Transport Properties. Chemistry of Materials, 2019, 31, 6696-6705.  | 6.7  | 36        |
| 166 | "Disrupt and induce―intermolecular interactions to rationally design organic semiconductor<br>crystals: from herringbone to rubrene-like pitched π-stacking. Chemical Science, 2020, 11, 1573-1580.   | 7.4  | 36        |
| 167 | High-performance organic transistors with high- <i>k</i> dielectrics: A comparative study on solution-processed single crystals and vacuum-deposited polycrystalline films of 2,9-didecyl-dinaphtho[2,3-b:2′,3′-f]thieno[3,2-b]thiophene. Applied Physics Letters, 2012, 101, . | 3.3  | 35        |
| 168 | Two Isomeric Triple-Layered Tetrathiafulvalenophanes: Syntheses, Structures, and Electrochemical<br>Properties. Tetrahedron Letters, 1997, 38, 3017-3020.   | 1.4  | 34        |
| 169 | Air-Stable and High-Mobility Organic Semiconductors Based on Heteroarenes for Field-Effect<br>Transistors. Heterocycles, 2011, 83, 1187.  | 0.7  | 34        |
| 170 | Flexible Threeâ€Dimensional Organic Fieldâ€Effect Transistors Fabricated by an Imprinting Technique.<br>Advanced Materials, 2012, 24, 5212-5216.  | 21.0 | 34        |
| 171 | Bias-stress stability of low-voltage p-channel and n-channel organic thin-film transistors on flexible plastic substrates. Organic Electronics, 2014, 15, 3173-3182.  | 2.6  | 34        |
| 172 | Naphtho[2,3-b]thiophene diimide (NTI): a mono-functionalisable core-extended naphthalene diimide for<br>electron-deficient architectures. Journal of Materials Chemistry C, 2016, 4, 8879-8883.   | 5.5  | 34        |
| 173 | Durable Ultraflexible Organic Photovoltaics with Novel Metalâ€Oxideâ€Free Cathode. Advanced<br>Functional Materials, 2019, 29, 1808378.   | 14.9 | 34        |
| 174 | Splitâ€Gate Organic Fieldâ€Effect Transistors for Highâ€Speed Operation. Advanced Materials, 2014, 26,<br>2983-2988.  | 21.0 | 33        |
| 175 | Extended and Modulated Thienothiophenes for Thermally Durable and Solution-Processable Organic Semiconductors. Chemistry of Materials, 2018, 30, 5050-5060.   | 6.7  | 33        |
| 176 | A General Method for the Synthesis of Alkylenedithio- and Bis(alkylenedithio)tetraselenafulvalenes.<br>Journal of Organic Chemistry, 2003, 68, 5217-5224.   | 3.2  | 32        |
| 177 | Organic Superconductors Based on a New Electron Donor, Methylenedithio-diselenadithiafulvalene<br>(MDT-ST). Chemistry of Materials, 2003, 15, 1225-1227.  | 6.7  | 32        |
| 178 | Giant Nonlinear Conductivity and Spontaneous Current Oscillation in an Incommensurate Organic<br>Superconductor. Physical Review Letters, 2008, 100, 037001.  | 7.8  | 32        |
| 179 | Low-voltage organic transistor with subfemtoliter inkjet source-drain contacts. MRS<br>Communications, 2011, 1, 3-6.  | 1.8  | 32        |
| 180 | Thienothiopheneâ€2,5â€Dioneâ€Based Donor–Acceptor Polymers: Improved Synthesis and Influence of the<br>Donor Units on Ambipolar Charge Transport Properties. Advanced Electronic Materials, 2015, 1,<br>1500039.  | 5.1  | 32        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Dibenzo[a,e]pentalene-embedded dicyanomethylene-substituted thienoquinoidals for n-channel organic semiconductors: synthesis, properties, and device characteristics. Journal of Materials Chemistry C, 2015, 3, 283-290.  | 5.5  | 32        |
| 182 | Electrochemical and spectroscopic properties of oligoselenophenes. Synthetic Metals, 1997, 84, 341-342.  | 3.9  | 31        |
| 183 | Syntheses of 2-(Pentafluorophenyl)thiophene Derivatives via the Palladium-Catalyzed Suzuki Reaction.<br>Synthesis, 2005, 2005, 1589-1592.  | 2.3  | 31        |
| 184 | Crisscross-overlapped tetrathiafulvalenophanes. Tetrahedron Letters, 1995, 36, 5045-5048.  | 1.4  | 31        |
| 185 | Synthesis and Characterization of the First Double-Bridged Tetraselenafulvalenophanes. Angewandte<br>Chemie - International Edition, 1998, 37, 619-622.  | 13.8 | 30        |
| 186 | α,ï‰-Bis(quinquethienyl)alkanes as a ï€-Dimer Model of Polythiophene. Organic Letters, 2004, 6, 997-1000.  | 4.6  | 29        |
| 187 | Effects of Extension or Prevention of π-Conjugation on Photoinduced Electron Transfer Processes of<br>Ferroceneâ^'Oligothiopheneâ^'Fullerene Triads. Journal of Physical Chemistry A, 2006, 110, 3471-3479.  | 2.5  | 29        |
| 188 | 5-Hexylthiophene-fused porphyrazines: new soluble phthalocyanines for solution-processed organic electronic devices. Journal of Materials Chemistry, 2009, 19, 5913.   | 6.7  | 29        |
| 189 | The effect of alkyl chain branching positions on the electron mobility and photovoltaic performance of naphthodithiophene diimide (NDTI)-based polymers. Science China Chemistry, 2019, 62, 1649-1655.   | 8.2  | 28        |
| 190 | New Organic Superconductors with an Incommensurate Anion Lattice Consisting of Polyhalide<br>Chains (MDT-TSF)Xy(MDT-TSF = Methylenedithiotetraselenafulvalene;X= Halogen;y= 1.27â^1.29).<br>Chemistry of Materials, 2003, 15, 3250-3255.   | 6.7  | 27        |
| 191 | Pressure-Induced Superconductivity in (MDT-TS)(AuI2)0.441[MDT-ÂTS =<br>5H-2-(1,3-diselenol-2-ylidene)-1,3,4,6-tetrathiapentalene]:Â A New Organic Superconductor Possessing an<br>Incommensurate Anion Lattice. Chemistry of Materials, 2004, 16, 5120-5123.                     | 6.7  | 27        |
| 192 | Synthesis, Characterization, and Spectroscopic Analysis of Antiaromatic Benzofused<br>Metalloporphyrins. Chemistry - A European Journal, 2012, 18, 3566-3581.  | 3.3  | 27        |
| 193 | Small band gap polymers incorporating a strong acceptor, thieno[3,2-b]thiophene-2,5-dione, with p-channel and ambipolar charge transport characteristics. Journal of Materials Chemistry C, 2014, 2, 2307-2312.  | 5.5  | 27        |
| 194 | Methylthionated benzo[1,2-b:4,5-bâ€2]dithiophenes: a model study to control packing structures and molecular orientation in thienoacene-based organic semiconductors. Chemical Communications, 2017, 53, 9594-9597.  | 4.1  | 27        |
| 195 | Incommensurate anion potential effect on the electronic states of the organic superconductor (MDT-TSF)(AuI2)0.436. Physical Review B, 2003, 67, .  | 3.2  | 26        |
| 196 | Bis(naphthothiophene diimide)indacenodithiophenes as Acceptors for Organic Photovoltaics.<br>Chemistry of Materials, 2017, 29, 9618-9622.  | 6.7  | 26        |
| 197 | Synthesis, Structures, and Properties of Two Isomeric Naphthodithiophenes and Their Methyl, Methylthio, and 2-Thienyl Derivatives; Application to Conductive Charge-Transfer Complexes and Low-Bandgap Polymers. Bulletin of the Chemical Society of Japan, 2002, 75, 1795-1805. | 3.2  | 25        |
| 198 | Hybrid Organic Semiconductors Including Chalcogen Atoms in π-Conjugated Skeletons. Tuning of<br>Optical, Redox, and Vibrational Properties by Heavy Atom Conjugation. Journal of Physical Chemistry<br>A, 2006, 110, 7422-7430.  | 2.5  | 25        |

| #   | Article   | IF     | CITATIONS |
|-----|---|--------|-----------|
| 199 | Fluorescence Up-Conversion Study of Excitation Energy Transport Dynamics in<br>Oligothiopheneâ^`Fullerene Linked Dyads. Journal of Physical Chemistry A, 2008, 112, 1125-1132.  | 2.5    | 25        |
| 200 | Facile synthesis of [1]benzothieno[3,2-b]benzothiophene from o-dihalostilbenes. Tetrahedron Letters, 2010, 51, 5277-5280.   | 1.4    | 25        |
| 201 | Observation of field-induced charge carriers in high-mobility organic transistors of a thienothiophene-based small molecule: Electron spin resonance measurements. Physical Review B, 2011, 84, .                           | 3.2    | 25        |
| 202 | Novel Conductive Radical Cation Salts Based on Methylenediselenotetraselenafulvalene (MDSe-TSF): A<br>Sign of Superconductivity in κ-(MDSe-TSF)2Br Below 4 K. Journal of Solid State Chemistry, 2002, 168,<br>582-589.      | 2.9    | 24        |
| 203 | Towards Colorless Transparent Organic Transistors: Potential of<br>Benzothieno[3,2â€ <i>b</i> ]benzothiopheneâ€Based Wideâ€Gap Semiconductors. Advanced Materials, 2014, 26<br>3105-3110.                                   | , 21.0 | 24        |
| 204 | Dithiophene-Fused Tetracyanonaphthoquinodimethanes (DT-TNAPs): Synthesis and Characterization of<br>Ĩ€-Extended Quinoidal Compounds for n-Channel Organic Semiconductor. Organic Letters, 2014, 16,<br>240-243.             | 4.6    | 24        |
| 205 | Cumulative gain in organic solar cells by using multiple optical nanopatterns. Journal of Materials<br>Chemistry A, 2017, 5, 10347-10354.   | 10.3   | 24        |
| 206 | Double-Layered Tetrathiafulvalene as a Novel Electron Donor. Chemistry Letters, 1995, 24, 523-524.  | 1.3    | 23        |
| 207 | Crisscross-Overlapped Tetrathiafulvalenophanes. Tetrahedron Letters, 1995, 36, 5045-5048.   | 1.4    | 23        |
| 208 | Synthesis and Spectral Properties of a Highly Soluble Pushâ^'Pull Type of Quinoidal Thiophenes.<br>Organic Letters, 2005, 7, 4313-4316.   | 4.6    | 23        |
| 209 | Anion effects on the cyclobis(paraquat-p-phenylene) host. Chemical Communications, 2012, 48, 5157.  | 4.1    | 23        |
| 210 | Angular-shaped naphthodifurans, naphtho[1,2-b;5,6-bâ€2]- and naphtho[2,1-b;6,5-bâ€2]-difuran: are they isoelectronic with chrysene?. Chemical Communications, 2012, 48, 5671.   | 4.1    | 23        |
| 211 | Effects of branching position of alkyl side chains on ordering structure and charge transport<br>property in thienothiophenedione- and quinacridone-based semiconducting polymers. Polymer<br>Journal, 2017, 49, 169-176.   | 2.7    | 23        |
| 212 | Double-Bridged Tetrathiafulvalenophanes as Novel Electron Donors: Syntheses, Structures, and<br>Properties of Three Structural Isomers. Chemistry Letters, 1995, 24, 735-736.   | 1.3    | 22        |
| 213 | One-Pot Synthesis of Heterocycle-Fused 1,3-Diselenole-2-selones as the Key Precursors of<br>Tetraselenafulvalene-Type Electron Donors. Organic Letters, 1999, 1, 23-26.   | 4.6    | 22        |
| 214 | Electronic state anisotropy and the Fermi surface topology of the incommensurate organic<br>superconducting crystal (MDT-TSF)(Aul \$mathsf{_2}\$ ) \$mathsf{_{0.436}}\$. European Physical<br>Journal B, 2003, 36, 161-167. | 1.5    | 22        |
| 215 | Fullerene-tethered oligothiophenes as advanced molecular electronics materials. Pure and Applied Chemistry, 2005, 77, 2003-2010.  | 1.9    | 22        |
| 216 | Thiacycle-fused benzo[1,2- <i>b</i> :4,5- <i>b</i> ′]dithiophenes (BDTs): synthesis, packing, molecular orientation and semiconducting properties. Journal of Materials Chemistry C, 2018, 6, 3604-3612.                    | 5.5    | 22        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Thienoquinoidal System: Promising Molecular Architecture for Optoelectronic Applications. Yuki<br>Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2018, 76, 1176-1184.   | 0.1 | 22        |
| 218 | Anomalous Pressure Effect in Heteroacene Organic Field-Effect Transistors. Physical Review Letters, 2013, 110, 096603.  | 7.8 | 21        |
| 219 | A comprehensive study of charge trapping in organic field-effect devices with promising<br>semiconductors and different contact metals by displacement current measurements. Semiconductor<br>Science and Technology, 2016, 31, 025011.                     | 2.0 | 21        |
| 220 | Syntheses and Properties of Dimethyl and Tetramethyl Anthra[1,9-cd: 4,10-c′d′]bis[1,2]dichalcogenoles<br>and Their Charge-Transfer Complexes. Bulletin of the Chemical Society of Japan, 1991, 64, 2091-2102.   | 3.2 | 20        |
| 221 | Single-Crystal Field-Effect Transistors Based on Organic Selenium-Containing Semiconductor.<br>Japanese Journal of Applied Physics, 2005, 44, 3712-3714.  | 1.5 | 20        |
| 222 | Electroconductive π-Junction Au Nanoparticles. Bulletin of the Chemical Society of Japan, 2012, 85,<br>957-961.   | 3.2 | 20        |
| 223 | Ultraviolet photoelectron spectra of 2,7-diphenyl[1]benzothieno[3,2-b][1]benzothiophene and<br>dinaphtho[2,3-b:2′,3′-f]thieno[3,2-b]thiophene. Chemical Physics Letters, 2013, 563, 55-57.  | 2.6 | 20        |
| 224 | Naphthodithiophenes: Emerging Building Blocks for Organic Electronics. Chemical Record, 2015, 15, 175-188.  | 5.8 | 20        |
| 225 | Synthesis and properties of bitetraselenafulvalene. Tetrahedron Letters, 1999, 40, 5729-5730.   | 1.4 | 19        |
| 226 | Improved Synthesis of Double-Bridged Tetraselenafulvalenophanes and Formation of Their Conductive<br>Radical Cation Salts. European Journal of Organic Chemistry, 2000, 2000, 3013-3019.  | 2.4 | 19        |
| 227 | Simple Oligothiophene-Based Dyes for Dye-Sensitized Solar Cells (DSSCs): Anchoring Group Effects on<br>Molecular Properties and Solar Cell Performance. Bulletin of the Chemical Society of Japan, 2011, 84,<br>459-465.                                    | 3.2 | 19        |
| 228 | Tuning Spin Current Injection at Ferromagnet-Nonmagnet Interfaces by Molecular Design. Physical<br>Review Letters, 2020, 124, 027204.   | 7.8 | 19        |
| 229 | A Flexible Cyclophane: Design, Synthesis, and Structure of a Multibridged Tris-tetrathiafulvalene (TTF)<br>Macrocycle. Chemistry - A European Journal, 2000, 6, 1947-1954.  | 3.3 | 18        |
| 230 | Organic Field-Effect Transistors Using Di(2-thienyl)naphthodithiophenes as Active Layers. Chemistry<br>Letters, 2002, 31, 958-959.  | 1.3 | 18        |
| 231 | Selenium-Containing π-Conjugated Compounds for Electronic Molecular Materials. Phosphorus,<br>Sulfur and Silicon and the Related Elements, 2005, 180, 873-881.  | 1.6 | 18        |
| 232 | Borylation on Benzo[1,2- <i>b</i> :4,5- <i>b</i> ′]- and<br>Naphtho[1,2- <i>b</i> :5,6- <i>b</i> ′]dichalcogenophenes: Different Chalcogene Atom Effects on<br>Borylation Reaction Depending on Fused Ring Structure. Organic Letters, 2012, 14, 5448-5451. | 4.6 | 18        |
| 233 | 5,10-Diborylated naphtho[1,2-c:5,6-c′]bis[1,2,5]thiadiazole: a ready-to-use precursor for the synthesis of high-performance semiconducting polymers. Polymer Chemistry, 2013, 4, 5224.  | 3.9 | 18        |
| 234 | Dithienyl Acenedithiophenediones as New Ï€â€Extended Quinoidal Cores: Synthesis and Properties.<br>Chemistry - A European Journal, 2017, 23, 4579-4589.   | 3.3 | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Synthesis of Soluble Dinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophene (DNTT)<br>Derivatives: One-Step Functionalization of 2-Bromo-DNTT. Journal of Organic Chemistry, 2020, 85,<br>195-206.            | 3.2 | 18        |
| 236 | Syntheses and Properties of 11,11,12,12-Tetracyano-2,6-anthraquinodimethane (TANT) and Its<br>9,10-Dichloro Derivative as Novel Extensive Electron Acceptors. Bulletin of the Chemical Society of<br>Japan, 1998, 71, 1431-1435. | 3.2 | 17        |
| 237 | Synthesis, Structures, and Properties of a Series of Double-Bridged Tetrathiafulvalenophanes as<br>Novel Electron Donors for Conductive Radical Cation Saltsâ€. Chemistry of Materials, 2000, 12,<br>2196-2204.                  | 6.7 | 17        |
| 238 | Oligo(octithienylene-diethynylene)s as Unprecedentedly Long Conjugated Nanomolecules. Organic<br>Letters, 2002, 4, 2533-2536.  | 4.6 | 17        |
| 239 | Controlling the crystal formation in solution-process for organic field-effect transistors with high-performance. Organic Electronics, 2012, 13, 2975-2984.  | 2.6 | 17        |
| 240 | A Surface Potential Based Organic Thin-Film Transistor Model for Circuit Simulation Verified With<br>DNTT High Performance Test Devices. IEEE Transactions on Semiconductor Manufacturing, 2014, 27,<br>159-168.                 | 1.7 | 17        |
| 241 | Analyses of Thiophene-Based Donor–Acceptor Semiconducting Polymers toward Designing Optical<br>and Conductive Properties: A Theoretical Perspective. Journal of Physical Chemistry C, 2016, 120,<br>8305-8314.                   | 3.1 | 17        |
| 242 | "Heavy-atom effects―in the parent [1]benzochalcogenopheno[3,2- <i>b</i> ][1]benzochalcogenophene<br>system. Journal of Materials Chemistry C, 2020, 8, 15119-15127.  | 5.5 | 17        |
| 243 | 11,11,12,12-Tetracyano-2,6-anthraquinodimethane (TANT) as a novel extensive electron acceptor. Journal of the Chemical Society Chemical Communications, 1993, , 519.   | 2.0 | 16        |
| 244 | Metallic Properties of 1:1 Charge-Transfer Salt, Dimethyltetraselenoanthracene-Tetrafluoroborate<br>(DMTSA-BF4). Journal of the Physical Society of Japan, 1998, 67, 971-977.  | 1.6 | 16        |
| 245 | A Novel Tetrathiafulvalene Building Block. Synthesis, 1999, 1999, 803-810.   | 2.3 | 16        |
| 246 | Dendrimer-Encapsulated Oligothiophenes. Chemistry Letters, 2004, 33, 1154-1155.  | 1.3 | 16        |
| 247 | Oligothiophene-multifullerene linkage molecules as high performance photovoltaic materials.<br>Synthetic Metals, 2005, 152, 125-128.   | 3.9 | 16        |
| 248 | Flexible air-stable three-dimensional polymer field-effect transistors with high output current density. Organic Electronics, 2013, 14, 2908-2915.   | 2.6 | 16        |
| 249 | 2-V operated flexible vertical organic transistor with good air stability and bias stress reliability.<br>Organic Electronics, 2017, 50, 325-330.  | 2.6 | 16        |
| 250 | Syntheses, structures and properties of phenanthro[1,10-cd:8,9-c′d′]bis[1,2]-dithiole and -diselenole and their methyl and methylthio derivatives as novel electron donors. Journal of Materials Chemistry, 1995, 5, 1539-1547.  | 6.7 | 15        |
| 251 | Novel Stable Metallic Salts Based on a Donor Molecule Containingperi-Ditellurium Bridges, TMTTeN.<br>Inorganic Chemistry, 1998, 37, 2850-2851.   | 4.0 | 15        |
| 252 | Effective Synthesis of 1,3-Diselenole-2-selone-4,5-diselenolate (dsis) and its Utilization for the Synthesis of Selenocycle-fused Tetraselenafulvalene (TSF) Derivatives. Synthesis, 2001, 2001, 1614-1618.                      | 2.3 | 15        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 253 | Synthesis and Structures of Highly Conducting Charge-Transfer Salts of Selenium Containing TTM-TTP<br>Derivatives. Bulletin of the Chemical Society of Japan, 2004, 77, 1449-1458.   | 3.2  | 15        |
| 254 | Superconductivity competing with the incommensurate antiferromagnetic insulating state in the organic conductor (MDT-TS)(AuI2)0.441. Physical Review B, 2005, 71, .  | 3.2  | 15        |
| 255 | Current-Induced Metallic State in an Organic (EDT-TSF)2GaCl4Conductor. Journal of the American<br>Chemical Society, 2006, 128, 9006-9007.  | 13.7 | 15        |
| 256 | Solution-processed single-crystalline organic transistors on patterned ultrathin gate insulators.<br>Organic Electronics, 2014, 15, 1184-1188.   | 2.6  | 15        |
| 257 | <i>N</i> , <i>N</i> ′-Unsubstituted Naphthodithiophene Diimide: Synthesis and Derivatization via< <i>N</i> Alkylation and -Arylation. Organic Letters, 2016, 18, 3770-3773.  | 4.6  | 15        |
| 258 | Reversible Dimerization and Polymerization of a Janus Diradical To Produce Labile Câ^'C Bonds and<br>Large Chromic Effects. Angewandte Chemie, 2016, 128, 14783-14788.   | 2.0  | 15        |
| 259 | Solution-crystallized n-type organic thin-film transistors: An impact of branched alkyl chain on high electron mobility and thermal durability. Organic Electronics, 2018, 62, 548-553.  | 2.6  | 15        |
| 260 | Synthesis and Properties of Bis(ethyleneseleno)tetrathiafulvalene (BES-TTF) and<br>Diselenolotetrathiafulvalene (DS-TTF) as Novel Electron Donors. Chemistry Letters, 1997, 26, 1091-1092.   | 1.3  | 14        |
| 261 | Halogen substituted tetraselenafulvalene derivatives. Synthetic Metals, 2001, 120, 875-876.  | 3.9  | 14        |
| 262 | Synthesis and Properties of Higher-Order Tetrathiafulvalene Oligomers up to the Dodecamer.<br>European Journal of Organic Chemistry, 2001, 2001, 2983.   | 2.4  | 14        |
| 263 | Efficient Photocurrent Generation at<br>Dinaphtho[2,3- <i>b</i> :2',3'- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophene/C <sub>60</sub> Bilayer Interface.<br>Applied Physics Express, 2011, 4, 061602.  | 2.4  | 14        |
| 264 | Droplet Manipulation by an External Electric Field for Crystalline Film Growth. Langmuir, 2013, 29,<br>9592-9597.  | 3.5  | 14        |
| 265 | Low-temperature carrier dynamics in high-mobility organic transistors of alkylated<br>dinaphtho-thienothiophene as investigated by electron spin resonance. Applied Physics Letters, 2014,<br>105, .   | 3.3  | 14        |
| 266 | Two isomeric perylenothiophene diimides: physicochemical properties and applications in organic semiconducting devices. Journal of Materials Chemistry C, 2019, 7, 2267-2275.  | 5.5  | 14        |
| 267 | Gate-tunable gas sensing behaviors in air-stable ambipolar organic thin-film transistors. RSC<br>Advances, 2020, 10, 1910-1916.  | 3.6  | 14        |
| 268 | Naphtho[1,8-bc : 5,4-b′c′]dithiophene: a new heteroarene isoelectronic with pyrene. Journal of the<br>Chemical Society Chemical Communications, 1994, , 1859-1860.   | 2.0  | 13        |
| 269 | Synthesis and properties of novel heterocycle-fused TTF-type electron donors:<br>bis(propylenethio)tetrathiafulvalene (BPT-TTF), bis(propyleneseleno)tetrathiafulvalene (BPS-TTF), and<br>their tetraselenafulvalene analogues (BPT-TSF and BPS-TSF). Journal of Materials Chemistry, 2001, 11,<br>1026-1033 | 6.7  | 13        |
| 270 | Synthesis and Photovoltaic Properties of Tetrathiafulvalene–Oligothiophene–Fullerene Triads.<br>Chemistry Letters, 2006, 35, 668-669.  | 1.3  | 13        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 271 | Organic Field-Effect Transistors Based on 2,6-Diphenylbenzo [1,2-b:5,4-bâ€2]-Dithiophene and<br>-Diselenophene (iso-DPh-BDXs). Molecular Crystals and Liquid Crystals, 2006, 455, 361-365.   | 0.9  | 13        |
| 272 | Two-Photon Mediated Three-Photon Fluorescence: Lessons from a Quinoidal Oligothiophene Dimer.<br>Journal of Physical Chemistry Letters, 2011, 2, 2179-2183.  | 4.6  | 13        |
| 273 | High mobility organic thin-film transistors on plastic substrate. Current Applied Physics, 2012, 12, e2-e5.  | 2.4  | 13        |
| 274 | Effect of non-chlorinated solvents on the enhancement of field-effect mobility in<br>dioctylbenzothienobenzothiophene-based top-gate organic transistors processed by spin coating.<br>Organic Electronics, 2019, 69, 181-189.                                       | 2.6  | 13        |
| 275 | Novel tellurium containing fulvalene-type electron donors, triselenatellurafulvalene (TSTeF) and diselenaditellurafulvalene (DSDTeF); synthesis, conductivities and crystal structures of their TCNQ complexes. Journal of Materials Chemistry, 2001, 11, 2431-2436. | 6.7  | 12        |
| 276 | Syntheses, Structures, and Spectroscopic Properties of Push-Pull Heteroquinoid Compounds.<br>Heterocycles, 2007, 71, 253.  | 0.7  | 12        |
| 277 | Antiferromagnetic ordering of the incommensurate organic superconductor (MDT-TS)(AuI2)0.441with<br>a high spin-flop field. Physical Review B, 2008, 77, .  | 3.2  | 12        |
| 278 | [1]Benzothieno[3,2-b][1]benzothiophenes- and dinaphtho[2,3-b:2′,3′-f]thieno[3,2-b]thiophene-based<br>organic semiconductors for stable, high-performance organic thin-film transistor materials. Thin<br>Solid Films, 2014, 554, 13-18.                              | 1.8  | 12        |
| 279 | Selective thionation of naphtho[2,3-b]thiophene diimide: tuning of the optoelectronic properties and packing structure. Organic Chemistry Frontiers, 2017, 4, 704-710.   | 4.5  | 12        |
| 280 | High-performance solution-processed organic thin-film transistors based on a soluble DNTT derivative. Organic Electronics, 2017, 46, 68-76.  | 2.6  | 12        |
| 281 | Effects of Selenium Atoms on [1]Benzochalcogenopheno[3,2- <i>b</i> ][1]benzochalcogenophene-based<br>Organic Semiconductors. Chemistry Letters, 2017, 46, 345-347.   | 1.3  | 12        |
| 282 | A Design Principle for Polar Assemblies with C <sub>3</sub> ‣ym Bowl‣haped π onjugated Molecules.<br>Angewandte Chemie - International Edition, 2021, 60, 3261-3267.   | 13.8 | 12        |
| 283 | Strong Suppression of Thermal Conductivity in the Presence of Long Terminal Alkyl Chains in Lowâ€Disorder Molecular Semiconductors. Advanced Materials, 2021, 33, e2008708.  | 21.0 | 12        |
| 284 | Positional Order and Disorder of Symmetric and Unsymmetric BEDT-STF Salts. Journal of Solid State Chemistry, 2002, 168, 626-631.   | 2.9  | 11        |
| 285 | Synthesis and Structures of Neutral Crystals and Charge-Transfer Salts of Selenium Containing TMET-TTP Derivatives. Bulletin of the Chemical Society of Japan, 2003, 76, 2091-2097.  | 3.2  | 11        |
| 286 | Fermi surface of the organic superconductor(MDTâ^'ST)(I3)0.417reconstructed by incommensurate potential. Physical Review B, 2006, 73, .  | 3.2  | 11        |
| 287 | Conductive, Magnetic, and Optical Properties of Sterically Hindered Dodecithiophenes. Evidence for the Coexistence of Bipolaron and π-Dimer. Bulletin of the Chemical Society of Japan, 2007, 80, 1799-1807.   | 3.2  | 11        |
| 288 | Facile Syntheses of Anthra[2,3-b]chalcogenophenes. Synthesis, 2012, 44, 2102-2106.   | 2.3  | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Quinacridone-Diketopyrrolopyrrole-Based Polymers for Organic Field-Effect Transistors. Materials, 2013, 6, 1061-1071.   | 2.9 | 11        |
| 290 | Controlled steric selectivity in molecular doping towards closest-packed supramolecular conductors. Communications Materials, 2020, 1, .  | 6.9 | 11        |
| 291 | Two Isomeric Didecyl-dinaphtho[2,3- <i>b</i> :2',3'- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophenes: Impact of<br>Alkylation Positions on Packing Structures and Organic Field Effect Transistor Characteristics.<br>Japanese Journal of Applied Physics, 2012, 51, 11PD04. | 1.5 | 11        |
| 292 | Facile Preparation and Charge-Transfer Complexes of Naphtho[1,8-bc:4,5-b′c′]dithiophene and 2,5-Dimethyl and Bis(methylthio) Derivatives. Chemistry Letters, 1993, 22, 365-368.   | 1.3 | 10        |
| 293 | Pyranylidenemethyl- and Thiopyranylidenemethyl-substituted Furans, Thiophenes, andN-Methylpyrroles<br>as Precursors of Organic Metals and Third-order Nonlinear Optical Materials. Chemistry Letters, 1994,<br>23, 255-258.   | 1.3 | 10        |
| 294 | Synthesis and properties of trimethylenedithio-bridged tetrathiafulvalenophanes. Synthetic Metals, 1997, 86, 1891-1892.   | 3.9 | 10        |
| 295 | Spectroscopic Study of Isostructural Charge-Transfer Salts: Non-metallic DMTTA-BF4and Metallic DMTSA-BF4. Journal of the Physical Society of Japan, 1999, 68, 3708-3716.  | 1.6 | 10        |
| 296 | Synthetic Methods of Selenium- and Tellurium Variants of Tetrathiafulvalene Electron Donors.<br>Phosphorus, Sulfur and Silicon and the Related Elements, 2001, 171, 231-253.  | 1.6 | 10        |
| 297 | Aminopropyl–Glucose Sequentially Grafted Mesoporous Silica Nanocomposite as a Novel Boron<br>Adsorbent. Chemistry Letters, 2004, 33, 1582-1583.   | 1.3 | 10        |
| 298 | Sub-5fs time-resolved dynamic Franck–Condon overlaps associated with the S1→S0 stimulated transition in oligothiophene 13-mer. Chemical Physics Letters, 2005, 409, 224-229.  | 2.6 | 10        |
| 299 | A Practical Two-Step Synthesis of Tetraselenafulvalene (TSF). Synthesis, 2005, 2005, 2810-2813.   | 2.3 | 10        |
| 300 | Thin Film Characteristics and FET Performances of β-Octyl-substituted Long Oligothiophenes.<br>Chemistry Letters, 2006, 35, 942-943.  | 1.3 | 10        |
| 301 | A high mobility ambipolar field effect transistor using a 2,6-diphenylbenzo[1,2-b:4,5-b<br>′]diselenophene/fullerene double layer. Solid State Communications, 2008, 145, 114-117.  | 1.9 | 10        |
| 302 | Synthesis and Characterization of <i>N</i> -Acyl-substituted PyrroloTTF Derivatives and Improved Air-stability of PyrroloTTF-based OFETs. Chemistry Letters, 2008, 37, 1088-1089.   | 1.3 | 10        |
| 303 | Low-voltage, high-mobility organic thin-film transistors with improved stability. , 2010, , .   |     | 10        |
| 304 | Organic photovoltaics based on 5-hexylthiophene-fused porphyrazines. Organic Electronics, 2012, 13, 1975-1980.  | 2.6 | 10        |
| 305 | Low optical turn-on voltage in solution processed hybrid light emitting transistor. Applied Physics<br>Letters, 2019, 115,  | 3.3 | 10        |
| 306 | Crystal Structures of Dimethoxyanthracens: A Clue to a Rational Design of Packing Structures of<br>π onjugated Molecules. Chemistry - an Asian Journal, 2020, 15, 915-919.  | 3.3 | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Crystal Structures of β-Methylchalcogenated Tetrathienoacenes: From One-Dimensional π-Stacking to<br>Sandwich Pitched π-Stacking Structure. Crystal Growth and Design, 2021, 21, 4055-4063.                              | 3.0 | 10        |
| 308 | BIS(ethylenethio)tetraselenafulvalene and Related Hybrid Diselenadithiafulvalenes as Novel Electron<br>Donors Forming Highly Conductive Complexes with 7,7,8,8-Tetracyanoquinodimethane. Heterocycles,<br>2001, 54, 225. | 0.7 | 10        |
| 309 | 1,3,6,8-Tetrakis(methylchalcogeno)pyrenes: Effects of Chalcogen Atoms on the Crystal Structure and<br>Transport Properties. Chemistry of Materials, 2022, 34, 6606-6616.   | 6.7 | 10        |
| 310 | 2,3-Dimethyl and 2,3,6,7-Tetramethyl Derivatives of Anthra[1,9-cd:4,10-c′d′]bis[1,2]dichalcogenoles as New<br>Electron Donors. Chemistry Letters, 1990, 19, 567-570.   | 1.3 | 9         |
| 311 | Dimethyl and tetramethyl derivatives of anthra[1,9-cd:4, 10-c'd']- and<br>naphthaceno[5,6-cd:11,12-c'd']-bis[1,2]dichalcogenoles. Synthetic Metals, 1991, 42, 2389-2392.   | 3.9 | 9         |
| 312 | Highly Conducting 1:1 Radical Cation Salts: (DMTSA)X With X = NO3 and BF4. Molecular Crystals and Liquid Crystals, 1997, 296, 197-204.   | 0.9 | 9         |
| 313 | New hybrid tetrachalcogenofulvalenes: diselenaditellurafulvalene and its dimethyl derivative.<br>Chemical Communications, 1997, , 1925.  | 4.1 | 9         |
| 314 | The First Electrochemically Active Cuppedophanes:  Bis(tetrathiafulvalene)cuppedophanes. Organic<br>Letters, 2000, 2, 2471-2473.   | 4.6 | 9         |
| 315 | Charge transfer degree and superconductivity of the incommensurate organic superconductor(MDTâ^'TSF)(I3)0.422. Physical Review B, 2006, 73, .  | 3.2 | 9         |
| 316 | The Elusive Ethenediselone, Se=C=C=Se. Australian Journal of Chemistry, 2014, 67, 1195.  | 0.9 | 9         |
| 317 | N,N′-Bis(2-cyclohexylethyl)naphtho[2,3-b:6,7-b′]dithiophene Diimides: Effects of Substituents. Molecules,<br>2016, 21, 981.  | 3.8 | 9         |
| 318 | Very Strong Binding for a Neutral Calix[4]pyrrole Receptor Displaying Positive Allosteric Binding.<br>Journal of Organic Chemistry, 2017, 82, 2123-2128.   | 3.2 | 9         |
| 319 | Low voltage operating organic light emitting transistors with efficient charge blocking layer.<br>Organic Electronics, 2021, 88, 106024.   | 2.6 | 9         |
| 320 | Phenanthro[1,10-cd:8,9-c′d′]bis[1,2]-dithiole and -diselenole as novel electron donors. Journal of the<br>Chemical Society Chemical Communications, 1992, , 278-280.   | 2.0 | 8         |
| 321 | Crystal structures and electrical conductivities of cation-radical salts of a tellurium-containing donor: 3,4-dimethylanthra [1,9-cd:4,10-c′d′]bis[1,2]- ditellurole. Chemical Communications, 1997, , 593-594           | 4.1 | 8         |
| 322 | Synthesis and Properties of (Propyleneditelluro)tetrathiafulvalene Donors. Tetrahedron Letters,<br>1997, 38, 7569-7572.  | 1.4 | 8         |
| 323 | Control of electronic states by bandwidth and band filling in organic conductors. Synthetic Metals, 2001, 120, 979-980.  | 3.9 | 8         |
| 324 | Structures and Transport Properties of New Molecular Conductors Based on TMEO-ST-TTP. Journal of Solid State Chemistry, 2002, 168, 608-615.  | 2.9 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Structural and transport properties of the incommensurate organic<br>superconductor(MDTâ^'ST)(I3)0.417. Physical Review B, 2005, 71, .   | 3.2 | 8         |
| 326 | Organic superconductors with an incommensurate anion structure. Science and Technology of Advanced Materials, 2009, 10, 024303.  | 6.1 | 8         |
| 327 | Solution-processed dinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophene transistor<br>memory based on phosphorus-doped silicon nanoparticles as a nano-floating gate. Applied Physics<br>Express, 2015, 8, 101601.      | 2.4 | 8         |
| 328 | High-performance didodecylbenzothienobenzothiophene-based top-gate organic transistors processed by spin coating using binary solvent mixtures. Organic Electronics, 2018, 58, 306-312.  | 2.6 | 8         |
| 329 | Synthesis of Thiopheneâ€annulated Naphthalene Diimideâ€based Smallâ€Molecular Acceptors via Twoâ€step<br>Câ°'H Activation. Chemistry - an Asian Journal, 2019, 14, 1651-1656.  | 3.3 | 8         |
| 330 | Bandlike versus Temperature-Independent Carrier Transport in Isomeric<br>Diphenyldinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophenes. , 2022, 4, 675-681.   |     | 8         |
| 331 | Methyl and dimethyl derivatives of tetrathionaphthalene and tetraselenonaphthalene as novel electron donors. Heteroatom Chemistry, 2001, 12, 287-292.  | 0.7 | 7         |
| 332 | Anisotropic Three-dimensional Superconductivity of the Incommensurate Organic Superconductor (MDT-ST)(I3)0.417. Journal of the Physical Society of Japan, 2005, 74, 1529-1533.   | 1.6 | 7         |
| 333 | Thermodynamic Study of an Incommensurate Organic Superconductor (MDT-TSF)(AuI2)0.436. Journal of the Physical Society of Japan, 2006, 75, 074606.  | 1.6 | 7         |
| 334 | Unique Molecular Arrangement in Semiconducting Layer and FET Characteristics of Thin Film<br>Transistors Based on 2,6-Dialkylbenzo[1,2- <i>b</i> :4,5- <i>b</i> ′]diselenophenes (C <i>n</i> BDSs).<br>Chemistry Letters, 2009, 38, 352-353. | 1.3 | 7         |
| 335 | Molecular Modification of 2,7-Diphenyl[1]benzothieno[3,2- <i>b</i> ]benzothiophene (DPh-BTBT) with<br>Diarylamino Substituents: From Crystalline Order to Amorphous State in Evaporated Thin Films.<br>Chemistry Letters, 2009, 38, 420-421. | 1.3 | 7         |
| 336 | Spatial control of the threshold voltage of low-voltage organic transistors by microcontact printing of alkyl- and f luoroalkyl-phosphonic acids. MRS Communications, 2011, 1, 33-36.  | 1.8 | 7         |
| 337 | Achieving high efficiency and stability in inverted organic solar cells fabricated by laminated gold<br>leaf as top electrodes. Applied Physics Express, 2014, 7, 111602.  | 2.4 | 7         |
| 338 | Modeling of Drain Current Mismatch in Organic Thin-Film Transistors. Journal of Display Technology, 2015, 11, 559-563.   | 1.2 | 7         |
| 339 | Synthesis and Properties of Ethylenethiotetra- selenafulvalene (ET-TSF) and Its Conductive Radical<br>Cation Salts. Heterocycles, 2006, 67, 655.   | 0.7 | 7         |
| 340 | Designs and Synthesis of Novel Electron Donors of Non-TTF Types and Formation of Their Conducting<br>Molecular Complexes Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 1996, 54,<br>752-760.                           | 0.1 | 6         |
| 341 | Synthesis and properties of new PDT- and TPDT-TTP analogues. Synthetic Metals, 1999, 102, 1621-1622.   | 3.9 | 6         |
| 342 | Conducting complexes of TTF and TSF derivatives fused with selenium-containing five-membered rings.<br>Synthetic Metals, 1999, 102, 1714-1715.   | 3.9 | 6         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Synthesis and Properties of Selenium Containing dmit-type Complexes. Molecular Crystals and Liquid<br>Crystals, 2002, 379, 65-70.   | 0.9 | 6         |
| 344 | Changes in Electrochemical and Optical Properties of Oligoalkylthiophene Film Induced by Bipolaron<br>Formation. Journal of Physical Chemistry B, 2006, 110, 1529-1535.   | 2.6 | 6         |
| 345 | Effect of Oxygenâ€Containing Functional Side Chains on the Electronic Properties and Photovoltaic<br>Performances in a Thiophene–Thiazolothiazole Copolymer System. Heteroatom Chemistry, 2014, 25,<br>556-564.   | 0.7 | 6         |
| 346 | lonic manipulation of charge-transfer and photodynamics of [60]fullerene confined in pyrrolo-tetrathiafulvalene cage. Chemical Communications, 2017, 53, 9898-9901.   | 4.1 | 6         |
| 347 | Carbonyl-Terminated Quinoidal Oligothiophenes as p-Type Organic Semiconductors. Materials, 2020,<br>13, 3020.   | 2.9 | 6         |
| 348 | Low-energy optical transitions in organic metal DMTSA–BF4. Solid State Communications, 1999, 110,<br>63-68.   | 1.9 | 5         |
| 349 | Alkylene- or alkylenedithio-linked dimeric tetraselenafulvalenes. Synthetic Metals, 1999, 102, 1605-1606.   | 3.9 | 5         |
| 350 | Structural feature of radical cation salts based on TIP and its selenium analogues. Synthetic Metals, 1999, 102, 1675.  | 3.9 | 5         |
| 351 | Low temperature X–ray and ESR study of Quasi–1D DMTCA–BF4 (C = S, Se) with half–filled band.<br>Synthetic Metals, 2001, 120, 931-932.   | 3.9 | 5         |
| 352 | Molecular Conductors Based onperi-Ditellurium-Bridged Donors,2,3-DMTTeA and TMTTeN. European<br>Journal of Inorganic Chemistry, 2005, 2005, 3435-3449.  | 2.0 | 5         |
| 353 | Two Isomeric Didecyl-dinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophenes: Impact of Alkylation Positions on<br>Packing Structures and Organic Field Effect Transistor Characteristics. Japanese Journal of Applied<br>Physics, 2012, 51, 11PD04.                                      | 1.5 | 5         |
| 354 | 5, 10-linked naphthodithiophenes as the building block for semiconducting polymers. Science and Technology of Advanced Materials, 2014, 15, 024201.   | 6.1 | 5         |
| 355 | Packing structures of (trialkylsilyl)ethynyl-substituted<br>dinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophenes (DNTTs): effects of substituents on<br>crystal structures and transport properties. Journal of Materials Chemistry C, 2022, 10, 2775-2782. | 5.5 | 5         |
| 356 | Developments of Peri-Dichalcogen-Bridged Fused Aromatic Hydrocarbons as Novel Electron Donors<br>Forming Conductive Molecular Complexes. Phosphorus, Sulfur and Silicon and the Related Elements,<br>1998, 136, 447-462.  | 1.6 | 4         |
| 357 | New Stable Metallic Salt Based on a Donor Molecule Containingperi-Ditellurium Bridges,<br>TMTTeN(SCN)0.88. Chemistry Letters, 1999, 28, 845-846.  | 1.3 | 4         |
| 358 | Synthesis and Properties of Nano-Scale Oligothiophenes: From Conducting-Polymer Models to<br>Materials for Molecular Electronics Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic<br>Chemistry, 2002, 60, 52-61.  | 0.1 | 4         |
| 359 | A Raman and Computational Study of Two Dithienyl Naphthodithiophenes:Â Synthesis and<br>Characterization of New Polymers Showing Low Band Gap Optical and Electroactive Features. Journal<br>of Physical Chemistry B, 2004, 108, 7611-7619.                                       | 2.6 | 4         |
| 360 | Organic Superconductivity Enhanced by Asymmetric-Anion Random Potential in (MDT-TS)10.85Br0.41<br>[MDT-TS = 5H-2-(1,3-diselenole-2-ylidene)-1,3,4,6-tetrathiapentalene]. Chemistry of Materials, 2009, 21,<br>3521-3525.  | 6.7 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Benchmarking of a surface potential based organic thin-film transistor model against<br>C <inf>10</inf> -DNTT high performance test devices. , 2013, , .   |     | 4         |
| 362 | Amide-bridged terphenyl and dithienylbenzene units for semiconducting polymers. RSC Advances, 2016, 6, 16437-16447.  | 3.6 | 4         |
| 363 | Naphtho[1,2â€ <i>b</i> :5,6â€ <i>b</i> â€2]dithiophene Building Blocks and their Complexation with<br>Cyclobis(paraquatâ€ <i>p</i> â€phenylene). European Journal of Organic Chemistry, 2019, 2019, 7532-7540.   | 2.4 | 4         |
| 364 | Structural Aspects of Iodine-Promoted One-Pot Cyclization of O-Bis(methylthio)stilbenes to<br>Thieno[3,2-b]thiophene Derivatives: Synthetic Trials of Tetrathienoacenes from<br>1,2-Bis(3-methylthiothiophen-2-yl)ethenes. Heterocycles, 2008, 76, 583.                        | 0.7 | 4         |
| 365 | Effects of Conformation on Doping Efficiency in π-Extended Bipyranylidene Molecules: Relationship<br>between Molecular Structure and Electron-Doping Ability for Developing n-Type Organic<br>Thermoelectrics. Bulletin of the Chemical Society of Japan, 2022, 95, 1047-1053. | 3.2 | 4         |
| 366 | An annulene TCNQ derivative with rather weak acceptor properties. Canadian Journal of Chemistry, 1997, 75, 611-615.  | 1.1 | 3         |
| 367 | Synthesis and properties of methylthio substituted ST-TTP derivatives. Synthetic Metals, 1999, 102, 1781-1784.   | 3.9 | 3         |
| 368 | Novel selenium variants of BEDT-TTF. Synthetic Metals, 1999, 102, 1619-1620.   | 3.9 | 3         |
| 369 | Structures and Properties of (TMEO-ST-TTP)2AsF6. Chemistry Letters, 1999, 28, 859-860.   | 1.3 | 3         |
| 370 | Recent Development of Organic Conductors Containing Selenium Atoms: New Synthetic Methods,<br>Electron Donors, and Conductors. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic<br>Chemistry, 2004, 62, 150-161.   | 0.1 | 3         |
| 371 | High-power three-dimensional polymer FETs. Current Applied Physics, 2012, 12, S92-S95.   | 2.4 | 3         |
| 372 | Highly transparent thin-film transistors using wide-bandgap organic semiconductors and multilayer transparent electrodes. Journal of Information Display, 2014, 15, 59-63.   | 4.0 | 3         |
| 373 | Air-stable and balanced split-gate organic transistors. Organic Electronics, 2018, 63, 200-206.  | 2.6 | 3         |
| 374 | Two-dimensional radical–cationic Mott insulator based on an electron donor containing neither a<br>tetrathiafulvalene nor tetrathiapentalene skeleton. CrystEngComm, 2020, 22, 5949-5953.  | 2.6 | 3         |
| 375 | A Design Principle for Polar Assemblies with C 3 â€Sym Bowlâ€Shaped π onjugated Molecules. Angewandte<br>Chemie, 2021, 133, 3298-3304.   | 2.0 | 3         |
| 376 | Highly Electronâ€Donating Bipyranylidene Derivatives: Potential nâ€Type Dopants for Organic<br>Thermoelectrics. Advanced Energy and Sustainability Research, 2021, 2, 2100084.   | 5.8 | 3         |
| 377 | Dihedral-Angle Dependence of Intermolecular Transfer Integrals in BEDT-BDT-Based Radical-Cation Salts with Î, Type Molecular Arrangements. Crystals, 2021, 11, 868.  | 2.2 | 3         |
| 378 | Development of Air stable Organic Semiconductors for p-Channel Thin-film Transistors. Yuki Gosei<br>Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2009, 67, 1224-1230.  | 0.1 | 3         |

| #   | Article  | IF                | CITATIONS       |
|-----|--|-------------------|-----------------|
| 379 | Enantiopure 2-(2-ethylhexyl)dinaphtho[2,3- <i>b</i> :2′,3′- <i>f</i> ]thieno[3,2- <i>b</i> ]thiophenes:<br>synthesis, single-crystal structure and a surprising lack of influence of stereoisomerism on thin-film<br>structure and electronic properties. Materials Horizons, 2022, 9, 444-451.  | 12.2              | 3               |
| 380 | Three dimensional metals based on a tellurium-containing donors, TMTTeN and related conductors.<br>Synthetic Metals, 1999, 103, 1865-1868.   | 3.9               | 2               |
| 381 | Electronic structures of organic salt DMTSA-BF4 using photoelectron spectromicroscopy. Journal of Electron Spectroscopy and Related Phenomena, 2001, 114-116, 1013-1018.   | 1.7               | 2               |
| 382 | Synthesis and properties of novel unsymmetrical tetraselenafulvalene donors, EDT-PT-TSF and EDT-PS-TSF. Molecular Crystals and Liquid Crystals, 2002, 380, 189-195.  | 0.9               | 2               |
| 383 | Incommensurate structure and the superconducting properties of the organic superconductor<br>(MDT-ST)(I <sub>3</sub> ) <sub>0.417</sub> . European Physical Journal Special Topics, 2004, 114, 517-519.  | 0.2               | 2               |
| 384 | Synthesis and characterizations of linear- and angular-shaped naphthodithiophenes for organic semiconductors. Proceedings of SPIE, 2011, , .   | 0.8               | 2               |
| 385 | A Soluble α-Dithienotetrathiafulvalene Derivative for Organic Field-effect Transistors. Chemistry<br>Letters, 2012, 41, 435-437.   | 1.3               | 2               |
| 386 | Performance and stability of flexible low-voltage organic thin-film transistors based on<br>C <inf>10</inf> -DNTT. , 2012, , .   |                   | 2               |
| 387 | Air-stable, low-voltage organic transistors: High-mobility thienoacene derivatives for unipolar and complementary ring oscillators on flexible substrates. , 2014, , .   |                   | 2               |
| 388 | Transparent Electrodes: Reverse-Offset Printed Ultrathin Ag Mesh for Robust Conformal Transparent<br>Electrodes for High-Performance Organic Photovoltaics (Adv. Mater. 26/2018). Advanced Materials,<br>2018, 30, 1870190.  | 21.0              | 2               |
| 389 | Highly-efficient terahertz emission from hydrogen-bonded single molecular crystal<br>4-nitro-2,5-bis(phenylethynyl)aniline. Optics Express, 2021, 29, 10048.   | 3.4               | 2               |
| 390 | Quinoidâ€aromatic Resonance for Very Small Optical Energy Gaps in Smallâ€molecule Organic<br>Semiconductors: a Naphthodithiophenedioneâ€oligothiophene triad system. Chemistry - A European<br>Journal, 2021, 27, 15660-15670.   | 3.3               | 2               |
| 391 | Electric and magnetic properties of a new conducting salt (DMTSA)2Cl (DMTSA =) Tj ETQq1 1 0.784314 rgBT /Ov  | verlock 10<br>3.9 | Tf 50 262 T     |
| 392 | Characterization of the half-filled DMTSA-BF4 by optical and magnetic measurements. Synthetic Metals, 1997, 84, 633-634.   | 3.9               | 1               |
| 393 | Structures and Properties of Radical Cation Salts of Novel Tetraselenafulvalene Derivatives (BPT-TSF,) Tj ETQq1 1<br>Crystals, 2002, 376, 47-52.   | 0.784314<br>0.9   | rgBT /Over<br>1 |
| 394 | Sodium Ion Effect on Photoinduced Electron Transfer of Porphyrin-Crown Ether-Affixed<br>Quaterthiophene-[60]Fullerene Triad as a Gated Molecular Switch. ECS Transactions, 2006, 2, 51-62.   | 0.5               | 1               |
| 395 | Thieno[3,4-c]pyrrole-incorporated quinoidal terthiophene with dicyanomethylene termini: synthesis, characterization, and redox properties. Tetrahedron Letters, 2010, 51, 4375-4377.<br>Disordered polyhalide anion effect on the Fermi surface of the incommensurate organic  | 1.4               | 1               |
| 396 | superconductor (MDT-TSF)I <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"&gt;<mml:msub><mml:mrow<br>/&gt;<mml:mrow><mml:mn>0.77</mml:mn></mml:mrow></mml:mrow<br></mml:msub></mml:math> Br <mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:msub>Br<mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:msub>Br<mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:msub>Br<mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:msub></mml:msub></mml:math<br></mml:msub><td>3.2</td><td>1</td></mml:math<br></mml:msub></mml:math<br></mml:msub></mml:math<br> | 3.2               | 1               |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 397 | Three-Dimensional Organic Field-Effect Transistors Using Solution-Processed Thin Films of<br>Benzothieno-Benzothiophene Derivatives. Molecular Crystals and Liquid Crystals, 2011, 539,<br>58/[398]-62/[402].                         | 0.9  | 1         |
| 398 | Low-voltage organic field-effect transistors for flexible electronics. , 2014, , .  |      | 1         |
| 399 | Crystalline conjugated polymers for organic electronics. IOP Conference Series: Materials Science and Engineering, 2014, 54, 012016.  | 0.6  | 1         |
| 400 | Organic Electronics: Towards Colorless Transparent Organic Transistors: Potential of<br>Benzothieno[3,2â€ <i>b</i> ]benzothiopheneâ€Based Wideâ€Gap Semiconductors (Adv. Mater. 19/2014).<br>Advanced Materials, 2014, 26, 3163-3163. | 21.0 | 1         |
| 401 | Charge-carrier injection, extraction and trapping dynamics in organic thin-film transistors based on different organic semiconductors evaluated by displacement current measurements. , 2014, , .                                     |      | 1         |
| 402 | Spatial extent of wave functions of charge carriers in a thienothiophene-based high-mobility molecular semiconductor. Applied Physics Express, 2020, 13, 041004.  | 2.4  | 1         |
| 403 | Field-Induced Electron Spin Resonance of Site-Selective Carrier Accumulation in Field-Effect<br>Transistors Composed of Organic Semiconductor Solid Solutions. Physical Review Applied, 2021, 16, .                                   | 3.8  | 1         |
| 404 | Isotropic Uniaxial Strain Effect on the Incommensurate Organic Superconductor:<br>(MDT-TS)(Aul <sub>2</sub> ) <sub>0.441</sub> . Journal of the Physical Society of Japan, 2008, 77, 014706.  | 1.6  | 1         |
| 405 | Low-voltage organic transistors for flexible electronics. , 2014, , .   |      | 1         |
| 406 | Raman Activities of Cyano-Ester Quinoidal Oligothiophenes Reveal Their Diradical Character and the Proximity of the Low-Lying Double Exciton State. Chemistry, 2022, 4, 329-344.  | 2.2  | 1         |
| 407 | Metallic properties of 1:1 Charge-transfer salt DMTSA-BF4. Synthetic Metals, 1999, 103, 2208-2209.  | 3.9  | 0         |
| 408 | A General Method for the Synthesis of Alkylenedithio- and Bis(alkylenedithio)tetraselenafulvalenes<br>ChemInform, 2003, 34, no.   | 0.0  | 0         |
| 409 | Synthesis and Structures of Neutral Crystals and Charge-Transfer Salts of Selenium Containing<br>TMET-TTP Derivatives ChemInform, 2004, 35, no.   | 0.0  | 0         |
| 410 | Recent Synthetic Advances of Tetrathiafulvalene-Based Organic Conductors. ChemInform, 2004, 35, no.   | 0.0  | 0         |
| 411 | Recent Development of Organic Conductors Containing Selenium Atoms: New Synthetic Methods,<br>Electron Donors, and Conductors. ChemInform, 2004, 35, no.  | 0.0  | 0         |
| 412 | Synthesis and Photovoltaic Effects of Oligothiophenes Incorporated with Two [60]Fullerenes<br>ChemInform, 2004, 35, no.   | 0.0  | 0         |
| 413 | Selenium-Containing π-Conjugated Compounds for Electronic Molecular Materials ChemInform, 2005, 36, no.   | 0.0  | 0         |
| 414 | Syntheses of 2-(Pentafluorophenyl)thiophene Derivatives via the Palladium-Catalyzed Suzuki Reaction<br>ChemInform, 2005, 36, no.  | 0.0  | 0         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 415 | Synthesis and Spectral Properties of a Highly Soluble Push—Pull Type of Quinoidal Thiophenes<br>ChemInform, 2006, 37, no.  | 0.0  | Ο         |
| 416 | Synthesis and Spectral Properties of Tris(Terphenylylpyridine)Iridium and<br>Tris(Tritylphenylpyridine)Iridium Complexes as Novel Electrophosphorescent Materials. Molecular<br>Crystals and Liquid Crystals, 2006, 455, 373-379.                      | 0.9  | 0         |
| 417 | Unusual Electrochemical Response of Oligoalkylthiophene Films: Involvement of Bipolarons.<br>Molecular Crystals and Liquid Crystals, 2006, 455, 367-372.   | 0.9  | 0         |
| 418 | Synthesis and Properties of N 1-(3-Methoxypropyl)-N 3-methylimidazolium Salts. Heterocycles, 2010, 82, 1317.   | 0.7  | 0         |
| 419 | Synthesis, Structures, and Properties of Two Isomeric Naphthodithiophenes and Their Methyl,<br>Methylthio and 2â€Thienyl Derivatives; Application to Conductive Chargeâ€Transfer Complexes and<br>Lowâ€Bandgap Polymers ChemInform, 2002, 33, 128-128. | 0.0  | 0         |
| 420 | High-mobility organic thin-film transistors with photolithographically patterned top contacts. , 2011, , ,   |      | 0         |
| 421 | Donor-Acceptor Semiconducting Polymers Based on Thiazole-Containing Fused-Rings for Organic<br>Field-Effect Transistors. Kobunshi Ronbunshu, 2011, 68, 1-10.   | 0.2  | 0         |
| 422 | ESR Anisotropy of Organic Semiconductor Molecules: Calculation and Experiment. Materials Research<br>Society Symposia Proceedings, 2012, 1436, 6.  | 0.1  | 0         |
| 423 | 3D Organic Fieldâ€Effect Transistors: Flexible Threeâ€Dimensional Organic Fieldâ€Effect Transistors<br>Fabricated by an Imprinting Technique (Adv. Mater. 38/2012). Advanced Materials, 2012, 24, 5276-5276.   | 21.0 | 0         |
| 424 | Organic Thin-Film Transistors: Flexible Low-Voltage Organic Complementary Circuits: Finding the<br>Optimum Combination of Semiconductors and Monolayer Gate Dielectrics (Adv. Mater. 2/2015).<br>Advanced Materials, 2015, 27, 391-391.                | 21.0 | 0         |
| 425 | Tuning the absorption range of naphthothiophene diimide-based acceptors for organic solar cells.<br>Dyes and Pigments, 2019, 171, 107691.  | 3.7  | 0         |
| 426 | Oligo(octithienylene-diethynylene)s as Unprecedentedly Long Conjugated Nanomolecules. , 2003, , 274.   |      | 0         |

Oligo(octithienylene-diethynylene)s as Unprecedentedly Long Conjugated Nanomolecules. , 2003, , 274. 426