
## **Do-Sim Park**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5268052/publications.pdf Version: 2024-02-01



DO-SIM PARK

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Vital roles of mTOR complex 2 in Notch-driven thymocyte differentiation and leukemia. Journal of Experimental Medicine, 2012, 209, 713-728.   | 8.5 | 112       |
| 2  | TAGLN2 regulates T cell activation by stabilizing the actin cytoskeleton at the immunological synapse.<br>Journal of Cell Biology, 2015, 209, 143-162.  | 5.2 | 78        |
| 3  | Shikonin-induced necroptosis is enhanced by the inhibition of autophagy in non-small cell lung cancer cells. Journal of Translational Medicine, 2017, 15, 123.  | 4.4 | 78        |
| 4  | Apoptotic induction by simvastatin in human lung cancer A549 cells via Akt signaling dependent<br>down-regulation of survivin. Investigational New Drugs, 2011, 29, 945-952.  | 2.6 | 53        |
| 5  | SRSF5: a novel marker for small-cell lung cancer and pleural metastatic cancer. Lung Cancer, 2016, 99, 57-65.   | 2.0 | 50        |
| 6  | An efficient method for the rapid establishment of Epstein-Barr virus immortalization of human B<br>lymphocytes. Cell Proliferation, 2003, 36, 191-197.   | 5.3 | 48        |
| 7  | Hepatitis B Virus X Protein Regulates Hepatic Glucose Homeostasis via Activation of Inducible Nitric<br>Oxide Synthase. Journal of Biological Chemistry, 2011, 286, 29872-29881.  | 3.4 | 46        |
| 8  | Effect of simvastatin on the resistance to EGFR tyrosine kinase inhibitors in a non-small cell lung cancer with the T790M mutation of EGFR. Experimental Cell Research, 2014, 323, 288-296.   | 2.6 | 44        |
| 9  | Comparative expression patterns and diagnostic efficacies of SR splicing factors and HNRNPA1 in gastric and colorectal cancer. BMC Cancer, 2016, 16, 358.   | 2.6 | 41        |
| 10 | Inhibition of autophagy potentiates pemetrexed and simvastatin-induced apoptotic cell death in malignant mesothelioma and non-small cell lung cancer cells. Oncotarget, 2015, 6, 29482-29496.   | 1.8 | 41        |
| 11 | Catalposide, a Compound Isolated From Catalpa Ovata, Attenuates Induction of Intestinal Epithelial<br>Proinflammatory Gene Expression and Reduces the Severity of Trinitrobenzene Sulfonic Acid-Induced<br>Colitis in Mice. Inflammatory Bowel Diseases, 2004, 10, 564-572. | 1.9 | 36        |
| 12 | Serum YKL-40 Levels Correlate with Infarct Volume, Stroke Severity, and Functional Outcome in Acute<br>Ischemic Stroke Patients. PLoS ONE, 2012, 7, e51722.   | 2.5 | 35        |
| 13 | Relationship between the Echocardiographic Epicardial Adipose Tissue Thickness and Serum<br>Adiponectin in Patients with Angina. Journal of Cardiovascular Imaging, 2009, 17, 121.  | 0.8 | 28        |
| 14 | Salinomycin suppresses TGF-β1-induced EMT by down-regulating MMP-2 and MMP-9 via the AMPK/SIRT1 pathway in non-small cell lung cancer. International Journal of Medical Sciences, 2021, 18, 715-726.  | 2.5 | 25        |
| 15 | Correlation Between Insulin Resistance and Intracranial Atherosclerosis in Patients With Ischemic<br>Stroke Without Diabetes. Journal of Stroke and Cerebrovascular Diseases, 2008, 17, 401-405.  | 1.6 | 24        |
| 16 | Sequence Motifs in IL-4Rα Mediating Cell-Cycle Progression of Primary Lymphocytes. Journal of<br>Immunology, 2005, 175, 5178-5185.  | 0.8 | 22        |
| 17 | Levels of Soluble Receptor for Advanced Glycation End Products in Acute Ischemic Stroke without a   |     |           |

DO-SIM PARK

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | IGSF4 is a novel TCR ζ-chain–interacting protein that enhances TCR-mediated signaling. Journal of<br>Experimental Medicine, 2011, 208, 2545-2560.   | 8.5 | 21        |
| 20 | Pemetrexed induces apoptosis in malignant mesothelioma and lung cancer cells through activation of reactive oxygen species and inhibition of sirtuin 1. Oncology Reports, 2015, 33, 2411-2419.  | 2.6 | 21        |
| 21 | Simvastatin treatment induces morphology alterations and apoptosis in murine cochlear neuronal cells. Acta Oto-Laryngologica, 2009, 129, 166-174.   | 0.9 | 20        |
| 22 | Enhanced apoptosis by pemetrexed and simvastatin in malignant mesothelioma and lung cancer cells by<br>reactive oxygen species-dependent mitochondrial dysfunction and Bim induction. International<br>Journal of Oncology, 2014, 45, 1769-1777.                        | 3.3 | 20        |
| 23 | Levels of YKL-40 in pleural effusions and blood from patients with pulmonary or pleural disease.<br>Cytokine, 2012, 58, 336-343.  | 3.2 | 18        |
| 24 | Association between Elevated Pleural Interleukin-33 Levels and Tuberculous Pleurisy. Annals of Laboratory Medicine, 2013, 33, 45-51.  | 2.5 | 18        |
| 25 | HNRNPA1, a Splicing Regulator, Is an Effective Target Protein for Cervical Cancer Detection:<br>Comparison With Conventional Tumor Markers. International Journal of Gynecological Cancer, 2017,<br>27, 326-331.  | 2.5 | 18        |
| 26 | Synergistic induction of apoptosis by sulindac and simvastatin in A549 human lung cancer cells via<br>reactive oxygen species-dependent mitochondrial dysfunction. International Journal of Oncology,<br>2013, 43, 262-270.   | 3.3 | 17        |
| 27 | Iron chelator induces THP-1 cell differentiation potentially by modulating intracellular glutathione<br>levels. Free Radical Biology and Medicine, 2006, 40, 1502-1512.   | 2.9 | 16        |
| 28 | Levels of circulating IL-33 and eosinophil cationic protein in patients with hypereosinophilia or pulmonary eosinophilia. Journal of Allergy and Clinical Immunology, 2010, 126, 880-882.e6.  | 2.9 | 14        |
| 29 | Fenofibrate, a peroxisome proliferator-activated receptor α ligand, prevents abnormal liver function<br>induced by a fasting–refeeding process. Biochemical and Biophysical Research Communications, 2013,<br>442, 22-27.   | 2.1 | 14        |
| 30 | Elevated survivin is associated with a poor response to chemotherapy and reduced survival in lung cancer with malignant pleural effusions. Clinical and Experimental Metastasis, 2012, 29, 83-89.   | 3.3 | 13        |
| 31 | Prx1 modulates the chemosensitivity of lung cancer to docetaxel through suppression of FOXO1-induced apoptosis. International Journal of Oncology, 2013, 43, 72-78.   | 3.3 | 13        |
| 32 | Comparison of cobas <i>EGFR</i> Mutation Test v2 and PANAMutyper-R- <i>EGFR</i> for Detection and<br>Semi-Quantification of Epidermal Growth Factor Receptor Mutations in Plasma and Pleural Effusion<br>Supernatant. Annals of Laboratory Medicine, 2019, 39, 478-487. | 2.5 | 11        |
| 33 | Diagnostic Value and Prognostic Significance of Pleural C-Reactive Protein in Lung Cancer Patients with Malignant Pleural Effusions. Yonsei Medical Journal, 2013, 54, 396.   | 2.2 | 10        |
| 34 | <i>Clostridium difficile</i> Infection in Lung Cancer Patients. Japanese Journal of Infectious<br>Diseases, 2013, 66, 379-382.  | 1.2 | 10        |
| 35 | The prognosis of patients with lung cancer admitted to the medical intensive care unit. Asia-Pacific<br>Journal of Clinical Oncology, 2016, 12, e118-24.  | 1.1 | 10        |
| 36 | Loss of abcd4 in zebrafish leads to vitamin B12-deficiency anemia. Biochemical and Biophysical Research<br>Communications, 2019, 514, 1264-1269.  | 2.1 | 8         |

DO-SIM PARK

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Clinical Course of Monoclonal and Oligoclonal Gammopathies in Patients Infected with Orientia<br>tsutsugamushi. American Journal of Tropical Medicine and Hygiene, 2009, 81, 660-664.                       | 1.4 | 7         |
| 38 | The splicing factor SRSF1 modulates pattern formation by inhibiting transcription of tissue specific genes during embryogenesis. Biochemical and Biophysical Research Communications, 2016, 477, 1011-1016. | 2.1 | 7         |
| 39 | Chloroform fraction of Euphorbia maculata has antiplatelet activity via suppressing thromboxane B2<br>formation. Molecular Medicine Reports, 2015, 11, 4255-4261.   | 2.4 | 6         |
| 40 | NSrp70 is significant for embryonic growth and development, being a crucial factor for gastrulation and mesoderm induction. Biochemical and Biophysical Research Communications, 2016, 479, 238-244.        | 2.1 | 4         |
| 41 | Tuberculous otitis media with endobronchial tuberculosis. Journal of Infection and Chemotherapy, 2012, 18, 951-954.   | 1.7 | 3         |
| 42 | Aberrant proteomic expression of NSRP70 and its clinical implications and connection to the transcriptional level in adult acute leukemia. Leukemia Research, 2014, 38, 1252-1259.                          | 0.8 | 3         |
| 43 | Antioxidative Activity after Rosuvastatin Treatment in Patients with Stable Ischemic Heart Disease and<br>Decreased High Density Lipoprotein Cholesterol. Korean Circulation Journal, 2016, 46, 309.        | 1.9 | 2         |
| 44 | Expression Profile of Three Splicing Factors in Pleural Cells Based on the Underlying Etiology and Its<br>Clinical Values in Patients with Pleural Effusion. Translational Oncology, 2018, 11, 147-156.     | 3.7 | 1         |
| 45 | Vital roles of mTOR complex 2 in Notch-driven thymocyte differentiation and leukemia. Journal of Cell<br>Biology, 2012, 197, i3-i3.   | 5.2 | 0         |
| 46 | Serine/arginine-rich splicing factors 2 (SRSF2) and SRSF4 expression patterns in Korean with colon cancer. Korean Journal of Clinical Oncology, 2016, 12, 115-118.  | 0.1 | 0         |