

Marcin Kortylewski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5268865/publications.pdf>

Version: 2024-02-01

129
papers

11,217
citations

50276

46
h-index

38395

95
g-index

132
all docs

132
docs citations

132
times ranked

14858
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNA Regulation of T-Cell Exhaustion in Cutaneous T Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2022, 142, 603-612.e7.	0.7	9
2	Longitudinal Preclinical Imaging Characterizes Extracellular Drug Accumulation After Radiation Therapy in the Healthy and Leukemic Bone Marrow Vascular Microenvironment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 112, 951-963.	0.8	2
3	Glioma-targeted delivery of exosome-encapsulated antisense oligonucleotides using neural stem cells. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 27, 611-620.	5.1	33
4	Noninvasive Delivery of Biologicals to the Brain. <i>Focus (American Psychiatric Publishing)</i> , 2022, 20, 64-70.	0.8	0
5	Nivolumab plus ipilimumab with or without live bacterial supplementation in metastatic renal cell carcinoma: a randomized phase 1 trial. <i>Nature Medicine</i> , 2022, 28, 704-712.	30.7	181
6	Call for papers: Exploiting extracellular vesicles as therapeutic agents. <i>Molecular Therapy</i> , 2022, 30, 979.	8.2	1
7	Targeted RNA therapeutics for treatment of cancer and immunomodulation. , 2022, , 37-55.		0
8	Biophysical Characterization of the Leukemic Bone Marrow Vasculature Reveals Benefits of Neoadjuvant Low-Dose Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 109, 60-72.	0.8	6
9	Myeloid cell-targeted STAT3 inhibition sensitizes head and neck cancers to radiotherapy and T cell-mediated immunity. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	41
10	Distinct cytokines predict response to immunotherapy and targeted therapy in metastatic renal cell carcinoma (mRCC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 352-352.	1.6	0
11	Cytoplasmic DROSHA and non-canonical mechanisms of MiR-155 biogenesis in FLT3-ITD acute myeloid leukemia. <i>Leukemia</i> , 2021, 35, 2285-2298.	7.2	10
12	Circulating cytokines associated with clinical response to systemic therapy in metastatic renal cell carcinoma. , 2021, 9, e002009.		21
13	Targeted In Vivo Delivery of NF- κ B Decoy Inhibitor Augments Sensitivity of B Cell Lymphoma to Therapy. <i>Molecular Therapy</i> , 2021, 29, 1214-1225.	8.2	6
14	Novel Target Opportunities in Non-Metastatic Castrate Resistant Prostate Cancer. <i>Cancers</i> , 2021, 13, 2426.	3.7	2
15	Revisiting TLR9 as a target for CLL therapy. <i>Blood</i> , 2021, 137, 3006-3008.	1.4	0
16	Abstract 1570: STAT3 inhibition allows for TLR9-induced reprogramming of acute myeloid leukemia into antigen-presenting cells to generate T-cell mediated immune responses. , 2021, , .		0
17	Large, Anionic Liposomes Enable Targeted Intraperitoneal Delivery of a TLR 7/8 Agonist To Repolarize Ovarian Tumors' Microenvironment. <i>Bioconjugate Chemistry</i> , 2021, 32, 1581-1592.	3.6	11
18	Abstract 677: Immune biomarkers of response to Ra223 dichloride and stereotactic body radiation therapy in patients with oligometastatic prostate cancers. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
19	Abstract 1761: Defining ABI1 role in T-Cell signaling. , 2021, , .		0
20	Treatment-induced arteriolar revascularization and miR-126 enhancement in bone marrow niche protect leukemic stem cells in AML. <i>Journal of Hematology and Oncology</i> , 2021, 14, 122.	17.0	13
21	Editorial: Roles of Tumor-Recruited Myeloid Cells in Immune Evasion in Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 749605.	4.8	2
22	First Multimodal, Three-Dimensional, Image-Guided Total Marrow Irradiation Model for Preclinical Bone Marrow Transplantation Studies. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 671-683.	0.8	8
23	Targeting miR-126 in inv(16) acute myeloid leukemia inhibits leukemia development and leukemia stem cell maintenance. <i>Nature Communications</i> , 2021, 12, 6154.	12.8	27
24	Evaluating Changes in Immune Function and Bone Microenvironment During Radium-223 Treatment of Patients with Castration-Resistant Prostate Cancer. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2020, 35, 485-489.	1.0	2
25	Automated in Vivo Assessment of Vascular Response to Radiation Using a Hybrid Theranostic X-Ray Irradiator/Fluorescence Molecular Imaging System. <i>IEEE Access</i> , 2020, 8, 93663-93670.	4.2	4
26	Vaccination against Nonmutated Neoantigens Induced in Recurrent and Future Tumors. <i>Cancer Immunology Research</i> , 2020, 8, 856-868.	3.4	12
27	Myeloid cell-targeted miR-146a mimic inhibits NF- κ B-driven inflammation and leukemia progression in vivo. <i>Blood</i> , 2020, 135, 167-180.	1.4	88
28	Abstract 5356: Targeted in vivo delivery of NF- κ B decoy oligodeoxynucleotide augments efficacy of radiation therapy against B-cell lymphomas. , 2020, , .		0
29	541...Investigating myeloid derived suppressor cells (MDSCs) and oligonucleotide based targeting of STAT3 in renal cell carcinoma. , 2020, , .		0
30	724...STAT3 inhibition in acute myeloid leukemia cells allows for TLR9-driven differentiation to immunogenic monocytic cells and induction of T-cell mediated immune responses. , 2020, , .		0
31	Radium 223 Dichloride in Combination with Androgen Deprivation Therapy and Stereotactic Body Radiation Therapy for Patients with Stage IV Oligometastatic Castration Sensitive Prostate Cancer: Clinical Trial in Progress. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 104, 1193.	0.8	2
32	Reduced T-cell Numbers and Elevated Levels of Immunomodulatory Cytokines in Metastatic Prostate Cancer Patients De Novo Resistant to Abiraterone and/or Enzalutamide Therapy. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1831.	4.1	37
33	Targeted Delivery of miRNA Antagonists to Myeloid Cells In Vitro and In Vivo. <i>Methods in Molecular Biology</i> , 2019, 1974, 141-150.	0.9	3
34	Beclin-1 as a neutrophil-specific immune checkpoint. <i>Journal of Clinical Investigation</i> , 2019, 129, 5079-5081.	8.2	6
35	Targeted Marrow Radiation (TMI) Improves Therapeutic Efficacy of STAT3 Decoy Molecules By Augmenting Its Delivery and Immune Modulation in an AML Mouse Model. <i>Blood</i> , 2019, 134, 3929-3929.	1.4	1
36	Effect of IL-6 and related mediators on resistance to abiraterone acetate (abi) and enzalutamide (enza) in patients with metastatic castration-resistant prostate cancer (mCRPC).. <i>Journal of Clinical Oncology</i> , 2019, 37, 296-296.	1.6	0

#	ARTICLE	IF	CITATIONS
37	FLT3-ITD Activates Cytoplasmic Drosha-Dependent Non-Canonical Mechanisms of Mir-155 Biogenesis in Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 2722-2722.	1.4	0
38	Anti-MiR-126 Therapy for Inv(16) Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 3914-3914.	1.4	1
39	Bone marrow niche trafficking of miR-126 controls the self-renewal of leukemia stem cells in chronic myelogenous leukemia. <i>Nature Medicine</i> , 2018, 24, 450-462.	30.7	123
40	B Cell Lymphoma Immunotherapy Using TLR9-Targeted Oligonucleotide STAT3 Inhibitors. <i>Molecular Therapy</i> , 2018, 26, 695-707.	8.2	25
41	Synaptophysin expression on circulating tumor cells in patients with castration resistant prostate cancer undergoing treatment with abiraterone acetate or enzalutamide. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 162.e1-162.e6.	1.6	19
42	Identification of mechanisms of resistance to treatment with abiraterone acetate or enzalutamide in patients with castration-resistant prostate cancer (CRPC). <i>Cancer</i> , 2018, 124, 1216-1224.	4.1	52
43	Inhibition of Survival Signaling in B-Cell Lymphoma Using TLR9-Targeted Delivery of NF-Kb Decoy Oligodeoxynucleotides In Vitro and In Vivo. <i>Experimental Hematology</i> , 2018, 64, S113.	0.4	0
44	STAT3 Inhibition Combined with CpG Immunostimulation Activates Antitumor Immunity to Eradicate Genetically Distinct Castration-Resistant Prostate Cancers. <i>Clinical Cancer Research</i> , 2018, 24, 5948-5962.	7.0	59
45	SNAIL is a key regulator of alveolar rhabdomyosarcoma tumor growth and differentiation through repression of MYF5 and MYOD function. <i>Cell Death and Disease</i> , 2018, 9, 643.	6.3	23
46	The revival of CpG oligonucleotide-based cancer immunotherapies. <i>Wspolczesna Onkologia</i> , 2018, 2018, 56-60.	1.4	61
47	STAT3 in Tumor-Associated Myeloid Cells: Multitasking to Disrupt Immunity. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1803.	4.1	77
48	SIRT1 Activation Disrupts Maintenance of Myelodysplastic Syndrome Stem and Progenitor Cells by Restoring TET2 Function. <i>Cell Stem Cell</i> , 2018, 23, 355-369.e9.	11.1	68
49	Targeted Delivery of miR-146a Mimic Oligonucleotides as a Potential Therapeutic Approach to Modulate NF-kB Signaling in Myeloid Leukemia and Myeloproliferative Diseases. <i>Experimental Hematology</i> , 2018, 64, S42.	0.4	0
50	Combined modality radiation therapy promotes tolerogenic myeloid cell populations and STAT3-related gene expression in head and neck cancer patients. <i>Oncotarget</i> , 2018, 9, 11279-11290.	1.8	19
51	STAT3 Inhibition Enables TLR9-Driven Differentiation of Cbfb/Myh11 acute Myeloid Leukemia Cells to Antigen-Presenting Cell Phenotype In Vivo. <i>Blood</i> , 2018, 132, 4070-4070.	1.4	0
52	Targeted Delivery of CpG-Mir-146a Mimic Oligonucleotides As a Therapeutic Strategy to Reduce NF-Isb-Mediated Pathogenic Inflammation and Myeloid Leukemia Progression. <i>Blood</i> , 2018, 132, 3501-3501.	1.4	0
53	Myeloid cells as a target for oligonucleotide therapeutics: turning obstacles into opportunities. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 979-988.	4.2	48
54	TLR9 expression and secretion of LIF by prostate cancer cells stimulates accumulation and activity of polymorphonuclear MDSCs. <i>Journal of Leukocyte Biology</i> , 2017, 102, 423-436.	3.3	47

#	ARTICLE	IF	CITATIONS
55	Functionalized bioengineered spider silk spheres improve nuclease resistance and activity of oligonucleotide therapeutics providing a strategy for cancer treatment. <i>Acta Biomaterialia</i> , 2017, 59, 221-233.	8.3	29
56	Abstract 35: Chemo-radiotherapy induces tolerogenic STAT3 signaling in circulating myeloid-derived suppressor cells in patients with head and neck squamous cell carcinoma (HNSCC). <i>Clinical Cancer Research</i> , 2017, 23, 35-35.	7.0	1
57	TLR9 triggering/STAT3 inhibition to reprogram leukemic cells into antigen-presenting cells and trigger T-cell responses.. <i>Journal of Clinical Oncology</i> , 2017, 35, 118-118.	1.6	1
58	Abstract LB-058: ABLraterone (ABI) and ENZalutamide (ENZ) induce changes in immunologic profile of patients with metastatic castration-resistant prostate cancer (mCRPC). , 2017, , .		0
59	Abstract 36: Changes in cellular and molecular immune markers in the peripheral blood of patients undergoing chemotherapy and radiation for squamous cell carcinoma of head and neck: A prospective pilot study. , 2017, , .		0
60	261. Gain-of-Function Effect Augments Therapeutic Efficacy of CpG-STAT3 Anti-Sense Oligonucleotide Against Castration-Resistant Prostate Cancers. <i>Molecular Therapy</i> , 2016, 24, S103.	8.2	0
61	Serum-resistant CpG-STAT3 decoy for targeting survival and immune checkpoint signaling in acute myeloid leukemia. <i>Blood</i> , 2016, 127, 1687-1700.	1.4	70
62	STING Pathway Activation Stimulates Potent Immunity against Acute Myeloid Leukemia. <i>Cell Reports</i> , 2016, 15, 2357-2366.	6.4	134
63	Breaking bad habits: Targeting MDSCs to alleviate immunosuppression in prostate cancer. <i>OncImmunology</i> , 2016, 5, e1078060.	4.6	7
64	TLR9-Targeted SiRNA Delivery In Vivo. <i>Methods in Molecular Biology</i> , 2016, 1364, 183-196.	0.9	6
65	Time Sequential Transcriptome Analysis Identifies Mir-126 As an Early Biomarker for Inv(16) Acute Myeloid Leukemia (AML) Disease Progression. <i>Blood</i> , 2016, 128, 773-773.	1.4	0
66	216. TLR9-Targeted STAT3 Silencing Abrogates Immunosuppressive Activity of Myeloid-Derived Suppressor Cells from Prostate Cancer Patients. <i>Molecular Therapy</i> , 2015, 23, S85.	8.2	1
67	698. Eliminating TLR9+ Prostate Cancer Stem Cells In Vivo Using NF- κ B/RELA- or STAT3-Targeting CpG-siRNA Conjugates. <i>Molecular Therapy</i> , 2015, 23, S278.	8.2	0
68	Cell-selective oligonucleotide STAT3 inhibitor for immunotherapy of human acute myeloid leukemia. , 2015, 3, P362.		0
69	TLR9-Targeted STAT3 Silencing Abrogates Immunosuppressive Activity of Myeloid-Derived Suppressor Cells from Prostate Cancer Patients. <i>Clinical Cancer Research</i> , 2015, 21, 3771-3782.	7.0	152
70	Pazopanib as Third Line Therapy for Metastatic Renal Cell Carcinoma: Clinical Efficacy and Temporal Analysis of Cytokine Profile. <i>Journal of Urology</i> , 2015, 193, 1114-1121.	0.4	25
71	The aptamerâ€siRNA conjugates: reprogramming T cells for cancer therapy. <i>Therapeutic Delivery</i> , 2015, 6, 1-4.	2.2	10
72	Stool Bacteriomic Profiling in Patients with Metastatic Renal Cell Carcinoma Receiving Vascular Endothelial Growth Factorâ€Tyrosine Kinase Inhibitors. <i>Clinical Cancer Research</i> , 2015, 21, 5286-5293.	7.0	52

#	ARTICLE	IF	CITATIONS
73	Knockdown (KD) of Mir-126 Expression Enhances Tyrosine Kinase Inhibitor (TKI)-Mediated Targeting of Chronic Myelogenous Leukemia (CML) Stem Cells. <i>Blood</i> , 2015, 126, 51-51.	1.4	2
74	TLR9 signaling through NF- κ B/RELA and STAT3 promotes tumor-propagating potential of prostate cancer cells. <i>Oncotarget</i> , 2015, 6, 17302-17313.	1.8	53
75	Abstract 375: Phenotypic and molecular characterization of circulating tumor cells (CTCs) in patients with castration resistant prostate cancer (CRPC) undergoing treatment with abiraterone acetate or enzalutamide. , 2015, , .		0
76	Cancer therapy using oligonucleotide-based STAT3 inhibitors: will they deliver?. <i>Therapeutic Delivery</i> , 2014, 5, 239-242.	2.2	8
77	Push and release. <i>Oncolmmunology</i> , 2014, 3, e27441.	4.6	6
78	Leukemia cell-targeted STAT3 silencing and TLR9 triggering generate systemic antitumor immunity. <i>Blood</i> , 2014, 123, 15-25.	1.4	85
79	The dark side of Toll-like receptor signaling. <i>Oncolmmunology</i> , 2014, 3, e27894.	4.6	8
80	How to Train Your Dragon: Targeted Delivery of MicroRNA to Cancer Cells In Vivo. <i>Molecular Therapy</i> , 2014, 22, 1070-1071.	8.2	15
81	TLR9 Is Critical for Glioma Stem Cell Maintenance and Targeting. <i>Cancer Research</i> , 2014, 74, 5218-5228.	0.9	60
82	Targeted TLR9-activation/STAT3-blocking abrogates immunosuppressive functions of myeloid-derived suppressor cells from late-stage prostate cancer patients. , 2014, 2, P104.		0
83	Systemic delivery of TLR9-activating/STAT3-blocking oligonucleotides induces leukemia regression. , 2014, 2, P107.		0
84	Macrophage immunomodulation by breast cancer-derived exosomes requires Toll-like receptor 2-mediated activation of NF- κ B. <i>Scientific Reports</i> , 2014, 4, 5750.	3.3	270
85	CTLA4 aptamer delivers STAT3 siRNA to tumor-associated and malignant T cells. <i>Journal of Clinical Investigation</i> , 2014, 124, 2977-2987.	8.2	125
86	The effect of selective JAK2 inhibitor SAR302503 on tumorigenic STAT3 signaling in human prostate cancer in vivo.. <i>Journal of Clinical Oncology</i> , 2014, 32, 192-192.	1.6	0
87	Abstract CT334: Pazopanib as third-line therapy for metastatic renal cell carcinoma: Clinical efficacy and temporal analysis of cytokine profile. , 2014, , .		0
88	Abstract 2569: Systemic delivery of STAT3 blocking/TLR9 activating oligodeoxynucleotides induces regression of mouse and human acute myeloid leukemia. , 2014, , .		0
89	A Novel Standardized Quantitative Suppression Assay Reveals a Diversity of Human Immune-Regulatory Cell Potency. <i>Blood</i> , 2014, 124, 316-316.	1.4	0
90	Intracellular processing of immunostimulatory CpG-siRNA: Toll-like receptor 9 facilitates siRNA dicing and endosomal escape. <i>Journal of Controlled Release</i> , 2013, 170, 307-315.	9.9	47

#	ARTICLE	IF	CITATIONS
91	TLR9 Signaling in the Tumor Microenvironment Initiates Cancer Recurrence after Radiotherapy. <i>Cancer Research</i> , 2013, 73, 7211-7221.	0.9	71
92	TLR9-mediated siRNA delivery for targeting of normal and malignant human hematopoietic cells in vivo. <i>Blood</i> , 2013, 121, 1304-1315.	1.4	103
93	In Vivo Targeting Of Acute Myeloid Leukemia Using CpG-Stat3 siRNA Results In T Cell-Dependent Tumor Eradication. <i>Blood</i> , 2013, 122, 4212-4212.	1.4	1
94	Abstract LB-334: CpG-STAT3siRNA for two-pronged immunotherapy of acute myeloid leukemia .. , 2013, , .		0
95	Abstract B5: CpG-siRNA conjugates: Overcoming cancer immunoresistance. <i>Clinical Cancer Research</i> , 2012, 18, B5-B5.	7.0	0
96	Humanized Lewis-Y Specific Antibody Based Delivery of <i>STAT3</i> siRNA. <i>ACS Chemical Biology</i> , 2011, 6, 962-970.	3.4	41
97	Regulation of the IL-23 and IL-12 Balance by Stat3 Signaling in the Tumor Microenvironment. <i>Cancer Cell</i> , 2010, 18, 536.	16.8	1
98	STAT3-induced S1PR1 expression is crucial for persistent STAT3 activation in tumors. <i>Nature Medicine</i> , 2010, 16, 1421-1428.	30.7	346
99	Targeting Stat3 in the Myeloid Compartment Drastically Improves the <i>In vivo</i> Antitumor Functions of Adoptively Transferred T Cells. <i>Cancer Research</i> , 2010, 70, 7455-7464.	0.9	118
100	Breaking through a Plateau in Renal Cell Carcinoma Therapeutics: Development and Incorporation of Biomarkers. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 3115-3125.	4.1	24
101	Toll-like Receptor 9 Activation of Signal Transducer and Activator of Transcription 3 Constrains Its Agonist-Based Immunotherapy. <i>Cancer Research</i> , 2009, 69, 2497-2505.	0.9	117
102	Regulation of the IL-23 and IL-12 Balance by Stat3 Signaling in the Tumor Microenvironment. <i>Cancer Cell</i> , 2009, 15, 114-123.	16.8	431
103	Stat3 inhibition activates tumor macrophages and abrogates glioma growth in mice. <i>Glia</i> , 2009, 57, 1458-1467.	4.9	165
104	In vivo delivery of siRNA to immune cells by conjugation to a TLR9 agonist enhances antitumor immune responses. <i>Nature Biotechnology</i> , 2009, 27, 925-932.	17.5	352
105	IL-17 can promote tumor growth through an IL-6â€“Stat3 signaling pathway. <i>Journal of Experimental Medicine</i> , 2009, 206, 1457-1464.	8.5	714
106	IL-17 can promote tumor growth through an IL-6â€“Stat3 signaling pathway. <i>Journal of Cell Biology</i> , 2009, 186, i2-i2.	5.2	1
107	Role of Stat3 in suppressing anti-tumor immunity. <i>Current Opinion in Immunology</i> , 2008, 20, 228-233.	5.5	166
108	Signal Transducer and Activator of Transcription 3 Is Required for Hypoxia-Inducible Factor-1Î± RNA Expression in Both Tumor Cells and Tumor-Associated Myeloid Cells. <i>Molecular Cancer Research</i> , 2008, 6, 1099-1105.	3.4	162

#	ARTICLE	IF	CITATIONS
109	Stat3 mediates myeloid cell-dependent tumor angiogenesis in mice. <i>Journal of Clinical Investigation</i> , 2008, 118, 3367-3377.	8.2	473
110	Cutting Edge: An In Vivo Requirement for STAT3 Signaling in TH17 Development and TH17-Dependent Autoimmunity. <i>Journal of Immunology</i> , 2007, 179, 4313-4317.	0.8	514
111	Stat3 as a Potential Target for Cancer Immunotherapy. <i>Journal of Immunotherapy</i> , 2007, 30, 131-139.	2.4	80
112	Crosstalk between cancer and immune cells: role of STAT3 in the tumour microenvironment. <i>Nature Reviews Immunology</i> , 2007, 7, 41-51.	22.7	1,588
113	Inhibiting Stat3 signaling in the hematopoietic system elicits multicomponent antitumor immunity. <i>Nature Medicine</i> , 2005, 11, 1314-1321.	30.7	917
114	Targeting Stat3 blocks both HIF-1 and VEGF expression induced by multiple oncogenic growth signaling pathways. <i>Oncogene</i> , 2005, 24, 5552-5560.	5.9	523
115	STAT5 Contributes to Interferon Resistance of Melanoma Cells. <i>Current Biology</i> , 2005, 15, 1629-1639.	3.9	56
116	Targeting STAT3 affects melanoma on multiple fronts. <i>Cancer and Metastasis Reviews</i> , 2005, 24, 315-327.	5.9	255
117	Stat3 Activity in Melanoma Cells Affects Migration of Immune Effector Cells and Nitric Oxide-Mediated Antitumor Effects. <i>Journal of Immunology</i> , 2005, 174, 3925-3931.	0.8	126
118	Regulation of the innate and adaptive immune responses by Stat-3 signaling in tumor cells. <i>Nature Medicine</i> , 2004, 10, 48-54.	30.7	1,029
119	Interferon- β -Mediated Growth Regulation of Melanoma Cells: Involvement of STAT1-Dependent and STAT1-Independent Signals. <i>Journal of Investigative Dermatology</i> , 2004, 122, 414-422.	0.7	78
120	Akt Modulates STAT3-mediated Gene Expression through a FKHR (FOXO1a)-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 2003, 278, 5242-5249.	3.4	68
121	Mitogen-activated protein kinases control p27/Kip1 expression and growth of human melanoma cells. <i>Biochemical Journal</i> , 2001, 357, 297.	3.7	48
122	Mitogen-activated protein kinases control p27/Kip1 expression and growth of human melanoma cells. <i>Biochemical Journal</i> , 2001, 357, 297-303.	3.7	72
123	Interleukin-6-Resistant Melanoma Cells Exhibit Reduced Activation of STAT3 and Lack of Inhibition of Cyclin E-Associated Kinase Activity. <i>Journal of Investigative Dermatology</i> , 2001, 117, 132-140.	0.7	16
124	Cytokine-mediated growth inhibition of human melanoma cells. <i>Advances in Experimental Medicine and Biology</i> , 2001, 495, 169-172.	1.6	1
125	Cytoplasmic STAT proteins associate prior to activation. <i>Biochemical Journal</i> , 2000, 345, 417.	3.7	23
126	Cytoplasmic STAT proteins associate prior to activation. <i>Biochemical Journal</i> , 2000, 345, 417-421.	3.7	65

#	ARTICLE	IF	CITATIONS
127	Termination of IL-6-induced STAT activation is independent of receptor internalization but requires de novo protein synthesis. FEBS Letters, 2000, 470, 15-19.	2.8	25
128	Interleukin-6 and oncostatin α -induced growth inhibition of human A375 melanoma cells is STAT-dependent and involves upregulation of the cyclin-dependent kinase inhibitor p27/Kip1. Oncogene, 1999, 18, 3742-3753.	5.9	130
129	Cytokine-resistant melanoma cells exhibit reduced DNA binding of STAT3 and lack of inhibition of cyclin E-associated kinase activity. Journal of Dermatological Science, 1998, 16, S5.	1.9	0