

Wu-Xing Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5270634/publications.pdf>

Version: 2024-02-01

53
papers

1,794
citations

279798

23
h-index

276875

41
g-index

53
all docs

53
docs citations

53
times ranked

1542
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermal transport in lithium-ion battery: A micro perspective for thermal management. <i>Frontiers of Physics</i> , 2022, 17, 1.	5.0	14
2	Enhancement of thermoelectric performance in graphenylene nanoribbons by suppressing phonon thermal conductance: the role of phonon local resonance. <i>Nanotechnology</i> , 2022, 33, 215402.	2.6	5
3	Thermoelectric Conversion From Interface Thermophoresis and Piezoelectric Effects. <i>Frontiers in Physics</i> , 2022, 10, .	2.1	2
4	Excellent Medium-Temperature Thermoelectric Performance of Monolayer BiOCl. <i>Langmuir</i> , 2022, 38, 7733-7739.	3.5	13
5	First-Principles Calculations on Thermoelectric Properties of Layered Transition Metal Phosphides MP ₂ (M = Ni, Pd, Pt). <i>Journal of Electronic Materials</i> , 2021, 50, 2510-2520.	2.2	6
6	Enhanced thermoelectric properties in two-dimensional monolayer Si ₂ BN by adsorbing halogen atoms*. <i>Chinese Physics B</i> , 2021, 30, 037304.	1.4	6
7	Tunable spin electronic and thermoelectric properties in twisted triangulene $\langle b \rangle \langle i \rangle \langle /i \rangle \langle /b \rangle$ -dimer junctions. <i>Applied Physics Letters</i> , 2021, 119, .	3.3	48
8	Controllable anisotropic thermoelectric properties in 2D covalent organic radical frameworks. <i>Applied Physics Letters</i> , 2021, 119, .	3.3	16
9	Thermal Conductivity of Amorphous Materials. <i>Advanced Functional Materials</i> , 2020, 30, 1903829.	14.9	149
10	Nanoscale Organic Thermoelectric Materials: Measurement, Theoretical Models, and Optimization Strategies. <i>Advanced Functional Materials</i> , 2020, 30, 1903873.	14.9	97
11	KAgX (X = S, Se): High-Performance Layered Thermoelectric Materials for Medium-Temperature Applications. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 36102-36109.	8.0	68
12	Design of Thermal Metamaterials with Excellent Thermal Control Functions by Using Functional Nanoporous Graphene. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 2000333.	2.4	7
13	Tailoring the phase transition temperature to achieve high-performance cubic GeTe-based thermoelectrics. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18880-18890.	10.3	61
14	$\hat{1}\pm$ -Ag ₂ S: A Ductile Thermoelectric Material with High $\langle i \rangle ZT \langle /i \rangle$. <i>ACS Omega</i> , 2020, 5, 5796-5804.	3.5	64
15	Excellent thermoelectric performance induced by interface effect in MoS ₂ /MoSe ₂ van der Waals heterostructure. <i>Journal of Physics Condensed Matter</i> , 2020, 32, 055302.	1.8	43
16	Thermal Conductivity: Thermal Conductivity of Amorphous Materials (Adv. Funct. Mater. 8/2020). <i>Advanced Functional Materials</i> , 2020, 30, 2070048.	14.9	30
17	Organic Thermoelectric Materials: Nanoscale Organic Thermoelectric Materials: Measurement, Theoretical Models, and Optimization Strategies (Adv. Funct. Mater. 8/2020). <i>Advanced Functional Materials</i> , 2020, 30, 2070051.	14.9	3
18	An efficient mechanism for enhancing the thermoelectricity of twin graphene nanoribbons by introducing defects. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020, 122, 114160.	2.7	10

#	ARTICLE	IF	CITATIONS
19	Excellent thermoelectric performance in weak-coupling molecular junctions with electrode doping and electrochemical gating. <i>Science China: Physics, Mechanics and Astronomy</i> , 2020, 63, 1.	5.1	51
20	Modulation of thermal transport in Al _x Ga _{1-x} As alloy nanowires with varying compositions. <i>Applied Physics Letters</i> , 2020, 116, .	3.3	3
21	Thermal transport properties in monolayer group-IV binary compounds. <i>Journal of Physics Condensed Matter</i> , 2020, 32, 305301.	1.8	10
22	Pure spin current generated in thermally driven molecular magnetic junctions: a promising mechanism for thermoelectric conversion. <i>Journal of Materials Chemistry A</i> , 2019, 7, 19037-19044.	10.3	92
23	Exploring high-performance anodes of Li-ion batteries based on the rules of pore-size dependent band gaps in porous carbon foams. <i>Journal of Materials Chemistry A</i> , 2019, 7, 21976-21984.	10.3	31
24	Prediction of intrinsic ferromagnetism in two-dimension planar metal-organic framework semiconductors. <i>Journal of Magnetism and Magnetic Materials</i> , 2019, 488, 165354.	2.3	17
25	Effect of electrophilic substitution and destructive quantum interference on the thermoelectric performance in molecular devices. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 345303.	1.8	16
26	Thermoelectric Properties of Hexagonal M ₂ C ₃ (M = As, Sb, and Bi) Monolayers from First-Principles Calculations. <i>Nanomaterials</i> , 2019, 9, 597.	4.1	22
27	Phonon transport in periodically and quasi-periodically modulated cylindrical nanowires. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 505303.	1.8	0
28	Monolayer SnP ₃ : an excellent p-type thermoelectric material. <i>Nanoscale</i> , 2019, 11, 19923-19932.	5.6	119
29	Nanoporous carbon foam structures with excellent electronic properties predicted by first-principles studies. <i>Carbon</i> , 2018, 129, 809-818.	10.3	23
30	Nanoscale thermal transport: Theoretical method and application. <i>Chinese Physics B</i> , 2018, 27, 036304.	1.4	21
31	Spin gapless semiconductor and half-metal properties in magnetic penta-hexa-graphene nanotubes. <i>Organic Electronics</i> , 2018, 63, 310-317.	2.6	28
32	<i>Ab initio</i> study of the moisture stability of lead iodine perovskites. <i>Journal of Physics Condensed Matter</i> , 2018, 30, 355501.	1.8	10
33	Excellent Thermoelectric Properties in monolayer WSe ₂ Nanoribbons due to Ultralow Phonon Thermal Conductivity. <i>Scientific Reports</i> , 2017, 7, 41418.	3.3	36
34	Large rectifying ratio in a nitrogen-doped armchair graphene device modulated by the gate voltage. <i>Organic Electronics</i> , 2017, 46, 150-157.	2.6	17
35	Semiconductor-metal transition induced by giant Stark effect in blue phosphorene nanoribbons. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2017, 381, 2016-2020.	2.1	7
36	Breaking surface states causes transformation from metallic to semi-conducting behavior in carbon foam nanowires. <i>Carbon</i> , 2017, 111, 867-877.	10.3	20

#	ARTICLE	IF	CITATIONS
37	Excellent thermoelectric properties induced by different contact geometries in phenalenyl-based single-molecule devices. <i>Scientific Reports</i> , 2017, 7, 10842.	3.3	19
38	Large spin rectifying and high-efficiency spin-filtering in superior molecular junction. <i>Organic Electronics</i> , 2017, 50, 184-190.	2.6	22
39	Triggering piezoelectricity directly by heat to produce alternating electric voltage. <i>Applied Physics Letters</i> , 2016, 109, .	3.3	13
40	Significant decrease in thermal conductivity of multi-walled carbon nanotube induced by inter-wall van der Waals interactions. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2016, 380, 1861-1864.	2.1	29
41	Thermal rectification and negative differential thermal resistance behaviors in graphene/hexagonal boron nitride heterojunction. <i>Carbon</i> , 2016, 100, 492-500.	10.3	108
42	The thermal conductivity in hybridised graphene and boron nitride nanoribbons modulated with strain. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 115301.	2.8	21
43	First-Principles Determination of Ultralow Thermal Conductivity of monolayer WSe ₂ . <i>Scientific Reports</i> , 2015, 5, 15070.	3.3	78
44	Conjunction of standing wave and resonance in asymmetric nanowires: a mechanism for thermal rectification and remote energy accumulation. <i>Scientific Reports</i> , 2015, 5, 17525.	3.3	20
45	Enhancement of thermoelectric performance in $\hat{1}^2$ -graphyne nanoribbons by suppressing phononic thermal conductance. <i>Carbon</i> , 2015, 85, 24-27.	10.3	76
46	Enhancement of thermoelectric performance in InAs nanotubes by tuning quantum confinement effect. <i>Journal of Applied Physics</i> , 2014, 115, .	2.5	17
47	An important mechanism for thermal rectification in graded nanowires. <i>Applied Physics Letters</i> , 2014, 105, .	3.3	65
48	High-efficiency spin filtering in salophen-based molecular junctions modulated with different transition metal atoms. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2014, 378, 3126-3130.	2.1	13
49	Negative differential resistance induced by the Jahn-Teller effect in single molecular coulomb blockade devices. <i>Computational Materials Science</i> , 2014, 82, 33-36.	3.0	42
50	Thermal conductance associated with six types of vibration modes in quantum wire modulated with quantum dot. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2014, 378, 2195-2200.	2.1	2
51	Enhancement of Thermoelectric Performance by Reducing Phonon Thermal Conductance in Multiple Core-shell Nanowires. <i>Scientific Reports</i> , 2014, 4, 7150.	3.3	42
52	Phonon thermal transport in InAs nanowires with different size and growth directions. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2013, 377, 3144-3147.	2.1	35
53	Core-shell nanowire serves as heat cable. <i>Applied Physics Letters</i> , 2013, 103, .	3.3	27