

Hongbing Mei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5271866/publications.pdf>

Version: 2024-02-01

25
papers

477
citations

687363

13
h-index

713466

21
g-index

25
all docs

25
docs citations

25
times ranked

734
citing authors

#	ARTICLE	IF	CITATIONS
1	A synthetic targeted RNA demethylation system based on CRISPR-Cas13b inhibits bladder cancer progression. <i>Clinical and Translational Medicine</i> , 2022, 12, e734.	4.0	5
2	Patient-Derived Upper Tract Urothelial Carcinoma Organoids as a Platform for Drug Screening. <i>Advanced Science</i> , 2022, 9, e2103999.	11.2	12
3	Patient-derived renal cell carcinoma organoids for personalized cancer therapy. <i>Clinical and Translational Medicine</i> , 2022, 12, .	4.0	24
4	YTHDF2 is a Potential Biomarker and Associated with Immune Infiltration in Kidney Renal Clear Cell Carcinoma. <i>Frontiers in Pharmacology</i> , 2021, 12, 709548.	3.5	21
5	Targeted Methylation of the LncRNA NEAT1 Suppresses Malignancy of Renal Cell Carcinoma. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 777349.	3.7	16
6	CRISPR-Cas13-Mediated Knockdown of lncRNA-GACAT3 Inhibited Cell Proliferation and Motility, and Induced Apoptosis by Increasing p21, Bax, and E-Cadherin Expression in Bladder Cancer. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 627774.	3.5	22
7	The Effect of Single-port Transvesical Laparoscopic Radical Prostatectomy on Erectile Function and Urinary Continence Compared to Intrafascial Endoscopic Extraperitoneal Radical Prostatectomy. <i>Urology Journal</i> , 2020, 17, 592-596.	0.4	1
8	NDNF inhibits the migration and invasion of human renal cancer cells through epithelial-mesenchymal transition. <i>Oncology Letters</i> , 2019, 17, 2969-2975.	1.8	15
9	Potential Role of lncRNA H19 as a Cancer Biomarker in Human Cancers Detection and Diagnosis: A Pooled Analysis Based on 1585 Subjects. <i>BioMed Research International</i> , 2019, 2019, 1-11.	1.9	30
10	Loss of KCNJ15 expression promotes malignant phenotypes and correlates with poor prognosis in renal carcinoma. <i>Cancer Management and Research</i> , 2019, Volume 11, 1211-1220.	1.9	21
11	Long noncoding RNA MALAT1 acts as a potential biomarker in cancer diagnosis and detection: a meta-analysis. <i>Biomarkers in Medicine</i> , 2019, 13, 45-54.	1.4	15
12	Overexpression of CRNDE promotes the progression of bladder cancer. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 638-644.	5.6	33
13	Knockdown of long noncoding RNA FGFR3-AS1 induces cell proliferation inhibition, apoptosis and motility reduction in bladder cancer. <i>Cancer Biomarkers</i> , 2018, 21, 277-285.	1.7	11
14	Lentivirus-mediated shRNA targeting MUTYH inhibits malignant phenotypes of bladder cancer SW780 cells. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 6101-6109.	2.0	4
15	High expression of enhancer RNA MARC1 or its activation by DHT is associated with the malignant behavior in bladder cancer. <i>Experimental Cell Research</i> , 2018, 370, 303-311.	2.6	7
16	Current Advances on the Important Roles of Enhancer RNAs in Gene Regulation and Cancer. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	10
17	rs11614913 polymorphism in miRNA-196a2 and cancer risk: an updated meta-analysis. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 1121-1139.	2.0	25
18	Role of long noncoding RNA UCA1 as a common molecular marker for lymph node metastasis and prognosis in various cancers: a meta-analysis. <i>Oncotarget</i> , 2017, 8, 1937-1943.	1.8	33

#	ARTICLE	IF	CITATIONS
19	Long non-coding RNA BRAF activated non-coding RNA as a potential novel molecular biomarker for metastasis and prognosis in various cancers. <i>Minerva Medica</i> , 2017, 108, 293-298.	0.9	3
20	Association between two interleukin-2 gene polymorphisms and cancer susceptibility: a meta-analysis. <i>OncoTargets and Therapy</i> , 2016, 9, 2181.	2.0	8
21	Association of polymorphisms in interleukin-8 gene with cancer risk: a meta-analysis of 22 case–control studies. <i>OncoTargets and Therapy</i> , 2016, 9, 3727.	2.0	19
22	Decreased expression of LncRNA MIR31HG in human bladder cancer. <i>Cancer Biomarkers</i> , 2016, 17, 231-236.	1.7	44
23	Over-expression of long noncoding RNA BANCR inhibits malignant phenotypes of human bladder cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 125.	8.6	64
24	Association of Polymorphisms in Intercellular Adhesion Molecule 1 (ICAM-1) Gene with Cancer Susceptibility: A Meta-Analysis of 14 Case-Control Studies. <i>Medical Science Monitor</i> , 2016, 22, 569-579.	1.1	3
25	CMTM3 Inhibits Human Testicular Cancer Cell Growth through Inducing Cell-Cycle Arrest and Apoptosis. <i>PLoS ONE</i> , 2014, 9, e88965.	2.5	31