

Manu Vatish

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5273186/publications.pdf>

Version: 2024-02-01

149
papers

6,410
citations

76326

40
h-index

74163

75
g-index

161
all docs

161
docs citations

161
times ranked

8020
citing authors

#	ARTICLE	IF	CITATIONS
1	Ruling out preeclampsia in the next 4 weeks using a soluble fms-like tyrosine kinase 1/placental growth factor ratio 38: secondary analysis of the Interventional Study on Prediction of Preeclampsia/Eclampsia in Women With Suspected Preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 443-445.	1.3	5
2	Clinical interpretation and implementation of the sFlt-1/PlGF ratio in the prediction, diagnosis and management of preeclampsia. <i>Pregnancy Hypertension</i> , 2022, 27, 42-50.	1.4	55
3	Trophoblast Extracellular Vesicles in Preeclampsia. , 2022, , 155-163.		0
4	In sickness and in health: The functional role of extracellular vesicles in physiology and pathology in vivo. <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12151.	12.2	64
5	In sickness and in health: The functional role of extracellular vesicles in physiology and pathology in vivo. <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12190.	12.2	51
6	Improving diagnostic accuracy in pregnancy with individualised, gestational age-specific reference intervals. <i>Clinica Chimica Acta</i> , 2022, 527, 56-60.	1.1	3
7	Syncytiotrophoblast-derived extracellular vesicles carry apolipoprotein and affect lipid synthesis of liver cells in vitro. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 123-132.	3.6	6
8	Neuropilin-1 is uniquely expressed on small syncytiotrophoblast extracellular vesicles but not on medium/large vesicles from preeclampsia and normal placentae. <i>Biochemical and Biophysical Research Communications</i> , 2022, 619, 151-158.	2.1	5
9	The prognostic utility of soluble fms-like tyrosine kinase-1 (sFlt-1) and placental growth factor (PlGF) biomarkers for predicting preeclampsia: a secondary analysis of data from the INSPIRE trial. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, .	2.4	6
10	Performance of soluble fms-like tyrosine kinase-1 to placental growth factor ratio of 85 for ruling in preeclampsia within 4 weeks. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 322-323.	1.3	13
11	A pregnancy-specific reference interval for procalcitonin. <i>Clinica Chimica Acta</i> , 2021, 513, 13-16.	1.1	13
12	Respiratory Syncytial Virus Vaccination During Pregnancy and Effects in Infants. <i>Obstetrical and Gynecological Survey</i> , 2021, 76, 10-13.	0.4	1
13	Syncytiotrophoblast Derived Extracellular Vesicles in Relation to Preeclampsia. <i>Maternal-Fetal Medicine</i> , 2021, 3, 151-160.	0.8	8
14	Predictive Accuracy of Soluble FMS-Like Tyrosine Kinase-1/Placental Growth Factor Ratio for Preeclampsia in Japan: A Systematic Review. <i>Hypertension Research in Pregnancy</i> , 2021, 9, 1-7.	0.2	1
15	Cardiac-specific troponins in uncomplicated pregnancy and pre-eclampsia: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0247946.	2.5	7
16	Pregnancy-specific Reference Intervals for BNP and NT-pro BNP Changes in Natriuretic Peptides Related to Pregnancy. <i>Journal of the Endocrine Society</i> , 2021, 5, bvab091.	0.2	16
17	Is there a role for C-reactive protein during and after labour?. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 671-672.	1.6	0
18	Syncytiotrophoblast Extracellular Vesicles From Late-Onset Preeclampsia Placentae Suppress Pro-Inflammatory Immune Response in THP-1 Macrophages. <i>Frontiers in Immunology</i> , 2021, 12, 676056.	4.8	15

#	ARTICLE	IF	CITATIONS
19	Pregnancy-specific reference intervals for C-reactive protein improve diagnostic accuracy for infection: A longitudinal study. <i>Clinica Chimica Acta</i> , 2021, 517, 81-85.	1.1	14
20	Preventing type 1 diabetes in childhood. <i>Science</i> , 2021, 373, 506-510.	12.6	52
21	Circulating Placental Vesicles Carry HLA-DR in Pre-Eclampsia: A New Potential Marker of the Syndrome. <i>Frontiers in Immunology</i> , 2021, 12, 717879.	4.8	10
22	5â€™-tRNA-halves: circulating syncytiotrophoblast RNA signals in early-onset preeclampsia. <i>Placenta</i> , 2021, 112, e57.	1.5	0
23	The diagnostic value of angiogenic and antiangiogenic factors in differential diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2021, . .	1.3	0
24	The impact of a routine late third trimester growth scan on the incidence, diagnosis, and management of breech presentation in Oxfordshire, UK: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003503.	8.4	10
25	Endothelial GTPCH (GTP Cyclohydrolase 1) and Tetrahydrobiopterin Regulate Gestational Blood Pressure, Uteroplacental Remodeling, and Fetal Growth. <i>Hypertension</i> , 2021, 78, 1871-1884.	2.7	10
26	Disruption of the Blood-Brain Barrier by Extracellular Vesicles From Preeclampsia Plasma and Hypoxic Placentae: Attenuation by Magnesium Sulfate. <i>Hypertension</i> , 2021, 78, 1423-1433.	2.7	16
27	White blood cells in pregnancy: reference intervals for before and after delivery. <i>EBioMedicine</i> , 2021, 74, 103715.	6.1	18
28	Exosomal Th1/Th2 cytokines in preeclampsia and HIV-positive preeclamptic women on highly active anti-retroviral therapy. <i>Cytokine</i> , 2020, 125, 154795.	3.2	16
29	Host-pathogen interaction in COVID-19: Pathogenesis, potential therapeutics and vaccination strategies. <i>Immunobiology</i> , 2020, 225, 152008.	1.9	65
30	Respiratory Syncytial Virus Vaccination during Pregnancy and Effects in Infants. <i>New England Journal of Medicine</i> , 2020, 383, 426-439.	27.0	265
31	Exosomal MicroRNAs in Pregnancy Provides Insight into a Possible Cure for Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5384.	4.1	10
32	One Step Closer to a Cure for Preeclampsia?. <i>Hypertension</i> , 2020, 76, 1081-1083.	2.7	3
33	Innate lymphoid cells are reduced in pregnant HIV positive women and are associated with preterm birth. <i>Scientific Reports</i> , 2020, 10, 13265.	3.3	13
34	Î³Î´ T cell frequencies are altered in HIV positive pregnant South African women and are associated with preterm birth. <i>PLoS ONE</i> , 2020, 15, e0235162.	2.5	4
35	Abnormal uterine inflammation in obstetric syndromes: molecular insights into the role of chemokine decoy receptor D6 and inflammasome NLRP3. <i>Molecular Human Reproduction</i> , 2020, 26, 111-121.	2.8	18
36	In vivo evidence of significant placental growth factor release by normal pregnancy placentas. <i>Scientific Reports</i> , 2020, 10, 132.	3.3	2

#	ARTICLE	IF	CITATIONS
37	Changes in the V β 7.2+ CD161++ MAIT cell compartment in early pregnancy are associated with preterm birth in HIV ϵ positive women. <i>American Journal of Reproductive Immunology</i> , 2020, 83, e13240.	1.2	10
38	Glycosylated Siglec-6 expression in syncytiotrophoblast-derived extracellular vesicles from preeclampsia placentas. <i>Biochemical and Biophysical Research Communications</i> , 2020, 533, 838-844.	2.1	19
39	Specimen Requirements for Preeclampsia Markers. <i>Journal of applied laboratory medicine</i> , The, 2020, 5, 605-607.	1.3	1
40	Soluble fms ϵ like tyrosine kinase ϵ 1 to placental growth factor ratio: ruling out pre ϵ clampsia for up to 4 weeks and value of retesting. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 367-375.	1.7	86
41	Randomized Interventional Study on Prediction of Preeclampsia/Eclampsia in Women With Suspected Preeclampsia. <i>Hypertension</i> , 2019, 74, 983-990.	2.7	84
42	<p>Exosomal microRNA profiling in early and late onset preeclamptic pregnant women reflects pathophysiology</p>. <i>International Journal of Nanomedicine</i> , 2019, Volume 14, 5637-5657.	6.7	39
43	Identification of infants with increased type 1 diabetes genetic risk for enrollment into Primary Prevention Trials ϵ "GPPAD ϵ 02 study design and first results. <i>Pediatric Diabetes</i> , 2019, 20, 720-727.	2.9	31
44	Maternal circulating syncytiotrophoblast-derived extracellular vesicles contain biologically active 5 ϵ ™-tRNA halves. <i>Biochemical and Biophysical Research Communications</i> , 2019, 518, 107-113.	2.1	30
45	A top priority in pre-eclampsia research: development of a reliable and inexpensive urinary screening test. <i>The Lancet Global Health</i> , 2019, 7, e1312-e1313.	6.3	7
46	Predictive Performance of PlGF (Placental Growth Factor) for Screening Preeclampsia in Asymptomatic Women. <i>Hypertension</i> , 2019, 74, 1124-1135.	2.7	69
47	Syncytiotrophoblast extracellular vesicles express functional insulin receptor capable of binding insulin; circulating levels are increased in Gestational Diabetes Mellitus. <i>Placenta</i> , 2019, 83, e95-e96.	1.5	0
48	The role of angiogenic factors in the management of preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 700-707.	2.8	28
49	Placental extracellular vesicles express active dipeptidyl peptidase IV; levels are increased in gestational diabetes mellitus. <i>Journal of Extracellular Vesicles</i> , 2019, 8, 1617000.	12.2	53
50	Circulating soluble fms-like tyrosine kinase-1 is placentally derived in normal pregnancy: First in vivo evidence. <i>Pregnancy Hypertension</i> , 2019, 16, 145-147.	1.4	10
51	Diagnostic utility of angiogenic biomarkers in pregnant women with suspected preeclampsia: A health economics review. <i>Pregnancy Hypertension</i> , 2019, 17, 28-35.	1.4	12
52	Placental Syncytiotrophoblast-Derived Extracellular Vesicles Carry Active NEP (Neprilysin) and Are Increased in Preeclampsia. <i>Hypertension</i> , 2019, 73, 1112-1119.	2.7	84
53	IFPA meeting 2018 workshop report II: Abnormally invasive placenta; inflammation and infection; preeclampsia; gestational trophoblastic disease and drug delivery. <i>Placenta</i> , 2019, 84, 9-13.	1.5	8
54	Transcriptomic profiling of trophoblast fusion using BeWo and JEG-3 cell lines. <i>Molecular Human Reproduction</i> , 2019, 25, 811-824.	2.8	21

#	ARTICLE	IF	CITATIONS
55	Temporal and external validation of the fullPIERS model for the prediction of adverse maternal outcomes in women with pre-eclampsia. <i>Pregnancy Hypertension</i> , 2019, 15, 42-50.	1.4	27
56	Reduced placental protein 13 (PP13) in placental derived syncytiotrophoblast extracellular vesicles in preeclampsia – A novel tool to study the impaired cargo transmission of the placenta to the maternal organs. <i>Placenta</i> , 2018, 66, 17-25.	1.5	36
57	Meta-Analysis and Systematic Review to Assess the Role of Soluble FMS-Like Tyrosine Kinase-1 and Placenta Growth Factor Ratio in Prediction of Preeclampsia. <i>Hypertension</i> , 2018, 71, 306-316.	2.7	134
58	Angiogenic factors: potential to change clinical practice in pre-eclampsia?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1389-1395.	2.3	59
59	Consensus statement on the potential implementation of the sFlt-1/PlGF ratio in women with suspected pre-eclampsia. <i>South African Journal of Obstetrics and Gynaecology</i> , 2018, 24, 61.	0.1	1
60	Taming preeclampsia at its source. <i>Nature Biotechnology</i> , 2018, 36, 1151-1152.	17.5	2
61	HLA-DR is aberrantly expressed at feto-maternal interface in pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2018, 129, 48-52.	1.9	43
62	Endoplasmic reticulum stress stimulates the release of extracellular vesicles carrying danger-associated molecular pattern (DAMP) molecules. <i>Oncotarget</i> , 2018, 9, 6707-6717.	1.8	115
63	Impact of haemostatic mechanisms on pathophysiology of preeclampsia. <i>Thrombosis Research</i> , 2017, 151, S48-S52.	1.7	21
64	Re: Screening for pre-eclampsia using sFlt-1/PlGF ratio cut-off of 38 at 30-37 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 665-666.	1.7	1
65	Placental Vesicles Carry Active Endothelial Nitric Oxide Synthase and Their Activity is Reduced in Preeclampsia. <i>Hypertension</i> , 2017, 70, 372-381.	2.7	113
66	Low Vitamin B12 in Pregnancy Is Associated With Adipose-Derived Circulating miRs Targeting PPAR β and Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4200-4209.	3.6	56
67	Placental Growth Factor as a Prognostic Tool in Women With Hypertensive Disorders of Pregnancy. <i>Hypertension</i> , 2017, 70, 1228-1237.	2.7	29
68	Syncytiotrophoblast extracellular vesicles – Circulating biopsies reflecting placental health. <i>Placenta</i> , 2017, 52, 134-138.	1.5	86
69	Update of syncytiotrophoblast derived extracellular vesicles in normal pregnancy and preeclampsia. <i>Journal of Reproductive Immunology</i> , 2017, 119, 98-106.	1.9	149
70	HbA1c and Mean Glucose Derived from Short-Term Continuous Glucose Monitoring Assessment Do Not Correlate in Patients With HbA1c \geq 8%. <i>Endocrine Practice</i> , 2017, 23, 10-16.	2.1	2
71	Differential activation of Fyn kinase distinguishes saturated and unsaturated fats in mouse macrophages. <i>Oncotarget</i> , 2017, 8, 86634-86645.	1.8	4
72	Acute nutritional stress during pregnancy affects placental efficiency, fetal growth and adult glucose homeostasis. <i>Oncotarget</i> , 2017, 8, 109478-109486.	1.8	8

#	ARTICLE	IF	CITATIONS
73	Predictive Value of the sFlt-1. Obstetrical and Gynecological Survey, 2016, 71, 273-274.	0.4	4
74	sFlt-1/PlGF ratio test for pre-eclampsia: an economic assessment for the UK. Ultrasound in Obstetrics and Gynecology, 2016, 48, 765-771.	1.7	53
75	Soluble fms-Like Tyrosine Kinase-1-to-Placental Growth Factor Ratio and Time to Delivery in Women With Suspected Preeclampsia. Obstetrics and Gynecology, 2016, 128, 261-269.	2.4	65
76	Enhanced non-vitreous cryopreservation of immortalized and primary cells by ice-growth inhibiting polymers. Biomaterials Science, 2016, 4, 1079-1084.	5.4	41
77	Definitions and reporting of placental insufficiency in biomedical journals: a review of the literature. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 205, 146-149.	1.1	23
78	Role of collectins and complement protein C1q in pregnancy and parturition. Immunobiology, 2016, 221, 1273-1288.	1.9	24
79	Gestational diabetic transcriptomic profiling of microdissected human trophoblast. Journal of Endocrinology, 2016, 229, 47-59.	2.6	14
80	Predictive Value of the sFlt-1:PlGF Ratio in Women with Suspected Preeclampsia. New England Journal of Medicine, 2016, 374, 13-22.	27.0	1,158
81	Fyn phosphorylates AMPK to inhibit AMPK activity and AMP-dependent activation of autophagy. Oncotarget, 2016, 7, 74612-74629.	1.8	31
82	Implementation of the sFlt-1/PlGF ratio for prediction and diagnosis of pre-eclampsia in singleton pregnancy: implications for clinical practice. Ultrasound in Obstetrics and Gynecology, 2015, 45, 241-246.	1.7	196
83	Low Maternal Vitamin B12 Status Is Associated with Lower Cord Blood HDL Cholesterol in White Caucasians Living in the UK. Nutrients, 2015, 7, 2401-2414.	4.1	36
84	Glycerol-Free Cryopreservation of Red Blood Cells Enabled by Ice-Recrystallization-Inhibiting Polymers. ACS Biomaterials Science and Engineering, 2015, 1, 789-794.	5.2	74
85	Pre-eclampsia: The Role of Hemostasis in Its Pathophysiology and Potential Future Therapeutic Options. , 2015, , 159-171.		0
86	Vitamin B12 insufficiency induces cholesterol biosynthesis by limiting s-adenosylmethionine and modulating the methylation of SREBF1 and LDLR genes. Clinical Epigenetics, 2015, 7, 14.	4.1	87
87	Using molecular rotors to probe gelation. Soft Matter, 2015, 11, 3706-3713.	2.7	27
88	HLA class II is aberrantly expressed on circulating syncytiotrophoblast microparticles in early onset pre-eclampsia. Placenta, 2015, 36, A7.	1.5	0
89	Is Placental Mitochondrial Function a Regulator that Matches Fetal and Placental Growth to Maternal Nutrient Intake in the Mouse?. PLoS ONE, 2015, 10, e0130631.	2.5	20
90	Modulation of Amino Acid Metabolic Signatures by Supplemented Isoenergetic Diets Differing in Protein and Cereal Fiber Content. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2599-E2609.	3.6	32

#	ARTICLE	IF	CITATIONS
91	Synthetic polymers enable non-vitreous cellular cryopreservation by reducing ice crystal growth during thawing. <i>Nature Communications</i> , 2014, 5, 3244.	12.8	242
92	<scp>BAI</scp>3, <scp>CDX</scp>2 and <scp>VIL</scp>1: a panel of three antibodies to distinguish small cell from large cell neuroendocrine lung carcinomas. <i>Histopathology</i> , 2014, 64, 547-556.	2.9	51
93	The inwardly rectifying K ⁺ channel <scp>KIR</scp>7.1 controls uterine excitability throughout pregnancy. <i>EMBO Molecular Medicine</i> , 2014, 6, 1161-1174.	6.9	59
94	The identification of irisin in human cerebrospinal fluid: influence of adiposity, metabolic markers, and gestational diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E512-E518.	3.5	125
95	Elevated Soluble CD163 in Gestational Diabetes Mellitus: Secretion from Human Placenta and Adipose Tissue. <i>PLoS ONE</i> , 2014, 9, e101327.	2.5	37
96	Fyn Deficiency Promotes a Preferential Increase in Subcutaneous Adipose Tissue Mass and Decreased Visceral Adipose Tissue Inflammation. <i>Diabetes</i> , 2013, 62, 1537-1546.	0.6	38
97	Elevated Fetal Adipsin/Acylation-Stimulating Protein (ASP) in Obese Pregnancy: Novel Placental Secretion via Hofbauer Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 4113-4122.	3.6	26
98	Pre-eclampsia is associated with, and preceded by, hypertriglyceridaemia: a meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1321-1332.	2.3	88
99	Corticotropin-Releasing Hormone Interacts With Interleukin-1 β to Regulate Prostaglandin H Synthase-2 Expression in Human Myometrium During Pregnancy and Labor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2864-2875.	3.6	17
100	Ice recrystallisation inhibition by polyols: comparison of molecular and macromolecular inhibitors and role of hydrophobic units. <i>Biomaterials Science</i> , 2013, 1, 478.	5.4	56
101	PF.07...Expression of 2, 3-Bisphosphoglycerate Mutase (BPGM) in Human Placenta. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, A6.2-A6.	2.8	0
102	Lower Cerebrospinal Fluid/Plasma Fibroblast Growth Factor 21 (FGF21) Ratios and Placental FGF21 Production in Gestational Diabetes. <i>PLoS ONE</i> , 2013, 8, e65254.	2.5	20
103	Maternal B12 insufficiency predicts neonate's metabolic risk factors. <i>Endocrine Abstracts</i> , 2013, , 1-1.	0.0	0
104	Irisin as a central regulator in energy homeostasis?. <i>Endocrine Abstracts</i> , 2013, , 1-1.	0.0	0
105	Involvement of RDR6 in short-range intercellular RNA silencing in <i>Nicotiana benthamiana</i> . <i>Scientific Reports</i> , 2012, 2, 467.	3.3	26
106	Inhibition of Akt Activity and Calcium Channel Function Coordinately Drive Cell-Cell Fusion in the BeWO Choriocarcinoma Placental Cell Line. <i>PLoS ONE</i> , 2012, 7, e29353.	2.5	18
107	Mobile FT mRNA contributes to the systemic florigen signalling in floral induction. <i>Scientific Reports</i> , 2011, 1, 73.	3.3	88
108	Interplay of cAMP and MAPK pathways in hCG secretion and fusogenic gene expression in a trophoblast cell line. <i>Molecular and Cellular Endocrinology</i> , 2011, 332, 213-220.	3.2	68

#	ARTICLE	IF	CITATIONS
109	Novel Roles of Corticotropin-Releasing Hormone in the Expression of Regulators of Cellular Sensitivity to Glucocorticoid Actions in BeWo Trophoblast Cells. , 2011, , P3-162-P3-162.		0
110	Diurnal variation is lost in preterm deliveries before 28 weeks of gestation. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 765-767.	2.3	21
111	Upregulation of Urotensin II Receptor in Preeclampsia Causes In Vitro Placental Release of Soluble Vascular Endothelial Growth Factor Receptor 1 in Hypoxia. Hypertension, 2010, 56, 172-178.	2.7	19
112	Squamous Cell Vulval Carcinoma and Pregnancy – A Review. European Oncology and Haematology, 2010, 06, 47.	0.0	0
113	Fyn Deficient Mice Are Protected Against High Fat Diet Induced Insulin Resistance and Adipose Tissue Inflammation Despite Low Levels of Regulatory T Cells.. , 2010, , P1-480-P1-480.		0
114	Placental Corticotropin Releasing Hormone: Biological Actions on Trophoblast Proliferation and Differentiation.. , 2010, , P3-368-P3-368.		0
115	Fyn kinase function in lipid utilization: a new upstream regulator of AMPK activity?. Archives of Physiology and Biochemistry, 2009, 115, 191-198.	2.1	12
116	Placental Expression of 2,3 Bisphosphoglycerate Mutase in IGF-II Knock out Mouse: Correlation of Circulating Maternal 2,3 Bisphosphoglycerate and Fetal Growth. Placenta, 2009, 30, 919-922.	1.5	5
117	Maternal high fat diet during pregnancy and lactation alters hepatic expression of insulin like growth factor-2 and key microRNAs in the adult offspring. BMC Genomics, 2009, 10, 478.	2.8	179
118	Midfoot plantar pressure significantly increases during late gestation. Foot, 2009, 19, 114-116.	1.1	30
119	Regulators of G protein signalling proteins in the human myometrium. European Journal of Pharmacology, 2009, 610, 23-28.	3.5	10
120	Epithelial ovarian cancer in pregnancy: a review of the literature. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 480-491.	2.3	48
121	The endogenous production of hydrogen sulphide in intrauterine tissues. Reproductive Biology and Endocrinology, 2009, 7, 10.	3.3	101
122	Uterine electromyography signal feature extraction and classification. International Journal of Modelling, Identification and Control, 2009, 6, 136.	0.2	9
123	Tissue pathway factor inhibitor (TFPI) activity is elevated in pregnant patients at 20 weeks gestation who subsequently develop preeclampsia. Thrombosis and Haemostasis, 2009, 101, 778-780.	3.4	4
124	Maternal Epithelial Ovarian Cancer. European Oncology and Haematology, 2009, 05, 64.	0.0	0
125	Xanthine Oxidase Interaction with Vascular Endothelial Growth Factor in Human Endothelial Cell Angiogenesis. Microcirculation, 2008, 15, 251-267.	1.8	30
126	The management of preterm labour. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2007, 92, F88-F93.	2.8	26

#	ARTICLE	IF	CITATIONS
127	The Onset of Labor Alters Corticotropin-Releasing Hormone Type 1 Receptor Variant Expression in Human Myometrium: Putative Role of Interleukin-1 β . <i>Endocrinology</i> , 2007, 148, 3205-3213.	2.8	47
128	Expression and regulation of prostaglandin E synthase isoforms in human myometrium with labour. <i>Molecular Human Reproduction</i> , 2007, 13, 69-75.	2.8	35
129	Effects of Angiotensin II on human endothelial cells survival signalling pathways and its angiogenic response. <i>Vascular Pharmacology</i> , 2007, 47, 199-208.	2.1	14
130	Elevated serum levels of visfatin in gestational diabetes: a comparative study across various degrees of glucose tolerance. <i>Diabetologia</i> , 2007, 50, 1033-1037.	6.3	107
131	Hormonal regulation of placental nitric oxide and pathogenesis of pre-eclampsia. <i>Trends in Molecular Medicine</i> , 2006, 12, 223-233.	6.7	40
132	Raised plasma adiponectin levels in type 1 diabetic pregnancies. <i>Clinical Endocrinology</i> , 2006, 65, 17-21.	2.4	9
133	Secretion of adiponectin by human placenta: differential modulation of adiponectin and its receptors by cytokines. <i>Diabetologia</i> , 2006, 49, 1292-1302.	6.3	227
134	Novel Placental Expression of 2,3-Bisphosphoglycerate Mutase. <i>Placenta</i> , 2006, 27, 924-927.	1.5	28
135	Anti-inflammatory and relaxatory effects of prostaglandin E2 in myometrial smooth muscle. <i>Molecular Human Reproduction</i> , 2006, 12, 89-97.	2.8	25
136	Management of threatened preterm labour. , 2005, , 191-209.		3
137	Preeclampsia Is Associated with Impaired Regulation of the Placental Nitric Oxide-Cyclic Guanosine Monophosphate Pathway by Corticotropin-Releasing Hormone (CRH) and CRH-Related Peptides. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3680-3687.	3.6	58
138	Specific in vivo binding of activator of G protein signalling 1 to the G β 1 subunit. <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 1038-1046.	2.1	26
139	Emerging technologies for the identification of therapeutic targets for the management of pre-eclampsia. <i>Expert Opinion on Therapeutic Targets</i> , 2004, 8, 507-514.	3.4	1
140	REVIEW: The role of hCG in reproductive medicine. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 1218-1228.	2.3	58
141	Triploid/diploid mosaicism (69XXY/46XX) presenting as severe early onset preeclampsia with a live birth: placental and cytogenetic features. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 112, 233-235.	1.1	5
142	The Glu298 \rightarrow Asp polymorphism of the endothelial nitric oxide synthase gene is associated with endometriosis. <i>Fertility and Sterility</i> , 2003, 80, 1524-1525.	1.0	12
143	THE APPLICATION OF PROTEOMICS TO FETAL AND MATERNAL MEDICINE. <i>Fetal and Maternal Medicine Review</i> , 2003, 14, 47-55.	0.3	1
144	Paracrine Oxytocin and Estradiol Demonstrate a Spatial Increase in Human Intrauterine Tissues with Labor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3392-3400.	3.6	55

#	ARTICLE	IF	CITATIONS
145	Oxytocin antagonists. Expert Opinion on Therapeutic Patents, 2002, 12, 1403-1406.	5.0	9
146	Oxytocin Antagonists: Clinical and Scientific Considerations. Experimental Physiology, 2001, 86, 297-302.	2.0	31
147	Transgenics. The Obstetrician and Gynaecologist, 2000, 2, 45-46.	0.4	0
148	Elevated cord leptin from low B12 mothers predicts birth weight. Endocrine Abstracts, 0, , .	0.0	0
149	Vitamin B12 deficiency alters adipogenesis and associated microRNA's in human adipocytes. Endocrine Abstracts, 0, , .	0.0	0