
## Paul E Bebbington

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5281998/publications.pdf Version: 2024-02-01



PALLE F REPRINCTON

#	Article	IF	CITATIONS
1	A cognitive model of the positive symptoms of psychosis. Psychological Medicine, 2001, 31, 189-195.	4.5	1,240
2	The List of Threatening Experiences: a subset of 12 life event categories with considerable long-term contextual threat. Psychological Medicine, 1985, 15, 189-194.	4.5	961
3	Psychological treatments in schizophrenia: I. Meta-analysis of family intervention and cognitive behaviour therapy. Psychological Medicine, 2002, 32, 763-82.	4.5	748
4	Epidemiology of Autism Spectrum Disorders in Adults in the Community in England. Archives of General Psychiatry, 2011, 68, 459.	12.3	725
5	A cognitive model of persecutory delusions. British Journal of Clinical Psychology, 2002, 41, 331-347.	3.5	669
6	Psychological investigation of the structure of paranoia in a non-clinical population. British Journal of Psychiatry, 2005, 186, 427-435.	2.8	579
7	Epidemiology of mental disorders in Camberwell. Psychological Medicine, 1981, 11, 561-579.	4.5	502
8	Prevalence and correlates of self-reported psychotic symptoms in the British population. British Journal of Psychiatry, 2004, 185, 298-305.	2.8	482
9	Psychosis, victimisation and childhood disadvantage. British Journal of Psychiatry, 2004, 185, 220-226.	2.8	478
10	The predictive utility of expressed emotion in schizophrenia: an aggregate analysis. Psychological Medicine, 1994, 24, 707-718.	4.5	403
11	London–East Anglia randomised controlled trial of cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 319-327.	2.8	387
12	The Burden of Care. British Journal of Psychiatry, 1987, 150, 285-292.	2.8	386
13	Reasoning, Emotions, and Delusional Conviction in Psychosis Journal of Abnormal Psychology, 2005, 114, 373-384.	1.9	379
14	The National Psychiatric Morbidity Surveys of Great Britain – initial findings from the Household Survey. Psychological Medicine, 1997, 27, 775-789.	4.5	363
15	Drug and Alcohol Problems among Individuals with Severe Mental Illnesses in South London. British Journal of Psychiatry, 1996, 168, 612-619.	2.8	354
16	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. Psychological Medicine, 2006, 36, 749-759.	4.5	340
17	Emotion and psychosis: Links between depression, self-esteem, negative schematic beliefs and delusions and hallucinations. Schizophrenia Research, 2006, 86, 181-188.	2.0	336
18	Measuring ideas of persecution and social reference: the Green <i>et al</i> . Paranoid Thought Scales (GPTS). Psychological Medicine, 2008, 38, 101-111.	4.5	296

#	Article	IF	CITATIONS
19	Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. British Journal of Psychiatry, 2007, 191, 30-37.	2.8	294
20	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. Psychological Medicine, 1998, 28, 9-19.	4.5	293
21	Implications for neurobiological research of cognitive models of psychosis: a theoretical paper. Psychological Medicine, 2007, 37, 1377-1391.	4.5	290
22	Obsessive-Compulsive Disorder: Prevalence, Comorbidity, Impact, and Help-Seeking in the British National Psychiatric Morbidity Survey of 2000. American Journal of Psychiatry, 2006, 163, 1978-1985.	7.2	281
23	Debt, income and mental disorder in the general population. Psychological Medicine, 2008, 38, 1485-1493.	4.5	277
24	Psychological treatments in schizophrenia: II. Meta-analyses of randomized controlled trials of social skills training and cognitive remediation. Psychological Medicine, 2002, 32, 783-91.	4.5	271
25	Prevalence of non-suicidal self-harm and service contact in England, 2000–14: repeated cross-sectional surveys of the general population. Lancet Psychiatry,the, 2019, 6, 573-581.	7.4	268
26	Life Events and Psychosis. British Journal of Psychiatry, 1993, 162, 72-79.	2.8	255
27	London–East Anglia randomised controlled trial of cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 420-426.	2.8	253
28	Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: Randomised controlled trial. British Journal of Psychiatry, 2008, 192, 412-423.	2.8	251
29	Nicotine, alcohol and drug dependence and psychiatric comorbidity. British Journal of Psychiatry, 2001, 179, 432-437.	2.8	250
30	Randomised controlled trial of acute mental health care by a crisis resolution team: the north Islington crisis study. BMJ: British Medical Journal, 2005, 331, 599.	2.3	250
31	Deinstitutionalisation — from Hospital Closure to Service Development. British Journal of Psychiatry, 1989, 155, 739-753.	2.8	245
32	Occurrence of hallucinatory experiences in a community sample and ethnic variations. British Journal of Psychiatry, 2002, 180, 174-178.	2.8	240
33	Childhood sexual abuse and psychosis: data from a cross-sectional national psychiatric survey in England. British Journal of Psychiatry, 2011, 199, 29-37.	2.8	233
34	The buffer theory of social support – a review of the literature. Psychological Medicine, 1987, 17, 91-108.	4.5	230
35	Virtual reality study of paranoid thinking in the general population. British Journal of Psychiatry, 2008, 192, 258-263.	2.8	226
36	Insomnia Comorbidity and Impact and Hypnotic Use by Age Group in a National Survey Population Aged 16 to 74 Years. Sleep, 2006, 29, 1391-1397.	1.1	221

#	Article	IF	CITATIONS
37	Concomitants of paranoia in the general population. Psychological Medicine, 2011, 41, 923-936.	4.5	217
38	What Price Depression?. British Journal of Psychiatry, 1994, 164, 665-673.	2.8	216
39	Mental health of the non-heterosexual population of England. British Journal of Psychiatry, 2011, 198, 143-148.	2.8	216
40	Self-reported psychotic symptoms in the general population. British Journal of Psychiatry, 2006, 188, 519-526.	2.8	214
41	The REACT study: randomised evaluation of assertive community treatment in north London. BMJ: British Medical Journal, 2006, 332, 815-820.	2.3	208
42	Feelings of loneliness among adults with mental disorder. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 5-13.	3.1	204
43	The structure of paranoia in the general population. British Journal of Psychiatry, 2013, 202, 419-427.	2.8	202
44	Unequal access and unmet need: neurotic disorders and the use of primary care services. Psychological Medicine, 2000, 30, 1359-1367.	4.5	200
45	London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. British Journal of Psychiatry, 1998, 173, 61-68.	2.8	198
46	The origins of sex differences in depressive disorder: bridging the gap. International Review of Psychiatry, 1996, 8, 295-332.	2.8	196
47	The epidemiology of bipolar affective disorder. Social Psychiatry and Psychiatric Epidemiology, 1995, 30, 279-292.	3.1	195
48	The association between traumatic experience, paranoia and hallucinations: a test of the predictions of psychological models. Acta Psychiatrica Scandinavica, 2007, 116, 280-289.	4.5	191
49	Insomnia, worry, anxiety and depression as predictors of the occurrence and persistence of paranoid thinking. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1195-1203.	3.1	190
50	Premorbid Social Underachievement in Schizophrenia. British Journal of Psychiatry, 1993, 162, 65-71.	2.8	189
51	Trauma and Hallucinatory Experience in Psychosis. Journal of Nervous and Mental Disease, 2005, 193, 501-507.	1.0	186
52	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation Journal of Consulting and Clinical Psychology, 2004, 72, 671-680.	2.0	183
53	Psychopathological syndromes in the functional psychoses: associations with course and outcome. Psychological Medicine, 1996, 26, 161-176.	4.5	182
54	The Camberwell Collaborative Depression Study III. Depression and Adversity in the Relatives of Depressed Probands. British Journal of Psychiatry, 1988, 152, 775-782.	2.8	180

#	Article	IF	CITATIONS
55	Cognitive model of caregiving in psychosis. British Journal of Psychiatry, 2010, 196, 259-265.	2.8	180
56	A difference that matters: comparisons of structured and semi-structured psychiatric diagnostic interviews in the general population. Psychological Medicine, 1999, 29, 1013-1020.	4.5	179
57	Public health significance of mixed anxiety and depression: beyond current classification. British Journal of Psychiatry, 2008, 192, 171-177.	2.8	174
58	Socioeconomic status, standard of living, and neurotic disorder. Lancet, The, 1998, 352, 605-609.	13.7	173
59	Mental Health, â€~Burnout' and Job Satisfaction among Hospital and Community-Based Mental Health Staff. British Journal of Psychiatry, 1996, 169, 334-337.	2.8	172
60	A large-scale validation study of the Medication Adherence Rating Scale (MARS). Schizophrenia Research, 2008, 100, 53-59.	2.0	171
61	Sex and depression. Psychological Medicine, 1998, 28, 1-8.	4.5	167
62	Caring and its Burdens. British Journal of Psychiatry, 1987, 151, 660-667.	2.8	166
63	Substance misuse and psychiatric comorbidity. Addictive Behaviors, 1998, 23, 909-918.	3.0	165
64	Acting on persecutory delusions: The importance of safety seeking. Behaviour Research and Therapy, 2007, 45, 89-99.	3.1	163
65	Psychiatric and social aspects of suicidal behaviour in prisons. Psychological Medicine, 2005, 35, 257-269.	4.5	160
66	Sexual abuse and psychiatric disorder in England: results from the 2007 Adult Psychiatric Morbidity Survey. Psychological Medicine, 2011, 41, 709-719.	4.5	156
67	A general population comparison of the Composite International Diagnostic Interview (CIDI) and the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). Psychological Medicine, 2001, 31, 1001-1013.	4.5	154
68	Personal debt and suicidal ideation. Psychological Medicine, 2011, 41, 771-778.	4.5	154
69	Negative Cognition, Depressed Mood, and Paranoia: A Longitudinal Pathway Analysis Using Structural Equation Modeling. Schizophrenia Bulletin, 2012, 38, 1063-1073.	4.3	154
70	The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. British Journal of Clinical Psychology, 1998, 37, 415-430.	3.5	152
71	Substance misuse and risk of aggression and offending among the severely mentally ill. British Journal of Psychiatry, 1998, 172, 345-350.	2.8	152
72	Age at Onset, Sex, and Familial Psychiatric Morbidity in Schizophrenia. British Journal of Psychiatry, 1994, 165, 466-473.	2.8	151

#	Article	IF	CITATIONS
73	Gender, Social support and recovery from depressive disorders: a prospective clinical study. Psychological Medicine, 1990, 20, 147-156.	4.5	150
74	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388.	3.1	147
75	The role of life events in depressive illness: is there a substantial causal relation?. Psychological Medicine, 1981, 11, 379-389.	4.5	145
76	Diabetes, Common Mental Disorders, and Disability: Findings From the UK National Psychiatric Morbidity Survey. Psychosomatic Medicine, 2007, 69, 543-550.	2.0	144
77	The Camberwell Collaborative Depression Study I. Depressed Probands: Adversity and the Form of Depression. British Journal of Psychiatry, 1988, 152, 754-765.	2.8	142
78	Epidemiology of obsessive-compulsive disorder. British Journal of Psychiatry, 1998, 173, 2-6.	2.8	142
79	The social causation of depression: a critique of the work of Brown and his colleagues. Psychological Medicine, 1978, 8, 565-575.	4.5	141
80	The National Psychiatric Morbidity Surveys of Great Britain – strategy and methods. Psychological Medicine, 1997, 27, 765-774.	4.5	140
81	Neurotic disorders and the receipt of psychiatric treatment. Psychological Medicine, 2000, 30, 1369-1376.	4.5	140
82	Psychopathy among prisoners in England and Wales. International Journal of Law and Psychiatry, 2009, 32, 134-141.	0.9	140
83	Job insecurity, socio-economic circumstances and depression. Psychological Medicine, 2010, 40, 1401-1407.	4.5	139
84	Increased Prevalence of Insomnia and Changes in Hypnotics Use in England over 15 Years: Analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. Sleep, 2012, 35, 377-384.	1.1	139
85	Expressed emotion at first-episode psychosis: investigating a carer appraisal model. British Journal of Psychiatry, 2004, 184, 321-326.	2.8	136
86	Religion, spirituality and mental health: results from a national study of English households. British Journal of Psychiatry, 2013, 202, 68-73.	2.8	133
87	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. International Review of Psychiatry, 2003, 15, 74-83.	2.8	132
88	Drug use and initiation in prison: results from a national prison survey in England and Wales. Addiction, 2002, 97, 1551-1560.	3.3	131
89	Psychosis in the Community and in Prisons: A Report From the British National Survey of Psychiatric Morbidity. American Journal of Psychiatry, 2005, 162, 774-780.	7.2	129
90	Parental death in childhood and risk of adult depressive disorders: a review. Psychological Medicine, 1980, 10, 289-299.	4.5	128

#	Article	IF	CITATIONS
91	Expressed emotion research in schizophrenia: theoretical and clinical implications. Psychological Medicine, 1988, 18, 893-909.	4.5	127
92	Understanding suicidal ideation in psychosis: findings from the Psychological Prevention of Relapse in Psychosis (PRP) trial. Acta Psychiatrica Scandinavica, 2006, 114, 177-186.	4.5	127
93	Suicide Attempts, Gender, and Sexual Abuse: Data From the 2000 British Psychiatric Morbidity Survey. American Journal of Psychiatry, 2009, 166, 1135-1140.	7.2	124
94	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases Journal of Abnormal Psychology, 2012, 121, 129-139.	1.9	123
95	Cognitive, Emotional, and Social Processes in Psychosis: Refining Cognitive Behavioral Therapy for Persistent Positive Symptoms. Schizophrenia Bulletin, 2006, 32, S24-S31.	4.3	122
96	Psychosis and drug dependence: results from a national survey of prisoners. British Journal of Psychiatry, 2002, 181, 393-398.	2.8	120
97	Perceived sources of work stress and satisfaction among hospital and community mental health staff, and their relation to mental health, burnout and job satisfaction. Journal of Psychosomatic Research, 1997, 43, 51-59.	2.6	119
98	Mental well-being and mental illness: findings from the Adult Psychiatric Morbidity Survey for England 2007. British Journal of Psychiatry, 2011, 199, 23-28.	2.8	117
99	Cross validation of a general population survey diagnostic interview: a comparison of CIS-R with SCAN ICD-10 diagnostic categories. Psychological Medicine, 1999, 29, 1029-1042.	4.5	116
100	The Psychology of Persecutory Ideation II. Journal of Nervous and Mental Disease, 2005, 193, 309-315.	1.0	115
101	Outcomes of crises before and after introduction of a crisis resolution team. British Journal of Psychiatry, 2005, 187, 68-75.	2.8	115
102	Gang Membership, Violence, and Psychiatric Morbidity. American Journal of Psychiatry, 2013, 170, 985-993.	7.2	115
103	Personality Disorder and Cardiovascular Disease. Journal of Clinical Psychiatry, 2007, 68, 69-74.	2.2	115
104	The World Health Report 2001. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 473-474.	3.1	114
105	The relationship between personal debt and specific common mental disorders. European Journal of Public Health, 2013, 23, 108-113.	0.3	113
106	Misfortune and resilience: a community study of women. Psychological Medicine, 1984, 14, 347-363.	4.5	112
107	Psychiatric morbidity and substance use in young people aged 13–15 years: results from the Child and Adolescent Survey of Mental Health. British Journal of Psychiatry, 2003, 182, 509-517.	2.8	111
108	Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. Schizophrenia Bulletin, 2016, 42, S34-S43.	4.3	111

#	Article	IF	CITATIONS
109	Psychiatric disorders in selected immigrant groups in Camberwell. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1981, 16, 43-51.	1.1	109
110	Violence and Psychiatric Morbidity in a National Household PopulationA Report from the British Household Survey. American Journal of Epidemiology, 2006, 164, 1199-1208.	3.4	109
111	Burden on caregivers of people with schizophrenia: Comparison between Germany and Britain. British Journal of Psychiatry, 2007, 190, 333-338.	2.8	108
112	Adversity and the nature of psychiatric disorder in the community. Journal of Affective Disorders, 1981, 3, 345-366.	4.1	107
113	Violence and psychiatric morbidity in the national household population of Britain: public health implications. British Journal of Psychiatry, 2006, 189, 12-19.	2.8	106
114	Neuropsychological functioning and jumping to conclusions in delusions. Schizophrenia Research, 2013, 150, 570-574.	2.0	106
115	Current Paranoid Thinking in Patients With Delusions: The Presence of Cognitive-Affective Biases. Schizophrenia Bulletin, 2013, 39, 1281-1287.	4.3	105
116	Trends in service use and treatment for mental disorders in adults throughout Great Britain. British Journal of Psychiatry, 2004, 185, 378-384.	2.8	104
117	Victims of bullying in childhood and suicide attempts in adulthood. European Psychiatry, 2011, 26, 498-503.	0.2	104
118	The need for psychiatric treatment in the general population: the Camberwell Needs for Care survey. Psychological Medicine, 1997, 27, 821-834.	4.5	103
119	British psychiatric morbidity survey. British Journal of Psychiatry, 1998, 173, 4-7.	2.8	102
120	Explanations for stress and satisfaction in mental health professionals: a qualitative study. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 301-308.	3.1	102
121	Can Virtual Reality be Used to Investigate Persecutory Ideation?. Journal of Nervous and Mental Disease, 2003, 191, 509-514.	1.0	102
122	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. Schizophrenia Bulletin, 2015, 41, 400-410.	4.3	102
123	Psychiatric morbidity and social functioning among adults with borderline intelligence living in private households. Journal of Intellectual Disability Research, 2008, 52, 95-106.	2.0	100
124	The Short-Term Outcome of Neurotic Disorders in the Community: The Relation of Remission to Clinical Factors and to â€~Neutralizing' Life Events. British Journal of Psychiatry, 1981, 139, 213-220.	2.8	99
125	Integration between primary and secondary services in the care of the severely mentally ill: patients' and general practitioners' views. British Journal of Psychiatry, 1997, 171, 169-174.	2.8	99
126	Risk factors for onset and persistence of psychosis. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 596-605.	3.1	99

#	Article	IF	CITATIONS
127	Mental health, "burnout" and job satisfaction in a longitudinal study of mental health staff. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 295-300.	3.1	99
128	Family interventions in early psychosis: specificity and effectiveness. Epidemiology and Psychiatric Sciences, 2011, 20, 113-119.	3.9	99
129	Mood Instability and Psychosis: Analyses of British National Survey Data. Schizophrenia Bulletin, 2014, 40, 269-277.	4.3	99
130	The contextual threat of life events: the concept and its reliability. Psychological Medicine, 1979, 9, 525-528.	4.5	98
131	Lone mothers, social exclusion and depression. Psychological Medicine, 2003, 33, 715-722.	4.5	97
132	Cannabis and acute psychosis. Schizophrenia Research, 1994, 13, 161-167.	2.0	96
133	Emotional dysfunction in schizophrenia spectrum psychosis: the role of illness perceptions. Psychological Medicine, 2006, 36, 761-770.	4.5	95
134	Validation of the Health of the Nation Outcome Scales. British Journal of Psychiatry, 1999, 174, 389-394.	2.8	93
135	Influence of carer expressed emotion and affect on relapse in non-affective psychosis. British Journal of Psychiatry, 2006, 188, 173-179.	2.8	89
136	Persecutory ideation and insomnia: Findings from the second British National Survey Of Psychiatric Morbidity. Journal of Psychiatric Research, 2010, 44, 1021-1026.	3.1	87
137	Suicidal Ideation, Self-Harm And Attempted Suicide: Results From The British Psychiatric Morbidity Survey 2000. European Psychiatry, 2010, 25, 427-431.	0.2	87
138	Mental and physical illness in caregivers: results from an English national survey sample. British Journal of Psychiatry, 2014, 205, 197-203.	2.8	87
139	A realâ€world study of the effectiveness of DBT in the UK National Health Service. British Journal of Clinical Psychology, 2012, 51, 121-141.	3.5	84
140	Correlates of Subjective Quality of Life in People With Schizophrenia. Journal of Nervous and Mental Disease, 2008, 196, 87-94.	1.0	83
141	Family history of autoimmune diseases in psychosis. Schizophrenia Research, 1996, 19, 33-40.	2.0	81
142	Delusions and decision-making style: Use of the Need for Closure Scale. Behaviour Research and Therapy, 2006, 44, 1147-1158.	3.1	81
143	Differences in Cognitive and Emotional Processes Between Persecutory and Grandiose Delusions. Schizophrenia Bulletin, 2013, 39, 629-639.	4.3	81
144	The Relation of Childhood Separation Experiences to Adult Depressive and Anxiety States. British Journal of Psychiatry, 1982, 141, 475-482.	2.8	78

#	Article	IF	CITATIONS
145	The British Mental Health Survey Programme: achievements and latest findings. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 899-904.	3.1	78
146	Using Directed Acyclic Graphs in Epidemiological Research in Psychosis: An Analysis of the Role of Bullying in Psychosis. Schizophrenia Bulletin, 2017, 43, 1273-1279.	4.3	78
147	The social context of insight in schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 500-507.	3.1	77
148	Virtual reality and paranoid ideations in people with an â€~at-risk mental state' for psychosis. British Journal of Psychiatry, 2007, 191, s63-s68.	2.8	77
149	The Camberwell Collaborative Depression Study II. Investigation of Family Members. British Journal of Psychiatry, 1988, 152, 766-774.	2.8	75
150	Perceptions of disadvantage, ethnicity and psychosis. British Journal of Psychiatry, 2008, 192, 185-190.	2.8	75
151	The reluctance to seek treatment for neurotic disorders. International Review of Psychiatry, 2003, 15, 123-128.	2.8	74
152	Depression and common mental disorders in lone parents: results of the 2000 National Psychiatric Morbidity Survey. Psychological Medicine, 2008, 38, 335-342.	4.5	74
153	Randomised evaluation of assertive community treatment: 3-year outcomes. British Journal of Psychiatry, 2009, 195, 81-82.	2.8	74
154	Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. Lancet Psychiatry,the, 2015, 2, 618-624.	7.4	74
155	Borderline personality disorder: health service use and social functioning among a national household population. Psychological Medicine, 2009, 39, 1721.	4.5	72
156	The contribution of work and non-work stressors to common mental disorders in the 2007 Adult Psychiatric Morbidity Survey. Psychological Medicine, 2012, 42, 829-842.	4.5	72
157	Ethnic inequalities in the use of health services for common mental disorders in England. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 685-692.	3.1	70
158	The Interview Measure of Social Relationships: The description and evaluation of a survey instrument for assessing personal social resources. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1987, 22, 123-128.	1.1	69
159	A validation of a new measure of activity in psychosis. Schizophrenia Research, 2006, 85, 288-295.	2.0	69
160	Predicting the Short-Term Outcome of First Episodes and Recurrences of Clinical Depression. Journal of Clinical Psychiatry, 1997, 58, 298-306.	2.2	69
161	The prediction of hallucinatory predisposition in non-clinical individuals: Examining the contribution of emotion and reasoning. British Journal of Clinical Psychology, 2005, 44, 127-132.	3.5	67
162	Event attributes and the content of psychotic experiences in first-episode psychosis. Psychological Medicine, 2006, 36, 221-230.	4.5	67

#	Article	IF	CITATIONS
163	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. Schizophrenia Bulletin, 2015, 41, 971-979.	4.3	67
164	Antidepressants may not assist recovery in practice: a naturalistic prospective survey. Acta Psychiatrica Scandinavica, 1992, 86, 5-11.	4.5	65
165	Why people do not take their psychotropic drugs as prescribed: results of the 2000 National Psychiatric Morbidity Survey. Acta Psychiatrica Scandinavica, 2007, 116, 47-53.	4.5	65
166	The Efficacy of Alcoholics Anonymous: The Elusiveness of Hard Data. British Journal of Psychiatry, 1976, 128, 572-580.	2.8	64
167	Prevalence of psychiatric disorder and the need for psychiatric care in Northern Ireland. British Journal of Psychiatry, 2002, 181, 214-219.	2.8	64
168	The Psychology of Persecutory Ideation I. Journal of Nervous and Mental Disease, 2005, 193, 302-308.	1.0	64
169	Patients' beliefs about the causes, persistence and control of psychotic experiences predict take-up of effective cognitive behaviour therapy for psychosis. Psychological Medicine, 2013, 43, 269-277.	4.5	64
170	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. Journal of Behavior Therapy and Experimental Psychiatry, 2015, 48, 82-89.	1.2	64
171	Gender differences in intimate partner violence and psychiatric disorders in England: results from the 2007 adult psychiatric morbidity survey. Epidemiology and Psychiatric Sciences, 2014, 23, 189-199.	3.9	63
172	Assessing needs for psychiatric treatment in prisoners: 1. Prevalence of disorder. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 221-229.	3.1	63
173	Psychiatric morbidity in prisoners with intellectual disabilities: analysis of prison survey data for England and Wales. British Journal of Psychiatry, 2011, 199, 156-157.	2.8	62
174	Attributional style in psychosis—The role of affect and belief type. Behaviour Research and Therapy, 2006, 44, 1597-1607.	3.1	61
175	A prospective study of Quality of life in schizophrenia in three European countries. Schizophrenia Research, 2007, 93, 194-202.	2.0	61
176	Inner London Collaborative Audit of Admissions in Two Health Districts. British Journal of Psychiatry, 1994, 165, 743-749.	2.8	60
177	The National Psychiatric Morbidity Surveys of Great Britaininitial findings from the Household Survey. International Review of Psychiatry, 2003, 15, 29-42.	2.8	60
178	Paranoid Ideation and Violence: Meta-analysis of Individual Subject Data of 7 Population Surveys. Schizophrenia Bulletin, 2016, 42, 907-915.	4.3	60
179	The lifetime and past-year prevalence of dual diagnosis in people with schizophrenia across Europe: findings from the European Schizophrenia Cohort (EuroSC). European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 607-616.	3.2	59
180	The influence of life events on the subsequent course of psychotic illness: A prospective follow-up of the Camberwell Collaborative Psychosis Study. Psychological Medicine, 1994, 24, 503-513.	4.5	58

#	Article	IF	CITATIONS
181	The European Schizophrenia Cohort. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 707-717.	3.1	58
182	Economic evaluation of a crisis resolution service: A randomised controlled trial. Epidemiologia E Psichiatria Sociale, 2009, 18, 54-58.	0.9	58
183	Transdiagnostic Extension of Delusions: Schizophrenia and Beyond. Schizophrenia Bulletin, 2017, 43, 273-282.	4.3	58
184	An investigation of factors associated with psychiatric hospital admission despite the presence of crisis resolution teams. BMC Psychiatry, 2007, 7, 52.	2.6	57
185	Measuring the need for psychiatric treatment in the general population: the community version of the MRC Needs for Care Assessment. Psychological Medicine, 1996, 26, 229-236.	4.5	56
186	Nicotine, alcohol and drug dependence, and psychiatric comorbidityresults of a national household survey. International Review of Psychiatry, 2003, 15, 50-56.	2.8	56
187	Social factors and depression in carers of people with dementia. International Journal of Geriatric Psychiatry, 2004, 19, 582-587.	2.7	56
188	The multidimensional measurement of the positive symptoms of psychosis. International Journal of Methods in Psychiatric Research, 2007, 16, 88-96.	2.1	56
189	Effective elements of cognitive behaviour therapy for psychosis: results of a novel type of subgroup analysis based on principal stratification. Psychological Medicine, 2012, 42, 1057-1068.	4.5	56
190	Anxiety and the schizophrenic process: clinical and epidemiological evidence. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 235-243.	3.1	55
191	Characteristics of teams, staff and patients: associations with outcomes of patients in assertive outreach. British Journal of Psychiatry, 2004, 185, 306-311.	2.8	55
192	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. Schizophrenia Bulletin, 2017, 43, 1280-1290.	4.3	55
193	Continuity of care and clinical outcome: a prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 242-247.	3.1	54
194	Sideâ€effects of antipsychotic medication and healthâ€related quality of life in schizophrenia. Acta Psychiatrica Scandinavica, 2009, 119, 22-28.	4.5	54
195	Common mental disorders, unemployment and welfare benefits in England. Public Health, 2010, 124, 675-681.	2.9	54
196	Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. Psychiatry Research, 2016, 241, 141-146.	3.3	54
197	Obsessive–compulsive disorder and personality disorder. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 862-867.	3.1	53
198	The meaning of reporting forgetfulness: a cross-sectional study of adults in the English 2007 Adult Psychiatric Morbidity Survey. Age and Ageing, 2011, 40, 711-717.	1.6	53

#	Article	IF	CITATIONS
199	Assertive outreach teams in London: Patient characteristics and outcomes. British Journal of Psychiatry, 2003, 183, 148-154.	2.8	52
200	Primary group size, social support, gender and future mental health status in a prospective study of people living in private households throughout Great Britain. Psychological Medicine, 2005, 35, 705-714.	4.5	52
201	Age variation in life events and their relationship with common mental disorders in a national survey population. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 611-616.	3.1	51
202	Expressed emotion in the families of patients with schizophrenia and its influence on the course of illness. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 61-65.	3.1	51
203	Marital status and depression: A study of English national admission statistics. Acta Psychiatrica Scandinavica, 1987, 75, 640-650.	4.5	50
204	The Dubai Community Psychiatric Survey: I. Prevalence and socio-demographic correlates. Social Psychiatry and Psychiatric Epidemiology, 1992, 27, 53-61.	3.1	50
205	Psychiatric disorder and dysfunction in the UK National Survey of Psychiatric Morbidity. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 191-197.	3.1	50
206	Social support networks and type of neurotic symptom among adults in British households. Psychological Medicine, 2003, 33, 307-318.	4.5	50
207	Remission and relapse in psychosis: operational definitions based on case-note data. Psychological Medicine, 2006, 36, 1551-1562.	4.5	50
208	Occupations, work characteristics and common mental disorder. Psychological Medicine, 2013, 43, 961-973.	4.5	50
209	Age and birth cohort differences in the prevalence of common mental disorder in England: National Psychiatric Morbidity Surveys 1993–2007. British Journal of Psychiatry, 2011, 198, 479-484.	2.8	49
210	Content and affect in persecutory delusions. British Journal of Clinical Psychology, 2006, 45, 561-577.	3.5	48
211	Discrepant illness perceptions, affect and expressed emotion in people with psychosis and their carers. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 277-283.	3.1	48
212	The treatment of common mental disorders across age groups: Results from the 2007 adult psychiatric morbidity survey. Journal of Affective Disorders, 2010, 127, 96-101.	4.1	48
213	Stressors and common mental disorder in informal carers – An analysis of the English Adult Psychiatric Morbidity Survey 2007. Social Science and Medicine, 2014, 120, 190-198.	3.8	48
214	Service use and costs of people with dual diagnosis in South London. Acta Psychiatrica Scandinavica, 2000, 101, 464-472.	4.5	47
215	Caregiving and Illness Beliefs in the Course of Psychotic Illness. Canadian Journal of Psychiatry, 2008, 53, 460-468.	1.9	47
216	Physical ill health, disability, dependence and depression: Results from the 2007 national survey of psychiatric morbidity among adults in England. Disability and Health Journal, 2012, 5, 102-110.	2.8	47

#	Article	IF	CITATIONS
217	Assessing needs for psychiatric treatment in prisoners: 2. Met and unmet need. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 231-240.	3.1	47
218	Socio-demographic associations with social disablement in a community sample. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1983, 18, 113-121.	1.1	46
219	Depression in inner London. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1987, 22, 73-84.	1.1	46
220	Inner London Collaborative Audit of Admission in Two Health Districts. British Journal of Psychiatry, 1994, 165, 750-759.	2.8	46
221	The prevalence of metabolic syndrome in people with severe mental illness: a mediation analysis. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1739-1746.	3.1	46
222	Psychosocial functioning, quality of life and clinical correlates of comorbid alcohol and drug dependence syndromes in people with schizophrenia across Europe. Psychiatry Research, 2016, 239, 301-307.	3.3	46
223	Risk factors and the prevalence of neurosis and psychosis in ethnic groups in Great Britain. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 939-946.	3.1	45
224	The structure and validity of acculturation. Social Psychiatry and Psychiatric Epidemiology, 1989, 24, 233-240.	3.1	44
225	Perceived job stress and mental health in precision machine workers of Japan: a 2 year cohort study. Occupational and Environmental Medicine, 1999, 56, 41-45.	2.8	44
226	Outcomes for Long-Term Patients One Year After Discharge From a Psychiatric Hospital. Psychiatric Services, 2005, 56, 1416-1422.	2.0	44
227	Child sexual abuse reported by an English national sample: characteristics and demography. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 255-262.	3.1	44
228	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. Trials, 2017, 18, 510.	1.6	44
229	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. JMIR Mental Health, 2018, 5, e11222.	3.3	44
230	The risk of minor depression before age 65: results from a community survey. Psychological Medicine, 1989, 19, 393-400.	4.5	43
231	Ethnic differences in prisoners. British Journal of Psychiatry, 2002, 181, 473-480.	2.8	43
232	Assertive outreach teams in London: Staff experiences and perceptions. British Journal of Psychiatry, 2003, 183, 139-147.	2.8	43
233	Successful engagement: a mixed methods study of the approaches of assertive community treatment and community mental health teams in the REACT trial. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 532-540.	3.1	43
234	Extremism, religion and psychiatric morbidity in a population-based sample of young men. British Journal of Psychiatry, 2016, 209, 491-497.	2.8	43

#	Article	IF	CITATIONS
235	Social networks, social support and the type of depressive illness. Acta Psychiatrica Scandinavica, 1987, 76, 664-673.	4.5	42
236	Greeks, British Greek Cypriots and Londoners: a comparison of morbidity. Psychological Medicine, 1988, 18, 433-442.	4.5	42
237	Relatives as a Resource in the Management of Functional Illness. British Journal of Psychiatry, 1985, 147, 465-470.	2.8	41
238	Life Events and Schizophrenia. British Journal of Psychiatry, 1986, 148, 12-22.	2.8	41
239	Hazard, heredity and depression. A family study. Journal of Psychiatric Research, 1987, 21, 365-375.	3.1	41
240	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. JAMA Psychiatry, 2021, 78, 714.	11.0	41
241	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. Psychiatric Services, 2009, 60, 908-913.	2.0	40
242	Age and birth cohort differences in depression in repeated cross-sectional surveys in England: the National Psychiatric Morbidity Surveys, 1993 to 2007. Psychological Medicine, 2012, 42, 2047-2055.	4.5	40
243	Prevalence of Same-Sex Behavior and Orientation in England: Results from a National Survey. Archives of Sexual Behavior, 2012, 41, 631-639.	1.9	40
244	Impact of a Mobile E-Health Intervention on Binge Drinking in Young People: The Digital–Alcohol Risk Alertness Notifying Network for Adolescents and Young Adults Project. Journal of Adolescent Health, 2016, 58, 520-526.	2.5	40
245	Psychosocial stress and anxiety in senile dementia. Journal of Affective Disorders, 1996, 39, 165-173.	4.1	39
246	Children Who Run Away From Home: Risks for Suicidal Behavior and Substance Misuse. Journal of Adolescent Health, 2012, 51, 415-421.	2.5	39
247	Prevalence of psychosis in black ethnic minorities in Britain: analysis based on three national surveys. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1057-1064.	3.1	39
248	Gender, Parity and the Prevalence of Minor Affective Disorder. British Journal of Psychiatry, 1991, 158, 40-45.	2.8	38
249	Stress Incubation and the Onset of Affective Disorders. British Journal of Psychiatry, 1993, 162, 358-362.	2.8	38
250	Urban residence, victimhood and the appraisal of personal safety in people with schizophrenia: results from the European Schizophrenia Cohort (EuroSC). Psychological Medicine, 2008, 38, 591-597.	4.5	37
251	Prevalence and predictors of suicidal behaviour in a sample of adults with estimated borderline intellectual functioning: Results from a population survey. Journal of Affective Disorders, 2011, 129, 380-384.	4.1	37
252	Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. International Journal of Geriatric Psychiatry, 2011, 26, 608-614.	2.7	37

#	Article	IF	CITATIONS
253	Caregiver Reports of Patient-Initiated Violence in Psychosis. Canadian Journal of Psychiatry, 2014, 59, 376-384.	1.9	37
254	Ethnic differences in prisoners. British Journal of Psychiatry, 2002, 181, 481-487.	2.8	36
255	Socio-economic status, standard of living, and neurotic disorder. International Review of Psychiatry, 2003, 15, 91-96.	2.8	36
256	The coâ€morbidity of personality disorder and clinical syndromes in prisoners. Criminal Behaviour and Mental Health, 2009, 19, 321-333.	0.8	36
257	Data Resource Profile: Adult Psychiatric Morbidity Survey (APMS). International Journal of Epidemiology, 2020, 49, 361-362e.	1.9	36
258	Monosymptomatic Hypochondriasis, Abnormal Illness Behaviour and Suicide. British Journal of Psychiatry, 1976, 128, 475-478.	2.8	35
259	Stressful and intrusive life events preceding first episode psychosis. Epidemiologia E Psichiatria Sociale, 2009, 18, 221-228.	0.9	35
260	Patient Perceptions of Caregiver Criticism in Psychosis. Journal of Nervous and Mental Disease, 2009, 197, 85-91.	1.0	35
261	Social influences on bipolar affective disorders. Social Psychiatry and Psychiatric Epidemiology, 1995, 30, 152-160.	3.1	34
262	Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. Behavioural and Cognitive Psychotherapy, 2008, 36, 163-178.	1.2	34
263	The influence of disability on suicidal behaviour. Alter, 2012, 6, 1-12.	0.9	34
264	Trauma exposure, PTSD and psychotic-like symptoms in post-conflict Timor Leste: an epidemiological survey. BMC Psychiatry, 2012, 12, 229.	2.6	34
265	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. PLoS ONE, 2012, 7, e48012.	2.5	33
266	Acculturation and psychiatric disorder: a study of Greek Cypriot immigrants. Psychological Medicine, 1990, 20, 941-951.	4.5	32
267	Inner London Collaborative Audit of Admissions in Two Health Districts. British Journal of Psychiatry, 1994, 165, 734-742.	2.8	32
268	Positive and negative symptoms in schizophrenia: A longitudinal analysis using latent variable structural equation modelling. Schizophrenia Research, 2019, 204, 58-64.	2.0	32
269	Psychiatric morbidity in prisoners and solitary cellular confinement, I: disciplinary segregation. Journal of Forensic Psychiatry and Psychology, 2003, 14, 298-319.	1.0	31
270	Coping Styles in Carers of People With Recent and Long-Term Psychosis. Journal of Nervous and Mental Disease, 2011, 199, 423-424.	1.0	31

#	Article	IF	CITATIONS
271	Cannabis Use and Hypomania in Young People: A Prospective Analysis. Schizophrenia Bulletin, 2018, 44, 1267-1274.	4.3	31
272	Life events and senile dementia. I. Admission, deterioration and social environment change. Psychological Medicine, 1995, 25, 373-386.	4.5	30
273	Childhood sexual abuse and psychosis: aetiology and mechanism. Epidemiology and Psychiatric Sciences, 2009, 18, 284-293.	3.9	30
274	Links between psychotic and neurotic symptoms in the general population: an analysis of longitudinal British National Survey data using Directed Acyclic Graphs. Psychological Medicine, 2019, 49, 388-395.	4.5	30
275	Female Vulnerability to Neurosis: The Influence of Social Roles. Australian and New Zealand Journal of Psychiatry, 1982, 16, 135-140.	2.3	29
276	A Comparative Study of Psychiatric Services in Japan and England. British Journal of Psychiatry, 1990, 157, 416-420.	2.8	29
277	Adversity in Groups with an Increased Risk of Minor Affective Disorder. British Journal of Psychiatry, 1991, 158, 33-40.	2.8	29
278	The undertreatment of depression. European Archives of Psychiatry and Clinical Neuroscience, 1992, 242, 103-108.	3.2	29
279	The treatment of psychiatric disorder in the community: Report from the Camberwell Needs for Care Survey. Journal of Mental Health, 1999, 8, 7-17.	1.9	29
280	Substance misuse and psychiatric comorbidity: an overview of the OPCS National Psychiatric Morbidity Survey. International Review of Psychiatry, 2003, 15, 43-49.	2.8	29
281	The domain of life events: a comparison of two techniques of description. Psychological Medicine, 1984, 14, 219-222.	4.5	28
282	The Dubai Community Psychiatric Survey: acculturation and the prevalence of psychiatric disorder. Psychological Medicine, 1994, 24, 121-131.	4.5	28
283	Life Events and Senile Dementia Affective Symptoms. British Journal of Psychiatry, 1995, 166, 613-620.	2.8	28
284	Social networks and support in early psychosis: potential mechanisms. Epidemiology and Psychiatric Sciences, 2013, 22, 147-150.	3.9	28
285	Cardiovascular risk factors among people with severe mental illness in Italy: A cross-sectional comparative study. General Hospital Psychiatry, 2014, 36, 698-702.	2.4	28
286	The reliability of the community version of the MRC Needs for Care Assessment. Psychological Medicine, 1996, 26, 237-243.	4.5	27
287	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. Epidemiology and Psychiatric Sciences, 2009, 18, 344-351.	3.9	27
288	Direct medical mental health care costs of schizophrenia in France, Germany and the United Kingdom – Findings from the European Schizophrenia Cohort (EuroSC). European Psychiatry, 2009, 24, 216-224.	0.2	27

#	Article	IF	CITATIONS
289	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. Psychiatry Research, 2014, 219, 275-282.	3.3	27
290	Social experiences in childhood and adult psychiatric morbidity: a multiple regression analysis. Psychological Medicine, 1982, 12, 321-327.	4.5	26
291	Psychiatric morbidity in London's Greek-Cypriot immigrant community. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1987, 22, 150-159.	1.1	26
292	Unequal access and unmet need: neurotic disorders and the use of primary care services. International Review of Psychiatry, 2003, 15, 115-122.	2.8	26
293	Satisfaction and burnout among staff of crisis resolution, assertive outreach and community mental health teams. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 541-549.	3.1	26
294	Neurotic disorders and the receipt of psychiatric treatment. International Review of Psychiatry, 2003, 15, 108-114.	2.8	25
295	Mood as a mediator of the link between child sexual abuse and psychosis. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 661-663.	3.1	25
296	Prevalence and treatment of common mental disorders in the English national population, 1993–2007. British Journal of Psychiatry, 2016, 209, 150-156.	2.8	25
297	Three cognitive theories of depression. Psychological Medicine, 1985, 15, 759-769.	4.5	24
298	Gender, marital status and treated affective disorders in South Verona: a case register study. Journal of Affective Disorders, 1989, 17, 83-91.	4.1	24
299	A Portuguese/Brazilian study of Expressed Emotion. Social Psychiatry and Psychiatric Epidemiology, 1992, 27, 22-27.	3.1	24
300	Life events before psychotic episodes: do clinical and social variables affect the relationship?. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 122-128.	3.1	24
301	Research on Burden and Coping Strategies in Families of People with Mental Disorders: Problems and Perspectives. , 2005, , 217-234.		24
302	Misery and the of Disease Theories of Depression. International Journal of Social Psychiatry, 1987, 33, 13-20.	3.1	23
303	Causal Models and Logical Inference in Epidemiological Psychiatry. British Journal of Psychiatry, 1980, 136, 317-325.	2.8	22
304	Does the act of migration provoke psychiatric breakdown? Acta Psychiatrica Scandinavica, 1989, 80, 469-473.	4.5	22
305	Social factors and the outcome of dementia. International Journal of Geriatric Psychiatry, 2000, 15, 515-520.	2.7	22
306	The National Survey of Psychiatric Morbidity among Prisoners and the Future of Prison Healthcare. Medicine, Science and the Law, 2002, 42, 245-250.	1.0	22

#	Article	IF	CITATIONS
307	Life events, depression and social support in dementia. British Journal of Clinical Psychology, 2004, 43, 313-324.	3.5	22
308	Cognitive impairment and happiness in old people in low and middle income countries: results from the 10/66 study. Journal of Affective Disorders, 2011, 130, 198-204.	4.1	22
309	Unravelling psychosis: psychosocial epidemiology, mechanism, and meaning. Shanghai Archives of Psychiatry, 2015, 27, 70-81.	0.7	22
310	The Short-Term Outcome of Neurotic Disorders in the Community — Demographic and Clinical Predictors of Remission. Australian and New Zealand Journal of Psychiatry, 1981, 15, 111-116.	2.3	21
311	Alcohol in moderation, premorbid intelligence and cognition in older adults: results from the Psychiatric Morbidity Survey. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 1236-1239.	1.9	21
312	Adult attention deficit hyperactivity symptoms and psychosis: Epidemiological evidence from a population survey in England. Psychiatry Research, 2015, 229, 49-56.	3.3	21
313	Cognition and social adversity in the depressed elderly Journal of Abnormal Psychology, 1987, 96, 23-26.	1.9	20
314	Transcultural Aspects of Affective Disorders. International Review of Psychiatry, 1993, 5, 145-156.	2.8	20
315	Paranoid Explanations of Experience: A Novel Experimental Study. Behavioural and Cognitive Psychotherapy, 2011, 39, 21-34.	1.2	20
316	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. International Psychogeriatrics, 2017, 29, 259-267.	1.0	20
317	Revisiting the one in four: the prevalence of psychiatric disorder in the population of England 2000–2014. British Journal of Psychiatry, 2020, 216, 55-57.	2.8	20
318	Religious discrimination and common mental disorders in England: a nationally representative population-based study. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1723-1729.	3.1	19
319	Bipolar disorder: Prevalence, help-seeking and use of mental health care in England. Findings from the 2014 Adult Psychiatric Morbidity Survey. Journal of Affective Disorders, 2021, 282, 426-433.	4.1	19
320	The relation between life events and social support networks in a clinically depressed cohort. Social Psychiatry and Psychiatric Epidemiology, 1990, 25, 308-313.	3.1	18
321	Residential area and social contacts in schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 617-622.	3.1	18
322	Developing mental health services in response to research evidence. Epidemiologia E Psichiatria Sociale, 2008, 17, 47-56.	0.9	18
323	Psychological characteristics of religious delusions. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1051-1061.	3.1	18
324	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). Journal of Experimental Psychopathology, 2012, 3, 582-593.	0.8	17

#	Article	IF	CITATIONS
325	Borderline intellectual functioning and psychosis: Adult Psychiatric Morbidity Survey evidence. British Journal of Psychiatry, 2017, 211, 50-51.	2.8	17
326	Unemployment, ethnicity and psychosis. Acta Psychiatrica Scandinavica, 2013, 127, 202-209.	4.5	16
327	Improving risk management for violence in mental health services: a multimethods approach. Programme Grants for Applied Research, 2016, 4, 1-408.	1.0	16
328	Psychiatric morbidity in prisoners and solitary cellular confinement, II: special ('strip') cells. Journal of Forensic Psychiatry and Psychology, 2003, 14, 320-340.	1.0	15
329	disorders with reference to the clinician-administered SCAN in 105 attendees at one primary-care practice Jordanova and colleagues (2004) devote almost all of their discussion to comments on what, in our opinion, is our quite different comparison of these instruments in 205 geographically sampled community subjects (Brugha et al. 1999 a. 2001): they argue that we may have been unduly pessimistic in	4.5	15
330	our view that n. Psychological Medicine, 2005, 35, 1089-1091. The Application of Cognitive-Behavioral Therapy for Psychosis in Clinical and Research Settings. Psychiatric Services, 2007, 58, 1297-1302.	2.0	15
331	Estimated verbal IQ and the odds of problem gambling: a population-based study. Psychological Medicine, 2014, 44, 1739-1749.	4.5	15
332	Gambling, geographical variations and deprivation: findings from the adult psychiatric morbidity survey. International Gambling Studies, 2017, 17, 459-470.	2.1	15
333	Parentâ€Child separations during childhood: their relation to adult psychiatric morbidity and to psychiatric referral: preliminary findings. Acta Psychiatrica Scandinavica, 1980, 62, 324-331.	4.5	14
334	Psychiatric Symptoms, Social Disablement and Illness Behaviour. Australian and New Zealand Journal of Psychiatry, 1987, 21, 68-73.	2.3	14
335	British Psychiatric Morbidity Survey. International Review of Psychiatry, 2003, 15, 14-18.	2.8	14
336	Impact of a crisis resolution team on service costs in the UK. Psychiatric Bulletin, 2009, 33, 17-19.	0.3	14
337	Mental and personality disorders and abstinence from alcohol: results from a national household survey. Psychological Medicine, 2011, 41, 809-818.	4.5	14
338	Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. Epidemiology and Psychiatric Sciences, 2014, 23, 389-397.	3.9	14
339	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 459-466.	1.2	14
340	Ethnic disparities in psychotic experiences explained by area-level syndemic effects. British Journal of Psychiatry, 2020, 217, 555-561.	2.8	14
341	Epidemiology of depressive disorders in the community. Journal of Affective Disorders, 1982, 4, 331-345.	4.1	13
342	Depression: Distress or Disease?. British Journal of Psychiatry, 1986, 148, 479-479.	2.8	13

#	Article	IF	CITATIONS
343	A SCAN-SADS comparison study of psychotic subjects and their first-degree relatives. European Archives of Psychiatry and Clinical Neuroscience, 1993, 242, 352-356.	3.2	13
344	The National Psychiatric Morbidity Surveys of Great Britainstrategy and methods. International Review of Psychiatry, 2003, 15, 5-13.	2.8	13
345	Cognitive behaviour therapy for psychosis. Epidemiology and Psychiatric Sciences, 2006, 15, 267-275.	3.9	13
346	Predictors of Mental Health Service Utilization in the 12 Months before Imprisonment: Analysis of Results from a National Prisons Survey. Australian and New Zealand Journal of Psychiatry, 2006, 40, 548-553.	2.3	13
347	Carers' attributions about positive events in psychosis relate to expressed emotion. Behaviour Research and Therapy, 2009, 47, 783-789.	3.1	13
348	Successful aging in health adversity: results from the National Psychiatric Morbidity Survey. International Psychogeriatrics, 2009, 21, 861.	1.0	13
349	Why are suicidal thoughts less prevalent in older age groups? Age differences in the correlates of suicidal thoughts in the English Adult Psychiatric Morbidity Survey 2007. Journal of Affective Disorders, 2015, 177, 42-48.	4.1	13
350	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. Behavioural and Cognitive Psychotherapy, 2015, 43, 42-51.	1.2	13
351	The Dubai Community Psychiatric Survey. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 501-509.	3.1	12
352	Trends in suicidal ideation in England: the National Psychiatric Morbidity Surveys of 2000 and 2007. Psychological Medicine, 2014, 44, 175-183.	4.5	12
353	The mediating role of depression in pathways linking positive and negative symptoms in schizophrenia. A longitudinal analysis using latent variable structural equation modelling. Psychological Medicine, 2020, 50, 566-574.	4.5	12
354	Stressful and intrusive life events preceding first episode psychosis. Epidemiologia E Psichiatria Sociale, 2009, 18, 221-8.	0.9	12
355	Lithium Therapy and Ophthalmic Graves' Disease. British Journal of Psychiatry, 1977, 130, 420-420.	2.8	11
356	The Camberwell Community Survey: a summary of results. Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 195-201.	3.1	11
357	The longer term outcomes of community care: a 12 year follow-up of the Camberwell High Contact Survey. Psychological Medicine, 2001, 31, 351-359.	4.5	11
358	Psychotic symptoms and sensory impairment: Findings from the 2014 adult psychiatric morbidity survey. Schizophrenia Research, 2020, 215, 357-364.	2.0	11
359	Social factors and psychiatric admission for senile dementia. International Journal of Geriatric Psychiatry, 1995, 10, 313-323.	2.7	10
360	A cross-national comparison of violence among young men in China and the UK: psychiatric and cultural explanations. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1267-1279.	3.1	10

#	Article	IF	CITATIONS
361	Treatment of male sexual deviation by use of a vibrator: Case report. Archives of Sexual Behavior, 1977, 6, 21-24.	1.9	9
362	Recalibration methods to enhance information on prevalence rates from large mental health surveys. International Journal of Methods in Psychiatric Research, 2005, 14, 3-13.	2.1	9
363	The impact of physical illnesses on nonâ€psychotic psychiatric morbidity: Data from the household survey of psychiatric morbidity in Great Britain. British Journal of Health Psychology, 2007, 12, 463-471.	3.5	9
364	Categories, continua and the growth of psychiatric knowledge. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 507-510.	3.1	9
365	Personality disorder and violence in the national household population of Britain. Journal of Forensic Psychiatry and Psychology, 2017, 28, 620-638.	1.0	9
366	Adversity and working class vulnerability to minor affective disorder. Journal of Affective Disorders, 1986, 11, 115-120.	4.1	8
367	Pain in the family. Journal of Psychosomatic Research, 1996, 40, 451-456.	2.6	8
368	Initial treatment phase in early psychosis: can intensive home treatment prevent admission?. Psychiatric Bulletin, 2006, 30, 243-246.	0.3	8
369	Family interventions in psychosis: a scale to measure therapist adherence. Journal of Family Therapy, 2009, 31, 270-283.	1.0	8
370	Temporal trends in psychotic symptoms: Repeated cross-sectional surveys of the population in England 2000–14. Schizophrenia Research, 2021, 228, 97-102.	2.0	8
371	The mental health of ex-prisoners: analysis of the 2014 English National Survey of Psychiatric Morbidity. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 2083-2093.	3.1	8
372	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. Health Expectations, 2022, 25, 191-202.	2.6	8
373	Predicting Relapse in Schizophrenia. International Journal of Mental Health, 1995, 24, 7-22.	1.3	7
374	Recovery from Mental III Health in an Occupational Setting: A Cohort Study in Japan. Journal of Occupational Health, 2000, 42, 66-71.	2.1	7
375	Life events and survival in dementia: a 5-year follow-up study. Australian and New Zealand Journal of Psychiatry, 2004, 38, 702-705.	2.3	7
376	Recent findings in bipolar affective disorder. Psychological Medicine, 2004, 34, 767-776.	4.5	7
377	Theories of cognition, emotion and the social world: missing links in psychosis. , 2008, , 219-237.		7
378	The need for closure in caregivers of people with psychosis. Epidemiologia E Psichiatria Sociale, 2010, 19, 159-167.	0.9	7

#	Article	IF	CITATIONS
379	Epidemiology of knife carrying among young British men. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1555-1563.	3.1	7
380	Self-harm, suicidal ideation, and the positive symptoms of psychosis: Cross-sectional and prospective data from a national household survey. Schizophrenia Research, 2021, 233, 80-88.	2.0	7
381	Psychiatry: Science, Meaning and Purpose. British Journal of Psychiatry, 1977, 130, 222-228.	2.8	6
382	Life events: the reliability of rating changes in routine and environment. Social Psychiatry and Psychiatric Epidemiology, 1990, 25, 304-307.	3.1	6
383	Life events and cognition in dementia. Aging and Mental Health, 1998, 2, 53-59.	2.8	6
384	Affective disorders. , 2007, , 224-241.		6
385	The population impact of common mental disorders and long-term physical conditions on disability and hospital admission. Psychological Medicine, 2013, 43, 921-931.	4.5	6
386	Attempting to disentangle the relationship between impulsivity and longitudinal self-harm: Epidemiological analysis of UK household survey data. International Journal of Social Psychiatry, 2019, 65, 114-122.	3.1	6
387	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. Schizophrenia Bulletin Open, 2020, 1, .	1.7	6
388	Receiving threatening or obscene messages from a partner and mental health, self-harm and suicidality: results from the Adult Psychiatric Morbidity Survey. Social Psychiatry and Psychiatric Epidemiology, 2023, 58, 1749-1759.	3.1	6
389	Life events and social factors. , 1992, , 126-144.		6
390	The Dubai Community Psychiatric Survey: II. Development of the Socio-cultural Change Questionnaire. Social Psychiatry and Psychiatric Epidemiology, 1993, 28, 60-65.	3.1	5
391	John Wing and the perils of nosolatry. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 443-446.	3.1	5
392	Could the lower prevalence of affective disorder in older people be due to measurement error? Reliability of the Revised Clinical Interview Schedule in younger and older adults. Journal of Affective Disorders, 2013, 148, 310-315.	4.1	5
393	Passing the baton: a new chief editor for social psychiatry and psychiatric epidemiology. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1-3.	3.1	5
394	A commentary on Kendler (2014). Psychological Medicine, 2015, 45, 1119-1120.	4.5	5
395	Interventions to enhance coping after traumatic brain injury: A systematic review. International Journal of Therapy and Rehabilitation, 2018, 25, 107-119.	0.3	5
396	Recent Advances in the Epidemiological Study of Minor Psychiatric Disorders. Journal of the Royal Society of Medicine, 1980, 73, 315-318.	2.0	4

#	Article	IF	CITATIONS
397	The Study of Depressive Disorders Using the PSEâ€IDâ€CATEGO System. Acta Psychiatrica Scandinavica, 1983, 68, 55-64.	4.5	4
398	Family intervention in psychosis: who needs it?. Epidemiologia E Psichiatria Sociale, 1999, 8, 169-173.	0.9	4
399	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-90.	0.7	4
400	Longitudinal symptomatic interactions in long-standing schizophrenia: a novel five-point analysis based on directed acyclic graphs. Psychological Medicine, 2023, 53, 1371-1378.	4.5	4
401	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. JMIR Human Factors, 2022, 9, e29725.	2.0	4
402	Admission of British Caribbeans to mental hospitals: is it a cohort effect?. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 282-284.	3.1	3
403	Choosing antipsychotic drugs in schizophrenia. Psychiatric Bulletin, 2001, 25, 284-286.	0.3	3
404	Exploiting the interface between philosophy and psychiatry. International Review of Psychiatry, 2004, 16, 179-183.	2.8	3
405	Galvanizing mental health research in low- and middle-income countries: The role of scientific journals American Journal of Orthopsychiatry, 2004, 74, 389-392.	1.5	3
406	Causal narratives and psychotic phenomena. World Psychiatry, 2016, 15, 127-128.	10.4	3
407	Assessing needs for psychiatric treatment in prisoners: 3. Comparison of care received by black and minority ethnic prisoners and by white prisoners. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 883-886.	3.1	3
408	The familial aggregation of affective disorders: relation to symptom severity and social provocation. , 1991, , 130-145.		3
409	Pathways through care for patients with dementia: a 3-year follow-up study. Primary Care and Community Psychiatry, 2002, 8, 103-106.	0.4	3
410	A workshop for relatives of people with chronic mental illness. Psychiatric Bulletin, 1992, 16, 206-207.	0.3	3
411	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 423-446.	2.5	3
412	The service user experience of SlowMo therapy: A coâ€produced thematic analysis of service users' subjective experience. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 680-700.	2.5	3
413	Non-physical treatment of the psychoses. British Medical Bulletin, 1987, 43, 704-717.	6.9	2
414	Textbook of Community Psychiatry Edited by Graham Thornicroft & George Szmukler. Oxford: Oxford University Press. 2001.585 pp. \$75.00 (hb). ISBN 0 19262997 2. British Journal of Psychiatry, 2002, 180, 383-384.	2.8	2

#	Article	IF	CITATIONS
415	Community Mental Health Care: Promises and Pitfalls. , 0, , 131-170.		2
416	Predictors of mental health service utilization in the 12�months before imprisonment: analysis of results from a national prisons survey. Australian and New Zealand Journal of Psychiatry, 2006, 40, 548-553.	2.3	2
417	Sexual abuse and psychosis: The security of research findings. Schizophrenia Research, 2018, 201, 37-38.	2.0	2
418	Non-suicidal self-harm: an evolving epidemiology. Psychological Medicine, 2023, 53, 283-283.	4.5	2
419	A syndemic of psychiatric morbidity, substance misuse, violence, and poor physical health among young Scottish men with reduced life expectancy. SSM - Population Health, 2021, 15, 100858.	2.7	2
420	Adversity, Labelling, and the Disease Theory of Depression. , 1985, , 151-160.		2
421	Psychiatry: Science and Meaning. British Journal of Psychiatry, 1978, 132, 104-104.	2.8	2
422	Cognition and social adversity in the depressed elderly Journal of Abnormal Psychology, 1987, 96, 23-26.	1.9	2
423	Influence of positive and negative symptoms on hedonic and eudaemonic well-being in people with schizophrenia: A longitudinal analysis from the EuroSc study. Schizophrenia Research, 2022, 244, 21-28.	2.0	2
424	Philosophical problems in psychology and psychiatry. The British Journal of Medical Psychology, 1981, 54, 93-98.	0.5	1
425	Life events in schizophrenia. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1987, 22, 179-180.	1.1	1
426	Life Events and Survival in Dementia: A 5-Year Follow-Up Study. Australian and New Zealand Journal of Psychiatry, 2004, 38, 703-705.	2.3	1
427	A comment on the yield from national surveys of mental health. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2008, 5, 20-22.	0.1	1
428	Thinking of suicide: understanding the risks associated with child institutional care. Criminal Justice Matters, 2012, 90, 38-40.	0.0	1
429	Interpersonal violence in a deprived Scottish urban area with aggregations of physical health risks and psychiatric morbidity: an ecological study. BMC Public Health, 2021, 21, 1121.	2.9	1
430	Response to Zimmerman (2021). Journal of Affective Disorders, 2021, 294, 180.	4.1	1
431	Textbook in Psychiatric Epidemiology (2nd edn) Edited by Ming T. Tsuang & Mauricio Tohen. New York: Wiley-Liss. 2002. 722 pp. £92.95 (hb). ISBN 0 471 40974 X. British Journal of Psychiatry, 2004, 185, 83-83.	2.8	1
432	A comment on the yield from national surveys of mental health. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2008, 5, 20-22.	0.1	1

#	Article	IF	CITATIONS
433	Psychiatry for students. Journal of Psychosomatic Research, 1975, 19, 165.	2.6	0
434	Epidemiological Research as a Basis for the Organization of Extramural Psychiatry. Acta psychiatrica scandinavica Supplementum 285. Edited by E. Strömgren, A. Dupont and J. Achton Nielsen. (Pp. 397; price) Tj ET	Q <b>q6</b> 00r;	g <b>&amp;</b> T /Overlo
435	Psychosocial Disorders in General Practice. P. Williams and A. Clare (Eds), London: Academic Press, 1979, pp. 338, £9.40 Behavioural Psychotherapy, 1982, 10, 107-109.	0.5	0
436	Neurosis and the social environment. Journal of Psychosomatic Research, 1982, 26, 466.	2.6	0
437	The Evaluation of Comprehensive Care of the Mentally Ill. Edited by H. Freeman and J. Henderson. (Pp.) Tj ETQq1 1 1992, 22, 815-816.	0.784314 4.5	4 rgBT /Ove O
438	Poor scholastic achievement and premorbid social decline in schizophrenia. Schizophrenia Research, 1992, 6, 160.	2.0	0
439	Epidemiology and social psychiatry: a personal view. Epidemiologia E Psichiatria Sociale, 1994, 3, 99-105.	0.9	0
440	What's in a syndrome'. Journal of Forensic Psychiatry Psychology, 1997, 8, 258-261.	0.3	0
441	The significance of copy number variations in schizophrenia. British Journal of Psychiatry, 2014, 205, 77-78.	2.8	0
442	Adult Attention Deficit Hyperactivity Symptoms and Psychosis: Epidemiological Evidence From a Population Survey in England. European Psychiatry, 2015, 30, 880.	0.2	0
443	The persisting burden of psychiatric disorder. Epidemiology and Psychiatric Sciences, 2016, 25, 35-37.	3.9	0
444	Managed Care and Psychiatry. Current Opinion in Psychiatry, 2001, 14, 290-292.	6.3	0
445	Textbook in Psychiatric Epidemiology. Edited by M.T. Tsuang, M. Tohen and C.E.P. Zahner. Chichester: John Wiley and Sons. 1995. 483 pp. £45.00 (hb) British Journal of Psychiatry, 1996, 169, 119-119.	2.8	0
446	Causal Models and Logical Interference in Epidemiological Psychiatry. British Journal of Psychiatry, 1981, 138, 440-441.	2.8	0
447	After Hospital: A Study of Long-Term Psychiatric Patients in York. By Kathleen Jones. York: Department of Social Policy and Social Work, University of York. 1985. Pp 77. £3.50 British Journal of Psychiatry,	2.8	0