

Cyril Poriel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5284629/publications.pdf>

Version: 2024-02-01

113
papers

4,251
citations

66343

42
h-index

133252

59
g-index

120
all docs

120
docs citations

120
times ranked

2754
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Highly Efficient Thermally Activated Delayed Fluorescence via an Unconjugated Donor–Acceptor System Realizing EQE of Over 30%. <i>Advanced Materials</i> , 2020, 32, e2003885. | 21.0 | 148 |
| 2 | Dispirofluorene–Indenofluorene Derivatives as New Building Blocks for Blue Organic Electroluminescent Devices and Electroactive Polymers. <i>Chemistry - A European Journal</i> , 2007, 13, 10055-10069. | 3.3 | 131 |
| 3 | <i>ortho</i> , <i>meta</i> , and <i>para</i> -Dihydroindenofluorene Derivatives as Host Materials for Phosphorescent OLEDs. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1176-1180. | 13.8 | 129 |
| 4 | Intramolecular excimer emission as a blue light source in fluorescent organic light emitting diodes: a promising molecular design. <i>Journal of Materials Chemistry</i> , 2012, 22, 7149. | 6.7 | 103 |
| 5 | Zinc Tetraphenylporphyrin as High Performance Visible Light Photoinitiator of Cationic Photosensitive Resins for LED Projector 3D Printing Applications. <i>Macromolecules</i> , 2017, 50, 746-753. | 4.8 | 99 |
| 6 | Cl–Linked Spirobifluorene Dimers: Pure Hydrocarbon Hosts for High-Performance Blue Phosphorescent OLEDs. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 3848-3853. | 13.8 | 95 |
| 7 | Dependence of the Properties of Dihydroindenofluorene Derivatives on Positional Isomerism: Influence of the Ring Bridging. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 14147-14151. | 13.8 | 90 |
| 8 | Structure–property relationship of 4-substituted-spirobifluorenes as hosts for phosphorescent organic light emitting diodes: an overview. <i>Journal of Materials Chemistry C</i> , 2017, 5, 3869-3897. | 5.5 | 89 |
| 9 | Spirobifluorene Regioisomerism: A Structure–Property Relationship Study. <i>Chemistry - A European Journal</i> , 2017, 23, 7719-7727. | 3.3 | 85 |
| 10 | New generations of spirobifluorene regioisomers for organic electronics: tuning electronic properties with the substitution pattern. <i>Chemical Communications</i> , 2019, 55, 14238-14254. | 4.1 | 83 |
| 11 | Modulation of circularly polarized luminescence through excited-state symmetry breaking and interbranched exciton coupling in helical push–pull organic systems. <i>Chemical Science</i> , 2020, 11, 567-576. | 7.4 | 79 |
| 12 | Synthesis and Properties of a Blue Bipolar Indenofluorene Emitter Based on a D–A Design. <i>Organic Letters</i> , 2011, 13, 4418-4421. | 4.6 | 77 |
| 13 | Blue Single-Layer Organic Light-Emitting Diodes Using Fluorescent Materials: A Molecular Design View Point. <i>Advanced Functional Materials</i> , 2020, 30, 1910040. | 14.9 | 77 |
| 14 | DiSpiroXanthene-Indenofluorene: A New Blue Emitter for Nondoped Organic Light Emitting Diode Applications. <i>Organic Letters</i> , 2010, 12, 452-455. | 4.6 | 76 |
| 15 | 9,9–Spirobifluorene and 4-phenyl-9,9–spirobifluorene: pure hydrocarbon small molecules as hosts for efficient green and blue PhOLEDs. <i>Journal of Materials Chemistry C</i> , 2014, 2, 4156-4166. | 5.5 | 75 |
| 16 | New β -Spiro Ladder-Type Phenylene Materials: Synthesis, Physicochemical Properties and Applications in OLEDs. <i>Chemistry - A European Journal</i> , 2008, 14, 11328-11342. | 3.3 | 73 |
| 17 | Spiro-configured phenyl acridine thioxanthene dioxide as a host for efficient PhOLEDs. <i>Chemical Communications</i> , 2015, 51, 1313-1315. | 4.1 | 69 |
| 18 | Incorporation of Spiroxanthene Units in Blue-Emitting Oligophenylene Frameworks: A New Molecular Design for OLED Applications. <i>Chemistry - A European Journal</i> , 2011, 17, 12631-12645. | 3.3 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Violet-to-Blue Tunable Emission of Aryl-Substituted Dispirofluorene-Indenofluorene Isomers by Conformationally-Controllable Intramolecular Excimer Formation. <i>Chemistry - A European Journal</i> , 2011, 17, 10272-10287. | 3.3 | 65 |
| 20 | Dispirofluorene-indenofluorene (DSFIF): Synthesis, Electrochemical, and Optical Properties of a Promising New Family of Luminescent Materials. <i>Organic Letters</i> , 2006, 8, 257-260. | 4.6 | 59 |
| 21 | 4-Pyridyl-9,9- spirobifluorenes as Host Materials for Green and Sky-Blue Phosphorescent OLEDs. <i>Journal of Physical Chemistry C</i> , 2015, 119, 5790-5805. | 3.1 | 59 |
| 22 | Dihydroindenofluorene Positional Isomers. <i>Accounts of Chemical Research</i> , 2018, 51, 1818-1830. | 15.6 | 59 |
| 23 | Evolution of pure hydrocarbon hosts: simpler structure, higher performance and universal application in RGB phosphorescent organic light-emitting diodes. <i>Chemical Science</i> , 2020, 11, 4887-4894. | 7.4 | 58 |
| 24 | Spirobifluorene-2,7-dicarbazole-4-phosphine Oxide as Host for High-Performance Single-Layer Green Phosphorescent OLED Devices. <i>Organic Letters</i> , 2015, 17, 4682-4685. | 4.6 | 56 |
| 25 | Properties modulation of organic semi-conductors based on a donor-spiro-acceptor (D-spiro-A) molecular design: new host materials for efficient sky-blue PhOLEDs. <i>Journal of Materials Chemistry C</i> , 2015, 3, 9701-9714. | 5.5 | 55 |
| 26 | Electroactive films of poly(tetraphenylporphyrins) with reduced bandgap. <i>Journal of Electroanalytical Chemistry</i> , 2006, 597, 19-27. | 3.8 | 53 |
| 27 | Donor/Acceptor Dihydroindeno[1,2- <i>ab</i>]fluorene and Dihydroindeno[2,1- <i>ba</i>]fluorene: Towards New Families of Organic Semiconductors. <i>Chemistry - A European Journal</i> , 2015, 21, 9426-9439. | 3.3 | 53 |
| 28 | New Dispiro Compounds: Synthesis and Properties. <i>Organic Letters</i> , 2008, 10, 373-376. | 4.6 | 52 |
| 29 | (2,1- <i>ba</i>)-Indenofluorene Derivatives: Syntheses, X-ray Structures, Optical and Electrochemical Properties. <i>Chemistry - A European Journal</i> , 2010, 16, 13646-13658. | 3.3 | 52 |
| 30 | Blue Emitting 3-Spiro Terfluorene-Indenofluorene Isomers: A Structure-Properties Relationship Study. <i>Chemistry - A European Journal</i> , 2011, 17, 14031-14046. | 3.3 | 51 |
| 31 | Electron-Rich 4-Substituted Spirobifluorenes: Toward a New Family of High Triplet Energy Host Materials for High-Efficiency Green and Sky Blue Phosphorescent OLEDs. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 6194-6206. | 8.0 | 51 |
| 32 | Designing Host Materials for the Emissive Layer of Single-Layer Phosphorescent Organic Light-Emitting Diodes: Toward Simplified Organic Devices. <i>Advanced Functional Materials</i> , 2021, 31, 2010547. | 14.9 | 51 |
| 33 | Tuning the Optical Properties of Aryl-Substituted Dispirofluorene-Indenofluorene Isomers through Intramolecular Excimer Formation. <i>Organic Letters</i> , 2009, 11, 4794-4797. | 4.6 | 50 |
| 34 | A 9,9- spirobifluorene based Metal-Organic Framework: synthesis, structure analysis and gas sorption properties. <i>Journal of Materials Chemistry</i> , 2011, 21, 18715. | 6.7 | 49 |
| 35 | Modulation of the Physicochemical Properties of Donor-Spiro-Acceptor Derivatives through Donor Unit Planarisation: Phenylacridine versus Indoloacridine-New Hosts for Green and Blue Phosphorescent Organic Light-Emitting Diodes (PhOLEDs). <i>Chemistry - A European Journal</i> , 2016, 22, 10136-10149. | 3.3 | 49 |
| 36 | Organic Cross-Linked Electropolymers as Supported Oxidation Catalysts: Poly((tetrakis(9,9- spirobifluorenyl)porphyrin)manganese) Films. <i>Inorganic Chemistry</i> , 2004, 43, 5086-5095. | 4.0 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A robust pure hydrocarbon derivative based on the (2,1-b)-indenofluorenyl core with high triplet energy level. <i>Chemical Communications</i> , 2011, 47, 11703. | 4.1 | 48 |
| 38 | The structure–property relationship study of electron-deficient dihydroindeno[2,1-b]fluorene derivatives for n-type organic field effect transistors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 5742-5753. | 5.5 | 46 |
| 39 | 9-Hydroxyquinolino[3,2,1-bk]phenothiazine: A New Electron-Rich Fragment for Organic Electronics. <i>Chemistry - A European Journal</i> , 2016, 22, 17930-17935. | 3.3 | 46 |
| 40 | Anodic oxidation and physicochemical properties of various porphyrin-fluorenes or -spirobifluorenes: Synthesis of new polymers for heterogeneous catalytic reactions. <i>Journal of Electroanalytical Chemistry</i> , 2005, 583, 92-103. | 3.8 | 44 |
| 41 | Oxidative Rearrangement of Indoles: A New Approach to the EFHG-Tetracyclic Core of Diazonamide A. <i>Journal of Organic Chemistry</i> , 2007, 72, 2978-2987. | 3.2 | 43 |
| 42 | Modulation of the Electronic Properties of 3,7-Di-2spiro Compounds Derived from Bridged Oligophenylenes: A Structure–Property Relationship. <i>Journal of Organic Chemistry</i> , 2013, 78, 886-898. | 3.2 | 43 |
| 43 | 2-Substituted vs 4-substituted-9,9-dimethylspirobifluorene host materials for green and blue phosphorescent OLEDs: a structure–property relationship study. <i>Tetrahedron</i> , 2014, 70, 6337-6351. | 1.9 | 43 |
| 44 | Poly(ruthenium carbonyl spirobifluorenylporphyrin): a new polymer used as a catalytic device for carbene transfer. Electronic supplementary information (ESI) available: experimental details. See http://www.rsc.org/suppdata/cc/b3/b306021g/ . <i>Chemical Communications</i> , 2003, , 2308. | 4.1 | 42 |
| 45 | Synthesis and stereochemical studies of di and tetra 9,9-dimethylspirobifluorene porphyrins: new building blocks for catalytic material. <i>Tetrahedron</i> , 2004, 60, 145-158. | 1.9 | 42 |
| 46 | Spirophenylacridine-2,7-diphenylphosphineoxide-fluorene: A Bipolar Host for High-Efficiency Single-Layer Blue Phosphorescent Organic Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2020, 8, 1901225. | 7.3 | 41 |
| 47 | 1-Carbazoyl Spirobifluorene: Synthesis, Structural, Electrochemical, and Photophysical Properties. <i>Journal of Physical Chemistry C</i> , 2019, 123, 19094-19104. | 3.1 | 40 |
| 48 | Encumbered DiSpiro[Fluorene–IndenoFluorene]: Mechanistic Insights. <i>Chemistry - A European Journal</i> , 2009, 15, 13304-13307. | 3.3 | 39 |
| 49 | Universal host materials for red, green and blue high-efficiency single-layer phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2020, 8, 16354-16367. | 5.5 | 39 |
| 50 | The diazo route to diazonamide A: studies on the tyrosine-derived fragment. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 3805. | 2.8 | 38 |
| 51 | Phenylboronic Acid Modified Anodes Promote Faster Biofilm Adhesion and Increase Microbial Fuel Cell Performances. <i>Electroanalysis</i> , 2013, 25, 601-605. | 2.9 | 38 |
| 52 | Thioxanthene and dioxothioxanthene dihydroindeno[2,1-b]fluorenes: synthesis, properties and applications in green and sky blue phosphorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1692-1703. | 5.5 | 38 |
| 53 | Asymmetric heterogeneous carbene transfer catalyzed by optically active ruthenium spirobifluorenylporphyrin polymers. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 1463-1472. | 1.8 | 37 |
| 54 | Electron-Deficient Dihydroindaceno-Dithiophene Regioisomers for n-Type Organic Field-Effect Transistors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 8219-8232. | 8.0 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Poly(9,9-dimethyl-2-spirobifluorene-manganese porphyrin): a new catalytic material for oxidation of alkenes by iodobenzene diacetate and iodosylbenzene. Electronic supplementary information (ESI) available: methods for synthesis of all compounds, physical data and detailed procedures for the catalytic oxidations. See http://www.rsc.org/suppdata/cc/b3/b301717f/ . Chemical Communications, 2003, , 1104-1105. | 4.1 | 35 |
| 56 | Syntheses of manganese and iron tetraspirobifluorene porphyrins as new catalysts for oxidation of alkenes by hydrogen peroxide and iodosylbenzene. Tetrahedron Letters, 2003, 44, 1759-1761. | 1.4 | 34 |
| 57 | [4]Cyclohexylidene-2,7-dimethylcarbazole: Synthesis, Structural, Electronic and Charge Transport Properties. Chemistry - A European Journal, 2019, 25, 7740-7748. | 3.3 | 32 |
| 58 | Chiral, Neutral, and Paramagnetic Gold Dithiolene Complexes Derived from Camphorquinone. European Journal of Inorganic Chemistry, 2009, 2009, 5413-5421. | 2.0 | 29 |
| 59 | Confining Nitrogen Inversion to Yield Enantiopure Quinolino[3,2,1-c]Phenothiazine Derivatives. Advanced Functional Materials, 2018, 28, 1803140. | 14.9 | 29 |
| 60 | Comparative behaviour of the anodic oxidation of mono-, di- and tetra-arylporphyrins: Towards new electroactive materials with variable bandgaps. Journal of Electroanalytical Chemistry, 2008, 623, 204-214. | 3.8 | 28 |
| 61 | [4]Cyclofluorene: Unexpected Influence of Alkyl Chain Length. ChemPlusChem, 2018, 83, 874-880. | 2.8 | 28 |
| 62 | Pure Hydrocarbons: An Efficient Molecular Design Strategy for the Next Generation of Host Materials for Phosphorescent Organic Light-Emitting Diodes. Accounts of Materials Research, 2022, 3, 379-390. | 11.7 | 26 |
| 63 | An electron deficient dicyanovinylene-ladder-type pentaphenylene derivative for n-type organic field effect transistors. Journal of Materials Chemistry C, 2014, 2, 3292-3302. | 5.5 | 25 |
| 64 | Pure Hydrocarbon Materials as Highly Efficient Host for White Phosphorescent Organic Light-Emitting Diodes: A New Molecular Design Approach. Angewandte Chemie - International Edition, 2022, 61, . | 13.8 | 25 |
| 65 | Influence of the gate bias stress on the stability of n-type organic field-effect transistors based on dicyanovinylene-dihydroindeno[1,2-b]fluorene semiconductors. Materials Chemistry Frontiers, 2018, 2, 1631-1641. | 5.9 | 23 |
| 66 | Cl-Linked Spirobifluorene Dimers: Pure Hydrocarbon Hosts for High-Performance Blue Phosphorescent OLEDs. Angewandte Chemie, 2019, 131, 3888-3893. | 2.0 | 22 |
| 67 | [Cyclohexylidene-9,9-dimethylfluorene (n=4, 5): Nanoring Size Influence in Carbon-Bridged Cyclohexylidene-phenylenes. Angewandte Chemie - International Edition, 2020, 59, 11066-11072. | 13.8 | 22 |
| 68 | The remarkable effect of the 7-substituent in the diastereoselective oxidative rearrangement of indoles: Asymmetric synthesis of 3,3-disubstituted oxindoles. Chemical Communications, 2007, , 286-288. | 4.1 | 21 |
| 69 | Anodic oxidation of indenofluorene. Electrodeposition of electroactive poly(indenofluorene). New Journal of Chemistry, 2008, 32, 1259. | 2.8 | 20 |
| 70 | Luminescence modulation in liquid crystalline phases containing a dispiro[fluorene-9,11-indeno[1,2-b]fluorene-12,9-difluorene] core. Journal of Materials Chemistry C, 2014, 2, 4265-4275. | 1.4 | 20 |
| 71 | Persistent Organic Room-Temperature Phosphorescence in Cyclohexane-trans-1,2-Bisphthalimide Derivatives: The Dramatic Impact of Heterochiral vs Homochiral interactions. Journal of Physical Chemistry Letters, 2020, 11, 6426-6434. | 4.6 | 20 |
| 72 | Anodic behaviour of mono- and bisdithiafulvenyl-9,9-dimethylspirobifluorene: insertion of vinyllogous TTF into the spirobifluorenyl framework. Journal of Electroanalytical Chemistry, 2002, 530, 33-39. | 3.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | [4]Cyclo- <i>N</i> -alkyl-2,7-carbazoles: Influence of the Alkyl Chain Length on the Structural, Electronic, and Charge Transport Properties. <i>Journal of the American Chemical Society</i> , 2021, 143, 8804-8820. | 13.7 | 19 |
| 74 | Design and electropolymerization of a new optically active iron tetraspirobifluorenyl porphyrin. <i>Synthetic Metals</i> , 2008, 158, 796-801. | 3.9 | 18 |
| 75 | On the nature of the electrode surface modification by cathodic reduction of tetraarylporphyrin diazonium salts in aqueous media. <i>Electrochemistry Communications</i> , 2012, 20, 167-170. | 4.7 | 18 |
| 76 | Modulation of the Electronic and Mesomorphic Properties of Alkynyl- <i>Spirobifluorene</i> Compounds as a Function of the Substitution Pattern. <i>Journal of Physical Chemistry C</i> , 2015, 119, 10564-10575. | 3.1 | 18 |
| 77 | Spirobifluorene Dimers: Understanding How The Molecular Assemblies Drive The Electronic Properties. <i>Advanced Functional Materials</i> , 2021, 31, 2104980. | 14.9 | 18 |
| 78 | Incorporation of spirobifluorene regioisomers in electron-donating molecular systems for organic solar cells. <i>RSC Advances</i> , 2016, 6, 25952-25959. | 3.6 | 17 |
| 79 | Modulating the Physical and Electronic Properties over Positional Isomerism: The Dispirofluorene- <i>Dihydroindacenodithiophene</i> (DSF- <i>DT</i>) Family. <i>Chemistry - A European Journal</i> , 2017, 23, 17290-17303. | 3.3 | 17 |
| 80 | White-light electroluminescence from a layer incorporating a single fully-organic spiro compound with phosphine oxide substituents. <i>Journal of Materials Chemistry C</i> , 2020, 8, 14462-14468. | 5.5 | 15 |
| 81 | Are pure hydrocarbons the future of host materials for blue phosphorescent organic light-emitting diodes?. <i>Materials Chemistry Frontiers</i> , 2022, 6, 1246-1252. | 5.9 | 15 |
| 82 | <i>N</i> -Cyanoimine as an electron-withdrawing functional group for organic semiconductors: example of dihydroindacenodithiophene positional isomers. <i>Journal of Materials Chemistry C</i> , 2018, 6, 13197-13210. | 5.5 | 14 |
| 83 | Emerging organic electronics. <i>Materials Chemistry Frontiers</i> , 2020, 4, 2497-2498. | 5.9 | 14 |
| 84 | <i>Spiro</i> -configured dibenzosuberene compounds as deep-blue emitters for organic light-emitting diodes with a CIE <i>y</i> of 0.04. <i>Materials Chemistry Frontiers</i> , 2022, 6, 1803-1813. | 5.9 | 14 |
| 85 | The synthesis, physicochemical properties and anodic polymerization of a novel ladder pentaphenylene. <i>Dyes and Pigments</i> , 2009, 83, 339-347. | 3.7 | 13 |
| 86 | New electrochemically synthesized copolymers: poly(difluorenyl-ethylenes). <i>Electrochemistry Communications</i> , 2000, 2, 382-385. | 4.7 | 12 |
| 87 | Performance improvement of IF(CN ₂) ₂ meta based N-channel OTFTs and their integration into a stable CMOS inverter. <i>Solid-State Electronics</i> , 2017, 130, 49-56. | 1.4 | 12 |
| 88 | Influence of Fluorene and Spirobifluorene Regioisomerism on the Structure, Organization, and Permeation Properties of Monolayers. <i>Journal of Physical Chemistry C</i> , 2017, 121, 14228-14237. | 3.1 | 12 |
| 89 | A glance at violet LED sensitive photoinitiators based on the spiroxanthene scaffold. <i>Journal of Applied Polymer Science</i> , 2016, 133, . | 2.6 | 11 |
| 90 | A series of chiral metal-organic frameworks based on fluorene di- and tetra-carboxylates: syntheses, crystal structures and luminescence properties. <i>CrystEngComm</i> , 2017, 19, 2042-2056. | 2.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Synthesis of a fluoresceine-derivatized fluorene and its electrogenerated copolymers with fluorene: New pH indicators. <i>Synthetic Metals</i> , 2008, 158, 790-795. | 3.9 | 10 |
| 92 | Direct Electron Transfer of Hemoglobin and Myoglobin at the Bare Glassy Carbon Electrode in an Aqueous BMI.BF ₄ Ionic-Liquid Mixture. <i>ChemPhysChem</i> , 2011, 12, 411-418. | 2.1 | 10 |
| 93 | 2,5-Thiophene substituted spirobisiloles – synthesis, characterization, electrochemical properties and performance in bulk heterojunction solar cells. <i>New Journal of Chemistry</i> , 2013, 37, 464-473. | 2.8 | 10 |
| 94 | 9,9- ² -Spirobifluorene based zinc coordination polymers: a study on linker geometry and topology. <i>CrystEngComm</i> , 2020, 22, 293-303. | 2.6 | 10 |
| 95 | Experimental and theoretical insights into the sequential oxidations of 3- ² -spiro molecules derived from oligophenylenes: A comparative study of 1,2-b-DiSpiroFluorene-IndenoFluorene versus 1,2-b-DiSpiroFluorene(tert-butyl)4-IndenoFluorene. <i>Electrochimica Acta</i> , 2013, 110, 735-740. | 5.2 | 9 |
| 96 | A Dihydrodinaphthoheptacene. <i>Journal of Organic Chemistry</i> , 2018, 83, 1891-1897. | 3.2 | 9 |
| 97 | Quinolinophenothiazine as an electron rich fragment for high efficiency RGB single-layer phosphorescent organic light-emitting diodes. <i>Materials Chemistry Frontiers</i> , 2021, 5, 8066-8077. | 5.9 | 9 |
| 98 | ¹ H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual (dxz,dyz) ⁴ (dxy) ¹ configuration. <i>Journal of Organometallic Chemistry</i> , 2001, 629, 145-152. | 1.8 | 8 |
| 99 | [<i>n</i>]Cyclo[9,9-dibutyl[2,7]fluorene (<i>n</i> =4, 5): Nanoring Size Influence in Carbon-Bridged Cyclo[<i>n</i>]para-phenylenes. <i>Angewandte Chemie</i> , 2020, 132, 11159-11165. | 2.0 | 8 |
| 100 | A ¹ , D ¹ and D ¹ A blue emitting fluorophores based on dispiro[fluorene-9,6 ² -indeno[1,2- <i>b</i>]fluorene-12 ² ,9 ² -fluorene]. <i>Materials Advances</i> , 2021, 2, 1271-1283. | 5.4 | 8 |
| 101 | Cyclization of Terphenyl-Bisfluorenols: A Mechanistic Study of the Regioselectivity. <i>Chemistry - A European Journal</i> , 2019, 25, 10689-10697. | 3.3 | 6 |
| 102 | Stability of Tin Etiopurpurin ¹ . <i>Photochemistry and Photobiology</i> , 2005, 81, 149. | 2.5 | 6 |
| 103 | Facial discrimination in monoarylporphyrins: Synthesis and stereochemical behaviour of bis(ligated) monospirobifluorenylporphyrin ruthenium complexes. <i>Inorganic Chemistry Communication</i> , 2007, 10, 627-630. | 3.9 | 4 |
| 104 | Linking triptycene to silole: a fruitful association. <i>Materials Chemistry Frontiers</i> , 2020, 4, 2006-2017. | 5.9 | 3 |
| 105 | Journal of Materials Chemistry C Editor's choice web collection: –Spiro compounds for electronics™. <i>Journal of Materials Chemistry C</i> , 0, , . | 5.5 | 3 |
| 106 | Stability of Tin Etiopurpurin ¹ . <i>Photochemistry and Photobiology</i> , 2005, 81, 149-153. | 2.5 | 2 |
| 107 | Discrimination of positional isomers by ion mobility mass spectrometry: application to organic semiconductors. <i>Analytical Methods</i> , 2018, 10, 2303-2306. | 2.7 | 2 |
| 108 | Dispiroacridine-indacenobisthiophene positional isomers: impact of the bridge on the physicochemical properties. <i>Materials Chemistry Frontiers</i> , 2022, 6, 225-236. | 5.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Annealing effect on the electrical proprieties of IF(CN ₂) ₂ -meta based OTFTs: Thermal behavior and modeling of charge transport. Superlattices and Microstructures, 2018, 123, 286-296. | 3.1 | 1 |
| 110 | Synthesis, photophysical and electropolymerization properties of thiophene-substituted 2,3-diphenylbuta-1,3-dienes. New Journal of Chemistry, 2020, 44, 12556-12567. | 2.8 | 1 |
| 111 | Syntheses of Manganese and Iron Tetraspirobifluorene Porphyrins as New Catalysts for Oxidation of Alkenes by Hydrogen Peroxide and Iodosylbenzene.. ChemInform, 2003, 34, no. | 0.0 | 0 |
| 112 | An expedient approach to the 2,3,5,6-tetrasubstituted pyridine core of nosiheptide using oxidative cleavage of 2,3,5,8-tetrasubstituted quinolines. Arkivoc, 2000, 2007, 56-63. | 0.5 | 0 |
| 113 | Spirobifluorenyl-Porphyrins and their Derived Polymers for Homogeneous or Heterogeneous Catalysis. , 2016, , 345-393. | | 0 |