

# Young Kook Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5285463/publications.pdf>

Version: 2024-02-01

119  
papers

1,676  
citations

377584

21  
h-index

466096

32  
g-index

122  
all docs

122  
docs citations

122  
times ranked

1585  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of progressive optic disc tilt with development of retinal nerve fibre layer defect in children with large cup-to-disc ratio. <i>British Journal of Ophthalmology</i> , 2023, 107, 869-875.	2.1	2
2	Ten-year-and-beyond longitudinal change of ÅŽ-zone parapapillary atrophy in glaucoma: association with retinal nerve fibre layer defect. <i>British Journal of Ophthalmology</i> , 2022, 106, 1393-1398.	2.1	2
3	Sovesudil (locally acting rho kinase inhibitor) for the treatment of normal-tension glaucoma: the randomized phase II study. <i>Acta Ophthalmologica</i> , 2022, 100, .	0.6	5
4	Degree of Myopia and Glaucoma Risk: A Dose-Response Meta-analysis. <i>American Journal of Ophthalmology</i> , 2022, 236, 107-119.	1.7	49
5	Efficacy and Safety of 8 Atropine Concentrations for Myopia Control in Children. <i>Ophthalmology</i> , 2022, 129, 322-333.	2.5	55
6	Decision Tree Algorithm-Based Prediction of Vulnerability to Depressive and Anxiety Symptoms in Caregivers of Children With Glaucoma. <i>American Journal of Ophthalmology</i> , 2022, 239, 90-97.	1.7	3
7	Longitudinal changes of circumpapillary retinal nerve fiber layer thickness profile during childhood myopia progression. <i>Scientific Reports</i> , 2022, 12, 2555.	1.6	0
8	Incidence and risk factors of glaucoma after surgery for congenital cataract diagnosed under one year of age: Protocol for Korean Nationwide Epidemiological Study for Childhood Glaucoma (KoNEC). <i>PLoS ONE</i> , 2022, 17, e0264020.	1.1	1
9	Analysis of Variation in Incidence of Optic Disc Hemorrhage According to Seasonal and Temperature Changes. <i>American Journal of Ophthalmology</i> , 2022, 239, 84-89.	1.7	2
10	Iontophoretic ocular delivery of latanoprost-loaded nanoparticles via skin-attached electrodes. <i>Acta Biomaterialia</i> , 2022, 144, 32-41.	4.1	12
11	Macular sector-wise decision tree model for the prediction of parafoveal scotoma not detected by 24-2 visual field test. <i>Clinical and Experimental Ophthalmology</i> , 2022, 50, 510-521.	1.3	3
12	Long-term Changes of Retinal Nerve Fiber Layer Thickness in Superior Segmental Optic Nerve Hypoplasia. <i>Journal of the Korean Glaucoma Society</i> , 2022, 11, 12.	0.0	0
13	Association between esodeviation and primary open-angle glaucoma: the 2010-2011 Korea National Health and Nutrition Examination Survey. <i>British Journal of Ophthalmology</i> , 2021, 105, 1672-1677.	2.1	3
14	Morphological characteristics of parapapillary atrophy and subsequent visual field progression in primary open-angle glaucoma. <i>British Journal of Ophthalmology</i> , 2021, 105, 361-366.	2.1	8
15	Deep optic nerve head morphology and glaucoma progression in eyes with and without laminar dot sign: a longitudinal comparative study. <i>Eye</i> , 2021, 35, 936-944.	1.1	0
16	Impact of myopia on the association of long-term intraocular pressure fluctuation with the rate of progression in normal-tension glaucoma. <i>British Journal of Ophthalmology</i> , 2021, 105, 653-660.	2.1	15
17	Anterior Segment Imaging in Glaucoma. , 2021, , 89-99.		0
18	Association of Optic Disc Tilt and Torsion with Open-Angle Glaucoma Progression Risk: Meta-Analysis and Meta-Regression Analysis. <i>American Journal of Ophthalmology</i> , 2021, 232, 30-39.	1.7	7

#	ARTICLE	IF	CITATIONS
19	Novel glaucoma model in rats using photo-crosslinked azidobenzoic acid-modified chitosan. <i>Materials Science and Engineering C</i> , 2021, 125, 112112.	3.8	2
20	Visual outcomes and associated factors of primary congenital glaucoma in children. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2021, 259, 3445-3451.	1.0	3
21	Comparative effectiveness of interventions for improving adherence to ocular hypotensive therapy in patients with glaucoma or ocular hypertension: protocol for network meta-analysis. <i>BMJ Open</i> , 2021, 11, e054340.	0.8	1
22	Laser Peripheral Iridotomy. , 2021, , 45-56.		0
23	Myopic Open-Angle Glaucoma Prevalence in Northeast Asia: A Systematic Review and Meta-Analysis of Population-Based Studies. <i>Korean Journal of Ophthalmology: KJO</i> , 2021, , .	0.5	0
24	Baseline Diurnal Intraocular Pressure Can Predict Progression Rate of Visual Field Loss in Normal-tension Glaucoma. <i>Journal of the Korean Glaucoma Society</i> , 2021, 10, 47.	0.0	0
25	Risk factors for disease progression in low-teens normal-tension glaucoma. <i>British Journal of Ophthalmology</i> , 2020, 104, 81-86.	2.1	20
26	Topographic correlation between macular superficial microvessel density and ganglion cell-inner plexiform layer thickness in glaucoma-suspect and early normal-tension glaucoma. <i>British Journal of Ophthalmology</i> , 2020, 104, 104-109.	2.1	29
27	Changes in intraocular pressure during reading or writing on smartphones in patients with normal-tension glaucoma. <i>British Journal of Ophthalmology</i> , 2020, 104, 623-628.	2.1	5
28	Machine learning classifiers-based prediction of normal-tension glaucoma progression in young myopic patients. <i>Japanese Journal of Ophthalmology</i> , 2020, 64, 68-76.	0.9	18
29	Deep-learning-based enhanced optic-disc photography. <i>PLoS ONE</i> , 2020, 15, e0239913.	1.1	7
30	Dual-input convolutional neural network for glaucoma diagnosis using spectral-domain optical coherence tomography. <i>British Journal of Ophthalmology</i> , 2020, 105, bjophthalmol-2020-316274.	2.1	7
31	Temporal Raphe Sign in Elderly Patients With Large Optic Disc Cupping: Its Evaluation as a Predictive Factor for Glaucoma Conversion. <i>American Journal of Ophthalmology</i> , 2020, 219, 205-214.	1.7	4
32	Estimating visual field loss from monoscopic optic disc photography using deep learning model. <i>Scientific Reports</i> , 2020, 10, 21052.	1.6	7
33	Facial Port-Wine Stain Phenotypes Associated with Glaucoma Risk in Neonates. <i>American Journal of Ophthalmology</i> , 2020, 220, 183-190.	1.7	11
34	Macular Ganglion Cell-Inner Plexiform Layer Thickness Prediction from Red-free Fundus Photography using Hybrid Deep Learning Model. <i>Scientific Reports</i> , 2020, 10, 3280.	1.6	11
35	Quantitative analysis of retinal nerve fiber layer defect in early open-angle glaucoma with normal intraocular pressure. <i>Japanese Journal of Ophthalmology</i> , 2020, 64, 278-284.	0.9	3
36	Ten Years and Beyond Longitudinal Change of ÅŸ-Zone Parapapillary Atrophy. <i>Ophthalmology</i> , 2020, 127, 1054-1063.	2.5	15

#	ARTICLE	IF	CITATIONS
37	Rate of three-dimensional neuroretinal rim thinning in glaucomatous eyes with optic disc haemorrhage. <i>British Journal of Ophthalmology</i> , 2020, 104, 648-654.	2.1	3
38	Pre-perimetric Open Angle Glaucoma with Young Age of Onset: Natural Clinical Course and Risk Factors for Progression. <i>American Journal of Ophthalmology</i> , 2020, 216, 121-131.	1.7	16
39	Interdigitation Zone Change According to Glaucoma-Stage Advancement. , 2020, 61, 20.		2
40	Twenty-fourâ€“Hour Intraocular Pressureâ€“Related Patterns from Contact Lens Sensors in Normal-Tension Glaucoma and Healthy Eyes. <i>Ophthalmology</i> , 2020, 127, 1487-1497.	2.5	18
41	Discriminating glaucomatous and compressive optic neuropathy on spectral-domain optical coherence tomography with deep learning classifier. <i>British Journal of Ophthalmology</i> , 2020, 104, 1717-1723.	2.1	10
42	Normal-tension Glaucoma Management: A Survey of Glaucoma Sub-specialists in Korea. <i>Korean Journal of Ophthalmology: KJO</i> , 2020, 34, 425-431.	0.5	7
43	Comparison of Two Combinations of Maximum Medical Therapy for Lowering Intraocular Pressure in Primary Open-angle Glaucoma. <i>Korean Journal of Ophthalmology: KJO</i> , 2020, 34, 19.	0.5	4
44	Blue-filter Fundus Photography for Detection of Retinal Nerve Fiber Layer Defect in Myopic Eyes. <i>Ophthalmology</i> , 2019, 126, 1118.	2.5	1
45	Reply. <i>Ophthalmology</i> , 2019, 126, e69.	2.5	0
46	Comparison of glaucoma patients referred by glaucoma screening versus referral from primary eye clinic. <i>PLoS ONE</i> , 2019, 14, e0210582.	1.1	10
47	Temporal Raphe Sign for Discrimination of Glaucoma from Optic Neuropathy in Eyes with Macular Ganglion Cellâ€“Inner Plexiform Layer Thinning. <i>Ophthalmology</i> , 2019, 126, 1131-1139.	2.5	27
48	Incidence of Open-angle Glaucoma in Newly Diagnosed Retinal Vein Occlusion: A Nationwide Population-based Study. <i>Journal of Glaucoma</i> , 2019, 28, 111-118.	0.8	11
49	Age-Dependent Variation of Lamina Cribrosa Displacement During the Standardized Valsalva Maneuver. <i>Scientific Reports</i> , 2019, 9, 6645.	1.6	2
50	Optic Disc Microhemorrhage in Primary Open-Angle Glaucoma: Clinical Implications for Visual Field Progression. , 2019, 60, 1824.		3
51	Case of paediatric steroidâ€“induced glaucoma showing extremely fast progression with deformation of lamina cribrosa. <i>Australasian journal of optometry, The</i> , 2019, 102, 631-633.	0.6	1
52	Diurnal change of retinal vessel density and mean ocular perfusion pressure in patients with open-angle glaucoma. <i>PLoS ONE</i> , 2019, 14, e0215684.	1.1	31
53	Rates of Ganglion Cell-Inner Plexiform Layer Thinning in Normal, Open-Angle Glaucoma and Pseudoexfoliation Glaucoma Eyes: A Trend-Based Analysis. , 2019, 60, 599.		20
54	Predicting the Therapeutic Efficacy of Laser Peripheral Iridotomy for Individuals With Asymptomatic Narrow Angle. <i>Journal of Glaucoma</i> , 2019, 28, 125-130.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Automated Quantification of Macular Ellipsoid Zone Intensity in Glaucoma Patients: the Method and its Comparison with Manual Quantification. <i>Scientific Reports</i> , 2019, 9, 19771.	1.6	3
56	Comparison of Efficacy and Safety of Bleb Needle Revision With and Without 5-Fluorouracil for Failing Trabeculectomy Bleb. <i>Journal of Glaucoma</i> , 2019, 28, 386-391.	0.8	12
57	Long-Term Follow-up on Glaucoma Patients With Initial Single-Hemifield Defect: Progression Patterns and Associated Factors. <i>Journal of Glaucoma</i> , 2019, 28, 1041-1047.	0.8	4
58	Reply. <i>American Journal of Ophthalmology</i> , 2019, 197, 183-184.	1.7	0
59	Association of Angle Width With Progression of Normal-Tension Glaucoma. <i>JAMA Ophthalmology</i> , 2019, 137, 13.	1.4	9
60	Relationship between age and surgical success after trabeculectomy with adjunctive mitomycin C. <i>Eye</i> , 2018, 32, 1321-1328.	1.1	15
61	Effect of manual eyelid manipulation on intraocular pressure measurement by rebound tonometry. <i>British Journal of Ophthalmology</i> , 2018, 102, 1515-1519.	2.1	9
62	Incidence of retinal vein occlusion in open-angle glaucoma: a nationwide, population-based study using the Korean Health Insurance Review and Assessment Database. <i>Clinical and Experimental Ophthalmology</i> , 2018, 46, 637-644.	1.3	10
63	Comparison of changes of macular ganglion cell-inner plexiform layer defect between stable group and progression group in primary open-angle glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2018, 62, 491-498.	0.9	3
64	Relationship Between Open-angle Glaucoma and Stroke: A 2010 to 2012 Korea National Health and Nutrition Examination Survey. <i>Journal of Glaucoma</i> , 2018, 27, 22-27.	0.8	12
65	Conversion of Single Optic Disc Photography into 3-Dimensional Image. <i>Ophthalmology</i> , 2018, 125, 1873.	2.5	1
66	Diurnal Variation of Choroidal Thickness in Primary Open-angle Glaucoma. <i>Journal of Glaucoma</i> , 2018, 27, 1052-1060.	0.8	5
67	Three dimensional neuro-retinal rim thickness and retinal nerve fiber layer thickness using high-definition optical coherence tomography for open-angle glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2018, 62, 634-642.	0.9	0
68	Intraocular pressure change during reading or writing on smartphone. <i>PLoS ONE</i> , 2018, 13, e0206061.	1.1	19
69	In Reply: Comparison of Glaucoma Progression Between Unilateral and Bilateral Disc Hemorrhage Eyes and Associated Risk Factors for Progression. <i>Journal of Glaucoma</i> , 2018, 27, e121-e122.	0.8	0
70	Comparison of glaucoma-diagnostic ability between wide-field swept-source OCT retinal nerve fiber layer maps and spectral-domain OCT. <i>Eye</i> , 2018, 32, 1483-1492.	1.1	35
71	Baseline Lamina Cribrosa Curvature and Subsequent Visual Field Progression Rate in Primary Open-Angle Glaucoma. <i>Ophthalmology</i> , 2018, 125, 1898-1906.	2.5	29
72	Serial Combined Wide-Field Optical Coherence Tomography Maps for Detection of Early Glaucomatous Structural Progression. <i>JAMA Ophthalmology</i> , 2018, 136, 1121.	1.4	25

#	ARTICLE	IF	CITATIONS
73	Amino-Functionalized Mesoporous Silica Particles for Ocular Delivery of Brimonidine. <i>Molecular Pharmaceutics</i> , 2018, 15, 3143-3152.	2.3	22
74	Comparison of 1-year outcomes after Ahmed glaucoma valve implantation with and without Ologen adjuvant. <i>BMC Ophthalmology</i> , 2018, 18, 45.	0.6	13
75	Ellipsoid Zone Change According to Glaucoma Stage Advancement. <i>American Journal of Ophthalmology</i> , 2018, 192, 1-9.	1.7	14
76	Metal-organic frameworks, NH <sub>2</sub> -MIL-88(Fe), as carriers for ophthalmic delivery of brimonidine. <i>Acta Biomaterialia</i> , 2018, 79, 344-353.	4.1	70
77	Combined Use of Retinal Nerve Fiber Layer and Ganglion Cell Inner Plexiform Layer Event-based Progression Analysis. <i>American Journal of Ophthalmology</i> , 2018, 196, 65-71.	1.7	29
78	Development of Topographic Scoring System for Identifying Glaucoma in Myopic Eyes. <i>Ophthalmology</i> , 2018, 125, 1710-1719.	2.5	19
79	Enhanced ocular efficacy of topically-delivered dorzolamide with nanostructured mucoadhesive microparticles. <i>International Journal of Pharmaceutics</i> , 2017, 522, 66-73.	2.6	19
80	Understanding the reasons for loss to follow-up in patients with glaucoma at a tertiary referral teaching hospital in Korea. <i>British Journal of Ophthalmology</i> , 2017, 101, 1059-1065.	2.1	18
81	Temporal Relation between Macular Ganglion Cell Inner Plexiform Layer Loss and Peripapillary Retinal Nerve Fiber Layer Loss in Glaucoma. <i>Ophthalmology</i> , 2017, 124, 1056-1064.	2.5	71
82	Trend-based Analysis of Ganglion Cell Inner Plexiform Layer Thickness Changes on Optical Coherence Tomography in Glaucoma Progression. <i>Ophthalmology</i> , 2017, 124, 1383-1391.	2.5	65
83	Evaluation of Optic Nerve Head and Peripapillary Choroidal Vasculature Using Swept-source Optical Coherence Tomography Angiography. <i>Journal of Glaucoma</i> , 2017, 26, 665-668.	0.8	18
84	Diagnostic Ability of Wide-field Retinal Nerve Fiber Layer Maps Using Swept-Source Optical Coherence Tomography for Detection of Preperimetric and Early Perimetric Glaucoma. <i>Journal of Glaucoma</i> , 2017, 26, 577-585.	0.8	50
85	Assessment of peripapillary choroidal thickness in primary open-angle glaucoma patients with choroidal vascular prominence. <i>Japanese Journal of Ophthalmology</i> , 2017, 61, 448-456.	0.9	4
86	Rate of Macular Ganglion Cell-inner Plexiform Layer Thinning in Glaucomatous Eyes With Vascular Endothelial Growth Factor Inhibition. <i>Journal of Glaucoma</i> , 2017, 26, 980-986.	0.8	22
87	Comparison of Glaucoma Progression Between Unilateral and Bilateral Disc Hemorrhage Eyes and Associated Risk Factors for Progression. <i>Journal of Glaucoma</i> , 2017, 26, 774-779.	0.8	3
88	Clinical Implications of In Vivo Lamina Cribrosa Imaging in Glaucoma. <i>Journal of Glaucoma</i> , 2017, 26, 753-761.	0.8	12
89	Development of visual field defect after first-detected optic disc hemorrhage in preperimetric open-angle glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2017, 61, 307-313.	0.9	9
90	Evaluation of Layer-by-Layer Segmented Ganglion Cell Complex Thickness for Detecting Early Glaucoma According to Different Macular Grids. <i>Journal of Glaucoma</i> , 2017, 26, 712-717.	0.8	10

#	ARTICLE	IF	CITATIONS
91	Factors affecting refractive outcome after cataract surgery in primary angle-closure glaucoma: methodological issues of prediction model " response. <i>Clinical and Experimental Ophthalmology</i> , 2017, 45, 207-208.	1.3	1
92	Valsalva Maneuver-induced Changes in Anterior Lamina Cribrosa Surface DEPTH: A Comparison Between Normal and Glaucomatous Eyes. <i>Journal of Glaucoma</i> , 2017, 26, 866-874.	0.8	3
93	Inferior Macular Damage in Glaucoma: Its Relationship to Retinal Nerve Fiber Layer Defect in Macular Vulnerability Zone. <i>Journal of Glaucoma</i> , 2017, 26, 126-132.	0.8	41
94	New Aspects of Vascular Calcification: Histone Deacetylases and Beyond. <i>Journal of Korean Medical Science</i> , 2017, 32, 1738.	1.1	21
95	Evaluation of Ganglion Cell-Inner Plexiform Layer Thinning in Eyes With Optic Disc Hemorrhage: A Trend-Based Progression Analysis. , 2017, 58, 6449.		15
96	Intraocular Pressure-Lowering Effect of Latanoprost Is Hampered by Defective Cervical Lymphatic Drainage. <i>PLoS ONE</i> , 2017, 12, e0169683.	1.1	5
97	Impact of optic disc hemorrhage on subsequent glaucoma progression in mild-to-moderate myopia. <i>PLoS ONE</i> , 2017, 12, e0189706.	1.1	6
98	Evaluation of Retinal Nerve Fiber Layer Thinning in Myopic Glaucoma: Impact of Optic Disc Morphology. , 2017, 58, 6265.		8
99	Can Probability Maps of Swept-Source Optical Coherence Tomography Predict Visual Field Changes in Preperimetric Glaucoma?. , 2017, 58, 6257.		10
100	Measurement of Optic Disc Cup Surface Depth Using Cirrus HD-OCT. <i>Journal of Glaucoma</i> , 2017, 26, 1072-1080.	0.8	5
101	Prevalence of retinal nerve fiber layer defects: The Korea National Health and Nutrition Examination Survey 2008-2012. <i>PLoS ONE</i> , 2017, 12, e0186032.	1.1	5
102	Assessment of Open-Angle Glaucoma Peripapillary and Macular Choroidal Thickness Using Swept-Source Optical Coherence Tomography (SS-OCT). <i>PLoS ONE</i> , 2016, 11, e0157333.	1.1	22
103	Effect of Focal Lamina Cribrosa Defect on Disc Hemorrhage Area in Glaucoma. , 2016, 57, 899.		31
104	Prelamina and Lamina Cribrosa in Glaucoma Patients With Unilateral Visual Field Loss. , 2016, 57, 1662.		33
105	Glaucoma-Diagnostic Ability of Ganglion Cell-Inner Plexiform Layer Thickness Difference Across Temporal Raphe in Highly Myopic Eyes. , 2016, 57, 5856.		43
106	Factors affecting refractive outcome after cataract surgery in primary angle-closure glaucoma. <i>Clinical and Experimental Ophthalmology</i> , 2016, 44, 693-700.	1.3	17
107	Topographic correlation between optic nerve head characteristics and retinal nerve fibre layer defect in primary open-angle glaucoma patients: Korea National Health and Nutrition Examination Survey. <i>Acta Ophthalmologica</i> , 2016, 94, e98-e104.	0.6	5
108	Mathematical modelling of brimonidine absorption via topical delivery of microparticle formulations to the eye. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 39, 194-202.	2.9	3

#	ARTICLE	IF	CITATIONS
109	Lamina cribrosa defects in eyes with glaucomatous disc haemorrhage. <i>Acta Ophthalmologica</i> , 2016, 94, e468-73.	0.6	44
110	Prevalence of Optic Disc Hemorrhage in Korea: The Korea National Health and Nutrition Examination Survey. , 2015, 56, 3666.		13
111	Mucoadhesive microparticles with a nanostructured surface for enhanced bioavailability of glaucoma drug. <i>Journal of Controlled Release</i> , 2015, 220, 180-188.	4.8	39
112	Automated Detection of Hemifield Difference across Horizontal Raphe on Ganglion Cellâ€“Inner Plexiform Layer Thickness Map. <i>Ophthalmology</i> , 2015, 122, 2252-2260.	2.5	55
113	Five-Year Incidence of Primary Open-Angle Glaucoma and Rate of Progression in Health Center-Based Korean Population: The Gangnam Eye Study. <i>PLoS ONE</i> , 2014, 9, e114058.	1.1	35
114	Patterns of Subsequent Progression of Localized Retinal Nerve Fiber Layer Defects on Red-free Fundus Photographs in Normal-tension Glaucoma. <i>Korean Journal of Ophthalmology: KJO</i> , 2014, 28, 330.	0.5	7
115	Prevalence and risk factors of superior segmental optic hypoplasia in a Korean population: the Korea National Health and Nutrition Examination Survey. <i>BMC Ophthalmology</i> , 2014, 14, 157.	0.6	8
116	Topographic Characteristics of Optic Disc Hemorrhage in Primary Open-Angle Glaucoma. , 2014, 55, 169.		31
117	Comparison of 2007â€“2012 Korean trends in laser peripheral iridotomy and cataract surgery rates. <i>Japanese Journal of Ophthalmology</i> , 2014, 58, 40-46.	0.9	3
118	Relative lens vault in subjects with angle closure. <i>BMC Ophthalmology</i> , 2014, 14, 93.	0.6	28
119	A Case of Cholesterosis Bulbi with Secondary Glaucoma Treated by Vitrectomy and Intravitreal Bevacizumab. <i>Korean Journal of Ophthalmology: KJO</i> , 2011, 25, 362.	0.5	3