
Angela L Stotts

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5287689/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dextroamphetamine for Cocaine-Dependence Treatment: A Double-Blind Randomized Clinical Trial. Journal of Clinical Psychopharmacology, 2001, 21, 522-526.	1.4	223
2	Opioid dependence treatment: options in pharmacotherapy. Expert Opinion on Pharmacotherapy, 2009, 10, 1727-1740.	1.8	211
3	Agonist-Like or Antagonist-Like Treatment for Cocaine Dependence with Methadone for Heroin Dependence: Two Double-Blind Randomized Clinical Trials. Neuropsychopharmacology, 2004, 29, 969-981.	5.4	174
4	Naltrexone and relapse prevention treatment for cocaine-dependent patients. Addictive Behaviors, 2001, 26, 167-180.	3.0	153
5	Motivational interviewing with cocaine-dependent patients: A pilot study Journal of Consulting and Clinical Psychology, 2001, 69, 858-862.	2.0	144
6	One-to-One. Addictive Behaviors, 2002, 27, 275-292.	3.0	120
7	Levodopa pharmacotherapy for cocaine dependence: Choosing the optimal behavioral therapy platform. Drug and Alcohol Dependence, 2008, 94, 142-150.	3.2	112
8	Pregnancy smoking cessation: A case of mistaken identity. Addictive Behaviors, 1996, 21, 459-471.	3.0	110
9	Risperidone for the Treatment of Cocaine Dependence: Randomized, Double-Blind Trial. Journal of Clinical Psychopharmacology, 2000, 20, 305-310.	1.4	108
10	Fluoxetine treatment of cocaine-dependent patients with major depressive disorder. Drug and Alcohol Dependence, 2001, 63, 207-214.	3.2	104
11	Determining predictors of attrition in an outpatient substance abuse program. American Journal of Drug and Alcohol Abuse, 2002, 28, 55-72.	2.1	83
12	Effects of an intensive depression-focused intervention for smoking cessation in pregnancy Journal of Consulting and Clinical Psychology, 2010, 78, 44-54.	2.0	74
13	Postpartum return to smoking: Staging a "suspended" behavior Health Psychology, 2000, 19, 324-332.	1.6	69
14	A qualitative assessment of the perceived risks of electronic cigarette and hookah use in pregnancy. BMC Public Health, 2015, 15, 1273.	2.9	68
15	A Stage I pilot study of acceptance and commitment therapy for methadone detoxification. Drug and Alcohol Dependence, 2012, 125, 215-222.	3.2	64
16	Cognitive-behavioral therapies for depression and substance use disorders: An overview of traditional, third-wave, and transdiagnostic approaches. American Journal of Drug and Alcohol Abuse, 2017, 43, 402-415.	2.1	57
17	Prevalence and treatment of opioid use disorders among primary care patients in six health systems. Drug and Alcohol Dependence, 2020, 207, 107732.	3.2	55
18	Thirdhand smoke contamination in hospital settings: assessing exposure risk for vulnerable paediatric patients: TableÂ1. Tobacco Control, 2016, 25, 619-623.	3.2	53

#	Article	IF	CITATIONS
19	Randomized Controlled Trial Comparing Exercise to Health Education for Stimulant Use Disorder. Journal of Clinical Psychiatry, 2017, 78, 1075-1082.	2.2	53
20	Treatment of Cocaine–Alcohol Dependence with Naltrexone and Relapse Prevention Therapy. American Journal on Addictions, 2004, 13, 333-341.	1.4	48
21	Medication Compliance During a Smoking Cessation Clinical Trial: A Brief Intervention Using MEMS Feedback. Journal of Behavioral Medicine, 2005, 28, 139-147.	2.1	48
22	A two-phased screening paradigm for evaluating candidate medications for cocaine cessation or relapse prevention: Modafinil, levodopa–carbidopa, naltrexone. Drug and Alcohol Dependence, 2014, 136, 100-107.	3.2	48
23	Motivational interviewing with cocaine-dependent patients: A pilot study Journal of Consulting and Clinical Psychology, 2001, 69, 858-862.	2.0	47
24	The promise of third-wave behavioral therapies in the treatment of substance use disorders. Current Opinion in Psychology, 2015, 2, 75-81.	4.9	44
25	Cocaine dependence with and without comorbid depression: a comparison of patient characteristics. Drug and Alcohol Dependence, 2000, 60, 189-198.	3.2	42
26	Opioid withdrawal, craving, and use during and after outpatient buprenorphine stabilization and taper: A discrete survival and growth mixture model. Addictive Behaviors, 2015, 41, 20-28.	3.0	42
27	Postpartum return to smoking: Staging a "suspended" behavior Health Psychology, 2000, 19, 324-332.	1.6	42
28	Impact of a motivational intervention on mechanisms of change in low-income pregnant smokers. Addictive Behaviors, 2004, 29, 1649-1657.	3.0	41
29	Geographic proximity to buprenorphine treatment providers in the U.S Drug and Alcohol Dependence, 2020, 213, 108131.	3.2	38
30	High-Dose Naltrexone Therapy for Cocaine-Alcohol Dependence. American Journal on Addictions, 2009, 18, 356-362.	1.4	36
31	Concurrent treatment for alcohol and tobacco dependence: are patients ready to quit both?. Drug and Alcohol Dependence, 2003, 69, 1-7.	3.2	35
32	Bupropion and cognitive-behavioral therapy for smoking cessation in women. Nicotine and Tobacco Research, 2007, 9, 699-709.	2.6	35
33	Prevalence and charges of opioid-related visits to U.S. emergency departments. Drug and Alcohol Dependence, 2021, 221, 108568.	3.2	34
34	Adding MEMS feedback to behavioral smoking cessation therapy increases compliance with bupropion: A replication and extension study. Addictive Behaviors, 2007, 32, 875-880.	3.0	33
35	Ultrasound feedback and motivational interviewing targeting smoking cessation in the second and third trimesters of pregnancy. Nicotine and Tobacco Research, 2009, 11, 961-968.	2.6	32
36	Cocaine Dependence and Concurrent Marijuana Use: A Comparison of Clinical Characteristics. American Journal of Drug and Alcohol Abuse, 2009, 35, 193-198.	2.1	32

#	Article	IF	CITATIONS
37	Contingency management and levodopa-carbidopa for cocaine treatment: A comparison of three behavioral targets Experimental and Clinical Psychopharmacology, 2010, 18, 238-244.	1.8	29
38	Impact of Smoking Exposure Change on Infant Birth Weight Among a Cohort of Women in a Prenatal Smoking Cessation Study. Nicotine and Tobacco Research, 2013, 15, 685-692.	2.6	29
39	Thirdhand Smoke in the Homes of Medically Fragile Children: Assessing the Impact of Indoor Smoking Levels and Smoking Bans. Nicotine and Tobacco Research, 2016, 18, 1290-1298.	2.6	27
40	PRimary Care Opioid Use Disorders treatment (PROUD) trial protocol: a pragmatic, cluster-randomized implementation trial in primary care for opioid use disorder treatment. Addiction Science & Clinical Practice, 2021, 16, 9.	2.6	27
41	Outreach to people who survive opioid overdose: Linkage and retention in treatment. Journal of Substance Abuse Treatment, 2020, 111, 11-15.	2.8	26
42	Developing interagency collaboration to address the opioid epidemic: A scoping review of joint criminal justice and healthcare initiatives. International Journal of Drug Policy, 2020, 83, 102849.	3.3	26
43	Testing for Independent Effects of Prosocial Knowledge and Technical Knowledge on Skill and Performance. Human Performance, 2014, 27, 311-327.	2.4	24
44	Psychological Flexibility and Depression in New Mothers of Medically Vulnerable Infants: A Mediational Analysis. Maternal and Child Health Journal, 2019, 23, 821-829.	1.5	21
45	Depression Among Mothers of High-Risk Infants Discharged From a Neonatal Intensive Care Unit. MCN the American Journal of Maternal Child Nursing, 2013, 38, 89-94.	0.7	20
46	A sequential multiple assignment randomized trial for cocaine cessation and relapse prevention: Tailoring treatment to the individual. Contemporary Clinical Trials, 2018, 65, 109-115.	1.8	19
47	Using Acceptance and Commitment Therapy During Methadone Dose Reduction: Rationale, Treatment Description, and a Case Report. Cognitive and Behavioral Practice, 2009, 16, 205-213.	1.5	17
48	Comparison of BMI and anthropometric measures among South Asian Indians using standard and modified criteria. Public Health Nutrition, 2011, 14, 809-816.	2.2	17
49	Baby's Breath II protocol development and design: A secondhand smoke exposure prevention program targeting infants discharged from a neonatal intensive care unit. Contemporary Clinical Trials, 2013, 35, 97-105.	1.8	17
50	Preliminary Feasibility and Efficacy of a Brief Motivational Intervention with Psychophysiological Feedback for Cocaine Abuse. Substance Abuse, 2007, 27, 9-20.	2.3	15
51	Family Physicians' Perceived Prevalence, Safety, and Screening for Cigarettes, Marijuana, and Electronic-Nicotine Delivery Systems (ENDS) Use during Pregnancy. Journal of the American Board of Family Medicine, 2017, 30, 743-757.	1.5	15
52	Thirdhand smoke associations with the gut microbiomes of infants admitted to a neonatal intensive care unit: An observational study. Environmental Research, 2021, 197, 111180.	7.5	15
53	"Who gets in?â€: Recruitment and screening processes of outpatient substance abuse trials. Addictive Behaviors, 2004, 29, 389-398.	3.0	14
54	Baseline cocaine demand predicts contingency management treatment outcomes for cocaine-use disorder Psychology of Addictive Behaviors, 2020, 34, 164-174.	2.1	14

#	Article	IF	CITATIONS
55	The role of avoidance and inflexibility in characterizing response to contingency management for cocaine use disorders: A secondary profile analysis Psychology of Addictive Behaviors, 2015, 29, 408-413.	2.1	13
56	Randomized, Controlled Pilot Trial of Bupropion for Pregnant Smokers: Challenges and Future Directions. American Journal of Perinatology, 2015, 32, 351-356.	1.4	13
57	Secondhand Smoke Risk in Infants Discharged from an NICU: Potential for Significant Health Disparities?. Nicotine and Tobacco Research, 2011, 13, 1015-1022.	2.6	12
58	Breastfeeding practices in mothers of high-respiratory-risk NICU infants: impact of depressive symptoms and smoking. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1838-1843.	1.5	12
59	Tobacco, alcohol and caffeine use in a low-income, pregnant population. Journal of Obstetrics and Gynaecology, 2003, 23, 247-251.	0.9	11
60	Illusory predictors: Generalizability of findings in cocaine treatment retention research. Addictive Behaviors, 2007, 32, 2819-2836.	3.0	11
61	A comparison of common practices for identifying substance use during pregnancy in obstetric clinics. Birth, 2019, 46, 663-669.	2.2	10
62	Reducing Tobacco Smoke Exposure in High-Risk Infants: A Randomized, Controlled Trial. Journal of Pediatrics, 2020, 218, 35-41.e1.	1.8	9
63	Thirdhand Smoke Contamination and Infant Nicotine Exposure in a Neonatal Intensive Care Unit: An Observational Study. Nicotine and Tobacco Research, 2021, 23, 373-382.	2.6	8
64	Using Item Response Theory to Improve Alcohol Dependence Screening for African American and White Male and Female College Students. Addictive Disorders and Their Treatment, 2013, 12, 99-109.	0.5	7
65	An ounce of prevention: A pre-randomization protocol to improve retention in substance use disorder clinical trials. Addictive Behaviors, 2017, 64, 137-142.	3.0	7
66	Prevalence and Medication Treatment of Opioid Use Disorder Among Primary Care Patients with Hepatitis C and HIV. Journal of General Internal Medicine, 2021, 36, 930-937.	2.6	7
67	Feasibility and outcomes from an integrated bridge treatment program for opioid use disorder. Journal of the American College of Emergency Physicians Open, 2021, 2, e12417.	0.7	7
68	Gender Differences Among MDMA Users on Psychological and Drug History Variables. Addictive Disorders and Their Treatment, 2005, 4, 43-48.	0.5	6
69	Primary Care Physician's Knowledge of Ethnicity-Specific Guidelines for Obesity Diagnosis and Readiness for Obesity Intervention Among South Asian Indians. Journal of Immigrant and Minority Health, 2012, 14, 759-766.	1.6	6
70	Understanding motivation to implement smoking bans among mothers with a hospitalized infant. Addictive Behaviors, 2016, 58, 60-67.	3.0	6
71	Predicting HCV Incidence in Latinos with High-Risk Substance Use: A Data Science Approach. Social Work in Public Health, 2019, 34, 606-615.	1.4	6
72	Utility of a brief assessment of opioid demand among post-discharge trauma care patients Experimental and Clinical Psychopharmacology, 2022, 30, 15-22.	1.8	6

#	Article	IF	CITATIONS
73	Medical staff contributions to thirdhand smoke contamination in a neonatal intensive care unit. Tobacco Induced Diseases, 2019, 17, 37.	0.6	6
74	Hepatitis C Knowledge Assessment and Counseling Within the Context of Substance Abuse Treatment. Addictive Disorders and Their Treatment, 2004, 3, 18-26.	0.5	5
75	Increasing Knowledge of HIV and Hepatitis C During Substance Abuse Treatment. Addictive Disorders and Their Treatment, 2005, 4, 71-76.	0.5	5
76	Identifying and responding to trial implementation challenges during multisite clinical trials. Journal of Substance Abuse Treatment, 2020, 112, 63-72.	2.8	5
77	Antithyroid peroxidase antibodies in patients with high normal range thyroid stimulating hormone. Family Medicine, 2010, 42, 111-5.	0.5	5
78	Families at Risk: Home and Car Smoking Among Pregnant Women Attending a Low-Income, Urban Prenatal Clinic. Nicotine and Tobacco Research, 2014, 16, 1020-1025.	2.6	4
79	Characteristics associated with intervention and follow-up attendance in a secondhand smoke exposure study for families of NICU infants. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1208-1213.	1.5	4
80	Impact of Physician Training on Diagnosis and Counseling of Overweight and Obese Asian Patients. Journal of Racial and Ethnic Health Disparities, 2017, 4, 322-328.	3.2	4
81	Theoretical Implications of Gender, Power, and Sexual Scripts for HIV Prevention Programs Aimed at Young, Substance-Using African-American Women. Journal of Racial and Ethnic Health Disparities, 2017, 4, 1175-1180.	3.2	4
82	Depression in the barrio: An analysis of the risk and protective nature of cultural values among Mexican American substance users. Journal of Ethnicity in Substance Abuse, 2019, 18, 150-164.	0.9	3
83	Proactive delivery of nicotine replacement therapy to families of hospitalized infants in a NICU: A randomized controlled pilot trial. Journal of Neonatal Nursing, 2020, 26, 201-206.	0.7	3
84	Mindfulness predicts current risk of opioid analgesic misuse in chronic low back pain patients receiving opioid therapy. Journal of Contextual Behavioral Science, 2020, 18, 111-116.	2.6	3
85	Cocaine-specific speed-accuracy trade-off during anti-saccade testing differentiates patients with cocaine use disorder who achieve initial abstinence during treatment. Journal of Psychopharmacology, 2021, 35, 611-614.	4.0	3
86	Duration of breastmilk feeding of NICU graduates who live with individuals who smoke. Pediatric Research, 2021, 89, 1788-1797.	2.3	2
87	A Brief, Hospital-Initiated Motivational Interviewing and Acceptance and Commitment Therapy Intervention to Link Postpartum Mothers Who Use Illicit Drugs With Treatment and Reproductive Care: A Case Report. Cognitive and Behavioral Practice, 2021, 28, 92-106.	1.5	2
88	Handwashing Results in Incomplete Nicotine Removal from Fingers of Individuals who Smoke: A Randomized Controlled Experiment. American Journal of Perinatology, 2022, 39, 1634-1642.	1.4	2
89	The Impact of Pediatric Opioid-Related Visits on U.S. Emergency Departments. Children, 2022, 9, 524.	1.5	2
90	Comparison of 3 L-α-acetyl-methadol (LAAM) Maintenance Strategies for Heroin Dependence. Addictive Disorders and Their Treatment, 2009, 8, 191-200.	0.5	1

#	Article	IF	CITATIONS
91	Dramatic Reduction in Hydrocodone Prescriptions in an Urban Safety Net Health Care System: Has It Improved Patient Safety or Led to Increased Patient Suffering?. Pain Medicine, 2015, 17, pnv026.	1.9	1
92	Stress, Depression, and Drug Use Among Aging Mexican American Men Living in the <i>Barrio</i> . Journal of Social Work Practice in the Addictions, 2017, 17, 388-401.	0.7	1
93	Early pain, stress, and opioid use following traumatic injury. Journal of Opioid Management, 2022, 18, 17-25.	0.5	1
94	Abstract TP206: Vascular Risk Factors And Stimulant Use Among Stroke Patients. Stroke, 2022, 53, .	2.0	0