

Tor Skibsted Clemmensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5287736/publications.pdf>

Version: 2024-02-01

48
papers

905
citations

430874

18
h-index

501196

28
g-index

51
all docs

51
docs citations

51
times ranked

1314
citing authors

#	ARTICLE	IF	CITATIONS
1	Impaired left and right systolic ventricular capacity in corrected atrial septal defect patients. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 1221-1231.	1.5	2
2	Assessment of Acute Rejection by Global Longitudinal Strain and Cardiac Biomarkers in Heart-Transplanted Patients. <i>Frontiers in Immunology</i> , 2022, 13, 841849.	4.8	2
3	Incidence and predictors of worsening heart failure in patients with wild-type transthyretin cardiac amyloidosis. <i>ESC Heart Failure</i> , 2022, 9, 2978-2987.	3.1	3
4	Systemic embolism in transthyretin amyloid cardiomyopathy: how to look into the future. <i>European Journal of Heart Failure</i> , 2022, 24, 1397-1399.	7.1	0
5	Prognostic implications of left ventricular myocardial work indices in cardiac amyloidosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 695-704.	1.2	54
6	Micro- and macrovascular cardiac allograft vasculopathy in relation to 91 cardiovascular biomarkers in heart transplant recipients—An exploratory study. <i>Clinical Transplantation</i> , 2021, 35, e14133.	1.6	6
7	Imaging of Cardiac Transplantation: An Overview. <i>Seminars in Nuclear Medicine</i> , 2021, 51, 335-348.	4.6	5
8	Right ventricular hemodynamics and performance in relation to perfusion during first year after heart transplantation. <i>ESC Heart Failure</i> , 2021, 8, 4018-4025.	3.1	5
9	Elevated Left and Right Atrial Pressures Long-Term After Atrial Septal Defect Correction: An Invasive Exercise Hemodynamic Study. <i>Journal of the American Heart Association</i> , 2021, 10, e020692.	3.7	3
10	Burden of arrhythmia and silent ischemia in heart transplant patients with cardiac allograft vasculopathy. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 1-8.	1.2	2
11	Reverse remodeling of tricuspid valve morphology and function in chronic thromboembolic pulmonary hypertension patients following pulmonary thromboendarterectomy: a cardiac magnetic resonance imaging and invasive hemodynamic study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 450.	1.7	7
12	Reduced coronary flow velocity reserve in women with previous pre-eclampsia: link to increased cardiovascular disease risk. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 786-792.	1.7	6
13	Long-term changes of right ventricular myocardial deformation and remodeling studied by cardiac magnetic resonance imaging in patients with chronic thromboembolic pulmonary hypertension following pulmonary thromboendarterectomy. <i>International Journal of Cardiology</i> , 2020, 300, 282-288.	1.7	19
14	Prevalence and Prognostic Implications of Increased Apical-to-Basal Strain Ratio in Patients with Aortic Stenosis Undergoing Transcatheter Aortic Valve Replacement. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 1465-1473.	2.8	13
15	Authors' Reply. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 1296.	2.8	0
16	Long-term changes of exercise hemodynamics and physical capacity in chronic thromboembolic pulmonary hypertension after pulmonary thromboendarterectomy. <i>International Journal of Cardiology</i> , 2020, 317, 181-187.	1.7	6
17	Left Ventricular Pressure-Strain-Derived Myocardial Work at Rest and during Exercise in Patients with Cardiac Amyloidosis. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 573-582.	2.8	50
18	Diagnostic delay in wild type transthyretin cardiac amyloidosis – A clinical challenge. <i>International Journal of Cardiology</i> , 2020, 304, 138-143.	1.7	38

#	ARTICLE	IF	CITATIONS
19	Diagnostic Accuracy of [11C]PIB Positron Emission Tomography for Detection of Cardiac Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 1337-1347.	5.3	49
20	Long-term changes of resting and exercise right ventricular systolic performance in patients with chronic thromboembolic pulmonary hypertension following pulmonary thromboendarterectomy – A two-dimensional and three-dimensional echocardiographic study. <i>Echocardiography</i> , 2019, 36, 1656-1665.	0.9	8
21	Myocardial strain assessed by feature tracking cardiac magnetic resonance in patients with a variety of cardiovascular diseases – A comparison with echocardiography. <i>Scientific Reports</i> , 2019, 9, 11296.	3.3	44
22	Prognostic value of exercise myocardial deformation and haemodynamics in long-term heart-transplanted patients. <i>ESC Heart Failure</i> , 2019, 6, 629-639.	3.1	4
23	P4670 Long-term changes of exercise haemodynamics and physical capacity in chronic thromboembolic pulmonary hypertension after pulmonary thromboendarterectomy. <i>European Heart Journal</i> , 2019, 40, .	2.2	0
24	Invasive and non-invasive prognostic markers – What to trust and how to optimize surveillance after heart transplantation. <i>International Journal of Cardiology</i> , 2018, 260, 47-48.	1.7	0
25	Abnormal Coronary Flow Velocity Reserve and Decreased Myocardial Contractile Reserve Are Main Factors in Relation to Physical Exercise Capacity in Cardiac Amyloidosis. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 71-78.	2.8	17
26	Detection of early changes in the coronary artery microstructure after heart transplantation: A prospective optical coherence tomography study. <i>Journal of Heart and Lung Transplantation</i> , 2018, 37, 486-495.	0.6	23
27	Myocardial Oxygen Consumption and Efficiency in Patients With Cardiac Amyloidosis. <i>Journal of the American Heart Association</i> , 2018, 7, e009974.	3.7	24
28	Long-term follow-up of women with early onset pre-eclampsia shows subclinical impairment of the left ventricular function by two-dimensional speckle tracking echocardiography. <i>Pregnancy Hypertension</i> , 2018, 14, 9-14.	1.4	18
29	Left Ventricular Myocardial Contractile Reserve during Exercise Stress in Healthy Adults: A Two-Dimensional Speckle-Tracking Echocardiographic Study. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 1116-1126.e1.	2.8	30
30	Left ventricular global longitudinal strain predicts major adverse cardiac events and all-cause mortality in heart transplant patients. <i>Journal of Heart and Lung Transplantation</i> , 2017, 36, 567-576.	0.6	44
31	Donor-specific antibodies are associated with micro- and macrovascular coronary disease, restrictive myocardial damage, and poor outcome in heart-transplanted patients. <i>Clinical Transplantation</i> , 2017, 31, e13033.	1.6	16
32	Early gestational age at preeclampsia onset is associated with subclinical atherosclerosis 12 years after delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1084-1092.	2.8	14
33	Layered Fibrotic Plaques Are the Predominant Component in Cardiac Allograft Vasculopathy. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 773-784.	5.3	55
34	Inotropic myocardial reserve deficiency is the predominant feature of exercise haemodynamics in cardiac amyloidosis. <i>European Journal of Heart Failure</i> , 2017, 19, 1457-1465.	7.1	29
35	Preeclampsia and later cardiovascular disease – What do national guidelines recommend?. <i>Pregnancy Hypertension</i> , 2017, 10, 14-17.	1.4	15
36	ST Elevation Infarction after Heart Transplantation Induced by Coronary Spasms and Mural Thrombus Detected by Optical Coherence Tomography. <i>Case Reports in Transplantation</i> , 2016, 2016, 1-4.	0.3	4

#	ARTICLE	IF	CITATIONS
37	Exercise-Stress Echocardiography Reveals Systolic Anterior Motion of the Mitral Valve as a Cause of Syncopes in a Cardiac Amyloidosis Patient. <i>Case Reports in Cardiology</i> , 2016, 2016, 1-4.	0.2	2
38	Echocardiographic assessment of right heart function in heart transplant recipients and the relation to exercise hemodynamics. <i>Transplant International</i> , 2016, 29, 909-920.	1.6	22
39	Clinical features, exercise hemodynamics, and determinants of left ventricular elevated filling pressure in heart-transplanted patients. <i>Transplant International</i> , 2016, 29, 196-206.	1.6	13
40	Noninvasive Detection of Cardiac Allograft Vasculopathy by Stress Exercise Echocardiographic Assessment of Myocardial Deformation. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 480-490.	2.8	29
41	Preeclampsia and cardiovascular disease risk assessment – Do arterial stiffness and atherosclerosis uncover increased risk ten years after delivery?. <i>Pregnancy Hypertension</i> , 2016, 6, 110-114.	1.4	34
42	Serial changes in longitudinal graft function and implications of acute cellular graft rejections during the first year after heart transplantation. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 184-193.	1.2	32
43	Coronary Flow Reserve Predicts Longitudinal Myocardial Deformation Capacity in Heart-Transplanted Patients. <i>Echocardiography</i> , 2016, 33, 562-571.	0.9	11
44	Evaluation of longitudinal myocardial deformation by 2-dimensional speckle-tracking echocardiography in heart transplant recipients: Relation to coronary allograft vasculopathy. <i>Journal of Heart and Lung Transplantation</i> , 2015, 34, 195-203.	0.6	49
45	Changes in Longitudinal Myocardial Deformation during Acute Cardiac Rejection: The Clinical Role of Two-Dimensional Speckle-Tracking Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 330-339.	2.8	55
46	The long-term influence of repetitive cellular cardiac rejections on left ventricular longitudinal myocardial deformation in heart transplant recipients. <i>Transplant International</i> , 2015, 28, 475-484.	1.6	25
47	Case of Acute Graft Failure during Suspected Humoral Rejection with Preserved Ejection Fraction, but Severely Reduced Longitudinal Deformation Detected by 2D-Speckle Tracking. <i>Case Reports in Transplantation</i> , 2014, 2014, 1-4.	0.3	10
48	Twenty years'™ experience at the Heart Transplant Center, Aarhus University Hospital, Skejby, Denmark. <i>Scandinavian Cardiovascular Journal</i> , 2013, 47, 322-328.	1.2	8