

Sonia Dollfus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5291922/publications.pdf>

Version: 2024-02-01

115
papers

3,724
citations

186265

28
h-index

138484

58
g-index

129
all docs

129
docs citations

129
times ranked

4101
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008, 371, 1085-1097. | 13.7 | 964 |
| 2 | Cognitive Effects of Antipsychotic Drugs in First-Episode Schizophrenia and Schizophreniform Disorder: A Randomized, Open-Label Clinical Trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009, 166, 675-682. | 7.2 | 284 |
| 3 | Links among resting-state default-mode network, salience network, and symptomatology in schizophrenia. <i>Schizophrenia Research</i> , 2013, 148, 74-80. | 2.0 | 158 |
| 4 | Atypical hemispheric specialization for language in right-handed schizophrenia patients. <i>Biological Psychiatry</i> , 2005, 57, 1020-1028. | 1.3 | 119 |
| 5 | Correlates of cognitive impairment in first episode schizophrenia: The EUFEST study. <i>Schizophrenia Research</i> , 2009, 115, 104-114. | 2.0 | 102 |
| 6 | Self-Evaluation of Negative Symptoms: A Novel Tool to Assess Negative Symptoms. <i>Schizophrenia Bulletin</i> , 2016, 42, 571-578. | 4.3 | 100 |
| 7 | Two-day treatment of auditory hallucinations by high frequency rTMS guided by cerebral imaging: A 6-month follow-up pilot study. <i>Schizophrenia Research</i> , 2009, 113, 77-83. | 2.0 | 79 |
| 8 | Current developments and challenges in the assessment of negative symptoms. <i>Schizophrenia Research</i> , 2017, 186, 8-18. | 2.0 | 75 |
| 9 | A Concordance Study of Three Electrophysiological Measures in Schizophrenia. <i>American Journal of Psychiatry</i> , 2005, 162, 466-474. | 7.2 | 70 |
| 10 | Executive/attentional cognitive functions in schizophrenic patients and their parents: a preliminary study. <i>Schizophrenia Research</i> , 2002, 53, 93-99. | 2.0 | 65 |
| 11 | A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019, 29, 947-959. | 0.7 | 60 |
| 12 | P50 inhibitory gating deficit is correlated with the negative symptomatology of schizophrenia. <i>Psychiatry Research</i> , 2005, 136, 27-34. | 3.3 | 59 |
| 13 | Genetic study of dopamine D1, D2, and D4 receptors in schizophrenia. <i>Psychiatry Research</i> , 1994, 51, 215-230. | 3.3 | 53 |
| 14 | Proton Magnetic Resonance Spectroscopy (1H MRS) in Schizophrenia: Investigation of the Right and Left Hippocampus, Thalamus, and Prefrontal Cortex. <i>Schizophrenia Bulletin</i> , 2002, 28, 329-339. | 4.3 | 53 |
| 15 | Hallucinogen persisting perception disorder after psilocybin consumption: a case study. <i>European Psychiatry</i> , 2005, 20, 458-460. | 0.2 | 47 |
| 16 | Stability of functional language lateralization over time in schizophrenia patients. <i>Schizophrenia Research</i> , 2007, 94, 197-206. | 2.0 | 47 |
| 17 | Association of DNA polymorphism in the first intron of the tyrosine hydroxylase gene with disturbances of the catecholaminergic system in schizophrenia. <i>Schizophrenia Research</i> , 1997, 23, 259-264. | 2.0 | 46 |
| 18 | Impairments of executive/attentional functions in schizophrenia with primary and secondary negative symptoms. <i>Psychiatry Research</i> , 2005, 133, 45-55. | 3.3 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A comparison of plasma homovanillic acid in the deficit and nondeficit subtypes of schizophrenia. <i>Biological Psychiatry</i> , 1994, 36, 230-236. | 1.3 | 42 |
| 20 | Negative symptoms: History of the concept and their position in diagnosis of schizophrenia. <i>Schizophrenia Research</i> , 2017, 186, 3-7. | 2.0 | 41 |
| 21 | Functional and structural brain asymmetries in patients with schizophrenia and bipolar disorders. <i>Schizophrenia Research</i> , 2015, 161, 210-214. | 2.0 | 40 |
| 22 | Placebo Response in Repetitive Transcranial Magnetic Stimulation Trials of Treatment of Auditory Hallucinations in Schizophrenia: A Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2016, 42, 301-308. | 4.3 | 40 |
| 23 | Plasma 3-Methoxy-4-Hydroxyphenylglycol and Homovanillic Acid Measurements in Deficit and Nondeficit Forms of Schizophrenia. <i>Biological Psychiatry</i> , 1998, 43, 24-30. | 1.3 | 38 |
| 24 | High-Frequency Neuronavigated rTMS in Auditory Verbal Hallucinations: A Pilot Double-Blind Controlled Study in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 505-514. | 4.3 | 37 |
| 25 | Left fronto-temporal dysconnectivity within the language network in schizophrenia: An fMRI and DTI study. <i>Psychiatry Research - Neuroimaging</i> , 2014, 223, 261-267. | 1.8 | 35 |
| 26 | Treatment of auditory hallucinations by combining high-frequency repetitive transcranial magnetic stimulation and functional magnetic resonance imaging. <i>Schizophrenia Research</i> , 2008, 102, 348-351. | 2.0 | 32 |
| 27 | Olanzapine versus risperidone in the treatment of post-psychotic depression in schizophrenic patients. <i>Schizophrenia Research</i> , 2005, 78, 157-159. | 2.0 | 31 |
| 28 | Association study between dopamine D1, D2, D3, and D4 receptor genes and schizophrenia defined by several diagnostic systems. <i>Biological Psychiatry</i> , 1996, 40, 419-421. | 1.3 | 29 |
| 29 | Functional deficit in the medial prefrontal cortex during a language comprehension task in patients with schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 304-311. | 2.0 | 29 |
| 30 | Cortical Anatomical Variations and Efficacy of rTMS in the Treatment of Auditory Hallucinations. <i>Brain Stimulation</i> , 2015, 8, 1162-1167. | 1.6 | 29 |
| 31 | Functional hemispheric lateralization for language in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013, 149, 42-47. | 2.0 | 28 |
| 32 | Left-hemisphere lateralization for language and interhemispheric fiber tracking in patients with schizophrenia. <i>Schizophrenia Research</i> , 2015, 165, 30-37. | 2.0 | 28 |
| 33 | No evidence for linkage or association between the dopamine transporter gene and schizophrenia in a French population. <i>Psychiatry Research</i> , 1995, 59, 1-6. | 3.3 | 27 |
| 34 | Semantic hyperpriming in schizophrenic patients: Increased facilitation or impaired inhibition in semantic association processing?. <i>Schizophrenia Research</i> , 2007, 89, 243-250. | 2.0 | 27 |
| 35 | Increased grey matter densities in schizophrenia patients with negative symptoms after treatment with quetiapine: a voxel-based morphometry study. <i>International Clinical Psychopharmacology</i> , 2009, 24, 34-41. | 1.7 | 25 |
| 36 | Sulcal Polymorphisms of the IFC and ACC Contribute to Inhibitory Control Variability in Children and Adults. <i>ENeuro</i> , 2018, 5, ENEURO.0197-17.2018. | 1.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Association study between schizophrenia and monoamine oxidase A and B DNA polymorphisms. <i>Psychiatry Research</i> , 1996, 62, 221-226. | 3.3 | 23 |
| 38 | No association of apolipoprotein epsilon 4 allele with schizophrenia even in cognitively impaired patients. <i>Schizophrenia Research</i> , 1998, 30, 149-153. | 2.0 | 23 |
| 39 | Repetitive transcranial magnetic stimulation in the treatment of auditory hallucinations in schizophrenic patients. <i>Current Opinion in Psychiatry</i> , 2011, 24, 533-540. | 6.3 | 23 |
| 40 | Impaired Smooth Pursuit in Schizophrenia Results from Prediction Impairment Only. <i>Biological Psychiatry</i> , 2010, 67, 992-997. | 1.3 | 22 |
| 41 | Amisulpride versus bromocriptine in infantile autism: A controlled crossover comparative study of two drugs with opposite effects on dopaminergic function. <i>Journal of Autism and Developmental Disorders</i> , 1992, 22, 47-60. | 2.7 | 21 |
| 42 | Spanish validation of the self-evaluation of negative symptoms scale SNS in an adolescent population. <i>BMC Psychiatry</i> , 2019, 19, 327. | 2.6 | 21 |
| 43 | Objective and Subjective Extrapyramidal Side Effects in Schizophrenia: Their Relationships with Negative and Depressive Symptoms. <i>Psychopathology</i> , 2000, 33, 125-130. | 1.5 | 20 |
| 44 | Sinistrality in schizophrenia. <i>Schizophrenia Research</i> , 2002, 55, 303-306. | 2.0 | 19 |
| 45 | Verbal learning and memory in schizophrenic and Parkinson's disease patients. <i>Psychiatry Research</i> , 2003, 117, 25-34. | 3.3 | 19 |
| 46 | Relationship between performance on the Stroop test and N-acetylaspartate in the medial prefrontal cortex in deficit and nondéficit schizophrenia: preliminary results. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 87-89. | 1.8 | 19 |
| 47 | Abnormalities of language pathways in schizophrenia patients with and without a lifetime history of auditory verbal hallucinations: A DTI-based tractography study. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 528-538. | 2.6 | 19 |
| 48 | Abnormalities of fronto-subcortical pathways in schizophrenia and the differential impacts of antipsychotic treatment: a DTI-based tractography study. <i>Psychiatry Research - Neuroimaging</i> , 2018, 280, 22-29. | 1.8 | 19 |
| 49 | Specificity and sensitivity of the Self-assessment of Negative Symptoms (SNS) in patients with schizophrenia. <i>Schizophrenia Research</i> , 2019, 211, 51-55. | 2.0 | 19 |
| 50 | Sinistrality in subtypes of schizophrenia. <i>European Psychiatry</i> , 2002, 17, 272-277. | 0.2 | 18 |
| 51 | Reproducibility of fMRI activations during a story listening task in patients with schizophrenia. <i>Schizophrenia Research</i> , 2011, 128, 98-101. | 2.0 | 17 |
| 52 | Language lateralization in left-handed patients with schizophrenia. <i>Neuropsychologia</i> , 2011, 49, 313-319. | 1.6 | 17 |
| 53 | Functional and white matter abnormalities in the language network in patients with schizophrenia: A combined study with diffusion tensor imaging and functional magnetic resonance imaging. <i>Schizophrenia Research</i> , 2013, 150, 93-100. | 2.0 | 15 |
| 54 | Impact of rTMS on functional connectivity within the language network in schizophrenia patients with auditory hallucinations. <i>Schizophrenia Research</i> , 2017, 189, 142-145. | 2.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | <p>Auditory verbal hallucinations in schizophrenia: current perspectives in brain stimulation treatments</p>. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 2105-2117. | 2.2 | 15 |
| 56 | When a schizophrenic deficit becomes a reasoning advantage. Schizophrenia Research, 2006, 84, 359-364. | 2.0 | 14 |
| 57 | Meaningfulness and globalâ€“local processing in schizophrenia. Neuropsychologia, 2010, 48, 3062-3068. | 1.6 | 14 |
| 58 | Social Cognition in Schizophrenic Patients: The Effect of Semantic Content and Emotional Prosody in the Comprehension of Emotional Discourse. Frontiers in Psychiatry, 2014, 5, 120. | 2.6 | 14 |
| 59 | Impact of cognitive performance on the reproducibility of fMRI activation in schizophrenia. Journal of Psychiatry and Neuroscience, 2010, 35, 378-389. | 2.4 | 13 |
| 60 | Relationships between corpus callosum and language lateralization in patients with schizophrenia and bipolar disorders. Bipolar Disorders, 2017, 19, 496-504. | 1.9 | 13 |
| 61 | Corpus callosum microstructural and macrostructural abnormalities in schizophrenia according to the stage of disease. Psychiatry Research - Neuroimaging, 2019, 291, 63-70. | 1.8 | 13 |
| 62 | European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. Frontiers in Psychiatry, 2022, 13, 826465. | 2.6 | 13 |
| 63 | Network modeling of resting state connectivity points towards the bottom up theories of schizophrenia. Psychiatry Research - Neuroimaging, 2017, 266, 19-26. | 1.8 | 12 |
| 64 | Impact of Repetitive Transcranial Magnetic Stimulation (rTMS) on Brain Functional Marker of Auditory Hallucinations in Schizophrenia Patients. Brain Sciences, 2013, 3, 728-743. | 2.3 | 11 |
| 65 | Dandy-Walker Malformation-Like Condition Revealed by Refractory Schizophrenia: A Case Report and Literature Review. Neuropsychobiology, 2019, 77, 59-66. | 1.9 | 11 |
| 66 | A new 3-hit mouse model of schizophrenia built on genetic, early and late factors. Schizophrenia Research, 2021, 228, 519-528. | 2.0 | 11 |
| 67 | Functional deficit of the medial prefrontal cortex during emotional sentence attribution in schizophrenia. Schizophrenia Research, 2016, 178, 86-93. | 2.0 | 10 |
| 68 | Validation of the Arabic version of the â€œself-evaluation of negative symptomsâ€•scale (SNS). BMC Psychiatry, 2020, 20, 240. | 2.6 | 10 |
| 69 | Borna disease virus and psychiatric disorders. Schizophrenia Research, 2002, 57, 303-305. | 2.0 | 9 |
| 70 | The subjective quality of life in deficit and nondeficit schizophrenic patients. European Psychiatry, 2005, 20, 346-348. | 0.2 | 9 |
| 71 | Functional deficit in the medial prefrontal cortex in patients with chronic schizophrenia, first psychotic episode, and bipolar disorders. Bipolar Disorders, 2010, 12, 450-452. | 1.9 | 8 |
| 72 | Distinct Episodic Verbal Memory Profiles in Schizophrenia. Behavioral Sciences (Basel, Switzerland), 2013, 3, 192-205. | 2.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effects of low- and high-frequency repetitive transcranial magnetic stimulation on long-latency auditory evoked potentials. <i>Neuroscience Letters</i> , 2018, 686, 198-204. | 2.1 | 7 |
| 74 | Mobile Intensive Care Unit: A case management team dedicated to early psychosis in France. <i>Microbial Biotechnology</i> , 2018, 12, 995-999. | 1.7 | 7 |
| 75 | Anatomical Connectivity of the Visuospatial Attentional Network in Schizophrenia: A Diffusion Tensor Imaging Tractography Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 266-273. | 1.8 | 7 |
| 76 | Examining transcranial random noise stimulation as an add-on treatment for persistent symptoms in schizophrenia (STIMâ€™Zo): a study protocol for a multicentre, double-blind, randomized sham-controlled clinical trial. <i>Trials</i> , 2021, 22, 964. | 1.6 | 7 |
| 77 | The saccadic component of ocular pursuit is influenced by the predictability of the target motion in humans. <i>Experimental Brain Research</i> , 2006, 168, 294-297. | 1.5 | 6 |
| 78 | Does hyperpriming reveal impaired spreading of activation in schizophrenia?. <i>Schizophrenia Research</i> , 2007, 97, 289-291. | 2.0 | 6 |
| 79 | Reduced functional cerebral lateralization: a biomarker of schizophrenia?. <i>Bipolar Disorders</i> , 2013, 15, 449-451. | 1.9 | 6 |
| 80 | Fronto-subcortical functional connectivity in patients with schizophrenia and bipolar disorder during a verbal fluency task. <i>World Journal of Biological Psychiatry</i> , 2018, 19, S124-S132. | 2.6 | 6 |
| 81 | The priming effect of repetitive transcranial magnetic stimulation on clinical response to electroconvulsive therapy in treatment-resistant depression: a randomized, double-blind, sham-controlled study. <i>Psychological Medicine</i> , 2023, 53, 2060-2071. | 4.5 | 6 |
| 82 | Catecholamines in Autistic Disorder: Effects of Amisulpride and Bromocriptine in a Controlled Crossover Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 1993, 3, 145-156. | 1.3 | 5 |
| 83 | Neuroleptic malignant syndrome and catatonia overlapping: 2 case reports. <i>Psychopharmacology</i> , 2015, 232, 2643-2644. | 3.1 | 5 |
| 84 | How do high- and low-frequency repetitive transcranial magnetic stimulations modulate the temporal cortex. <i>Psychophysiology</i> , 2015, 52, 192-198. | 2.4 | 5 |
| 85 | Social cognition in schizophrenia: Validation of an ecological fMRI task. <i>Psychiatry Research - Neuroimaging</i> , 2019, 286, 60-68. | 1.8 | 5 |
| 86 | Validation of the lithuanian version of the self-evaluation of negative symptoms scale (SNS). <i>Nordic Journal of Psychiatry</i> , 2021, 75, 351-355. | 1.3 | 5 |
| 87 | Approche cognitivocomportementale des patients prÃ©sentant un premier Ã©pisode psychotique. <i>Annales Medico-Psychologiques</i> , 2009, 167, 158-166. | 0.4 | 4 |
| 88 | Use of Clozapine in an Adolescent With Refractory First-Episode Psychosis and Neutropenia. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 336-338. | 1.4 | 4 |
| 89 | GeodesicSlicer: a Slicer Toolbox for Targeting Brain Stimulation. <i>Neuroinformatics</i> , 2020, 18, 509-516. | 2.8 | 4 |
| 90 | A web-based adapted physical activity program (e-APA) versus health education program (e-HE) in patients with schizophrenia and healthy volunteers: study protocol for a randomized controlled trial (PEPSY V@Si). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 325-337. | 3.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Clinical features and outcomes of COVID-19 patients hospitalized for psychiatric disorders: a French multi-centered prospective observational study. <i>Psychological Medicine</i> , 2021, , 1-9. | 4.5 | 4 |
| 92 | Approches cliniques et diagnostiques des premiers Ã©pisodes psychotiques. <i>Annales Medico-Psychologiques</i> , 2009, 167, 79-85. | 0.4 | 3 |
| 93 | The patientsâ€™ view. , 2020, , 51-66. | | 3 |
| 94 | Semantic hyperpriming in schizophrenia. <i>British Journal of Psychiatry</i> , 2008, 193, 82-82. | 2.8 | 2 |
| 95 | A new toolbox to compare target localizations for non-invasive brain stimulation: An application of rTMS treatment for auditory hallucinations in schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 305-310. | 2.0 | 2 |
| 96 | Common mechanisms involved in manic switch and pain relief induced by lamotrigine: A case report and a literature review. <i>L'Encephale</i> , 2021, 47, 235-237. | 0.9 | 2 |
| 97 | Speech Processing and Auditory Hallucinations. , 2013, , 123-135. | | 2 |
| 98 | Theta burst stimulation on social cognition and N-Acetyl aspartate in two patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2018, 274, 31-32. | 1.8 | 1 |
| 99 | Negative symptoms in schizophrenia: correlation with clinical and genetic factors. <i>Pharmacogenomics</i> , 2021, 22, 389-399. | 1.3 | 1 |
| 100 | Validity and reliability of a Persian version of the self- evaluation of negative symptoms (SNS). <i>BMC Psychiatry</i> , 2021, 21, 516. | 2.6 | 1 |
| 101 | Effect of first-generation perphenazine and second-generation antipsychotics on depressive symptoms in schizophrenia: all antipsychotics improved symptoms; quetiapine was superior to risperidone for people with major depression at baseline. <i>Evidence-Based Mental Health</i> , 2011, 14, 79-79. | 4.5 | 1 |
| 102 | Functional imaging studies on language lateralization in schizophrenia patients. , 0, , 133-146. | | 0 |
| 103 | Trastorno perceptivo persistente por alucinÃ³genos despuÃ©s del consumo de psilocibina: un estudio clÃ­nico. <i>European Psychiatry (Ed EspaÃ±ola)</i> , 2006, 13, 141-143. | 0.0 | 0 |
| 104 | Les antipsychotiques lors dâ€™un premier Ã©pisode psychotique. <i>Annales Medico-Psychologiques</i> , 2009, 167, 86-92. | 0.4 | 0 |
| 105 | Neural networks for emotional discourse comprehension in schizophrenia. <i>International Clinical Psychopharmacology</i> , 2011, 26, e116-e117. | 1.7 | 0 |
| 106 | Comment on Milanovic et al.. <i>Schizophrenia Research</i> , 2012, 134, 293. | 2.0 | 0 |
| 107 | Theta burst stimulation on medial prefrontal cortex in schizophrenia patients with impaired social cognition: a pilot 1H-MRS study. <i>European Neuropsychopharmacology</i> , 2017, 27, S955-S956. | 0.7 | 0 |
| 108 | Efficacy of high-frequency neuronavigated repetitive TMS in auditory verbal hallucinations: a double-blind controlled study in patients with schizophrenia. <i>European Neuropsychopharmacology</i> , 2017, 27, S957. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | S167. ANATOMICAL CONNECTIVITY OF THE VISUOSPATIAL ATTENTIONAL NETWORK IN SCHIZOPHRENIA: A DTI-BASED TRACTOGRAPHY STUDY. Schizophrenia Bulletin, 2018, 44, S390-S390. | 4.3 | 0 |
| 110 | S183. ABNORMALITIES OF FRONTO-SUBCORTICAL PATHWAYS IN SCHIZOPHRENIA AND THE DIFFERENTIAL IMPACTS OF ANTIPSYCHOTIC TREATMENT: A DTI-BASED TRACTOGRAPHY STUDY. Schizophrenia Bulletin, 2018, 44, S396-S396. | 4.3 | 0 |
| 111 | M15. MORPHOLOGY OF THE SUPERIOR TEMPORAL SULCUS IN PATIENTS WITH SCHIZOPHRENIA: A MARKER OF GENETIC OR ENVIRONMENTAL VULNERABILITY?. Schizophrenia Bulletin, 2020, 46, S138-S139. | 4.3 | 0 |
| 112 | Impact cérébral structurel et fonctionnel de la Clozapine chez les patients souffrant de schizophrénie : revue systématique des études longitudinales en neuroimagerie: Structural and functional impact of clozapine in patients with schizophrenia: systematic review of neuroimaging longitudinal studies. Canadian Journal of Psychiatry, 2020, 66, 070674372096645. | 1.9 | 0 |
| 113 | Cortical Thickness and Natural Scene Recognition in the Child's Brain. Brain Sciences, 2020, 10, 329. | 2.3 | 0 |
| 114 | Zurdera en los subtipos de esquizofrenia. European Psychiatry (Ed Española), 2003, 10, 107-112. | 0.0 | 0 |
| 115 | Valproate-induced encephalopathy related to concurrent antimanic medications. Journal of Neuropsychiatry and Clinical Neurosciences, 2011, 23, E22-3. | 1.8 | 0 |