

# Gianpietro C Semenzato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5296757/publications.pdf>

Version: 2024-02-01

440  
papers

17,694  
citations

15504

65  
h-index

25787

108  
g-index

448  
all docs

448  
docs citations

448  
times ranked

14934  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | <i>BRAF</i> Mutations in Hairy-Cell Leukemia. <i>New England Journal of Medicine</i> , 2011, 364, 2305-2315.   | 27.0 | 949       |
| 2  | ATS/ERS/WASOG statement on sarcoidosis. <i>American Thoracic Society/European Respiratory Society/World Association of Sarcoidosis and other Granulomatous Disorders. Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 1999, 16, 149-73. | 0.2  | 736       |
| 3  | Aberrant Wnt/ $\beta$ -Catenin Pathway Activation in Idiopathic Pulmonary Fibrosis. <i>American Journal of Pathology</i> , 2003, 162, 1495-1502.   | 3.8  | 625       |
| 4  | The Lymphoproliferative Disease of Granular Lymphocytes: Updated Criteria for Diagnosis. <i>Blood</i> , 1997, 89, 256-260.   | 1.4  | 324       |
| 5  | Sarcoidosis is a Th1/Th17 multisystem disorder. <i>Thorax</i> , 2011, 66, 144-150.   | 5.6  | 247       |
| 6  | Elevated IL-8 and MCP-1 in the bronchoalveolar lavage fluid of patients with idiopathic pulmonary fibrosis and pulmonary sarcoidosis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994, 149, 655-659.                 | 5.6  | 239       |
| 7  | Abnormal Re-epithelialization and Lung Remodeling in Idiopathic Pulmonary Fibrosis: The Role of $\beta$ -N-p63. <i>Laboratory Investigation</i> , 2002, 82, 1335-1345.   | 3.7  | 200       |
| 8  | CXCR3 and Its Ligand CXCL10 Are Expressed by Inflammatory Cells Infiltrating Lung Allografts and Mediate Chemotaxis of T Cells at Sites of Rejection. <i>American Journal of Pathology</i> , 2001, 158, 1703-1711.                             | 3.8  | 195       |
| 9  | Chronic lymphocytic leukemia B cells contain anomalous Lyn tyrosine kinase, a putative contribution to defective apoptosis. <i>Journal of Clinical Investigation</i> , 2005, 115, 369-378.   | 8.2  | 192       |
| 10 | Human killer cell activatory receptors for MHC class I molecules are included in a multimeric complex expressed by natural killer cells. <i>Journal of Immunology</i> , 1997, 158, 5083-6.   | 0.8  | 188       |
| 11 | Identification of NKp80, a novel triggering molecule expressed by human NK cells. <i>European Journal of Immunology</i> , 2001, 31, 233-242.   | 2.9  | 185       |
| 12 | The lymphoproliferative disease of granular lymphocytes. A heterogeneous disorder ranging from indolent to aggressive conditions. <i>Cancer</i> , 1987, 60, 2971-2978.   | 4.1  | 179       |
| 13 | Combination of Rituximab, Bendamustine, and Cytarabine for Patients With Mantle-Cell Non-Hodgkin Lymphoma Ineligible for Intensive Regimens or Autologous Transplantation. <i>Journal of Clinical Oncology</i> , 2013, 31, 1442-1449.          | 1.6  | 167       |
| 14 | Clinical course and prognosis of the lymphoproliferative disease of granular lymphocytes. A multicenter study. <i>Cancer</i> , 1990, 65, 341-348.  | 4.1  | 161       |
| 15 | The lymphoproliferative disease of granular lymphocytes: updated criteria for diagnosis. <i>Blood</i> , 1997, 89, 256-60.  | 1.4  | 154       |
| 16 | "The sarcoidosis map": a joint survey of clinical and immunogenetic findings in two European countries.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1995, 152, 557-564.   | 5.6  | 149       |
| 17 | Homeostatic chemokines drive migration of malignant B cells in patients with non-Hodgkin lymphomas. <i>Blood</i> , 2004, 104, 502-508.   | 1.4  | 144       |
| 18 | Immunosuppressive therapy for idiopathic retroperitoneal fibrosis: a retrospective analysis of 26 cases. <i>American Journal of Medicine</i> , 2004, 116, 194-197.   | 1.5  | 138       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Direct Pharmacological Targeting of a Mitochondrial Ion Channel Selectively Kills Tumor Cells In Vivo. <i>Cancer Cell</i> , 2017, 31, 516-531.e10.  | 16.8 | 138       |
| 20 | The chemokine receptor CXCR3 is expressed on malignant B cells and mediates chemotaxis. <i>Journal of Clinical Investigation</i> , 1999, 104, 115-121.  | 8.2  | 134       |
| 21 | New pathogenetic insights into the sarcoid granuloma. <i>Current Opinion in Rheumatology</i> , 2000, 12, 71-76.   | 4.3  | 128       |
| 22 | A novel surface molecule homologous to the p58/p50 family of receptors is selectively expressed on a subset of human natural killer cells and induces both triggering of cell functions and proliferation. <i>European Journal of Immunology</i> , 1996, 26, 1816-1824. | 2.9  | 126       |
| 23 | Multiple myeloma cell survival relies on high activity of protein kinase CK2. <i>Blood</i> , 2006, 108, 1698-1707.  | 1.4  | 123       |
| 24 | Involvement of the IP-10 chemokine in sarcoid granulomatous reactions. <i>Journal of Immunology</i> , 1998, 161, 6413-20.   | 0.8  | 123       |
| 25 | T Cells in the Myenteric Plexus of Achalasia Patients Show a Skewed TCR Repertoire and React to HSV-1 Antigens. <i>American Journal of Gastroenterology</i> , 2008, 103, 1598-1609.   | 0.4  | 120       |
| 26 | High serum level of the soluble form of CD30 molecule in the early phase of HIV-1 infection as an independent predictor of progression to AIDS. <i>Aids</i> , 1994, 8, 741-746.   | 2.2  | 118       |
| 27 | Chronic lymphocytic leukemia B cells contain anomalous Lyn tyrosine kinase, a putative contribution to defective apoptosis. <i>Journal of Clinical Investigation</i> , 2005, 115, 369-378.  | 8.2  | 117       |
| 28 | Role of IL-15, IL-2, and their receptors in the development of T cell alveolitis in pulmonary sarcoidosis. <i>Journal of Immunology</i> , 1996, 157, 910-8.   | 0.8  | 115       |
| 29 | High serum levels of soluble interleukin 2 receptor in patients with B chronic lymphocytic leukemia. <i>Blood</i> , 1987, 70, 396-400.  | 1.4  | 109       |
| 30 | Transient expression of type IV collagenolytic metalloproteinase by human mononuclear phagocytes. <i>Journal of Biological Chemistry</i> , 1986, 261, 2369-2375.  | 3.4  | 107       |
| 31 | Soluble interleukin-2 receptors in the serum of patients with Hodgkin's disease. <i>British Journal of Cancer</i> , 1987, 55, 427-428.  | 6.4  | 106       |
| 32 | Interleukin-15 Triggers the Proliferation and Cytotoxicity of Granular Lymphocytes in Patients With Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997, 89, 201-211.  | 1.4  | 106       |
| 33 | Expression and function of KIR and natural cytotoxicity receptors in NK-type lymphoproliferative diseases of granular lymphocytes. <i>Blood</i> , 2003, 102, 1797-1805.   | 1.4  | 106       |
| 34 | Life after ruxolitinib: Reasons for discontinuation, impact of disease phase, and outcomes in 218 patients with myelofibrosis. <i>Cancer</i> , 2020, 126, 1243-1252.  | 4.1  | 106       |
| 35 | Lessons for the clinic from rituximab pharmacokinetics and pharmacodynamics. <i>MAbs</i> , 2013, 5, 826-837.  | 5.2  | 105       |
| 36 | Antibodies to the IL-12 receptor beta 2 chain mark human Th1 but not Th2 cells in vitro and in vivo. <i>Journal of Immunology</i> , 1999, 162, 3926-32.   | 0.8  | 101       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Tumour necrosis factor: a cytokine with multiple biological activities. <i>British Journal of Cancer</i> , 1990, 61, 354-361.  | 6.4  | 97        |
| 38 | Bronchoalveolar lavage and lung histology. Comparative analysis of inflammatory and immunocompetent cells in patients with sarcoidosis and hypersensitivity pneumonitis. <i>The American Review of Respiratory Disease</i> , 1985, 132, 400-4.   | 2.9  | 97        |
| 39 | Transient expression of type IV collagenolytic metalloproteinase by human mononuclear phagocytes. <i>Journal of Biological Chemistry</i> , 1986, 261, 2369-75.   | 3.4  | 96        |
| 40 | CXC Chemokines IP-10 and Mig Expression and Direct Migration of Pulmonary CD8 + /CXCR3 + T Cells in the Lungs of Patients with HIV Infection and T-Cell Alveolitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 162, 1466-1473.                              | 5.6  | 95        |
| 41 | Soluble interleukin-2 receptors in the sera of patients with hairy cell leukemia: relationship with the effect of recombinant alpha-interferon therapy on clinical parameters and natural killer in vitro activity. <i>Blood</i> , 1987, 70, 1530-1535.                                    | 1.4  | 95        |
| 42 | The activating form of CD94 receptor complex: CD94 covalently associated with the Kp39 protein that represents the product of the NKG2-C gene. <i>European Journal of Immunology</i> , 1998, 28, 327-338.  | 2.9  | 94        |
| 43 | Protein kinase CK2 in hematologic malignancies: reliance on a pivotal cell survival regulator by oncogenic signaling pathways. <i>Leukemia</i> , 2012, 26, 1174-1179.  | 7.2  | 94        |
| 44 | HIV-1 and the Lung: Infectivity, Pathogenic Mechanisms, and Cellular Immune Responses Taking Place in the Lower Respiratory Tract. <i>The American Review of Respiratory Disease</i> , 1993, 147, 1038-1049.   | 2.9  | 88        |
| 45 | Intrinsic and extrinsic mechanisms contribute to maintain the JAK/STAT pathway aberrantly activated in T-type large granular lymphocyte leukemia. <i>Blood</i> , 2013, 121, 3843-3854.   | 1.4  | 85        |
| 46 | CD138/syndecan-1: a useful immunohistochemical marker of normal and neoplastic plasma cells on routine trephine bone marrow biopsies. <i>Modern Pathology</i> , 1999, 12, 1101-6.  | 5.5  | 85        |
| 47 | Interleukin-15 promotes the growth of leukemic cells of patients with B- cell chronic lymphoproliferative disorders. <i>Blood</i> , 1996, 87, 3327-3335.   | 1.4  | 81        |
| 48 | Role for CXCR6 and Its Ligand CXCL16 in the Pathogenesis of T-Cell Alveolitis in Sarcoidosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 1290-1298.  | 5.6  | 81        |
| 49 | Redistribution of T Lymphocytes in the Lymph Nodes of Patients with Sarcoidosis. <i>New England Journal of Medicine</i> , 1982, 306, 48-49.  | 27.0 | 79        |
| 50 | T-lymphocytes and cytokines in sarcoidosis. <i>Current Opinion in Pulmonary Medicine</i> , 2002, 8, 435-440.   | 2.6  | 79        |
| 51 | Immunologic evaluation of T chronic lymphocyte leukemia cells: correlations among phenotype, functional activities, and morphology. <i>Blood</i> , 1982, 59, 688-695.  | 1.4  | 78        |
| 52 | Immunohistologic study of bone marrow involvement in B-chronic lymphocytic leukemia. <i>Blood</i> , 1983, 62, 1289-1296.   | 1.4  | 78        |
| 53 | Clofazimine, Psora-4 and PAP-1, inhibitors of the potassium channel Kv1.3, as a new and selective therapeutic strategy in chronic lymphocytic leukemia. <i>Leukemia</i> , 2013, 27, 1782-1785.   | 7.2  | 75        |
| 54 | Protein Kinase CK2 Inhibition Down Modulates the NF- $\kappa$ B and STAT3 Survival Pathways, Enhances the Cellular Proteotoxic Stress and Synergistically Boosts the Cytotoxic Effect of Bortezomib on Multiple Myeloma and Mantle Cell Lymphoma Cells. <i>PLoS ONE</i> , 2013, 8, e75280. | 2.5  | 75        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Cyclophosphamide as a first-line therapy in LGL leukemia. <i>Leukemia</i> , 2014, 28, 1134-1136.   | 7.2 | 74        |
| 56 | Cytochemical Study of Thymocytes and T Lymphocytes. <i>British Journal of Haematology</i> , 1980, 44, 577-582.   | 2.5 | 73        |
| 57 | Differences among young adults, adults and elderly chronic myeloid leukemia patients. <i>Annals of Oncology</i> , 2015, 26, 185-192.   | 1.2 | 72        |
| 58 | B lymphocytes from patients with chronic lymphoproliferative disorders are equipped with different costimulatory molecules. <i>Cancer Research</i> , 1997, 57, 4940-7.   | 0.9 | 72        |
| 59 | Increased serum levels of soluble interleukin-2 receptor in patients with systemic lupus erythematosus and rheumatoid arthritis. <i>Journal of Clinical Immunology</i> , 1988, 8, 447-452.   | 3.8 | 71        |
| 60 | Phenotypical and Functional Analysis of Bronchoalveolar Lavage Lymphocytes in Patients with HIV Infection. <i>The American Review of Respiratory Disease</i> , 1988, 138, 1609-1615.   | 2.9 | 71        |
| 61 | Protein Kinase CK2 Protects Multiple Myeloma Cells from ER Stressâ€“Induced Apoptosis and from the Cytotoxic Effect of HSP90 Inhibition through Regulation of the Unfolded Protein Response. <i>Clinical Cancer Research</i> , 2012, 18, 1888-1900.    | 7.0 | 71        |
| 62 | Polymorphism of angiotensin-converting enzyme gene in sarcoidosis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 153, 851-854.  | 5.6 | 70        |
| 63 | THE SOLUBLE INTERLEUKIN-2 RECEPTOR IN HAEMATOLOGICAL DISORDERS. <i>British Journal of Haematology</i> , 1987, 67, 377-380.   | 2.5 | 69        |
| 64 | Frontline chemotherapy with bortezomib-containing combinations improves response rate and survival in primary plasma cell leukemia: a retrospective study from GIMEMA Multiple Myeloma Working Party. <i>Annals of Oncology</i> , 2012, 23, 1499-1502. | 1.2 | 68        |
| 65 | CD8+ T lymphocytes in the lung of acquired immunodeficiency syndrome patients harbor human immunodeficiency virus type 1. <i>Blood</i> , 1995, 85, 2308-2314.  | 1.4 | 67        |
| 66 | <i>STAT3</i> mutation impacts biological and clinical features of T-LGL leukemia. <i>Oncotarget</i> , 2017, 8, 61876-61889.  | 1.8 | 67        |
| 67 | Alpha-interferon activates the natural killer system in patients with hairy cell leukemia. <i>Blood</i> , 1986, 68, 293-296.   | 1.4 | 66        |
| 68 | Clinical spectrum of $\hat{\Gamma}^+$ T cell LGL leukemia: Analysis of 20 cases. <i>Leukemia Research</i> , 2008, 32, 45-48.   | 0.8 | 65        |
| 69 | JAK/STAT/PKC $\hat{\Gamma}$ molecular pathways in synovial fluid T lymphocytes reflect the in vivo T helper-17 expansion in psoriatic arthritis. <i>Immunologic Research</i> , 2014, 58, 61-69.  | 2.9 | 65        |
| 70 | Complement Receptor 1 Gene Polymorphisms in Sarcoidosis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002, 27, 17-23.  | 2.9 | 64        |
| 71 | CCL19 and CXCL12 Trigger in Vitro Chemotaxis of Human Mantle Cell Lymphoma B Cells. <i>Clinical Cancer Research</i> , 2004, 10, 964-971.   | 7.0 | 64        |
| 72 | Early effects of the antineoplastic agent salinomycin on mitochondrial function. <i>Cell Death and Disease</i> , 2015, 6, e1930-e1930.   | 6.3 | 64        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Spontaneous Production of Interleukin-6 by Alveolar Macrophages from Human Immunodeficiency Virus Type 1-Infected Patients. <i>Journal of Infectious Diseases</i> , 1992, 166, 731-737.                                   | 4.0 | 63        |
| 74 | Clonal studies of CD3- lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993, 81, 2363-2368.   | 1.4 | 63        |
| 75 | Expression of tumor necrosis factor-receptor superfamily members by lung T lymphocytes in interstitial lung disease.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 153, 1359-1367.           | 5.6 | 63        |
| 76 | Subcutaneous immunoglobulin in lymphoproliferative disorders and rituximab-related secondary hypogammaglobulinemia: a single-center experience in 61 patients. <i>Haematologica</i> , 2014, 99, 1101-1106.                | 3.5 | 63        |
| 77 | Abnormal expansions of polyclonal large to small size granular lymphocytes: reactive or neoplastic process?. <i>Blood</i> , 1984, 63, 1271-1277.  | 1.4 | 62        |
| 78 | The Mitochondrial Effects of Small Organic Ligands of BCL-2. <i>Journal of Biological Chemistry</i> , 2006, 281, 10066-10072.   | 3.4 | 62        |
| 79 | Immunohistological study in sarcoidosis: Evaluation at different sites of disease activity. <i>Clinical Immunology and Immunopathology</i> , 1984, 30, 29-40.   | 2.0 | 59        |
| 80 | Lung T cells in hypersensitivity pneumonitis: phenotypic and functional analyses. <i>Journal of Immunology</i> , 1986, 137, 1164-72.  | 0.8 | 59        |
| 81 | Different Types of Cytotoxic Lymphocytes Recovered from the Lungs of Patients with Hypersensitivity Pneumonitis. <i>The American Review of Respiratory Disease</i> , 1988, 137, 70-74.                                    | 2.9 | 58        |
| 82 | Phorbol ester induces abnormal chronic lymphocytic leukemia cells to express features of hairy cell leukemia. <i>Blood</i> , 1985, 66, 1035-1042.   | 1.4 | 57        |
| 83 | Alterations in T cells of cancer-bearers: whence specificity?. <i>Trends in Immunology</i> , 1996, 17, 365-368.   | 7.5 | 57        |
| 84 | Telomerase expression in B-cell chronic lymphocytic leukemia predicts survival and delineates subgroups of patients with the same igVH mutation status and different outcome. <i>Leukemia</i> , 2007, 21, 965-972.        | 7.2 | 57        |
| 85 | Phenotypic diversity of natural killer (NK) populations in patients with NK-type lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993, 81, 2381-2385.   | 1.4 | 55        |
| 86 | Seroreactivity to an Envelope Protein of Human T-Cell Leukemia/Lymphoma Virus in Patients With CD3 <sup>+</sup> (Natural Killer) Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997, 90, 1977-1981. | 1.4 | 55        |
| 87 | Lyn-mediated SHP-1 recruitment to CD5 contributes to resistance to apoptosis of B-cell chronic lymphocytic leukemia cells. <i>Leukemia</i> , 2011, 25, 1768-1781.   | 7.2 | 55        |
| 88 | Protein kinase CK2 regulates AKT, NF- $\kappa$ B and STAT3 activation, stem cell viability and proliferation in acute myeloid leukemia. <i>Leukemia</i> , 2017, 31, 292-300.  | 7.2 | 55        |
| 89 | Longitudinal study of alveolitis in hypersensitivity pneumonitis patients: An immunologic evaluation. <i>Journal of Allergy and Clinical Immunology</i> , 1988, 82, 577-585.  | 2.9 | 54        |
| 90 | Immunology of interstitial lung diseases: cellular events taking place in the lung of sarcoidosis, hypersensitivity pneumonitis and HIV infection. <i>European Respiratory Journal</i> , 1991, 4, 94-102.                 | 6.7 | 54        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | New aspects of hypersensitivity pneumonitis. <i>Current Opinion in Pulmonary Medicine</i> , 2004, 10, 378-382.   | 2.6  | 53        |
| 92  | Geldanamycin-induced Lyn dissociation from aberrant Hsp90-stabilized cytosolic complex is an early event in apoptotic mechanisms in B-chronic lymphocytic leukemia. <i>Blood</i> , 2008, 112, 4665-4674.   | 1.4  | 53        |
| 93  | Alveolar Macrophages from Patients with AIDS and AIDS-related Complex Constitutively Synthesize and Release Tumor Necrosis Factor Alpha. <i>The American Review of Respiratory Disease</i> , 1991, 144, 195-201.   | 2.9  | 51        |
| 94  | Interleukin-15 Triggers Activation and Growth of the CD8 T-Cell Pool in Extravascular Tissues of Patients With Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1997, 90, 1115-1123.   | 1.4  | 51        |
| 95  | Expression and functional role of tumor necrosis factor receptors on leukemic cells from patients with type B chronic lymphoproliferative disorders. <i>Blood</i> , 1993, 81, 752-758.   | 1.4  | 50        |
| 96  | Expression and regulation of tumor necrosis factor, interleukin-2, and hematopoietic growth factor receptors in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 1994, 84, 4249-4256.   | 1.4  | 50        |
| 97  | Telomerase activity in chronic lymphoproliferative disorders of B-cell lineage. <i>British Journal of Haematology</i> , 1999, 106, 662-668.  | 2.5  | 50        |
| 98  | S1P1 expression is controlled by the pro-oxidant activity of p66Shc and is impaired in B-CLL patients with unfavorable prognosis. <i>Blood</i> , 2012, 120, 4391-4399.   | 1.4  | 50        |
| 99  | Immunohistological analysis of Tac antigen expression in tissues involved by Hodgkin's disease. <i>British Journal of Cancer</i> , 1984, 50, 415-417.  | 6.4  | 49        |
| 100 | Chronic natural killer lymphoproliferative disorders: characteristics of an international cohort of 70 patients. <i>Annals of Oncology</i> , 2014, 25, 2030-2035.  | 1.2  | 49        |
| 101 | Stat3 mutations impact on overall survival in large granular lymphocyte leukemia: a single-center experience of 205 patients. <i>Leukemia</i> , 2020, 34, 1116-1124.   | 7.2  | 49        |
| 102 | Evidence of cells bearing interleukin-2 receptor at sites of disease activity in sarcoid patients. <i>Clinical and Experimental Immunology</i> , 1984, 57, 331-7.  | 2.6  | 49        |
| 103 | Increased Levels of Soluble Interleukin-2 Receptor in Non-Hodgkin's Lymphomas: Relationship with Clinical, Histologic, and Phenotypic Features. <i>American Journal of Clinical Pathology</i> , 1989, 92, 186-191.   | 0.7  | 48        |
| 104 | The neutrophil-activating protein of <i>Helicobacter pylori</i> (HP-NAP) activates the MAPK pathway in human neutrophils. <i>European Journal of Immunology</i> , 2003, 33, 840-849.   | 2.9  | 48        |
| 105 | Clinical profile associated with infections in patients with chronic lymphocytic leukemia. Protective role of immunoglobulin replacement therapy. <i>Haematologica</i> , 2015, 100, e515-e518.   | 3.5  | 48        |
| 106 | Telomere length and telomerase levels delineate subgroups of B-cell chronic lymphocytic leukemia with different biological characteristics and clinical outcomes. <i>Haematologica</i> , 2012, 97, 56-63.  | 3.5  | 47        |
| 107 | CD8 alveolitis in sarcoidosis: Incidence, phenotypic characteristics, and clinical features. <i>American Journal of Medicine</i> , 1993, 95, 466-472.  | 1.5  | 46        |
| 108 | Inhibition of protein kinase CK2 with the clinical-grade small ATP-competitive compound CX-4945 or by RNA interference unveils its role in acute myeloid leukemia cell survival, p53-dependent apoptosis and daunorubicin-induced cytotoxicity. <i>Journal of Hematology and Oncology</i> , 2013, 6, 78. | 17.0 | 46        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Distribution and heterogeneity of cells detected by HNK-1 monoclonal antibody in blood and tissues in normal, reactive and neoplastic conditions. <i>Clinical and Experimental Immunology</i> , 1984, 57, 195-206. | 2.6 | 46        |
| 110 | Activated T Cells with Immunoregulatory Functions at Different Sites of Involvement in Sarcoidosis.. <i>Annals of the New York Academy of Sciences</i> , 1986, 465, 56-73.   | 3.8 | 45        |
| 111 | Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993, 81, 2723-2727.                                       | 1.4 | 45        |
| 112 | Immune mechanisms in interstitial lung diseases. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000, 55, 1103-1120.  | 5.7 | 45        |
| 113 | Analysis of the T cell receptor in the lymphoproliferative disease of granular lymphocytes: superantigen activation of clonal CD3+ granular lymphocytes. <i>Cancer Research</i> , 1995, 55, 6140-5.                | 0.9 | 45        |
| 114 | Cells and molecules involved in the development of sarcoid granuloma. <i>Journal of Clinical Immunology</i> , 1998, 18, 184-192.   | 3.8 | 44        |
| 115 | Multiple myeloma plasma cells show different chemokine receptor profiles at sites of disease activity. <i>British Journal of Haematology</i> , 2007, 138, 594-602.   | 2.5 | 44        |
| 116 | Pancreatic Tumors and Immature Immunosuppressive Myeloid Cells in Blood and Spleen: Role of Inhibitory Co-Stimulatory Molecules PDL1 and CTLA4. An In Vivo and In Vitro Study. <i>PLoS ONE</i> , 2013, 8, e54824.  | 2.5 | 44        |
| 117 | Pulmonary immune cells in health and disease: lymphocytes. <i>European Respiratory Journal</i> , 1993, 6, 1378-401.  | 6.7 | 44        |
| 118 | The CD5/CD72 receptor system is coexpressed with several functionally relevant counterstructures on human B cells and delivers a critical signaling activity. <i>Journal of Immunology</i> , 1996, 157, 1854-62.   | 0.8 | 44        |
| 119 | Serum levels of tumour necrosis factor- $\hat{\pm}$ in patients with B-cell chronic lymphocytic leukaemia. <i>European Journal of Cancer</i> , 1994, 30, 1259-1263.  | 2.8 | 43        |
| 120 | Expression and role of CCR6/CCL20 chemokine axis in pulmonary sarcoidosis. <i>Journal of Leukocyte Biology</i> , 2007, 82, 946-955.  | 3.3 | 43        |
| 121 | T-lymphocyte subpopulations in chronic lymphocytic leukemia: A quantitative and functional study. <i>Cancer</i> , 1981, 48, 2191-2197.   | 4.1 | 42        |
| 122 | Natural killer cell function and lymphoid subpopulations in acute non-lymphoblastic leukaemia in complete remission. <i>British Journal of Cancer</i> , 1988, 58, 368-372.   | 6.4 | 42        |
| 123 | Constitutive expression of tenascin in T-dependent zones of human lymphoid tissues. <i>American Journal of Pathology</i> , 1993, 143, 1348-55.   | 3.8 | 42        |
| 124 | Prognostic Significance of the Evaluation of Bronchoalveolar Lavage Cell Populations in Patients with HIV-1 Infection and Pulmonary Involvement. <i>Chest</i> , 1991, 100, 1601-1606.                              | 0.8 | 41        |
| 125 | ICAM-1 tissue overexpression associated with increased serum levels of its soluble form in Hodgkin's disease. <i>British Journal of Haematology</i> , 1993, 84, 161-162.   | 2.5 | 41        |
| 126 | Enhanced Chemokine Receptor Recycling and Impaired S1P1 Expression Promote Leukemic Cell Infiltration of Lymph Nodes in Chronic Lymphocytic Leukemia. <i>Cancer Research</i> , 2015, 75, 4153-4163.                | 0.9 | 41        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Ruxolitinib discontinuation syndrome: incidence, risk factors, and management in 251 patients with myelofibrosis. <i>Blood Cancer Journal</i> , 2021, 11, 4.  | 6.2  | 41        |
| 128 | Genotypic evaluation of killer immunoglobulin-like receptors in NK-type lymphoproliferative disease of granular lymphocytes. <i>Leukemia</i> , 2007, 21, 1060-1069.   | 7.2  | 40        |
| 129 | Lyn sustains oncogenic signaling in chronic lymphocytic leukemia by strengthening SET-mediated inhibition of PP2A. <i>Blood</i> , 2015, 125, 3747-3755.   | 1.4  | 40        |
| 130 | Insights Into Genetic Landscape of Large Granular Lymphocyte Leukemia. <i>Frontiers in Oncology</i> , 2020, 10, 152.  | 2.8  | 40        |
| 131 | T lymphocytes in B-cell chronic lymphocytic leukemia: Characterization by monoclonal antibodies and correlation with Fc receptors. <i>Clinical Immunology and Immunopathology</i> , 1983, 26, 155-161.                    | 2.0  | 39        |
| 132 | Characterization of two patients with lymphomas of large granular lymphocytes. <i>Cancer</i> , 1984, 53, 445-452.   | 4.1  | 39        |
| 133 | HLA Class I, II, and III Polymorphism in Italian Patients With Sarcoidosis. <i>Chest</i> , 1993, 104, 1170-1175.  | 0.8  | 39        |
| 134 | Interleukin-15: A Novel Cytokine with Regulatory Properties on Normal and Neoplastic B Lymphocytes. <i>Leukemia and Lymphoma</i> , 1997, 27, 35-42.   | 1.3  | 39        |
| 135 | Glycogen Synthase Kinase-3 regulates multiple myeloma cell growth and bortezomib-induced cell death. <i>BMC Cancer</i> , 2010, 10, 526.   | 2.6  | 39        |
| 136 | Cross-talk between chronic lymphocytic leukemia (CLL) tumor B cells and mesenchymal stromal cells (MSCs): implications for neoplastic cell survival. <i>Oncotarget</i> , 2015, 6, 42130-42149.                            | 1.8  | 39        |
| 137 | In Chronic Lymphocytic Leukemia the JAK2/STAT3 Pathway Is Constitutively Activated and Its Inhibition Leads to CLL Cell Death Unaffected by the Protective Bone Marrow Microenvironment. <i>Cancers</i> , 2019, 11, 1939. | 3.7  | 39        |
| 138 | Interleukin-15 triggers the proliferation and cytotoxicity of granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1997, 89, 201-11.                                 | 1.4  | 39        |
| 139 | T-HELPER PHENOTYPE CHRONIC LYMPHOCYTIC LEUKAEMIA AND "ADULT T-CELL LEUKAEMIA" IN ITALY. <i>Lancet, The</i> , 1985, 326, 633-636.  | 13.7 | 38        |
| 140 | Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. <i>Cancer</i> , 1993, 72, 201-206.  | 4.1  | 38        |
| 141 | Chemokine receptor expression in EBV-associated lymphoproliferation in hu/SCID mice: implications for CXCL12/CXCR4 axis in lymphoma generation. <i>Blood</i> , 2005, 105, 931-939.  | 1.4  | 38        |
| 142 | Part II: Vaccines for haematological malignant disorders. <i>Lancet Oncology, The</i> , 2004, 5, 727-737.   | 10.7 | 37        |
| 143 | T cell large granular lymphocyte leukemia and chronic NK lymphocytosis. <i>Best Practice and Research in Clinical Haematology</i> , 2019, 32, 207-216.  | 1.7  | 37        |
| 144 | Detection of a Soluble form of the Receptor for Interleukin 2 in the Serum of Patients with Hairy Cell Leukaemia. <i>International Journal of Biological Markers</i> , 1986, 1, 101-104.                                  | 1.8  | 36        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Pulmonary alveolar macrophages in patients with sarcoidosis and hypersensitivity pneumonitis: Characterization by monoclonal antibodies. <i>Journal of Clinical Immunology</i> , 1987, 7, 64-70.   | 3.8 | 36        |
| 146 | Clinicopathological features of aggressive large granular lymphocyte leukaemia resemble Fas ligand transgenic mice. <i>British Journal of Haematology</i> , 2000, 108, 717-723.  | 2.5 | 36        |
| 147 | Large granular lymphocyte disorders: new etiopathogenetic clues as a rationale for innovative therapeutic approaches. <i>Haematologica</i> , 2009, 94, 1341-1345.  | 3.5 | 36        |
| 148 | 3-(2,4-Dichlorophenyl)-4-(1-methyl-1 <i>H</i> -indol-3-yl)-1 <i>H</i> -pyrrole-2,5-dione (SB216763), a Glycogen Synthase Kinase-3 Inhibitor, Displays Therapeutic Properties in a Mouse Model of Pulmonary Inflammation and Fibrosis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 785-794. | 2.5 | 36        |
| 149 | Transcriptional network profile on synovial fluid T cells in psoriatic arthritis. <i>Clinical Rheumatology</i> , 2015, 34, 1571-1580.  | 2.2 | 36        |
| 150 | Mechanisms accounting for the defective natural killer activity in patients with hairy cell leukemia. <i>Blood</i> , 1990, 75, 1525-1530.  | 1.4 | 35        |
| 151 | Regulation of alveolar macrophage-T cell interactions during Th1-type sarcoid inflammatory process. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1999, 277, L240-L250.   | 2.9 | 35        |
| 152 | Alveolar macrophage-T cell interactions during Th1-type sarcoid inflammation. <i>Microscopy Research and Technique</i> , 2001, 53, 278-287.  | 2.2 | 35        |
| 153 | Natural killer receptors in patients with lymphoproliferative diseases of granular lymphocytes. <i>Seminars in Hematology</i> , 2003, 40, 201-212.   | 3.4 | 35        |
| 154 | Biophysical Characterization and Expression Analysis of Kv1.3 Potassium Channel in Primary Human Leukemic B Cells. <i>Cellular Physiology and Biochemistry</i> , 2015, 37, 965-978.  | 1.6 | 35        |
| 155 | Release of granulocyte-macrophage colony-stimulating factor by alveolar macrophages in the lung of HIV-1-infected patients. A mechanism accounting for macrophage and neutrophil accumulation. <i>Journal of Immunology</i> , 1992, 149, 3379-85.  | 0.8 | 35        |
| 156 | Cell membrane expression and functional role of the p75 subunit of interleukin-2 receptor in lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1990, 76, 2080-2085.  | 1.4 | 34        |
| 157 | Multimarker immunohistochemical staining of calgranulins, chloroacetate esterase, and S100 for simultaneous demonstration of inflammatory cells on paraffin sections.. <i>Journal of Histochemistry and Cytochemistry</i> , 1990, 38, 1669-1675.   | 2.5 | 34        |
| 158 | HIV and pulmonary immune responses. <i>Trends in Immunology</i> , 1996, 17, 359-364.   | 7.5 | 34        |
| 159 | Selection of T lymphocytes bearing limited TCR-Vbeta regions in the lung of hypersensitivity pneumonitis and sarcoidosis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 155, 587-596.   | 5.6 | 34        |
| 160 | The Quality of Life of Children and Adolescents with X-Linked Agammaglobulinemia. <i>Journal of Clinical Immunology</i> , 2009, 29, 501-507.   | 3.8 | 34        |
| 161 | In chronic lymphocytic leukaemia with complex karyotype, major structural abnormalities identify a subset of patients with inferior outcome and distinct biological characteristics. <i>British Journal of Haematology</i> , 2018, 181, 229-233.   | 2.5 | 34        |
| 162 | Immune effector cells in idiopathic pulmonary fibrosis. <i>Current Opinion in Pulmonary Medicine</i> , 1997, 3, 348-355.   | 2.6 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Cytokines in sarcoidosis. <i>Seminars in Respiratory Infections</i> , 1998, 13, 184-96.   | 1.3 | 33        |
| 164 | Clinical significance of LAIR1 (CD305) as assessed by flow cytometry in a prospective series of patients with chronic lymphocytic leukemia. <i>Haematologica</i> , 2014, 99, 881-887.                                     | 3.5 | 32        |
| 165 | Cortactin, another player in the Lyn signaling pathway, is over-expressed and alternatively spliced in leukemic cells from patients with B-cell chronic lymphocytic leukemia. <i>Haematologica</i> , 2014, 99, 1069-1077. | 3.5 | 32        |
| 166 | HSP70/HSF1 axis, regulated via a PI3K/AKT pathway, is a druggable target in chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , 2019, 145, 3089-3100.  | 5.1 | 32        |
| 167 | Serum levels of soluble interleukin-2 receptor in hairy cell leukaemia: a reliable marker of neoplastic bulk. <i>British Journal of Haematology</i> , 1989, 73, 181-186.  | 2.5 | 31        |
| 168 | Alveolar macrophages as a cell source of cytokine hyperproduction in HIV-related interstitial lung disease. <i>Journal of Leukocyte Biology</i> , 1995, 58, 495-500.  | 3.3 | 31        |
| 169 | The natural killer-related receptor for HLA-C expressed on T cells from CD3+ lymphoproliferative disease of granular lymphocytes displays either inhibitory or stimulatory function. <i>Blood</i> , 1996, 87, 2369-2375.  | 1.4 | 31        |
| 170 | Towards a new age in the treatment of multiple myeloma. <i>Annals of Hematology</i> , 2007, 86, 159-172.  | 1.8 | 31        |
| 171 | The combination of complex karyotype subtypes and IGHV mutational status identifies new prognostic and predictive groups in chronic lymphocytic leukaemia. <i>British Journal of Cancer</i> , 2019, 121, 150-156.         | 6.4 | 31        |
| 172 | The complex karyotype landscape in chronic lymphocytic leukemia allows the refinement of the risk of Richter syndrome transformation. <i>Haematologica</i> , 2022, 107, 868-876.  | 3.5 | 31        |
| 173 | Protein kinase CK2 is widely expressed in follicular, Burkitt and diffuse large B-cell lymphomas and propels malignant B-cell growth. <i>Oncotarget</i> , 2015, 6, 6544-6552.   | 1.8 | 31        |
| 174 | Large granular lymphocytosis. <i>Haematologica</i> , 1998, 83, 936-42.  | 3.5 | 31        |
| 175 | Phenotypic and functional analyses of dendritic cells in patients with lymphoproliferative disease of granular lymphocytes (LDGL). <i>Blood</i> , 2005, 106, 3926-3931.   | 1.4 | 30        |
| 176 | The mitochondrial effects of novel apoptogenic molecules generated by psoralen photolysis as a crucial mechanism in PUVA therapy. <i>Blood</i> , 2007, 109, 4988-4994.  | 1.4 | 30        |
| 177 | Inactivation of CK1 $\alpha$ in multiple myeloma empowers drug cytotoxicity by affecting AKT and $\beta$ -catenin survival signaling pathways. <i>Oncotarget</i> , 2017, 8, 14604-14619.                                  | 1.8 | 30        |
| 178 | Heterogeneity of T-CLL defined by monoclonal antibodies in nine patients. <i>Clinical Immunology and Immunopathology</i> , 1982, 24, 330-341.   | 2.0 | 29        |
| 179 | Role of Bronchoalveolar Lavage in Predicting Survival of Patients with Human Immunodeficiency Virus Infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 156, 1501-1507.                  | 5.6 | 29        |
| 180 | HS1, a Lyn Kinase Substrate, Is Abnormally Expressed in B-Chronic Lymphocytic Leukemia and Correlates with Response to Fludarabine-Based Regimen. <i>PLoS ONE</i> , 2012, 7, e39902.                                      | 2.5 | 29        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Ex Vivo Signaling Protein Mapping in T Lymphocytes in the Psoriatic Arthritis Joints. <i>Journal of rheumatology Supplement, The</i> , 2015, 93, 48-52.  | 2.2 | 29        |
| 182 | Aberrant expression of <scp>CD</scp>10 and <scp>BCL</scp>6 in mantle cell lymphoma. <i>Histopathology</i> , 2017, 71, 769-777.   | 2.9 | 29        |
| 183 | Major infections, secondary cancers and autoimmune diseases occur in different clinical subsets of chronic lymphocytic leukaemia patients. <i>European Journal of Cancer</i> , 2017, 72, 103-111.  | 2.8 | 29        |
| 184 | Pulmonary alveolar macrophages from patients with active sarcoidosis express type IV collagenolytic proteinase. An enzymatic mechanism for influx of mononuclear phagocytes at sites of disease activity.. <i>Journal of Clinical Investigation</i> , 1989, 84, 605-612. | 8.2 | 29        |
| 185 | Human Retroviruses and Lung Involvement. <i>The American Review of Respiratory Disease</i> , 1989, 139, 1317-1322.   | 2.9 | 28        |
| 186 | Ifosfamide and Cyclophosphamide: Effects on Immunosurveillance. <i>Oncology</i> , 2003, 65, 17-20.   | 1.9 | 28        |
| 187 | Novel players in multiple myeloma pathogenesis: Role of protein kinases CK2 and GSK3. <i>Leukemia Research</i> , 2013, 37, 221-227.  | 0.8 | 28        |
| 188 | Identification of a <i>miR-146b</i>-Fas ligand axis in the development of neutropenia in T large granular lymphocyte leukemia. <i>Haematologica</i> , 2020, 105, 1351-1360.  | 3.5 | 28        |
| 189 | High serum levels of soluble interleukin 2 receptor in patients with B chronic lymphocytic leukemia. <i>Blood</i> , 1987, 70, 396-400.   | 1.4 | 28        |
| 190 | ACCESS: A Case Control Etiologic Study of Sarcoidosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2005, 22, 83-6.   | 0.2 | 28        |
| 191 | Increased levels of soluble CD8 molecule in the serum of patients with acquired immunodeficiency syndrome (AIDS) and AIDS-related disorders. <i>Clinical Immunology and Immunopathology</i> , 1989, 50, 146-153.   | 2.0 | 27        |
| 192 | Î³Î´ T Cell Receptor Subsets in the Lung of Patients with HIV-1 Infection. <i>Cellular Immunology</i> , 1994, 153, 194-205.  | 3.0 | 27        |
| 193 | NK cells and CD38: Implication for (Immuno)Therapy in Plasma Cell Dyscrasias. <i>Cells</i> , 2020, 9, 768.   | 4.1 | 27        |
| 194 | CXCR3/CXCL10 interactions in the development of hypersensitivity pneumonitis. <i>Respiratory Research</i> , 2005, 6, 20.   | 3.6 | 26        |
| 195 | Leukaemic cells from chronic lymphocytic leukaemia patients undergo apoptosis following microtubule depolymerization and <scp>L</scp>yn inhibition by nocodazole. <i>British Journal of Haematology</i> , 2014, 165, 659-672.  | 2.5 | 26        |
| 196 | Lyn-mediated procaspase 8 dimerization blocks apoptotic signaling in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2014, 123, 875-883.   | 1.4 | 26        |
| 197 | Integrated CLL Scoring System, a New and Simple Index to Predict Time to Treatment and Overall Survival in Patients With Chronic Lymphocytic Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 612-620.e5.  | 0.4 | 26        |
| 198 | High serum levels of soluble interleukin-2 receptors in sarcoidosis. <i>Sarcoidosis</i> , 1987, 4, 25-7.   | 0.4 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Immunoregulation in sarcoidosis. <i>Clinical Immunology and Immunopathology</i> , 1981, 19, 416-427.   | 2.0 | 25        |
| 200 | Chromosome studies in patients with T-CLL chronic lymphocytic leukemia and expansions of granular lymphocytes. <i>International Journal of Cancer</i> , 1984, 34, 171-176.   | 5.1 | 25        |
| 201 | Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987, 60, 2412-2418.  | 4.1 | 25        |
| 202 | Impaired cytokine production by neutrophils isolated from patients with AIDS. <i>Aids</i> , 1998, 12, 373-379.   | 2.2 | 25        |
| 203 | CD8 T-Cell Infiltration in Extravascular Tissues of Patients With Human Immunodeficiency Virus Infection. Interleukin-15 Upmodulates Costimulatory Pathways Involved in the Antigen-Presenting Cellsâ€™T-Cell Interaction. <i>Blood</i> , 1999, 93, 1277-1286. | 1.4 | 25        |
| 204 | Cortactin, a Lyn substrate, is a checkpoint molecule at the intersection of BCR and CXCR4 signalling pathway in chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2017, 178, 81-93.   | 2.5 | 25        |
| 205 | Prognostic and Predictive Effect of IGHV Mutational Status and Load in Chronic Lymphocytic Leukemia: Focus on FCR and BR Treatments. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 678-685.e4.  | 0.4 | 25        |
| 206 | Mitochondrial apoptosis is induced by Alkoxy phenyl-1-propanone derivatives through PP2A-mediated dephosphorylation of Bad and Foxo3A in CLL. <i>Leukemia</i> , 2019, 33, 1148-1160.   | 7.2 | 25        |
| 207 | Generation of superoxide anion by alveolar macrophages in sarcoidosis: evidence for the activation of the oxygen metabolism in patients with high-intensity alveolitis. <i>Immunology</i> , 1989, 66, 451-8.   | 4.4 | 25        |
| 208 | HNK-1 monoclonal antibody (Leu-7) in the identification of abnormal expansions of large granular lymphocytes. <i>Clinical and Experimental Immunology</i> , 1983, 52, 641-7.   | 2.6 | 25        |
| 209 | Classification of patients with T-cell chronic lymphocytic leukemia and expansions of granular lymphocytes: Heterogeneity of Italian cases by a multiparameter analysis. <i>Journal of Clinical Immunology</i> , 1984, 4, 174-184.                             | 3.8 | 24        |
| 210 | Lack of expression of inhibitory KIR3DL1 receptor in patients with natural killer cell-type lymphoproliferative disease of granular lymphocytes. <i>Haematologica</i> , 2010, 95, 1722-1729.   | 3.5 | 24        |
| 211 | Targeting CK2-driven non-oncogene addiction in B-cell tumors. <i>Oncogene</i> , 2016, 35, 6045-6052.   | 5.9 | 24        |
| 212 | BCR kinase inhibitors, idelalisib and ibrutinib, are active and effective in Richter syndrome. <i>British Journal of Haematology</i> , 2019, 185, 193-197.   | 2.5 | 24        |
| 213 | Expression of TNF receptors by T cells and membrane TNF-alpha by alveolar macrophages suggests a role for TNF-alpha in the regulation of the local immune responses in the lung of HIV-1-infected patients. <i>Journal of Immunology</i> , 1995, 154, 2928-38. | 0.8 | 24        |
| 214 | Serum levels of soluble interleukin-2 receptors in acute and chronic viral hepatitis. <i>Digestive Diseases and Sciences</i> , 1989, 34, 1559-1563.  | 2.3 | 23        |
| 215 | Cell apoptosis and granulomatous lung diseases. <i>Current Opinion in Pulmonary Medicine</i> , 1998, 4, 261-266.   | 2.6 | 23        |
| 216 | B7 costimulatory molecules from malignant cells in patients with B-cell chronic lymphoproliferative disorders trigger T-cell proliferation. <i>Cancer</i> , 2000, 89, 1259-1268.   | 4.1 | 23        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Expression of Receptor for Advanced Glycation End Products in Sarcoid Granulomas. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 498-506.   | 5.6  | 23        |
| 218 | State of the art in natural killer cell malignancies. <i>International Journal of Laboratory Hematology</i> , 2012, 34, 117-128.  | 1.3  | 23        |
| 219 | Targeted activation of the SHP-1/PP2A signaling axis elicits apoptosis of chronic lymphocytic leukemia cells. <i>Haematologica</i> , 2017, 102, 1401-1412.  | 3.5  | 23        |
| 220 | p66Shc deficiency enhances CXCR4 and CCR7 recycling in CLL B cells by facilitating their dephosphorylation-dependent release from I <sup>2</sup> -arrestin at early endosomes. <i>Oncogene</i> , 2018, 37, 1534-1550.   | 5.9  | 23        |
| 221 | Durability of spleen response affects the outcome of ruxolitinib-treated patients with myelofibrosis: Results from a multicentre study on 284 patients. <i>Leukemia Research</i> , 2018, 74, 86-88.   | 0.8  | 23        |
| 222 | Bendamustine plus rituximab is an effective first-line treatment in hairy cell leukemia variant: a report of three cases. <i>Oncotarget</i> , 2017, 8, 110727-110731.   | 1.8  | 23        |
| 223 | Cytotoxic Events Taking Place in the Lung of Patients with HIV-1 Infection: Evidence of an Intrinsic Defect of the Major Histocompatibility Complex-unrestricted Killing Partially Restored by the Incubation with rIL-2. <i>The American Review of Respiratory Disease</i> , 1990, 142, 516-522. | 2.9  | 22        |
| 224 | Immunological, clinical and molecular aspects of sarcoidosis. <i>Molecular Aspects of Medicine</i> , 1997, 18, 91-165.  | 6.4  | 22        |
| 225 | The growth and the control of human immunodeficiency virus in the lung: implications for highly active antiretroviral therapy. <i>European Journal of Clinical Investigation</i> , 1999, 29, 964-972.   | 3.4  | 22        |
| 226 | Activating KIRs in Chronic Lymphoproliferative Disorder of NK Cells: Protection from Viruses and Disease Induction?. <i>Frontiers in Immunology</i> , 2014, 5, 72.  | 4.8  | 22        |
| 227 | Prosurvival autophagy is regulated by protein kinase CK1 alpha in multiple myeloma. <i>Cell Death Discovery</i> , 2019, 5, 98.  | 4.7  | 22        |
| 228 | Insight into the mechanism of cytotoxicity of membrane-permeant psoralenic Kv1.3 channel inhibitors by chemical dissection of a novel member of the family. <i>Redox Biology</i> , 2020, 37, 101705.  | 9.0  | 22        |
| 229 | A high definition picture of somatic mutations in chronic lymphoproliferative disorder of natural killer cells. <i>Blood Cancer Journal</i> , 2020, 10, 42.   | 6.2  | 22        |
| 230 | Skewing of the T-cell receptor repertoire in the lung of patients with HIV-1 infection. <i>Aids</i> , 1996, 10, 729-738.  | 2.2  | 21        |
| 231 | Considerations in the treatment of multiple myeloma: a consensus statement from Italian experts. <i>European Journal of Haematology</i> , 2009, 82, 93-105.   | 2.2  | 21        |
| 232 | Detection of monoclonal T populations in patients with KIR-restricted chronic lymphoproliferative disorder of NK cells. <i>Haematologica</i> , 2014, 99, 1826-1833.   | 3.5  | 21        |
| 233 | TL1A/DR3 axis involvement in the inflammatory cytokine network during pulmonary sarcoidosis. <i>Clinical and Molecular Allergy</i> , 2015, 13, 16.  | 1.8  | 21        |
| 234 | HTLV-I ANTIBODIES AND LYMPHOPROLIFERATIVE DISEASE OF GRANULAR LYMPHOCYTES. <i>Lancet</i> , The, 1987, 330, 1527.  | 13.7 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | HIV load in highly purified CD8+ T cells retrieved from pulmonary and blood compartments. <i>Journal of Leukocyte Biology</i> , 1998, 64, 298-301.   | 3.3 | 20        |
| 236 | Applied clinical immunology in sarcoidosis. <i>Current Opinion in Pulmonary Medicine</i> , 2002, 8, 441-444.   | 2.6 | 20        |
| 237 | Changes of human B and B-1a peripheral blood lymphocytes with age. <i>Hematology</i> , 2007, 12, 337-341.  | 1.5 | 20        |
| 238 | Dominant cytotoxic NK cell subset within CLPD-NK patients identifies a more aggressive NK cell proliferation. <i>Blood Cancer Journal</i> , 2018, 8, 51.   | 6.2 | 20        |
| 239 | Seroreactivity to an envelope protein of human T-cell leukemia/lymphoma virus in patients with CD3-(natural killer) lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1997, 90, 1977-81.   | 1.4 | 20        |
| 240 | Phenotypical and functional analysis of natural killer cells in sarcoidosis. <i>Clinical Immunology and Immunopathology</i> , 1985, 37, 262-275.   | 2.0 | 19        |
| 241 | Analysis of TNF-receptor and ligand superfamily molecules in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 2000, 96, 647-654.  | 1.4 | 19        |
| 242 | Pancreatic Cancer Alters Human CD4+ T Lymphocyte Function. <i>Pancreas</i> , 2011, 40, 1131-1137.  | 1.1 | 19        |
| 243 | Epidemiology and risk factors of invasive fungal infections in a large cohort of patients with chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2017, 35, 925-928.  | 1.7 | 19        |
| 244 | The small GTPase RhoU lays downstream of JAK/STAT signaling and mediates cell migration in multiple myeloma. <i>Blood Cancer Journal</i> , 2018, 8, 20.  | 6.2 | 19        |
| 245 | <p></p>Lights and Shade of Next-Generation Pi3k Inhibitors in Chronic Lymphocytic Leukemia<p></p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 9679-9688.  | 2.0 | 19        |
| 246 | Second primary malignancy in myelofibrosis patients treated with ruxolitinib. <i>British Journal of Haematology</i> , 2021, 193, 356-368.  | 2.5 | 19        |
| 247 | Expression of the p66Shc protein adaptor is regulated by the activator of transcription STAT4 in normal and chronic lymphocytic leukemia B cells. <i>Oncotarget</i> , 2016, 7, 57086-57098.  | 1.8 | 19        |
| 248 | Immunohistologic study of bone marrow involvement in B-chronic lymphocytic leukemia. <i>Blood</i> , 1983, 62, 1289-96.   | 1.4 | 19        |
| 249 | Role of tumor necrosis factor-alpha and its specific 55-Kd and 75-Kd receptors in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1992, 80, 2030-2037.   | 1.4 | 18        |
| 250 | IMMUNOLOGIC EFFECTS OF HIV IN THE LUNG. <i>Clinics in Chest Medicine</i> , 1996, 17, 633-645.  | 2.1 | 18        |
| 251 | A Pyrazolo[3,4- <i>d</i> ]pyrimidine compound inhibits Fyn phosphorylation and induces apoptosis in natural killer cell leukemia. <i>Oncotarget</i> , 2016, 7, 65171-65184.  | 1.8 | 18        |
| 252 | Soluble interleukin-2 receptors in the sera of patients with hairy cell leukemia: relationship with the effect of recombinant alpha-interferon therapy on clinical parameters and natural killer in vitro activity. <i>Blood</i> , 1987, 70, 1530-5. | 1.4 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Origin of the soluble interleukin-2 receptor in the serum of patients with hairy cell leukemia. <i>Leukemia</i> , 1988, 2, 788-92.   | 7.2 | 18        |
| 254 | The interleukin-2/interleukin-2 receptor system: structural, immunological, and clinical features. <i>International Journal of Clinical and Laboratory Research</i> , 1992, 22, 133-142.                                     | 1.0 | 17        |
| 255 | Tumour-infiltrating lymphocytes bear the 75 kDa tumour necrosis factor receptor. <i>British Journal of Cancer</i> , 1995, 71, 240-245.   | 6.4 | 17        |
| 256 | Double productive immunoglobulin sequence rearrangements in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2013, 88, 277-282.   | 4.1 | 17        |
| 257 | Peripheral neuropathies in chronic lymphocytic leukemia: a single center experience on 816 patients. <i>Haematologica</i> , 2017, 102, e140-e143.  | 3.5 | 17        |
| 258 | p66Shc deficiency in the E $\mu$ 4-TCL1 mouse model of chronic lymphocytic leukemia enhances leukemogenesis by altering the chemokine receptor landscape. <i>Haematologica</i> , 2019, 104, 2040-2052.                       | 3.5 | 17        |
| 259 | Functional analysis of cytotoxic cells in patients with acute nonlymphoblastic leukemia in complete remission. <i>Cancer</i> , 1989, 64, 667-672.  | 4.1 | 16        |
| 260 | Lung Lymphocytes: Origin, Biological Functions, and Laboratory Techniques for Their Study in Immune-Mediated Pulmonary Disorders. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 1996, 33, 423-455.               | 6.1 | 16        |
| 261 | Detection of Epstein-Barr Virus by PCR Analyses in Lymphoproliferative Disease of Granular Lymphocytes. <i>Leukemia and Lymphoma</i> , 1996, 23, 371-374.  | 1.3 | 16        |
| 262 | Diagnostic and prognostic value of low percentage of glycosylated ferritin in acquired hemophagocytic lymphohistiocytosis: A single-center study. <i>International Journal of Laboratory Hematology</i> , 2017, 39, 620-624. | 1.3 | 16        |
| 263 | Old and Young Actors Playing Novel Roles in the Drama of Multiple Myeloma Bone Marrow Microenvironment Dependent Drug Resistance. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1512.                       | 4.1 | 16        |
| 264 | Ibrutinib in relapsed hairy cell leukemia variant: A case report and review of the literature. <i>Hematological Oncology</i> , 2020, 38, 823-826.  | 1.7 | 16        |
| 265 | Neutropenia and Large Granular Lymphocyte Leukemia: From Pathogenesis to Therapeutic Options. <i>Cells</i> , 2021, 10, 2800.   | 4.1 | 16        |
| 266 | Immunohistologic analysis of a human pulmonary alveolar macrophage antigen. <i>Clinical Immunology and Immunopathology</i> , 1985, 37, 213-219.  | 2.0 | 15        |
| 267 | Evaluation of serum levels of soluble interleukin-2 receptor in patients with chronic lymphoproliferative disorders of T-lymphocytes. <i>Cancer</i> , 1989, 64, 2019-2023.   | 4.1 | 15        |
| 268 | Shedding of the soluble form of the CD8 complex by CD8 +/HLA-DR + cells in HIV-1-infected patients. <i>Aids</i> , 1991, 5, 813-820.  | 2.2 | 15        |
| 269 | Antiapoptotic Effects of IL-15 on Pulmonary Tc1 Cells of Patients with Human Immunodeficiency Virus Infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 484-489.                       | 5.6 | 15        |
| 270 | T cells in the lung of patients with hypersensitivity pneumonitis accumulate in a clonal manner. <i>Journal of Leukocyte Biology</i> , 2004, 75, 798-804.  | 3.3 | 15        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Analysis of NK cell/DC interaction in NK-type lymphoproliferative disease of granular lymphocytes (LDGL): role of DNAM-1 and NKp30. <i>Experimental Hematology</i> , 2009, 37, 1167-1175.                             | 0.4 | 15        |
| 272 | Risk factors for progression to blast phase and outcome in 589 patients with myelofibrosis treated with ruxolitinib: Real-world data. <i>Hematological Oncology</i> , 2020, 38, 372-380.                              | 1.7 | 15        |
| 273 | Identification of novel STAT5B mutations and characterization of TCR $\beta$ signatures in CD4+ T-cell large granular lymphocyte leukemia. <i>Blood Cancer Journal</i> , 2022, 12, 31.                                | 6.2 | 15        |
| 274 | Spontaneous resolution of p58/EB6 antigen restricted NK-type lymphoproliferative disease of granular lymphocytes: role of Epstein Barr virus infection. <i>British Journal of Haematology</i> , 1997, 99, 215-221.    | 2.5 | 14        |
| 275 | T-cell type lymphoproliferative disease of granular lymphocytes (LDGL) is equipped with a phenotypic pattern typical of effector cytotoxic cells. <i>Leukemia Research</i> , 2007, 31, 371-377.                       | 0.8 | 14        |
| 276 | Bendamustine in chronic lymphocytic leukemia: Outcome according to different clinical and biological prognostic factors in the everyday clinical practice. <i>American Journal of Hematology</i> , 2013, 88, 955-960. | 4.1 | 14        |
| 277 | Bone marrow stromal cell-fueled multiple myeloma growth and osteoclastogenesis are sustained by protein kinase CK2. <i>Leukemia</i> , 2014, 28, 2094-2097.  | 7.2 | 14        |
| 278 | Profiling B cell chronic lymphocytic leukemia by reverse phase protein array: Focus on apoptotic proteins. <i>Journal of Leukocyte Biology</i> , 2016, 100, 1061-1070.  | 3.3 | 14        |
| 279 | Ruxolitinib rechallenge in resistant or intolerant patients with myelofibrosis: Frequency, therapeutic effects, and impact on outcome. <i>Cancer</i> , 2021, 127, 2657-2665.  | 4.1 | 14        |
| 280 | Are T-LGL Leukemia and NK-Chronic Lymphoproliferative Disorder really two distinct diseases?. <i>Translational Medicine @ UniSa</i> , 2014, 8, 4-11.  | 0.5 | 14        |
| 281 | Detection of a soluble form of the receptor for interleukin 2 in the serum of patients with hairy cell leukaemia. <i>International Journal of Biological Markers</i> , 1986, 1, 101-4.                                | 1.8 | 14        |
| 282 | Alpha-interferon activated cytotoxic lymphocytes in hairy cell leukemia patients: Evaluation of cytotoxic events. <i>Leukemia Research</i> , 1987, 11, 843-847.   | 0.8 | 13        |
| 283 | Release of prostaglandin E2 and leukotriene B4 by alveolar macrophages from patients with sarcoidosis. <i>Thorax</i> , 1997, 52, 76-83.   | 5.6 | 13        |
| 284 | Role of miR-15a/miR-16-1 and the TP53 axis in regulating telomerase expression in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e253-e256.  | 3.5 | 13        |
| 285 | A scoring system to predict the risk of atrial fibrillation in chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2019, 37, 508-512.   | 1.7 | 13        |
| 286 | Bortezomib-based regimens in patients with POEMS syndrome: a case series in newly diagnosed and relapsed patients. <i>Leukemia and Lymphoma</i> , 2019, 60, 2067-2070.  | 1.3 | 13        |
| 287 | Infections in Patients with Myelodysplastic Syndrome/Acute Myeloid Leukemia Treated with Azacitidine: Report from a Single Center. <i>Blood</i> , 2014, 124, 5622-5622.   | 1.4 | 13        |
| 288 | The Immunology of Sarcoidosis. <i>Seminars in Respiratory and Critical Care Medicine</i> , 1986, 8, 17-29.  | 2.1 | 12        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 289 | Highly concentrated urine-purified Tac peptide fails to inhibit IL-2-dependent cell proliferation in vitro. <i>Cellular Immunology</i> , 1992, 141, 253-259.   | 3.0  | 12        |
| 290 | Does analysis of bronchoalveolar lavage fluid provide a tool to monitor disease progression or to predict survival in patients with HIV-1 infection?. <i>Thorax</i> , 1994, 49, 848-851.   | 5.6  | 12        |
| 291 | Functional role of IL-2 receptors on tumour-infiltrating lymphocytes. <i>British Journal of Cancer</i> , 1994, 69, 1046-1051.  | 6.4  | 12        |
| 292 | Immunology of idiopathic pulmonary fibrosis. <i>Current Opinion in Pulmonary Medicine</i> , 1996, 2, 364-369.  | 2.6  | 12        |
| 293 | HLA-Gm/kappam interaction in sarcoidosis. Suggestions for a complex genetic structure. <i>European Respiratory Journal</i> , 2000, 16, 74-80.  | 6.7  | 12        |
| 294 | Serum free light chains in the differential diagnosis and prognosis of primary and secondary hypogammaglobulinemia. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1075-1077.e6.   | 2.9  | 12        |
| 295 | The isopeptidase inhibitor 2cPE triggers proteotoxic stress and ATM activation in chronic lymphocytic leukemia cells. <i>Oncotarget</i> , 2016, 7, 45429-45443.  | 1.8  | 12        |
| 296 | T-CELL LEUKAEMIA-LYMPHOMA VIRUS AND HETEROGENEITY OF CHRONIC T-CELL MALIGNANCIES. <i>Lancet</i> , The, 1982, 320, 1273.  | 13.7 | 11        |
| 297 | Chronic T-cell leukaemias. III. T-colonies, PHA response and correlation with membrane phenotype. <i>Leukemia Research</i> , 1982, 6, 809-814.   | 0.8  | 11        |
| 298 | CHRONIC LYMPHOCYTOSIS DUE TO THE EXPANSION OF GRANULAR LYMPHOCYTES. <i>British Journal of Haematology</i> , 1985, 60, 771-773.   | 2.5  | 11        |
| 299 | Soluble interleukin-2 receptor in hairy-cell leukemia: a reliable marker of disease. <i>International Journal of Clinical and Laboratory Research</i> , 1993, 23, 34-37.   | 1.0  | 11        |
| 300 | Heterogeneous intracellular expression of B-cell receptor components in B-cell chronic lymphocytic leukaemia (B-CLL) cells and effects of CD79b gene transfer on surface immunoglobulin levels in a B-CLL-derived cell line. <i>British Journal of Haematology</i> , 2005, 130, 878-889. | 2.5  | 11        |
| 301 | Coexistence of primary AL amyloidosis and POEMS syndrome: Efficacy of melphalan+dexamethasone and role of biochemical markers in monitoring the diseases course. <i>American Journal of Hematology</i> , 2010, 85, 131-132.  | 4.1  | 11        |
| 302 | KIR/HLA mismatching and risk of relapse in paediatric patients undergoing nonhaploidentical allogeneic haematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2011, 15, 198-204.   | 1.0  | 11        |
| 303 | EUTOS score predicts long-term outcome but not optimal response to imatinib in patients with chronic myeloid leukaemia. <i>Leukemia Research</i> , 2013, 37, 1457-1460.  | 0.8  | 11        |
| 304 | CD8 T-Cell Infiltration in Extravascular Tissues of Patients With Human Immunodeficiency Virus Infection. Interleukin-15 Upmodulates Costimulatory Pathways Involved in the Antigen-Presenting Cells-T-Cell Interaction. <i>Blood</i> , 1999, 93, 1277-1286.                             | 1.4  | 11        |
| 305 | Expression and functional role of the p75 interleukin 2 receptor chain on leukemic hairy cells. <i>Cancer Research</i> , 1992, 52, 5223-8.   | 0.9  | 11        |
| 306 | Immune responses in the lung: Basic principles. <i>Lung</i> , 1990, 168, 1001-1012.  | 3.3  | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Bronchoalveolar lavage and the immunology of lung cancer. <i>Lung</i> , 1990, 168, 1041-1049.  | 3.3 | 10        |
| 308 | Clonally expanded CD3+, CD4 <sup>+</sup> , CD8 <sup>+</sup> cells bearing the or the T-cell receptor in patients with the lymphoproliferative disease of granular lymphocytes. <i>Clinical Immunology and Immunopathology</i> , 1991, 60, 371-383. | 2.0 | 10        |
| 309 | Alveolar Macrophages in HIV-1 Infection Express Accessory Molecules, Activation Markers, and Release Increased Biological Response Modifiers. <i>Chest</i> , 1993, 103, 108S-111S.   | 0.8 | 10        |
| 310 | Cheese workers' lung. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996, 51, 959-960.   | 5.7 | 10        |
| 311 | The Italian quality control study for evaluation of CD4 cells in centres involved in the treatment of HIV-1 patients. <i>Clinical and Experimental Immunology</i> , 1998, 111, 564-573.  | 2.6 | 10        |
| 312 | Impact of comorbidities and body mass index in patients with myelofibrosis treated with ruxolitinib. <i>Annals of Hematology</i> , 2019, 98, 889-896.  | 1.8 | 10        |
| 313 | GSK-3 Inhibition Modulates Metalloproteases in a Model of Lung Inflammation and Fibrosis. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 633054.   | 3.5 | 10        |
| 314 | CX-4945, a Selective Inhibitor of Casein Kinase 2, Synergizes with B Cell Receptor Signaling Inhibitors in Inducing Diffuse Large B Cell Lymphoma Cell Death. <i>Current Cancer Drug Targets</i> , 2018, 18, 608-616.                              | 1.6 | 10        |
| 315 | Immunologic evaluation of T chronic lymphocyte leukemia cells: correlations among phenotype, functional activities, and morphology. <i>Blood</i> , 1982, 59, 688-95.   | 1.4 | 10        |
| 316 | Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993, 81, 2723-7.  | 1.4 | 10        |
| 317 | Heterogeneous Expression of Dipeptidyl-Amino-Peptidase (DAP IV) in T-Cell Chronic Lymphocytic Leukemia. <i>Acta Haematologica</i> , 1984, 71, 277-281.   | 1.4 | 9         |
| 318 | Definition by CB12 monoclonal antibody of a differentiation marker specific for human monocytes and their bone marrow precursors. <i>Cellular Immunology</i> , 1986, 97, 276-285.  | 3.0 | 9         |
| 319 | Expression of a functional p75 interleukin-2 receptor on lung lymphocytes from patients with human immunodeficiency virus type 1 (HIV-1) infection. <i>Journal of Clinical Immunology</i> , 1992, 12, 371-380.                                     | 3.8 | 9         |
| 320 | IL-12 is involved in the activation of CD3 + granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. <i>British Journal of Haematology</i> , 1996, 92, 308-314.   | 2.5 | 9         |
| 321 | Upregulation of CXCR1 by proliferating cells in patients with lymphoproliferative disease of granular lymphocytes. <i>British Journal of Haematology</i> , 2003, 120, 765-773.   | 2.5 | 9         |
| 322 | Impact Factor as Measure of Scientific Quality. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004, 169, 1070-1071.  | 5.6 | 9         |
| 323 | Pulmonary Complications in Patients with Hematological Disorders: Pathobiological Bases and Practical Approach. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2005, 26, 439-444.   | 2.1 | 9         |
| 324 | Overexpression of HOXB7 and homeobox genes characterizes multiple myeloma patients lacking the major primary immunoglobulin heavy chain locus translocations. <i>American Journal of Hematology</i> , 2011, 86, E64-E66.                           | 4.1 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Serum Anti-Heart and Anti-Intercalated Disk Autoantibodies: Novel Autoimmune Markers in Cardiac Sarcoidosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2476.   | 2.4 | 9         |
| 326 | Efficacy and Safety of Ibrutinib (IBR) after Venetoclax (VEN) Treatment in IBR-Na <sup>+</sup> Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL): Follow-up of Patients from the MURANO Study. <i>Blood</i> , 2018, 132, 5548-5548. | 1.4 | 9         |
| 327 | Abnormal expansions of polyclonal large to small size granular lymphocytes: reactive or neoplastic process?. <i>Blood</i> , 1984, 63, 1271-7.  | 1.4 | 9         |
| 328 | Expression and regulation of tumor necrosis factor, interleukin-2, and hematopoietic growth factor receptors in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 1994, 84, 4249-56.   | 1.4 | 9         |
| 329 | Phenotypic diversity of natural killer (NK) populations in patients with NK-type lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993, 81, 2381-5.   | 1.4 | 9         |
| 330 | Hypocellular myelodysplastic syndromes (h-MDS): from clinical description to immunological characterization in the Italian multi-center experience. <i>Leukemia</i> , 2022, 36, 1947-1950.   | 7.2 | 9         |
| 331 | Binding of sheep erythrocytes in chronic lymphocytic leukemias of B-cell origin. <i>Journal of Clinical Immunology</i> , 1982, 2, 296-302.   | 3.8 | 8         |
| 332 | Rearrangement for the T-cell receptor gene and co-expression of immature T-cell markers and natural killer cell phenotype, in a patient with acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 1987, 65, 17-22.                         | 2.5 | 8         |
| 333 | Lymphoproliferative disease of granular lymphocytes in a patient with concomitant hepatitis B virus infection of CD4 lymphocytes. <i>Journal of Clinical Immunology</i> , 1989, 9, 401-408.  | 3.8 | 8         |
| 334 | Immunopathology of ocular sarcoidosis. <i>International Ophthalmology</i> , 1990, 14, 1-11.  | 1.4 | 8         |
| 335 | New responsibilities for aged kinases in B $\epsilon$ lymphomas. <i>Hematological Oncology</i> , 2020, 38, 3-11.   | 1.7 | 8         |
| 336 | Interleukin-15 Triggers the Proliferation and Cytotoxicity of Granular Lymphocytes in Patients With Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997, 89, 201-211.   | 1.4 | 8         |
| 337 | Cell membrane expression and functional role of the p75 subunit of interleukin-2 receptor in lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1990, 76, 2080-5.   | 1.4 | 8         |
| 338 | Synthesis and release of granulocyte-macrophage colony-stimulating factor by alveolar macrophages of patients with sarcoidosis. <i>Sarcoidosis</i> , 1993, 10, 147-8.  | 0.4 | 8         |
| 339 | Current Concepts on Bronchoalveolar Lavage Cells in Extrinsic Allergic Alveolitis. <i>Respiration</i> , 1988, 54, 59-65.   | 2.6 | 7         |
| 340 | Enhanced IL-9 secretion by p66Shc-deficient CLL cells modulates the chemokine landscape of the stromal microenvironment. <i>Blood</i> , 2021, 137, 2182-2195.  | 1.4 | 7         |
| 341 | Analysis of TNF-receptor and ligand superfamily molecules in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 2000, 96, 647-654.  | 1.4 | 7         |
| 342 | The immunological approach to the enigma of sarcoidosis. <i>Sarcoidosis</i> , 1984, 1, 24-35.  | 0.4 | 7         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 343 | Chemotactic cytokines: from the molecular level to clinical use. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 1998, 15, 131-3.  | 0.2  | 7         |
| 344 | Defining TCR $\beta$ lymphoproliferative disorders by combined immunophenotypic and molecular evaluation. <i>Nature Communications</i> , 2022, 13, .   | 12.8 | 7         |
| 345 | D cells with cytotoxic activity in acute lymphoblastic leukemia. <i>Clinical Immunology and Immunopathology</i> , 1980, 16, 238-244.   | 2.0  | 6         |
| 346 | Non-T, non-B childhood acute lymphoblastic leukemia. Correlation between cytochemical markers and first complete remission. <i>Cancer</i> , 1984, 54, 981-985.   | 4.1  | 6         |
| 347 | T-HELPER PHENOTYPE LEUKAEMIAS: ROLE OF HTLV-I. <i>Lancet, The</i> , 1985, 326, 1367-1368.  | 13.7 | 6         |
| 348 | Release of natural killer cytotoxic factor in patients with lymphoproliferative disease of granular lymphocytes. <i>Leukemia Research</i> , 1989, 13, 315-322.   | 0.8  | 6         |
| 349 | Degradation of immobilized soluble elastin by tumor cells in culture: Quantitation by elisa. <i>International Journal of Cancer</i> , 1990, 46, 552-558.   | 5.1  | 6         |
| 350 | Serum interleukin-2 receptor as index of tumor burden in hairy cell leukemia [letter; comment]. <i>Blood</i> , 1991, 77, 2540-2542.  | 1.4  | 6         |
| 351 | Cytotoxic In vitro function in patients with metastatic renal cell carcinoma before and after alpha-2b-interferon therapy effects of activation with recombinant interleukin-2. <i>Cancer</i> , 1992, 69, 2525-2531.   | 4.1  | 6         |
| 352 | Cellular Immunity in Sarcoidosis and Hypersensitivity Pneumonitis. <i>Chest</i> , 1993, 103, 139S-143S.  | 0.8  | 6         |
| 353 | Independent expression of p55 and p75 interleukin-2 receptors (IL-2R) during intravenous or subcutaneous administration of recombinant interleukin-2 (rIL-2) by T-lymphocytes and natural killer cells. <i>Cancer</i> , 1994, 74, 2562-2569.   | 4.1  | 6         |
| 354 | Lysis of pulmonary fibroblasts by lymphokine (IL-2) activated killer cells—a mechanism affecting the human lung microenvironment?. <i>Clinical and Experimental Immunology</i> , 1996, 105, 383-388.   | 2.6  | 6         |
| 355 | Detection of identical T-cell clonotype expansions in both the donor and recipient after allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , 1999, 106, 119-127.   | 2.5  | 6         |
| 356 | Telomerase Activity and Clinical Progression in Chronic Lymphoproliferative Disorders of B-Cell Lineage. <i>Leukemia and Lymphoma</i> , 2001, 41, 35-45.   | 1.3  | 6         |
| 357 | Molecular therapeutic approaches to acute myeloid leukemia: targeting aberrant chromatin dynamics and signal transduction. <i>Expert Review of Anticancer Therapy</i> , 2004, 4, 387-400.  | 2.4  | 6         |
| 358 | High-dose melphalan and autologous stem cell transplantation for AL amyloidosis: recent trends in treatment-related mortality and 1-year survival at a single institution. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011, 18, 127-129. | 3.0  | 6         |
| 359 | Idelalisib plus rituximab is effective in systemic AL amyloidosis secondary to chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , 2018, 36, 366-369.   | 1.7  | 6         |
| 360 | Benign TdT-positive cells in pediatric and adult lymph nodes: a potential diagnostic pitfall. <i>Human Pathology</i> , 2018, 81, 131-137.  | 2.0  | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Cortactin expression in non-Hodgkin B-cell lymphomas: a new marker for the differential diagnosis between chronic lymphocytic leukemia and mantle cell lymphoma. <i>Human Pathology</i> , 2019, 85, 251-259.       | 2.0 | 6         |
| 362 | Abnormal regulation of BCR signalling by c-Cbl in chronic lymphocytic leukaemia. <i>Oncotarget</i> , 2018, 9, 32219-32231.   | 1.8 | 6         |
| 363 | Transbronchial biopsy in sarcoidosis: the role of immunohistochemical analysis for granuloma detection. <i>Sarcoidosis</i> , 1992, 9, 95-100.  | 0.4 | 6         |
| 364 | Increased levels of soluble interleukin-2 receptor in the serum of patients with human immunodeficiency virus infection. <i>Diagnostic and Clinical Immunology</i> , 1987, 5, 180-3.                               | 0.3 | 6         |
| 365 | Alpha-interferon activates the natural killer system in patients with hairy cell leukemia. <i>Blood</i> , 1986, 68, 293-6.   | 1.4 | 6         |
| 366 | Interrogating molecular genetics to refine LGLL classification. <i>Blood</i> , 2022, 139, 3002-3004.   | 1.4 | 6         |
| 367 | Impaired Gamma Interferon Production by Cells from Patients with Lymphoproliferative Disorders of Mature T and NK Cells. <i>Scandinavian Journal of Immunology</i> , 1985, 21, 315-320.                            | 2.7 | 5         |
| 368 | Serum levels of soluble CD8 are increased in patients with B chronic lymphocytic leukemia. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1989, 25, 1577-1581.  | 0.7 | 5         |
| 369 | Global monitoring of influenza: potential contribution of national networks from a French perspective. <i>Expert Review of Anti-Infective Therapy</i> , 2006, 4, 387-393.  | 4.4 | 5         |
| 370 | Immunohistochemical characterization of sarcoid granuloma: differentiation antigens and adhesion molecules. <i>Sarcoidosis</i> , 1991, 8, 171-2.   | 0.4 | 5         |
| 371 | Mechanisms accounting for the defective natural killer activity in patients with hairy cell leukemia. <i>Blood</i> , 1990, 75, 1525-30.  | 1.4 | 5         |
| 372 | Cellular immune responses in the lung of hypersensitivity pneumonitis. <i>European Respiratory Journal</i> , 1990, 3, 357-9.   | 6.7 | 5         |
| 373 | Human retroviruses and their aetiological link to pulmonary diseases. <i>European Respiratory Journal</i> , 1993, 6, 925-9.  | 6.7 | 5         |
| 374 | Immunoregulation in Farmer's Lung Disease. <i>Chest</i> , 1986, 89, 133S-135S.   | 0.8 | 4         |
| 375 | Circulating soluble adhesion molecules: more observations on ICAM-1 in patients with Hodgkin's disease. <i>Trends in Immunology</i> , 1994, 15, 140-141.   | 7.5 | 4         |
| 376 | Serine-Threonine Protein Kinases CK1, CK2 and GSK3 in Normal and Malignant Haematopoiesis. <i>Current Signal Transduction Therapy</i> , 2011, 6, 88-98.  | 0.5 | 4         |
| 377 | Successful control of <i>Blastoschizomyces capitatus</i> infection in three consecutive acute leukaemia patients despite initial unresponsiveness to liposomal amphotericin B. <i>Mycoses</i> , 2011, 54, 365-369. | 4.0 | 4         |
| 378 | Integration of B-cell receptor-induced ERK1/2 phosphorylation and mutations of <i>SF3B1</i> gene refines prognosis in treatment-naïve chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e144-e147.   | 3.5 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Possible neuroleukemiosis in two patients with acute myeloid leukemia in complete bone marrow remission. <i>Journal of the Neurological Sciences</i> , 2018, 392, 63-64.   | 0.6 | 4         |
| 380 | Dabigatran in ibrutinib-treated patients with atrial fibrillation and lymphoproliferative diseases: Experience of 4 cases. <i>Hematological Oncology</i> , 2018, 36, 801-803.  | 1.7 | 4         |
| 381 | Clinical Characteristics and Outcome of West Nile Virus Infection in Patients with Lymphoid Neoplasms: An Italian Multicentre Study. <i>HemaSphere</i> , 2020, 4, e395.  | 2.7 | 4         |
| 382 | Protein Kinase CK1 $\delta$ Sustains B-Cell Receptor Signaling in Mantle Cell Lymphoma. <i>Frontiers in Oncology</i> , 2021, 11, 733848.   | 2.8 | 4         |
| 383 | Cytotoxic in vitro function in the lymphoproliferative disease of granular lymphocytes. <i>Clinical and Experimental Immunology</i> , 1987, 70, 222-30.  | 2.6 | 4         |
| 384 | N-Acetyl- $\beta$ -D-Glucosaminidase Activity in T Chronic Lymphocytic Leukaemia. <i>Acta Haematologica</i> , 1981, 66, 69-70.   | 1.4 | 3         |
| 385 | B cells in chronic lymphocytic leukaemia comparative analysis of blood and bone marrow. <i>Blut</i> , 1984, 49, 69-73.   | 1.2 | 3         |
| 386 | B-ly-7, a monoclonal antibody labeling of activated lung lymphocytes [letter]. <i>Blood</i> , 1991, 77, 1855-1856.   | 1.4 | 3         |
| 387 | Prognostic significance of soluble CD8 serum levels in HIV-1 infection. <i>Aids</i> , 1992, 6, 133.  | 2.2 | 3         |
| 388 | The raft marker GM1 identifies functional subsets of granular lymphocytes in patients with CD3+ lymphoproliferative disease of granular lymphocytes. <i>Leukemia</i> , 2004, 18, 771-776.  | 7.2 | 3         |
| 389 | CD40 activation of B-CLL cells is associated with augmented intracellular levels of CD79b and increased BCR expression in a subset of patients. <i>Leukemia</i> , 2005, 19, 1099-1101.   | 7.2 | 3         |
| 390 | Multicentre survey to explore current survival of patients with acute myeloid leukaemia who failed induction chemotherapy. <i>European Journal of Haematology</i> , 2016, 96, 586-592.   | 2.2 | 3         |
| 391 | Actionable Strategies to Target Multiple Myeloma Plasma Cell Resistance/Resilience to Stress: Insights From "Omics" Research. <i>Frontiers in Oncology</i> , 2020, 10, 802.  | 2.8 | 3         |
| 392 | Lack of Viral Load Within Chronic Lymphoproliferative Disorder of Natural Killer Cells: What Is Outside the Leukemic Clone?. <i>Frontiers in Oncology</i> , 2020, 10, 613570.  | 2.8 | 3         |
| 393 | The Importance of Alliance between Hematologists and Dentists: A Retrospective Study on the Development of Bisphosphonates Osteonecrosis of the Jaws (Bronj) in Multiple Myeloma Patients. <i>Dentistry Journal</i> , 2021, 9, 11. | 2.3 | 3         |
| 394 | Interleukin-15 Triggers Activation and Growth of the CD8 T-Cell Pool in Extravascular Tissues of Patients With Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1997, 90, 1115-1123.   | 1.4 | 3         |
| 395 | Bias toward use of T-cell receptor variable regions in the lung: research tool or clinically useful technique?. <i>European Respiratory Journal</i> , 1997, 10, 767-9.   | 6.7 | 3         |
| 396 | Hairy cell sensitivity to the lysis in vitro. <i>Cancer Immunology, Immunotherapy</i> , 1989, 30, 254-256.   | 4.2 | 2         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 397 | High Serum Levels of Soluble Interleukin-2 Receptor and Absence of Detectable Levels of Soluble CD30 Molecule: A Specific Diagnostic Combination for Hairy Cell Leukemia. <i>Leukemia and Lymphoma</i> , 1992, 6, 385-388.                            | 1.3  | 2         |
| 398 | Determinants of HIV disease progression. <i>Lancet</i> , The, 1992, 339, 130.   | 13.7 | 2         |
| 399 | CD5+ Leukemic Monocytoid B-cell Lymphoma and Lymphocytic Lymphomas. <i>American Journal of Clinical Pathology</i> , 1993, 100, 187-188.   | 0.7  | 2         |
| 400 | Right Atrial Mass in a Patient With T-Cell Chronic Lymphocytic Leukemia. <i>Circulation</i> , 2007, 116, e569-72.   | 1.6  | 2         |
| 401 | Cytogenetic Impact on Lenalidomide Treatment in Relapsed/Refractory Multiple Myeloma: A Real-Life Evaluation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 592-598.   | 0.4  | 2         |
| 402 | A case of "double hit" mantle cell lymphoma carrying CCND1 and MYC translocations relapsed/refractory to rituximab bendamustine cytarabine (R-BAC) and ibrutinib. <i>Annals of Hematology</i> , 2020, 99, 2715-2717.                                  | 1.8  | 2         |
| 403 | T cell subpopulations in B cell chronic lymphocytic leukaemias. <i>Clinical and Experimental Immunology</i> , 1984, 57, 752-4.  | 2.6  | 2         |
| 404 | Immunological features in chronic lymphocytic leukaemia (CLL) of T cell origin. <i>Journal of Clinical &amp; Laboratory Immunology</i> , 1979, 2, 45-50.  | 0.1  | 2         |
| 405 | Stimulation induced by autologous lymphocyte subpopulations from healthy subjects in mixed lymphocyte reaction (MLR). <i>Transplantation Proceedings</i> , 1979, 11, 1373-4.  | 0.6  | 2         |
| 406 | Serum interleukin-2 receptor as index of tumor burden in hairy cell leukemia. <i>Blood</i> , 1991, 77, 2540-2.  | 1.4  | 2         |
| 407 | The clinical use of BAL in patients with pulmonary infections. <i>European Respiratory Journal</i> , 1990, 3, 954-5, 961-9.   | 6.7  | 2         |
| 408 | B7 costimulatory molecules from malignant cells in patients with b-cell chronic lymphoproliferative disorders trigger t-cell proliferation. <i>Cancer</i> , 2000, 89, 1259-68.  | 4.1  | 2         |
| 409 | Cultured T Cells from Patients with T Cell Chronic Lymphocytic Leukemia Demonstrate a Normal Phenotype. <i>Immunobiology</i> , 1985, 169, 186-197.  | 1.9  | 1         |
| 410 | Conjunctival Biopsy in Sarcoidosis. <i>American Journal of Ophthalmology</i> , 1985, 100, 347-348.  | 3.3  | 1         |
| 411 | Granuloma Formation. , 2007, , 87-100.  |      | 1         |
| 412 | The Italian Society of Immunology: past, present and future. <i>European Journal of Immunology</i> , 2010, 40, 2664-2666.   | 2.9  | 1         |
| 413 | Combination of EUTOS score and 3-month BCR-ABL transcript level identifies a group of good-risk chronic myeloid leukemia patients with favorable response to frontline imatinib therapy. <i>American Journal of Hematology</i> , 2015, 90, E135-E137. | 4.1  | 1         |
| 414 | A Noninterventional, Observational, European Post-Authorization Safety Study of Patients With Relapsed/Refractory Multiple Myeloma Treated With Lenalidomide. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e629-e644.                   | 0.4  | 1         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | Evaluation of Integrated CLL Scoring System (ICSS) in 420 Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016, 128, 5563-5563.  | 1.4 | 1         |
| 416 | Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993, 81, 2723-2727.  | 1.4 | 1         |
| 417 | Human Immunodeficiency Virus and the Lung. , 1998, , 141-165.   |     | 1         |
| 418 | Complex Karyotype Subtypes at Chronic Lymphocytic Leukemia Diagnosis Refine the Risk of Developing a Richter Syndrome. the Richter Syndrome Scoring System. <i>Blood</i> , 2020, 136, 33-34.  | 1.4 | 1         |
| 419 | Immunohistochemical detection of microenvironmental abnormalities in lung biopsies from patients with sarcoidosis. <i>Sarcoidosis</i> , 1993, 10, 152-3.  | 0.4 | 1         |
| 420 | Immunology of Extrapulmonary Sarcoid Lesions. <i>Seminars in Respiratory and Critical Care Medicine</i> , 1992, 13, 380-392.  | 2.1 | 0         |
| 421 | Prognostic Factors in Malignant Transformation of Monoclonal Gammopathy of Undetermined Significance. <i>Leukemia and Lymphoma</i> , 2002, 43, 1713-1714.   | 1.3 | 0         |
| 422 | Why antiviral CD8 T lymphocytes fail to prevent progressive immunodeficiency in HIV-1 infection. <i>Blood</i> , 2002, 99, 1876-1878.  | 1.4 | 0         |
| 423 | SYSTEMIC DISEASE   Sarcoidosis. , 2006, , 196-202.  |     | 0         |
| 424 | P077 Adaptation and changes in quality of life in patients with myelodysplastic syndrome. <i>Leukemia Research</i> , 2009, 33, S103.  | 0.8 | 0         |
| 425 | Serum vascular endothelial growth factor (VEGF) in the differential diagnosis of amyloid neuropathy and POEMS syndrome. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011, 18, 106-108. | 3.0 | 0         |
| 426 | P160Three-dimensional left ventricular global longitudinal strain is as feasible and accurate as two-dimensional global longitudinal strain for subclinical cardiotoxicity surveillance. <i>European Heart Journal</i> , 2017, 38, .  | 2.2 | 0         |
| 427 | Splenic marginal zone lymphoma with a de novo t(8;14)(q24;q32) and a prolymphocytoid evolution responsive to rituximab-bendamustine. <i>Annals of Hematology</i> , 2018, 97, 2001-2003.   | 1.8 | 0         |
| 428 | Large Granular Lymphocyte Leukemia. <i>Hematologic Malignancies</i> , 2021, , 231-246.  | 0.2 | 0         |
| 429 | Lymphocytes. , 2002, , 119-130.   |     | 0         |
| 430 | Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003, , 631-664.   | 0.1 | 0         |
| 431 | Lymphocytic Aspects. <i>Lung Biology in Health and Disease</i> , 2005, , 79-96.   | 0.1 | 0         |
| 432 | Effects of CK2 Inhibition on Multiple Signaling Pathways in Myeloma Cells. <i>Blood</i> , 2008, 112, 5163-5163.   | 1.4 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Modulation of ER Stress/Unfolded Protein Response (UPR) Pathways in Multiple Myeloma Cells by Inhibition of Hsp90 and Serine-Threonine Kinase CK2.. Blood, 2009, 114, 3840-3840.   | 1.4 | 0         |
| 434 | Signalling Molecules as Selective Targets for Therapeutic Strategies in Multiple Myeloma. , 2012, , 87-108.  |     | 0         |
| 435 | R-Vemp Is a Safe and Effective Chemo-Immunotherapeutic Regimen In Elderly Unfit DLBCL Patients: Report From a Single Center-Experience. Blood, 2013, 122, 3042-3042.   | 1.4 | 0         |
| 436 | Alveolar macrophages in HIV-1 infection express accessory molecules, activation markers, and release increased biological response modifiers. Chest, 1993, 103, 108S-111.  | 0.8 | 0         |
| 437 | Clonal studies of CD3- lymphoproliferative disease of granular lymphocytes. Blood, 1993, 81, 2363-2368.  | 1.4 | 0         |
| 438 | HSP70-HSF1 Interplays Has a Role in the Pathogenesis of Chronic Lymphocytic Leukemia and Is a Druggable Target. Blood, 2016, 128, 4368-4368.   | 1.4 | 0         |
| 439 | Retrospective Real-Life Comparison of Obinutuzumab Plus Chlorambucil Versus Ibrutinib in Previously Untreated and Unfit Patients with Chronic Lymphocytic Leukemia without TP53 Disruptions. Interim Results from the Italian CLL Campus. Blood, 2020, 136, 30-31. | 1.4 | 0         |
| 440 | Ruxolitinib Rechallenge in Resistant/Intolerant MF Patients: Frequency, Therapeutic Effects, and Impact on Outcome. Blood, 2020, 136, 49-50.   | 1.4 | 0         |