

# Gianpietro C Semenzato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5296757/publications.pdf>

Version: 2024-02-01

440  
papers

17,694  
citations

15504

65  
h-index

25787

108  
g-index

448  
all docs

448  
docs citations

448  
times ranked

14934  
citing authors

#	ARTICLE	IF	CITATIONS
1	The complex karyotype landscape in chronic lymphocytic leukemia allows the refinement of the risk of Richter syndrome transformation. <i>Haematologica</i> , 2022, 107, 868-876.	3.5	31
2	Identification of novel STAT5B mutations and characterization of TCR $\beta$ signatures in CD4+ T-cell large granular lymphocyte leukemia. <i>Blood Cancer Journal</i> , 2022, 12, 31.	6.2	15
3	Interrogating molecular genetics to refine LGLL classification. <i>Blood</i> , 2022, 139, 3002-3004.	1.4	6
4	Hypocellular myelodysplastic syndromes (h-MDS): from clinical description to immunological characterization in the Italian multi-center experience. <i>Leukemia</i> , 2022, 36, 1947-1950.	7.2	9
5	Defining TCR $\beta$ lymphoproliferative disorders by combined immunophenotypic and molecular evaluation. <i>Nature Communications</i> , 2022, 13, .	12.8	7
6	Enhanced IL-9 secretion by p66Shc-deficient CLL cells modulates the chemokine landscape of the stromal microenvironment. <i>Blood</i> , 2021, 137, 2182-2195.	1.4	7
7	Second primary malignancy in myelofibrosis patients treated with ruxolitinib. <i>British Journal of Haematology</i> , 2021, 193, 356-368.	2.5	19
8	Large Granular Lymphocyte Leukemia. <i>Hematologic Malignancies</i> , 2021, , 231-246.	0.2	0
9	The Importance of Alliance between Hematologists and Dentists: A Retrospective Study on the Development of Bisphosphonates Osteonecrosis of the Jaws (Bronj) in Multiple Myeloma Patients. <i>Dentistry Journal</i> , 2021, 9, 11.	2.3	3
10	Ruxolitinib discontinuation syndrome: incidence, risk factors, and management in 251 patients with myelofibrosis. <i>Blood Cancer Journal</i> , 2021, 11, 4.	6.2	41
11	Ruxolitinib rechallenge in resistant or intolerant patients with myelofibrosis: Frequency, therapeutic effects, and impact on outcome. <i>Cancer</i> , 2021, 127, 2657-2665.	4.1	14
12	GSK-3 Inhibition Modulates Metalloproteases in a Model of Lung Inflammation and Fibrosis. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 633054.	3.5	10
13	Serum Anti-Heart and Anti-Intercalated Disk Autoantibodies: Novel Autoimmune Markers in Cardiac Sarcoidosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2476.	2.4	9
14	Neutropenia and Large Granular Lymphocyte Leukemia: From Pathogenesis to Therapeutic Options. <i>Cells</i> , 2021, 10, 2800.	4.1	16
15	Protein Kinase CK1 $\beta$ Sustains B-Cell Receptor Signaling in Mantle Cell Lymphoma. <i>Frontiers in Oncology</i> , 2021, 11, 733848.	2.8	4
16	Life after ruxolitinib: Reasons for discontinuation, impact of disease phase, and outcomes in 218 patients with myelofibrosis. <i>Cancer</i> , 2020, 126, 1243-1252.	4.1	106
17	Stat3 mutations impact on overall survival in large granular lymphocyte leukemia: a single-center experience of 205 patients. <i>Leukemia</i> , 2020, 34, 1116-1124.	7.2	49
18	New responsibilities for aged kinases in B $\alpha$ lymphomas. <i>Hematological Oncology</i> , 2020, 38, 3-11.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Insight into the mechanism of cytotoxicity of membrane-permeant psoralenic Kv1.3 channel inhibitors by chemical dissection of a novel member of the family. <i>Redox Biology</i> , 2020, 37, 101705.	9.0	22
20	&lt;p&gt;Lights and Shade of Next-Generation Pi3k Inhibitors in Chronic Lymphocytic Leukemia&lt;/p&gt;. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 9679-9688.	2.0	19
21	Ibrutinib in relapsed hairy cell leukemia variant: A case report and review of the literature. <i>Hematological Oncology</i> , 2020, 38, 823-826.	1.7	16
22	A case of "double hit" mantle cell lymphoma carrying CCND1 and MYC translocations relapsed/refractory to rituximab bendamustine cytarabine (R-BAC) and ibrutinib. <i>Annals of Hematology</i> , 2020, 99, 2715-2717.	1.8	2
23	Identification of a <i>miR-146b</i> -Fas ligand axis in the development of neutropenia in T large granular lymphocyte leukemia. <i>Haematologica</i> , 2020, 105, 1351-1360.	3.5	28
24	Actionable Strategies to Target Multiple Myeloma Plasma Cell Resistance/Resilience to Stress: Insights From "Omics" Research. <i>Frontiers in Oncology</i> , 2020, 10, 802.	2.8	3
25	Insights Into Genetic Landscape of Large Granular Lymphocyte Leukemia. <i>Frontiers in Oncology</i> , 2020, 10, 152.	2.8	40
26	A Noninterventional, Observational, European Post-Authorization Safety Study of Patients With Relapsed/Refractory Multiple Myeloma Treated With Lenalidomide. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e629-e644.	0.4	1
27	NK cells and CD38: Implication for (Immuno)Therapy in Plasma Cell Dyscrasias. <i>Cells</i> , 2020, 9, 768.	4.1	27
28	Risk factors for progression to blast phase and outcome in 589 patients with myelofibrosis treated with ruxolitinib: Real-world data. <i>Hematological Oncology</i> , 2020, 38, 372-380.	1.7	15
29	A high definition picture of somatic mutations in chronic lymphoproliferative disorder of natural killer cells. <i>Blood Cancer Journal</i> , 2020, 10, 42.	6.2	22
30	Lack of Viral Load Within Chronic Lymphoproliferative Disorder of Natural Killer Cells: What Is Outside the Leukemic Clone?. <i>Frontiers in Oncology</i> , 2020, 10, 613570.	2.8	3
31	Clinical Characteristics and Outcome of West Nile Virus Infection in Patients with Lymphoid Neoplasms: An Italian Multicentre Study. <i>HemaSphere</i> , 2020, 4, e395.	2.7	4
32	Retrospective Real-Life Comparison of Obinutuzumab Plus Chlorambucil Versus Ibrutinib in Previously Untreated and Unfit Patients with Chronic Lymphocytic Leukemia without TP53 Disruptions. Interim Results from the Italian CLL Campus. <i>Blood</i> , 2020, 136, 30-31.	1.4	0
33	Complex Karyotype Subtypes at Chronic Lymphocytic Leukemia Diagnosis Refine the Risk of Developing a Richter Syndrome. the Richter Syndrome Scoring System. <i>Blood</i> , 2020, 136, 33-34.	1.4	1
34	Ruxolitinib Rechallenge in Resistant/Intolerant MF Patients: Frequency, Therapeutic Effects, and Impact on Outcome. <i>Blood</i> , 2020, 136, 49-50.	1.4	0
35	BCR kinase inhibitors, idelalisib and ibrutinib, are active and effective in Richter syndrome. <i>British Journal of Haematology</i> , 2019, 185, 193-197.	2.5	24
36	Prosurvival autophagy is regulated by protein kinase CK1 alpha in multiple myeloma. <i>Cell Death Discovery</i> , 2019, 5, 98.	4.7	22

#	ARTICLE	IF	CITATIONS
37	A scoring system to predict the risk of atrial fibrillation in chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2019, 37, 508-512.	1.7	13
38	Bortezomib-based regimens in patients with POEMS syndrome: a case series in newly diagnosed and relapsed patients. <i>Leukemia and Lymphoma</i> , 2019, 60, 2067-2070.	1.3	13
39	The combination of complex karyotype subtypes and IGHV mutational status identifies new prognostic and predictive groups in chronic lymphocytic leukaemia. <i>British Journal of Cancer</i> , 2019, 121, 150-156.	6.4	31
40	T cell large granular lymphocyte leukemia and chronic NK lymphocytosis. <i>Best Practice and Research in Clinical Haematology</i> , 2019, 32, 207-216.	1.7	37
41	HSP70/HSF1 axis, regulated via a PI3K/AKT pathway, is a druggable target in chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , 2019, 145, 3089-3100.	5.1	32
42	Prognostic and Predictive Effect of IGHV Mutational Status and Load in Chronic Lymphocytic Leukemia: Focus on FCR and BR Treatments. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 678-685.e4.	0.4	25
43	p66Shc deficiency in the E1/4-TCL1 mouse model of chronic lymphocytic leukemia enhances leukemogenesis by altering the chemokine receptor landscape. <i>Haematologica</i> , 2019, 104, 2040-2052.	3.5	17
44	In Chronic Lymphocytic Leukemia the JAK2/STAT3 Pathway Is Constitutively Activated and Its Inhibition Leads to CLL Cell Death Unaffected by the Protective Bone Marrow Microenvironment. <i>Cancers</i> , 2019, 11, 1939.	3.7	39
45	Cortactin expression in non-Hodgkin B-cell lymphomas: a new marker for the differential diagnosis between chronic lymphocytic leukemia and mantle cell lymphoma. <i>Human Pathology</i> , 2019, 85, 251-259.	2.0	6
46	Mitochondrial apoptosis is induced by Alkoxy phenyl-1-propanone derivatives through PP2A-mediated dephosphorylation of Bad and Foxo3A in CLL. <i>Leukemia</i> , 2019, 33, 1148-1160.	7.2	25
47	Impact of comorbidities and body mass index in patients with myelofibrosis treated with ruxolitinib. <i>Annals of Hematology</i> , 2019, 98, 889-896.	1.8	10
48	In chronic lymphocytic leukaemia with complex karyotype, major structural abnormalities identify a subset of patients with inferior outcome and distinct biological characteristics. <i>British Journal of Haematology</i> , 2018, 181, 229-233.	2.5	34
49	The small GTPase RhoU lays downstream of JAK/STAT signaling and mediates cell migration in multiple myeloma. <i>Blood Cancer Journal</i> , 2018, 8, 20.	6.2	19
50	p66Shc deficiency enhances CXCR4 and CCR7 recycling in CLL B cells by facilitating their dephosphorylation-dependent release from I <sup>2</sup> -arrestin at early endosomes. <i>Oncogene</i> , 2018, 37, 1534-1550.	5.9	23
51	Idelalisib plus rituximab is effective in systemic AL amyloidosis secondary to chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , 2018, 36, 366-369.	1.7	6
52	Durability of spleen response affects the outcome of ruxolitinib-treated patients with myelofibrosis: Results from a multicentre study on 284 patients. <i>Leukemia Research</i> , 2018, 74, 86-88.	0.8	23
53	Benign TdT-positive cells in pediatric and adult lymph nodes: a potential diagnostic pitfall. <i>Human Pathology</i> , 2018, 81, 131-137.	2.0	6
54	Dominant cytotoxic NK cell subset within CLPD-NK patients identifies a more aggressive NK cell proliferation. <i>Blood Cancer Journal</i> , 2018, 8, 51.	6.2	20

#	ARTICLE	IF	CITATIONS
55	Possible neuroleukemiosis in two patients with acute myeloid leukemia in complete bone marrow remission. <i>Journal of the Neurological Sciences</i> , 2018, 392, 63-64.	0.6	4
56	Old and Young Actors Playing Novel Roles in the Drama of Multiple Myeloma Bone Marrow Microenvironment Dependent Drug Resistance. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1512.	4.1	16
57	Splenic marginal zone lymphoma with a de novo t(8;14)(q24;q32) and a prolymphocytoid evolution responsive to rituximab-bendamustine. <i>Annals of Hematology</i> , 2018, 97, 2001-2003.	1.8	0
58	Dabigatran in ibrutinib-treated patients with atrial fibrillation and lymphoproliferative diseases: Experience of 4 cases. <i>Hematological Oncology</i> , 2018, 36, 801-803.	1.7	4
59	Efficacy and Safety of Ibrutinib (IBR) after Venetoclax (VEN) Treatment in IBR-Naïve Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL): Follow-up of Patients from the MURANO Study. <i>Blood</i> , 2018, 132, 5548-5548.	1.4	9
60	Abnormal regulation of BCR signalling by c-Cbl in chronic lymphocytic leukaemia. <i>Oncotarget</i> , 2018, 9, 32219-32231.	1.8	6
61	CX-4945, a Selective Inhibitor of Casein Kinase 2, Synergizes with B Cell Receptor Signaling Inhibitors in Inducing Diffuse Large B Cell Lymphoma Cell Death. <i>Current Cancer Drug Targets</i> , 2018, 18, 608-616.	1.6	10
62	Direct Pharmacological Targeting of a Mitochondrial Ion Channel Selectively Kills Tumor Cells In Vivo. <i>Cancer Cell</i> , 2017, 31, 516-531.e10.	16.8	138
63	Role of miR-15a/miR-16-1 and the TP53 axis in regulating telomerase expression in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e253-e256.	3.5	13
64	Cortactin, a Lyn substrate, is a checkpoint molecule at the intersection of BCR and CXCR4 signalling pathway in chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2017, 178, 81-93.	2.5	25
65	Aberrant expression of CD10 and BCL6 in mantle cell lymphoma. <i>Histopathology</i> , 2017, 71, 769-777.	2.9	29
66	Major infections, secondary cancers and autoimmune diseases occur in different clinical subsets of chronic lymphocytic leukaemia patients. <i>European Journal of Cancer</i> , 2017, 72, 103-111.	2.8	29
67	Peripheral neuropathies in chronic lymphocytic leukemia: a single center experience on 816 patients. <i>Haematologica</i> , 2017, 102, e140-e143.	3.5	17
68	Integration of B-cell receptor-induced ERK1/2 phosphorylation and mutations of SF3B1 gene refines prognosis in treatment-naïve chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e144-e147.	3.5	4
69	Diagnostic and prognostic value of low percentage of glycosylated ferritin in acquired hemophagocytic lymphohistiocytosis: A single-center study. <i>International Journal of Laboratory Hematology</i> , 2017, 39, 620-624.	1.3	16
70	Targeted activation of the SHP-1/PP2A signaling axis elicits apoptosis of chronic lymphocytic leukemia cells. <i>Haematologica</i> , 2017, 102, 1401-1412.	3.5	23
71	Protein kinase CK2 regulates AKT, NF- $\kappa$ B and STAT3 activation, stem cell viability and proliferation in acute myeloid leukemia. <i>Leukemia</i> , 2017, 31, 292-300.	7.2	55
72	Epidemiology and risk factors of invasive fungal infections in a large cohort of patients with chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2017, 35, 925-928.	1.7	19

#	ARTICLE	IF	CITATIONS
73	P160Three-dimensional left ventricular global longitudinal strain is as feasible and accurate as two-dimensional global longitudinal strain for subclinical cardiotoxicity surveillance. <i>European Heart Journal</i> , 2017, 38, .	2.2	0
74	Inactivation of CK1 $\beta$ in multiple myeloma empowers drug cytotoxicity by affecting AKT and $\beta$ -catenin survival signaling pathways. <i>Oncotarget</i> , 2017, 8, 14604-14619.	1.8	30
75	<i>STAT3</i> mutation impacts biological and clinical features of T-LGL leukemia. <i>Oncotarget</i> , 2017, 8, 61876-61889.	1.8	67
76	Bendamustine plus rituximab is an effective first-line treatment in hairy cell leukemia variant: a report of three cases. <i>Oncotarget</i> , 2017, 8, 110727-110731.	1.8	23
77	Multicentre survey to explore current survival of patients with acute myeloid leukaemia who failed induction chemotherapy. <i>European Journal of Haematology</i> , 2016, 96, 586-592.	2.2	3
78	Targeting CK2-driven non-oncogene addiction in B-cell tumors. <i>Oncogene</i> , 2016, 35, 6045-6052.	5.9	24
79	Profiling B cell chronic lymphocytic leukemia by reverse phase protein array: Focus on apoptotic proteins. <i>Journal of Leukocyte Biology</i> , 2016, 100, 1061-1070.	3.3	14
80	Evaluation of Integrated CLL Scoring System (ICSS) in 420 Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016, 128, 5563-5563.	1.4	1
81	Expression of the p66Shc protein adaptor is regulated by the activator of transcription STAT4 in normal and chronic lymphocytic leukemia B cells. <i>Oncotarget</i> , 2016, 7, 57086-57098.	1.8	19
82	A Pyrazolo[3,4- <i>d</i> ]pyrimidine compound inhibits Fyn phosphorylation and induces apoptosis in natural killer cell leukemia. <i>Oncotarget</i> , 2016, 7, 65171-65184.	1.8	18
83	The isopeptidase inhibitor 2cPE triggers proteotoxic stress and ATM activation in chronic lymphocytic leukemia cells. <i>Oncotarget</i> , 2016, 7, 45429-45443.	1.8	12
84	HSP70-HSF1 Interplays Has a Role in the Pathogenesis of Chronic Lymphocytic Leukemia and Is a Druggable Target. <i>Blood</i> , 2016, 128, 4368-4368.	1.4	0
85	Clinical profile associated with infections in patients with chronic lymphocytic leukemia. Protective role of immunoglobulin replacement therapy. <i>Haematologica</i> , 2015, 100, e515-e518.	3.5	48
86	Lyn sustains oncogenic signaling in chronic lymphocytic leukemia by strengthening SET-mediated inhibition of PP2A. <i>Blood</i> , 2015, 125, 3747-3755.	1.4	40
87	Early effects of the antineoplastic agent salinomycin on mitochondrial function. <i>Cell Death and Disease</i> , 2015, 6, e1930-e1930.	6.3	64
88	TL1A/DR3 axis involvement in the inflammatory cytokine network during pulmonary sarcoidosis. <i>Clinical and Molecular Allergy</i> , 2015, 13, 16.	1.8	21
89	Cross-talk between chronic lymphocytic leukemia (CLL) tumor B cells and mesenchymal stromal cells (MSCs): implications for neoplastic cell survival. <i>Oncotarget</i> , 2015, 6, 42130-42149.	1.8	39
90	Biophysical Characterization and Expression Analysis of Kv1.3 Potassium Channel in Primary Human Leukemic B Cells. <i>Cellular Physiology and Biochemistry</i> , 2015, 37, 965-978.	1.6	35

#	ARTICLE	IF	CITATIONS
91	Differences among young adults, adults and elderly chronic myeloid leukemia patients. <i>Annals of Oncology</i> , 2015, 26, 185-192.	1.2	72
92	Integrated CLL Scoring System, a New and Simple Index to Predict Time to Treatment and Overall Survival in Patients With Chronic Lymphocytic Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 612-620.e5.	0.4	26
93	Serum free light chains in the differential diagnosis and prognosis of primary and secondary hypogammaglobulinemia. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1075-1077.e6.	2.9	12
94	Combination of EUTOS score and 3-month BCR-ABL transcript level identifies a group of good-risk chronic myeloid leukemia patients with favorable response to frontline imatinib therapy. <i>American Journal of Hematology</i> , 2015, 90, E135-E137.	4.1	1
95	Ex Vivo Signaling Protein Mapping in T Lymphocytes in the Psoriatic Arthritis Joints. <i>Journal of rheumatology Supplement, The</i> , 2015, 93, 48-52.	2.2	29
96	Cytogenetic Impact on Lenalidomide Treatment in Relapsed/Refractory Multiple Myeloma: A Real-Life Evaluation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 592-598.	0.4	2
97	Enhanced Chemokine Receptor Recycling and Impaired S1P1 Expression Promote Leukemic Cell Infiltration of Lymph Nodes in Chronic Lymphocytic Leukemia. <i>Cancer Research</i> , 2015, 75, 4153-4163.	0.9	41
98	Transcriptional network profile on synovial fluid T cells in psoriatic arthritis. <i>Clinical Rheumatology</i> , 2015, 34, 1571-1580.	2.2	36
99	Protein kinase CK2 is widely expressed in follicular, Burkitt and diffuse large B-cell lymphomas and propels malignant B-cell growth. <i>Oncotarget</i> , 2015, 6, 6544-6552.	1.8	31
100	Cyclophosphamide as a first-line therapy in LGL leukemia. <i>Leukemia</i> , 2014, 28, 1134-1136.	7.2	74
101	Activating KIRs in Chronic Lymphoproliferative Disorder of NK Cells: Protection from Viruses and Disease Induction?. <i>Frontiers in Immunology</i> , 2014, 5, 72.	4.8	22
102	Clinical significance of LAIR1 (CD305) as assessed by flow cytometry in a prospective series of patients with chronic lymphocytic leukemia. <i>Haematologica</i> , 2014, 99, 881-887.	3.5	32
103	Leukaemic cells from chronic lymphocytic leukaemia patients undergo apoptosis following microtubule depolymerization and $\gamma$ inhibition by nocodazole. <i>British Journal of Haematology</i> , 2014, 165, 659-672.	2.5	26
104	Bone marrow stromal cell-fueled multiple myeloma growth and osteoclastogenesis are sustained by protein kinase CK2. <i>Leukemia</i> , 2014, 28, 2094-2097.	7.2	14
105	Chronic natural killer lymphoproliferative disorders: characteristics of an international cohort of 70 patients. <i>Annals of Oncology</i> , 2014, 25, 2030-2035.	1.2	49
106	JAK/STAT/PKC $\zeta$ molecular pathways in synovial fluid T lymphocytes reflect the in vivo T helper-17 expansion in psoriatic arthritis. <i>Immunologic Research</i> , 2014, 58, 61-69.	2.9	65
107	Subcutaneous immunoglobulin in lymphoproliferative disorders and rituximab-related secondary hypogammaglobulinemia: a single-center experience in 61 patients. <i>Haematologica</i> , 2014, 99, 1101-1106.	3.5	63
108	Lyn-mediated procaspase 8 dimerization blocks apoptotic signaling in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2014, 123, 875-883.	1.4	26

#	ARTICLE	IF	CITATIONS
109	Detection of monoclonal T populations in patients with KIR-restricted chronic lymphoproliferative disorder of NK cells. <i>Haematologica</i> , 2014, 99, 1826-1833.	3.5	21
110	Cortactin, another player in the Lyn signaling pathway, is over-expressed and alternatively spliced in leukemic cells from patients with B-cell chronic lymphocytic leukemia. <i>Haematologica</i> , 2014, 99, 1069-1077.	3.5	32
111	Infections in Patients with Myelodysplastic Syndrome/Acute Myeloid Leukemia Treated with Azacitidine: Report from a Single Center. <i>Blood</i> , 2014, 124, 5622-5622.	1.4	13
112	Are T-LGL Leukemia and NK-Chronic Lymphoproliferative Disorder really two distinct diseases?. <i>Translational Medicine @ UniSa</i> , 2014, 8, 4-11.	0.5	14
113	Novel players in multiple myeloma pathogenesis: Role of protein kinases CK2 and GSK3. <i>Leukemia Research</i> , 2013, 37, 221-227.	0.8	28
114	Inhibition of protein kinase CK2 with the clinical-grade small ATP-competitive compound CX-4945 or by RNA interference unveils its role in acute myeloid leukemia cell survival, p53-dependent apoptosis and daunorubicin-induced cytotoxicity. <i>Journal of Hematology and Oncology</i> , 2013, 6, 78.	17.0	46
115	Lessons for the clinic from rituximab pharmacokinetics and pharmacodynamics. <i>MAbs</i> , 2013, 5, 826-837.	5.2	105
116	EUTOS score predicts long-term outcome but not optimal response to imatinib in patients with chronic myeloid leukaemia. <i>Leukemia Research</i> , 2013, 37, 1457-1460.	0.8	11
117	Double productive immunoglobulin sequence rearrangements in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2013, 88, 277-282.	4.1	17
118	Clofazimine, Psora-4 and PAP-1, inhibitors of the potassium channel Kv1.3, as a new and selective therapeutic strategy in chronic lymphocytic leukemia. <i>Leukemia</i> , 2013, 27, 1782-1785.	7.2	75
119	Combination of Rituximab, Bendamustine, and Cytarabine for Patients With Mantle-Cell Non-Hodgkin Lymphoma Ineligible for Intensive Regimens or Autologous Transplantation. <i>Journal of Clinical Oncology</i> , 2013, 31, 1442-1449.	1.6	167
120	Bendamustine in chronic lymphocytic leukemia: Outcome according to different clinical and biological prognostic factors in the everyday clinical practice. <i>American Journal of Hematology</i> , 2013, 88, 955-960.	4.1	14
121	Intrinsic and extrinsic mechanisms contribute to maintain the JAK/STAT pathway aberrantly activated in T-type large granular lymphocyte leukemia. <i>Blood</i> , 2013, 121, 3843-3854.	1.4	85
122	Pancreatic Tumors and Immature Immunosuppressive Myeloid Cells in Blood and Spleen: Role of Inhibitory Co-Stimulatory Molecules PDL1 and CTLA4. An In Vivo and In Vitro Study. <i>PLoS ONE</i> , 2013, 8, e54824.	2.5	44
123	Protein Kinase CK2 Inhibition Down Modulates the NF- $\kappa$ B and STAT3 Survival Pathways, Enhances the Cellular Proteotoxic Stress and Synergistically Boosts the Cytotoxic Effect of Bortezomib on Multiple Myeloma and Mantle Cell Lymphoma Cells. <i>PLoS ONE</i> , 2013, 8, e75280.	2.5	75
124	R-Vemp Is a Safe and Effective Chemo-Immunotherapeutic Regimen In Elderly Unfit DLBCL Patients: Report From a Single Center-Experience. <i>Blood</i> , 2013, 122, 3042-3042.	1.4	0
125	Frontline chemotherapy with bortezomib-containing combinations improves response rate and survival in primary plasma cell leukemia: a retrospective study from GIMEMA Multiple Myeloma Working Party. <i>Annals of Oncology</i> , 2012, 23, 1499-1502.	1.2	68
126	Protein Kinase CK2 Protects Multiple Myeloma Cells from ER Stress-Induced Apoptosis and from the Cytotoxic Effect of HSP90 Inhibition through Regulation of the Unfolded Protein Response. <i>Clinical Cancer Research</i> , 2012, 18, 1888-1900.	7.0	71



#	ARTICLE	IF	CITATIONS
127	S1P1 expression is controlled by the pro-oxidant activity of p66Shc and is impaired in B-CLL patients with unfavorable prognosis. <i>Blood</i> , 2012, 120, 4391-4399.	1.4	50
128	Protein kinase CK2 in hematologic malignancies: reliance on a pivotal cell survival regulator by oncogenic signaling pathways. <i>Leukemia</i> , 2012, 26, 1174-1179.	7.2	94
129	HS1, a Lyn Kinase Substrate, Is Abnormally Expressed in B-Chronic Lymphocytic Leukemia and Correlates with Response to Fludarabine-Based Regimen. <i>PLoS ONE</i> , 2012, 7, e39902.	2.5	29
130	Telomere length and telomerase levels delineate subgroups of B-cell chronic lymphocytic leukemia with different biological characteristics and clinical outcomes. <i>Haematologica</i> , 2012, 97, 56-63.	3.5	47
131	State of the art in natural killer cell malignancies. <i>International Journal of Laboratory Hematology</i> , 2012, 34, 117-128.	1.3	23
132	Signalling Molecules as Selective Targets for Therapeutic Strategies in Multiple Myeloma. , 2012, , 87-108.		0
133	<i>BRAF</i> Mutations in Hairy-Cell Leukemia. <i>New England Journal of Medicine</i> , 2011, 364, 2305-2315.	27.0	949
134	Lyn-mediated SHP-1 recruitment to CD5 contributes to resistance to apoptosis of B-cell chronic lymphocytic leukemia cells. <i>Leukemia</i> , 2011, 25, 1768-1781.	7.2	55
135	Pancreatic Cancer Alters Human CD4+ T Lymphocyte Function. <i>Pancreas</i> , 2011, 40, 1131-1137.	1.1	19
136	Serine-Threonine Protein Kinases CK1, CK2 and GSK3 in Normal and Malignant Haematopoiesis. <i>Current Signal Transduction Therapy</i> , 2011, 6, 88-98.	0.5	4
137	KIR/HLA mismatching and risk of relapse in paediatric patients undergoing non-haploidentical allogeneic haematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2011, 15, 198-204.	1.0	11
138	Successful control of <i>Blastoschizomyces capitatus</i> infection in three consecutive acute leukaemia patients despite initial unresponsiveness to liposomal amphotericin B. <i>Mycoses</i> , 2011, 54, 365-369.	4.0	4
139	Overexpression of HOXB7 and homeobox genes characterizes multiple myeloma patients lacking the major primary immunoglobulin heavy chain locus translocations. <i>American Journal of Hematology</i> , 2011, 86, E64-E66.	4.1	9
140	Serum vascular endothelial growth factor (VEGF) in the differential diagnosis of amyloid neuropathy and POEMS syndrome. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011, 18, 106-108.	3.0	0
141	High-dose melphalan and autologous stem cell transplantation for AL amyloidosis: recent trends in treatment-related mortality and 1-year survival at a single institution. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> . 2011, 18, 127-129.	3.0	6
142	Sarcoidosis is a Th1/Th17 multisystem disorder. <i>Thorax</i> , 2011, 66, 144-150.	5.6	247
143	Coexistence of primary AL amyloidosis and POEMS syndrome: Efficacy of melphalan+dexamethasone and role of biochemical markers in monitoring the diseases course. <i>American Journal of Hematology</i> , 2010, 85, 131-132.	4.1	11
144	Lack of expression of inhibitory KIR3DL1 receptor in patients with natural killer cell-type lymphoproliferative disease of granular lymphocytes. <i>Haematologica</i> , 2010, 95, 1722-1729.	3.5	24

#	ARTICLE	IF	CITATIONS
145	Glycogen Synthase Kinase-3 regulates multiple myeloma cell growth and bortezomib-induced cell death. <i>BMC Cancer</i> , 2010, 10, 526.	2.6	39
146	The Italian Society of Immunology: past, present and future. <i>European Journal of Immunology</i> , 2010, 40, 2664-2666.	2.9	1
147	3-(2,4-Dichlorophenyl)-4-(1-methyl-1 <i>H</i> -indol-3-yl)-1 <i>H</i> -pyrrole-2,5-dione (SB216763), a Glycogen Synthase Kinase-3 Inhibitor, Displays Therapeutic Properties in a Mouse Model of Pulmonary Inflammation and Fibrosis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 785-794.	2.5	36
148	Large granular lymphocyte disorders: new etiopathogenetic clues as a rationale for innovative therapeutic approaches. <i>Haematologica</i> , 2009, 94, 1341-1345.	3.5	36
149	Considerations in the treatment of multiple myeloma: a consensus statement from Italian experts. <i>European Journal of Haematology</i> , 2009, 82, 93-105.	2.2	21
150	Analysis of NK cell/DC interaction in NK-type lymphoproliferative disease of granular lymphocytes (LDGL): role of DNAM-1 and NKp30. <i>Experimental Hematology</i> , 2009, 37, 1167-1175.	0.4	15
151	The Quality of Life of Children and Adolescents with X-Linked Agammaglobulinemia. <i>Journal of Clinical Immunology</i> , 2009, 29, 501-507.	3.8	34
152	P077 Adaptation and changes in quality of life in patients with myelodysplastic syndrome. <i>Leukemia Research</i> , 2009, 33, S103.	0.8	0
153	Modulation of ER Stress/Unfolded Protein Response (UPR) Pathways in Multiple Myeloma Cells by Inhibition of Hsp90 and Serine-Threonine Kinase CK2. <i>Blood</i> , 2009, 114, 3840-3840.	1.4	0
154	Clinical spectrum of $\hat{\imath}^3\hat{\imath}^+$ T cell LGL leukemia: Analysis of 20 cases. <i>Leukemia Research</i> , 2008, 32, 45-48.	0.8	65
155	T Cells in the Myenteric Plexus of Achalasia Patients Show a Skewed TCR Repertoire and React to HSV-1 Antigens. <i>American Journal of Gastroenterology</i> , 2008, 103, 1598-1609.	0.4	120
156	Geldanamycin-induced Lyn dissociation from aberrant Hsp90-stabilized cytosolic complex is an early event in apoptotic mechanisms in B-chronic lymphocytic leukemia. <i>Blood</i> , 2008, 112, 4665-4674.	1.4	53
157	Effects of CK2 Inhibition on Multiple Signaling Pathways in Myeloma Cells. <i>Blood</i> , 2008, 112, 5163-5163.	1.4	0
158	Right Atrial Mass in a Patient With T-Cell Chronic Lymphocytic Leukemia. <i>Circulation</i> , 2007, 116, e569-72.	1.6	2
159	Expression and role of CCR6/CCL20 chemokine axis in pulmonary sarcoidosis. <i>Journal of Leukocyte Biology</i> , 2007, 82, 946-955.	3.3	43
160	Expression of Receptor for Advanced Glycation End Products in Sarcoid Granulomas. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 498-506.	5.6	23
161	Changes of human B and B-1a peripheral blood lymphocytes with age. <i>Hematology</i> , 2007, 12, 337-341.	1.5	20
162	The mitochondrial effects of novel apoptogenic molecules generated by psoralen photolysis as a crucial mechanism in PUVA therapy. <i>Blood</i> , 2007, 109, 4988-4994.	1.4	30

#	ARTICLE	IF	CITATIONS
163	Granuloma Formation. , 2007, , 87-100.		1
164	T-cell type lymphoproliferative disease of granular lymphocytes (LDGL) is equipped with a phenotypic pattern typical of effector cytotoxic cells. <i>Leukemia Research</i> , 2007, 31, 371-377.	0.8	14
165	Telomerase expression in B-cell chronic lymphocytic leukemia predicts survival and delineates subgroups of patients with the same igVH mutation status and different outcome. <i>Leukemia</i> , 2007, 21, 965-972.	7.2	57
166	Genotypic evaluation of killer immunoglobulin-like receptors in NK-type lymphoproliferative disease of granular lymphocytes. <i>Leukemia</i> , 2007, 21, 1060-1069.	7.2	40
167	Multiple myeloma plasma cells show different chemokine receptor profiles at sites of disease activity. <i>British Journal of Haematology</i> , 2007, 138, 594-602.	2.5	44
168	Towards a new age in the treatment of multiple myeloma. <i>Annals of Hematology</i> , 2007, 86, 159-172.	1.8	31
169	SYSTEMIC DISEASE   Sarcoidosis. , 2006, , 196-202.		0
170	Multiple myeloma cell survival relies on high activity of protein kinase CK2. <i>Blood</i> , 2006, 108, 1698-1707.	1.4	123
171	The Mitochondrial Effects of Small Organic Ligands of BCL-2. <i>Journal of Biological Chemistry</i> , 2006, 281, 10066-10072.	3.4	62
172	Global monitoring of influenza: potential contribution of national networks from a French perspective. <i>Expert Review of Anti-Infective Therapy</i> , 2006, 4, 387-393.	4.4	5
173	Chemokine receptor expression in EBV-associated lymphoproliferation in hu/SCID mice: implications for CXCL12/CXCR4 axis in lymphoma generation. <i>Blood</i> , 2005, 105, 931-939.	1.4	38
174	Phenotypic and functional analyses of dendritic cells in patients with lymphoproliferative disease of granular lymphocytes (LDGL). <i>Blood</i> , 2005, 106, 3926-3931.	1.4	30
175	Heterogeneous intracellular expression of B-cell receptor components in B-cell chronic lymphocytic leukaemia (B-CLL) cells and effects of CD79b gene transfer on surface immunoglobulin levels in a B-CLL-derived cell line. <i>British Journal of Haematology</i> , 2005, 130, 878-889.	2.5	11
176	CD40 activation of B-CLL cells is associated with augmented intracellular levels of CD79b and increased BCR expression in a subset of patients. <i>Leukemia</i> , 2005, 19, 1099-1101.	7.2	3
177	Role for CXCR6 and Its Ligand CXCL16 in the Pathogenesis of T-Cell Alveolitis in Sarcoidosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 1290-1298.	5.6	81
178	Pulmonary Complications in Patients with Hematological Disorders: Pathobiological Bases and Practical Approach. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2005, 26, 439-444.	2.1	9
179	CXCR3/CXCL10 interactions in the development of hypersensitivity pneumonitis. <i>Respiratory Research</i> , 2005, 6, 20.	3.6	26
180	Chronic lymphocytic leukemia B cells contain anomalous Lyn tyrosine kinase, a putative contribution to defective apoptosis. <i>Journal of Clinical Investigation</i> , 2005, 115, 369-378.	8.2	192

#	ARTICLE	IF	CITATIONS
181	Lymphocytic Aspects. Lung Biology in Health and Disease, 2005, , 79-96.	0.1	0
182	Chronic lymphocytic leukemia B cells contain anomalous Lyn tyrosine kinase, a putative contribution to defective apoptosis. Journal of Clinical Investigation, 2005, 115, 369-378.	8.2	117
183	ACCESS: A Case Control Etiologic Study of Sarcoidosis. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2005, 22, 83-6.	0.2	28
184	Impact Factor as Measure of Scientific Quality. American Journal of Respiratory and Critical Care Medicine, 2004, 169, 1070-1071.	5.6	9
185	CCL19 and CXCL12 Trigger in Vitro Chemotaxis of Human Mantle Cell Lymphoma B Cells. Clinical Cancer Research, 2004, 10, 964-971.	7.0	64
186	T cells in the lung of patients with hypersensitivity pneumonitis accumulate in a clonal manner. Journal of Leukocyte Biology, 2004, 75, 798-804.	3.3	15
187	The raft marker GM1 identifies functional subsets of granular lymphocytes in patients with CD3+ lymphoproliferative disease of granular lymphocytes. Leukemia, 2004, 18, 771-776.	7.2	3
188	Molecular therapeutic approaches to acute myeloid leukemia: targeting aberrant chromatin dynamics and signal transduction. Expert Review of Anticancer Therapy, 2004, 4, 387-400.	2.4	6
189	Immunosuppressive therapy for idiopathic retroperitoneal fibrosis: a retrospective analysis of 26 cases. American Journal of Medicine, 2004, 116, 194-197.	1.5	138
190	Part II: Vaccines for haematological malignant disorders. Lancet Oncology, The, 2004, 5, 727-737.	10.7	37
191	New aspects of hypersensitivity pneumonitis. Current Opinion in Pulmonary Medicine, 2004, 10, 378-382.	2.6	53
192	Homeostatic chemokines drive migration of malignant B cells in patients with non-Hodgkin lymphomas. Blood, 2004, 104, 502-508.	1.4	144
193	The neutrophil-activating protein of Helicobacter pylori (HP-NAP) activates the MAPK pathway in human neutrophils. European Journal of Immunology, 2003, 33, 840-849.	2.9	48
194	Upregulation of CXCR1 by proliferating cells in patients with lymphoproliferative disease of granular lymphocytes. British Journal of Haematology, 2003, 120, 765-773.	2.5	9
195	Ifosfamide and Cyclophosphamide: Effects on Immunosurveillance. Oncology, 2003, 65, 17-20.	1.9	28
196	Aberrant Wnt/ $\beta$ 2-Catenin Pathway Activation in Idiopathic Pulmonary Fibrosis. American Journal of Pathology, 2003, 162, 1495-1502.	3.8	625
197	Natural killer receptors in patients with lymphoproliferative diseases of granular lymphocytes. Seminars in Hematology, 2003, 40, 201-212.	3.4	35
198	Expression and function of KIR and natural cytotoxicity receptors in NK-type lymphoproliferative diseases of granular lymphocytes. Blood, 2003, 102, 1797-1805.	1.4	106

#	ARTICLE	IF	CITATIONS
199	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003, , 631-664.	0.1	0
200	Prognostic Factors in Malignant Transformation of Monoclonal Gammopathy of Undetermined Significance. <i>Leukemia and Lymphoma</i> , 2002, 43, 1713-1714.	1.3	0
201	Complement Receptor 1 Gene Polymorphisms in Sarcoidosis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002, 27, 17-23.	2.9	64
202	Applied clinical immunology in sarcoidosis. <i>Current Opinion in Pulmonary Medicine</i> , 2002, 8, 441-444.	2.6	20
203	T-lymphocytes and cytokines in sarcoidosis. <i>Current Opinion in Pulmonary Medicine</i> , 2002, 8, 435-440.	2.6	79
204	Why antiviral CD8 T lymphocytes fail to prevent progressive immunodeficiency in HIV-1 infection. <i>Blood</i> , 2002, 99, 1876-1878.	1.4	0
205	Abnormal Re-epithelialization and Lung Remodeling in Idiopathic Pulmonary Fibrosis: The Role of $\beta$ -N-p63. <i>Laboratory Investigation</i> , 2002, 82, 1335-1345.	3.7	200
206	Lymphocytes. , 2002, , 119-130.		0
207	CXCR3 and Its Ligand CXCL10 Are Expressed by Inflammatory Cells Infiltrating Lung Allografts and Mediate Chemotaxis of T Cells at Sites of Rejection. <i>American Journal of Pathology</i> , 2001, 158, 1703-1711.	3.8	195
208	Telomerase Activity and Clinical Progression in Chronic Lymphoproliferative Disorders of B-Cell Lineage. <i>Leukemia and Lymphoma</i> , 2001, 41, 35-45.	1.3	6
209	Alveolar macrophage-T cell interactions during Th1-type sarcoid inflammation. <i>Microscopy Research and Technique</i> , 2001, 53, 278-287.	2.2	35
210	Identification of Nkp80, a novel triggering molecule expressed by human NK cells. <i>European Journal of Immunology</i> , 2001, 31, 233-242.	2.9	185
211	Antiapoptotic Effects of IL-15 on Pulmonary Tc1 Cells of Patients with Human Immunodeficiency Virus Infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 484-489.	5.6	15
212	HLA-Gm/ $\kappa$ interaction in sarcoidosis. Suggestions for a complex genetic structure. <i>European Respiratory Journal</i> , 2000, 16, 74-80.	6.7	12
213	New pathogenetic insights into the sarcoid granuloma. <i>Current Opinion in Rheumatology</i> , 2000, 12, 71-76.	4.3	128
214	B7 costimulatory molecules from malignant cells in patients with B-cell chronic lymphoproliferative disorders trigger T-cell proliferation. <i>Cancer</i> , 2000, 89, 1259-1268.	4.1	23
215	Clinicopathological features of aggressive large granular lymphocyte leukaemia resemble Fas ligand transgenic mice. <i>British Journal of Haematology</i> , 2000, 108, 717-723.	2.5	36
216	Immune mechanisms in interstitial lung diseases. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000, 55, 1103-1120.	5.7	45

#	ARTICLE	IF	CITATIONS
217	Analysis of TNF-receptor and ligand superfamily molecules in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 2000, 96, 647-654.	1.4	19
218	CXC Chemokines IP-10 and Mig Expression and Direct Migration of Pulmonary CD8 + /CXCR3 + T Cells in the Lungs of Patients with HIV Infection and T-Cell Alveolitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 162, 1466-1473.	5.6	95
219	Analysis of TNF-receptor and ligand superfamily molecules in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 2000, 96, 647-654.	1.4	7
220	B7 costimulatory molecules from malignant cells in patients with b-cell chronic lymphoproliferative disorders trigger t-cell proliferation. <i>Cancer</i> , 2000, 89, 1259-68.	4.1	2
221	Regulation of alveolar macrophage-T cell interactions during Th1-type sarcoid inflammatory process. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1999, 277, L240-L250.	2.9	35
222	CD8 T-Cell Infiltration in Extravascular Tissues of Patients With Human Immunodeficiency Virus Infection. Interleukin-15 Upmodulates Costimulatory Pathways Involved in the Antigen-Presenting Cellsâ€T-Cell Interaction. <i>Blood</i> , 1999, 93, 1277-1286.	1.4	25
223	Detection of identical T-cell clonotype expansions in both the donor and recipient after allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , 1999, 106, 119-127.	2.5	6
224	Telomerase activity in chronic lymphoproliferative disorders of B-cell lineage. <i>British Journal of Haematology</i> , 1999, 106, 662-668.	2.5	50
225	The growth and the control of human immunodeficiency virus in the lung: implications for highly active antiretroviral therapy. <i>European Journal of Clinical Investigation</i> , 1999, 29, 964-972.	3.4	22
226	The chemokine receptor CXCR3 is expressed on malignant B cells and mediates chemotaxis. <i>Journal of Clinical Investigation</i> , 1999, 104, 115-121.	8.2	134
227	CD8 T-Cell Infiltration in Extravascular Tissues of Patients With Human Immunodeficiency Virus Infection. Interleukin-15 Upmodulates Costimulatory Pathways Involved in the Antigen-Presenting Cellsâ€T-Cell Interaction. <i>Blood</i> , 1999, 93, 1277-1286.	1.4	11
228	Antibodies to the IL-12 receptor beta 2 chain mark human Th1 but not Th2 cells in vitro and in vivo. <i>Journal of Immunology</i> , 1999, 162, 3926-32.	0.8	101
229	ATS/ERS/WASOG statement on sarcoidosis. American Thoracic Society/European Respiratory Society/World Association of Sarcoidosis and other Granulomatous Disorders. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 1999, 16, 149-73.	0.2	736
230	CD138/syndecan-1: a useful immunohistochemical marker of normal and neoplastic plasma cells on routine trephine bone marrow biopsies. <i>Modern Pathology</i> , 1999, 12, 1101-6.	5.5	85
231	Cells and molecules involved in the development of sarcoid granuloma. <i>Journal of Clinical Immunology</i> , 1998, 18, 184-192.	3.8	44
232	The activating form of CD94 receptor complex: CD94 covalently associated with the Kp39 protein that represents the product of the NKG2-C gene. <i>European Journal of Immunology</i> , 1998, 28, 327-338.	2.9	94
233	The Italian quality control study for evaluation of CD4 cells in centres involved in the treatment of HIV-1 patients. <i>Clinical and Experimental Immunology</i> , 1998, 111, 564-573.	2.6	10
234	HIV load in highly purified CD8+ T cells retrieved from pulmonary and blood compartments. <i>Journal of Leukocyte Biology</i> , 1998, 64, 298-301.	3.3	20

#	ARTICLE	IF	CITATIONS
235	Cell apoptosis and granulomatous lung diseases. <i>Current Opinion in Pulmonary Medicine</i> , 1998, 4, 261-266.	2.6	23
236	Impaired cytokine production by neutrophils isolated from patients with AIDS. <i>Aids</i> , 1998, 12, 373-379.	2.2	25
237	Human Immunodeficiency Virus and the Lung. , 1998, , 141-165.		1
238	Cytokines in sarcoidosis. <i>Seminars in Respiratory Infections</i> , 1998, 13, 184-96.	1.3	33
239	Chemotactic cytokines: from the molecular level to clinical use. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 1998, 15, 131-3.	0.2	7
240	Large granular lymphocytosis. <i>Haematologica</i> , 1998, 83, 936-42.	3.5	31
241	Involvement of the IP-10 chemokine in sarcoid granulomatous reactions. <i>Journal of Immunology</i> , 1998, 161, 6413-20.	0.8	123
242	Release of prostaglandin E2 and leukotriene B4 by alveolar macrophages from patients with sarcoidosis. <i>Thorax</i> , 1997, 52, 76-83.	5.6	13
243	Role of Bronchoalveolar Lavage in Predicting Survival of Patients with Human Immunodeficiency Virus Infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 156, 1501-1507.	5.6	29
244	Selection of T lymphocytes bearing limited TCR-Vbeta regions in the lung of hypersensitivity pneumonitis and sarcoidosis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 155, 587-596.	5.6	34
245	Immune effector cells in idiopathic pulmonary fibrosis. <i>Current Opinion in Pulmonary Medicine</i> , 1997, 3, 348-355.	2.6	33
246	Interleukin-15: A Novel Cytokine with Regulatory Properties on Normal and Neoplastic B Lymphocytes. <i>Leukemia and Lymphoma</i> , 1997, 27, 35-42.	1.3	39
247	Immunological, clinical and molecular aspects of sarcoidosis. <i>Molecular Aspects of Medicine</i> , 1997, 18, 91-165.	6.4	22
248	The Lymphoproliferative Disease of Granular Lymphocytes: Updated Criteria for Diagnosis. <i>Blood</i> , 1997, 89, 256-260.	1.4	324
249	Interleukin-15 Triggers the Proliferation and Cytotoxicity of Granular Lymphocytes in Patients With Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997, 89, 201-211.	1.4	106
250	Interleukin-15 Triggers Activation and Growth of the CD8 T-Cell Pool in Extravascular Tissues of Patients With Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1997, 90, 1115-1123.	1.4	51
251	Seroreactivity to an Envelope Protein of Human T-Cell Leukemia/Lymphoma Virus in Patients With CD3 <sup>+</sup> (Natural Killer) Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997, 90, 1977-1981.	1.4	55
252	Spontaneous resolution of p58/EB6 antigen restricted NK $\epsilon$ type lymphoproliferative disease of granular lymphocytes: role of Epstein Barr virus infection. <i>British Journal of Haematology</i> , 1997, 99, 215-221.	2.5	14

#	ARTICLE	IF	CITATIONS
253	Interleukin-15 Triggers the Proliferation and Cytotoxicity of Granular Lymphocytes in Patients With Lymphoproliferative Disease of Granular Lymphocytes. <i>Blood</i> , 1997, 89, 201-211.	1.4	8
254	Interleukin-15 Triggers Activation and Growth of the CD8 T-Cell Pool in Extravascular Tissues of Patients With Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1997, 90, 1115-1123.	1.4	3
255	Interleukin-15 triggers the proliferation and cytotoxicity of granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1997, 89, 201-11.	1.4	39
256	The lymphoproliferative disease of granular lymphocytes: updated criteria for diagnosis. <i>Blood</i> , 1997, 89, 256-60.	1.4	154
257	Bias toward use of T-cell receptor variable regions in the lung: research tool or clinically useful technique?. <i>European Respiratory Journal</i> , 1997, 10, 767-9.	6.7	3
258	Human killer cell activatory receptors for MHC class I molecules are included in a multimeric complex expressed by natural killer cells. <i>Journal of Immunology</i> , 1997, 158, 5083-6.	0.8	188
259	Seroreactivity to an envelope protein of human T-cell leukemia/lymphoma virus in patients with CD3- (natural killer) lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1997, 90, 1977-81.	1.4	20
260	B lymphocytes from patients with chronic lymphoproliferative disorders are equipped with different costimulatory molecules. <i>Cancer Research</i> , 1997, 57, 4940-7.	0.9	72
261	IMMUNOLOGIC EFFECTS OF HIV IN THE LUNG. <i>Clinics in Chest Medicine</i> , 1996, 17, 633-645.	2.1	18
262	The natural killer-related receptor for HLA-C expressed on T cells from CD3+ lymphoproliferative disease of granular lymphocytes displays either inhibitory or stimulatory function. <i>Blood</i> , 1996, 87, 2369-2375.	1.4	31
263	Interleukin-15 promotes the growth of leukemic cells of patients with B- cell chronic lymphoproliferative disorders. <i>Blood</i> , 1996, 87, 3327-3335.	1.4	81
264	Skewing of the T-cell receptor repertoire in the lung of patients with HIV-1 infection. <i>Aids</i> , 1996, 10, 729-738.	2.2	21
265	Immunology of idiopathic pulmonary fibrosis. <i>Current Opinion in Pulmonary Medicine</i> , 1996, 2, 364-369.	2.6	12
266	IL-12 is involved in the activation of CD3 + granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. <i>British Journal of Haematology</i> , 1996, 92, 308-314.	2.5	9
267	A novel surface molecule homologous to the p58/p50 family of receptors is selectively expressed on a subset of human natural killer cells and induces both triggering of cell functions and proliferation. <i>European Journal of Immunology</i> , 1996, 26, 1816-1824.	2.9	126
268	Alterations in T cells of cancer-bearers: whence specificity?. <i>Trends in Immunology</i> , 1996, 17, 365-368.	7.5	57
269	HIV and pulmonary immune responses. <i>Trends in Immunology</i> , 1996, 17, 359-364.	7.5	34
270	Lysis of pulmonary fibroblasts by lymphokine (IL-2)-activated killer cells—a mechanism affecting the human lung microenvironment?. <i>Clinical and Experimental Immunology</i> , 1996, 105, 383-388.	2.6	6



#	ARTICLE	IF	CITATIONS
271	Cheese workers' lung. Allergy: European Journal of Allergy and Clinical Immunology, 1996, 51, 959-960.	5.7	10
272	Lung Lymphocytes: Origin, Biological Functions, and Laboratory Techniques for Their Study in immune-Mediated Pulmonary Disorders. Critical Reviews in Clinical Laboratory Sciences, 1996, 33, 423-455.	6.1	16
273	Polymorphism of angiotensin-converting enzyme gene in sarcoidosis.. American Journal of Respiratory and Critical Care Medicine, 1996, 153, 851-854.	5.6	70
274	Expression of tumor necrosis factor-receptor superfamily members by lung T lymphocytes in interstitial lung disease.. American Journal of Respiratory and Critical Care Medicine, 1996, 153, 1359-1367.	5.6	63
275	Detection of Epstein-Barr Virus by PCR Analyses in Lymphoproliferative Disease of Granular Lymphocytes. Leukemia and Lymphoma, 1996, 23, 371-374.	1.3	16
276	Role of IL-15, IL-2, and their receptors in the development of T cell alveolitis in pulmonary sarcoidosis. Journal of Immunology, 1996, 157, 910-8.	0.8	115
277	The CD5/CD72 receptor system is coexpressed with several functionally relevant counterstructures on human B cells and delivers a critical signaling activity. Journal of Immunology, 1996, 157, 1854-62.	0.8	44
278	Alveolar macrophages as a cell source of cytokine hyperproduction in HIV-related interstitial lung disease. Journal of Leukocyte Biology, 1995, 58, 495-500.	3.3	31
279	Tumour-infiltrating lymphocytes bear the 75 kDa tumour necrosis factor receptor. British Journal of Cancer, 1995, 71, 240-245.	6.4	17
280	"The sarcoidosis map": a joint survey of clinical and immunogenetic findings in two European countries.. American Journal of Respiratory and Critical Care Medicine, 1995, 152, 557-564.	5.6	149
281	CD8+ T lymphocytes in the lung of acquired immunodeficiency syndrome patients harbor human immunodeficiency virus type 1. Blood, 1995, 85, 2308-2314.	1.4	67
282	Expression of TNF receptors by T cells and membrane TNF-alpha by alveolar macrophages suggests a role for TNF-alpha in the regulation of the local immune responses in the lung of HIV-1-infected patients. Journal of Immunology, 1995, 154, 2928-38.	0.8	24
283	Analysis of the T cell receptor in the lymphoproliferative disease of granular lymphocytes: superantigen activation of clonal CD3+ granular lymphocytes. Cancer Research, 1995, 55, 6140-5.	0.9	45
284	Expression and regulation of tumor necrosis factor, interleukin-2, and hematopoietic growth factor receptors in B-cell chronic lymphocytic leukemia. Blood, 1994, 84, 4249-4256.	1.4	50
285	Does analysis of bronchoalveolar lavage fluid provide a tool to monitor disease progression or to predict survival in patients with HIV-1 infection?. Thorax, 1994, 49, 848-851.	5.6	12
286	Elevated IL-8 and MCP-1 in the bronchoalveolar lavage fluid of patients with idiopathic pulmonary fibrosis and pulmonary sarcoidosis.. American Journal of Respiratory and Critical Care Medicine, 1994, 149, 655-659.	5.6	239
287	Independent expression of p55 and p75 interleukin-2 receptors (IL-2R) during intravenous or subcutaneous administration of recombinant interleukin-2 (rIL-2) by T-lymphocytes and natural killer cells. Cancer, 1994, 74, 2562-2569.	4.1	6
288	Circulating soluble adhesion molecules: more observations on ICAM-1 in patients with Hodgkin's disease. Trends in Immunology, 1994, 15, 140-141.	7.5	4

#	ARTICLE	IF	CITATIONS
289	̢̢ T Cell Receptor Subsets in the Lung of Patients with HIV-1 Infection. <i>Cellular Immunology</i> , 1994, 153, 194-205.	3.0	27
290	Serum levels of tumour necrosis factor-̢̢ in patients with B-cell chronic lymphocytic leukaemia. <i>European Journal of Cancer</i> , 1994, 30, 1259-1263.	2.8	43
291	Functional role of IL-2 receptors on tumour-infiltrating lymphocytes. <i>British Journal of Cancer</i> , 1994, 69, 1046-1051.	6.4	12
292	High serum level of the soluble form of CD30 molecule in the early phase of HIV-1 infection as an independent predictor of progression to AIDS. <i>Aids</i> , 1994, 8, 741-746.	2.2	118
293	Expression and regulation of tumor necrosis factor, interleukin-2, and hematopoietic growth factor receptors in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 1994, 84, 4249-56.	1.4	9
294	Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. <i>Cancer</i> , 1993, 72, 201-206.	4.1	38
295	ICAM-1 tissue overexpression associated with increased serum levels of its soluble form in Hodgkin's disease. <i>British Journal of Haematology</i> , 1993, 84, 161-162.	2.5	41
296	Soluble interleukin-2 receptor in hairy-cell leukemia: a reliable marker of disease. <i>International Journal of Clinical and Laboratory Research</i> , 1993, 23, 34-37.	1.0	11
297	CD8 alveolitis in sarcoidosis: Incidence, phenotypic characteristics, and clinical features. <i>American Journal of Medicine</i> , 1993, 95, 466-472.	1.5	46
298	HIV-1 and the Lung: Infectivity, Pathogenic Mechanisms, and Cellular Immune Responses Taking Place in the Lower Respiratory Tract. <i>The American Review of Respiratory Disease</i> , 1993, 147, 1038-1049.	2.9	88
299	Alveolar Macrophages in HIV-1 Infection Express Accessory Molecules, Activation Markers, and Release Increased Biological Response Modifiers. <i>Chest</i> , 1993, 103, 108S-111S.	0.8	10
300	Cellular Immunity in Sarcoidosis and Hypersensitivity Pneumonitis. <i>Chest</i> , 1993, 103, 139S-143S.	0.8	6
301	CD5+ Leukemic Monocytoid B-cell Lymphoma and Lymphocytic Lymphomas. <i>American Journal of Clinical Pathology</i> , 1993, 100, 187-188.	0.7	2
302	HLA Class I, II, and III Polymorphism in Italian Patients With Sarcoidosis. <i>Chest</i> , 1993, 104, 1170-1175.	0.8	39
303	Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993, 81, 2723-2727.	1.4	45
304	Phenotypic diversity of natural killer (NK) populations in patients with NK-type lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993, 81, 2381-2385.	1.4	55
305	Expression and functional role of tumor necrosis factor receptors on leukemic cells from patients with type B chronic lymphoproliferative disorders. <i>Blood</i> , 1993, 81, 752-758.	1.4	50
306	Clonal studies of CD3- lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993, 81, 2363-2368.	1.4	63

#	ARTICLE	IF	CITATIONS
307	Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993, 81, 2723-2727.	1.4	1
308	Alveolar macrophages in HIV-1 infection express accessory molecules, activation markers, and release increased biological response modifiers. <i>Chest</i> , 1993, 103, 108S-111.	0.8	0
309	Clonal studies of CD3- lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993, 81, 2363-2368.	1.4	0
310	Constitutive expression of tenascin in T-dependent zones of human lymphoid tissues. <i>American Journal of Pathology</i> , 1993, 143, 1348-55.	3.8	42
311	Synthesis and release of granulocyte-macrophage colony-stimulating factor by alveolar macrophages of patients with sarcoidosis. <i>Sarcoidosis</i> , 1993, 10, 147-8.	0.4	8
312	Immunohistochemical detection of microenvironmental abnormalities in lung biopsies from patients with sarcoidosis. <i>Sarcoidosis</i> , 1993, 10, 152-3.	0.4	1
313	Pulmonary immune cells in health and disease: lymphocytes. <i>European Respiratory Journal</i> , 1993, 6, 1378-401.	6.7	44
314	Failure to detect Epstein-Barr virus DNA in peripheral blood mononuclear cells of most patients with large granular lymphocyte leukemia. <i>Blood</i> , 1993, 81, 2723-7.	1.4	10
315	Human retroviruses and their aetiological link to pulmonary diseases. <i>European Respiratory Journal</i> , 1993, 6, 925-9.	6.7	5
316	Phenotypic diversity of natural killer (NK) populations in patients with NK-type lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1993, 81, 2381-5.	1.4	9
317	High Serum Levels of Soluble Interleukin-2 Receptor and Absence of Detectable Levels of Soluble CD30 Molecule: A Specific Diagnostic Combination for Hairy Cell Leukemia. <i>Leukemia and Lymphoma</i> , 1992, 6, 385-388.	1.3	2
318	Immunology of Extrapulmonary Sarcoid Lesions. <i>Seminars in Respiratory and Critical Care Medicine</i> , 1992, 13, 380-392.	2.1	0
319	Spontaneous Production of Interleukin-6 by Alveolar Macrophages from Human Immunodeficiency Virus Type 1-Infected Patients. <i>Journal of Infectious Diseases</i> , 1992, 166, 731-737.	4.0	63
320	Prognostic significance of soluble CD8 serum levels in HIV-1 infection. <i>Aids</i> , 1992, 6, 133.	2.2	3
321	Determinants of HIV disease progression. <i>Lancet</i> , The, 1992, 339, 130.	13.7	2
322	Role of tumor necrosis factor-alpha and its specific 55-Kd and 75-Kd receptors in patients with lymphoproliferative disease of granular lymphocytes. <i>Blood</i> , 1992, 80, 2030-2037.	1.4	18
323	Expression of a functional p75 interleukin-2 receptor on lung lymphocytes from patients with human immunodeficiency virus type 1 (HIV-1) infection. <i>Journal of Clinical Immunology</i> , 1992, 12, 371-380.	3.8	9
324	Highly concentrated urine-purified Tac peptide fails to inhibit IL-2-dependent cell proliferation in vitro. <i>Cellular Immunology</i> , 1992, 141, 253-259.	3.0	12

#	ARTICLE	IF	CITATIONS
325	The interleukin-2/interleukin-2 receptor system: structural, immunological, and clinical features. <i>International Journal of Clinical and Laboratory Research</i> , 1992, 22, 133-142.	1.0	17
326	Cytotoxic In vitro function in patients with metastatic renal cell carcinoma before and after alpha-2b-interferon therapy effects of activation with recombinant interleukin-2. <i>Cancer</i> , 1992, 69, 2525-2531.	4.1	6
327	Transbronchial biopsy in sarcoidosis: the role of immunohistochemical analysis for granuloma detection. <i>Sarcoidosis</i> , 1992, 9, 95-100.	0.4	6
328	Expression and functional role of the p75 interleukin 2 receptor chain on leukemic hairy cells. <i>Cancer Research</i> , 1992, 52, 5223-8.	0.9	11
329	Release of granulocyte-macrophage colony-stimulating factor by alveolar macrophages in the lung of HIV-1-infected patients. A mechanism accounting for macrophage and neutrophil accumulation. <i>Journal of Immunology</i> , 1992, 149, 3379-85.	0.8	35
330	Clonally expanded CD3+, CD4 <sup>+</sup> , CD8 <sup>+</sup> cells bearing the or the T-cell receptor in patients with the lymphoproliferative disease of granular lymphocytes. <i>Clinical Immunology and Immunopathology</i> , 1991, 60, 371-383.	2.0	10
331	Serum interleukin-2 receptor as index of tumor burden in hairy cell leukemia [letter; comment]. <i>Blood</i> , 1991, 77, 2540-2542.	1.4	6
332	B-ly-7, a monoclonal antibody labeling of activated lung lymphocytes [letter]. <i>Blood</i> , 1991, 77, 1855-1856.	1.4	3
333	Prognostic Significance of the Evaluation of Bronchoalveolar Lavage Cell Populations in Patients with HIV-1 Infection and Pulmonary Involvement. <i>Chest</i> , 1991, 100, 1601-1606.	0.8	41
334	Shedding of the soluble form of the CD8 complex by CD8 +/HLA-DR + cells in HIV-1-infected patients. <i>Aids</i> , 1991, 5, 813-820.	2.2	15
335	Alveolar Macrophages from Patients with AIDS and AIDS-related Complex Constitutively Synthesize and Release Tumor Necrosis Factor Alpha. <i>The American Review of Respiratory Disease</i> , 1991, 144, 195-201.	2.9	51
336	Immunohistochemical characterization of sarcoid granuloma: differentiation antigens and adhesion molecules. <i>Sarcoidosis</i> , 1991, 8, 171-2.	0.4	5
337	Immunology of interstitial lung diseases: cellular events taking place in the lung of sarcoidosis, hypersensitivity pneumonitis and HIV infection. <i>European Respiratory Journal</i> , 1991, 4, 94-102.	6.7	54
338	Serum interleukin-2 receptor as index of tumor burden in hairy cell leukemia. <i>Blood</i> , 1991, 77, 2540-2.	1.4	2
339	Tumour necrosis factor: a cytokine with multiple biological activities. <i>British Journal of Cancer</i> , 1990, 61, 354-361.	6.4	97
340	Immune responses in the lung: Basic principles. <i>Lung</i> , 1990, 168, 1001-1012.	3.3	10
341	Bronchoalveolar lavage and the immunology of lung cancer. <i>Lung</i> , 1990, 168, 1041-1049.	3.3	10
342	Immunopathology of ocular sarcoidosis. <i>International Ophthalmology</i> , 1990, 14, 1-11.	1.4	8

#	ARTICLE	IF	CITATIONS
343	Degradation of immobilized soluble elastin by tumor cells in culture: Quantitation by elisa. International Journal of Cancer, 1990, 46, 552-558.	5.1	6
344	Clinical course and prognosis of the lymphoproliferative disease of granular lymphocytes. A multicenter study. Cancer, 1990, 65, 341-348.	4.1	161
345	Mechanisms accounting for the defective natural killer activity in patients with hairy cell leukemia. Blood, 1990, 75, 1525-1530.	1.4	35
346	Cell membrane expression and functional role of the p75 subunit of interleukin-2 receptor in lymphoproliferative disease of granular lymphocytes. Blood, 1990, 76, 2080-2085.	1.4	34
347	Multimarker immunohistochemical staining of calgranulins, chloroacetate esterase, and S100 for simultaneous demonstration of inflammatory cells on paraffin sections.. Journal of Histochemistry and Cytochemistry, 1990, 38, 1669-1675.	2.5	34
348	Cytotoxic Events Taking Place in the Lung of Patients with HIV-1 Infection: Evidence of an Intrinsic Defect of the Major Histocompatibility Complex-unrestricted Killing Partially Restored by the Incubation with rIL-2. The American Review of Respiratory Disease, 1990, 142, 516-522.	2.9	22
349	Cell membrane expression and functional role of the p75 subunit of interleukin-2 receptor in lymphoproliferative disease of granular lymphocytes. Blood, 1990, 76, 2080-5.	1.4	8
350	The clinical use of BAL in patients with pulmonary infections. European Respiratory Journal, 1990, 3, 954-5, 961-9.	6.7	2
351	Mechanisms accounting for the defective natural killer activity in patients with hairy cell leukemia. Blood, 1990, 75, 1525-30.	1.4	5
352	Cellular immune responses in the lung of hypersensitivity pneumonitis. European Respiratory Journal, 1990, 3, 357-9.	6.7	5
353	Human Retroviruses and Lung Involvement. The American Review of Respiratory Disease, 1989, 139, 1317-1322.	2.9	28
354	Serum levels of soluble interleukin-2 receptors in acute and chronic viral hepatitis. Digestive Diseases and Sciences, 1989, 34, 1559-1563.	2.3	23
355	Release of natural killer cytotoxic factor in patients with lymphoproliferative disease of granular lymphocytes. Leukemia Research, 1989, 13, 315-322.	0.8	6
356	Hairy cell sensitivity to the lysis in vitro. Cancer Immunology, Immunotherapy, 1989, 30, 254-256.	4.2	2
357	Serum levels of soluble interleukin-2 receptor in hairy cell leukaemia: a reliable marker of neoplastic bulk. British Journal of Haematology, 1989, 73, 181-186.	2.5	31
358	Functional analysis of cytotoxic cells in patients with acute nonlymphoblastic leukemia in complete remission. Cancer, 1989, 64, 667-672.	4.1	16
359	Evaluation of serum levels of soluble interleukin-2 receptor in patients with chronic lymphoproliferative disorders of T-lymphocytes. Cancer, 1989, 64, 2019-2023.	4.1	15
360	Lymphoproliferative disease of granular lymphocytes in a patient with concomitant hepatitis B virus infection of CD4 lymphocytes. Journal of Clinical Immunology, 1989, 9, 401-408.	3.8	8

#	ARTICLE	IF	CITATIONS
361	Serum levels of soluble CD8 are increased in patients with B chronic lymphocytic leukemia. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1989, 25, 1577-1581.	0.7	5
362	Increased levels of soluble CD8 molecule in the serum of patients with acquired immunodeficiency syndrome (AIDS) and AIDS-related disorders. <i>Clinical Immunology and Immunopathology</i> , 1989, 50, 146-153.	2.0	27
363	Increased Levels of Soluble Interleukin-2 Receptor in Non-Hodgkin's Lymphomas: Relationship with Clinical, Histologic, and Phenotypic Features. <i>American Journal of Clinical Pathology</i> , 1989, 92, 186-191.	0.7	48
364	Pulmonary alveolar macrophages from patients with active sarcoidosis express type IV collagenolytic proteinase. An enzymatic mechanism for influx of mononuclear phagocytes at sites of disease activity.. <i>Journal of Clinical Investigation</i> , 1989, 84, 605-612.	8.2	29
365	Generation of superoxide anion by alveolar macrophages in sarcoidosis: evidence for the activation of the oxygen metabolism in patients with high-intensity alveolitis. <i>Immunology</i> , 1989, 66, 451-8.	4.4	25
366	Increased serum levels of soluble interleukin-2 receptor in patients with systemic lupus erythematosus and rheumatoid arthritis. <i>Journal of Clinical Immunology</i> , 1988, 8, 447-452.	3.8	71
367	Natural killer cell function and lymphoid subpopulations in acute non-lymphoblastic leukaemia in complete remission. <i>British Journal of Cancer</i> , 1988, 58, 368-372.	6.4	42
368	Longitudinal study of alveolitis in hypersensitivity pneumonitis patients: An immunologic evaluation. <i>Journal of Allergy and Clinical Immunology</i> , 1988, 82, 577-585.	2.9	54
369	Different Types of Cytotoxic Lymphocytes Recovered from the Lungs of Patients with Hypersensitivity Pneumonitis. <i>The American Review of Respiratory Disease</i> , 1988, 137, 70-74.	2.9	58
370	Phenotypical and Functional Analysis of Bronchoalveolar Lavage Lymphocytes in Patients with HIV Infection. <i>The American Review of Respiratory Disease</i> , 1988, 138, 1609-1615.	2.9	71
371	Current Concepts on Bronchoalveolar Lavage Cells in Extrinsic Allergic Alveolitis. <i>Respiration</i> , 1988, 54, 59-65.	2.6	7
372	Origin of the soluble interleukin-2 receptor in the serum of patients with hairy cell leukemia. <i>Leukemia</i> , 1988, 2, 788-92.	7.2	18
373	Soluble interleukin-2 receptors in the serum of patients with Hodgkin's disease. <i>British Journal of Cancer</i> , 1987, 55, 427-428.	6.4	106
374	HTLV-I ANTIBODIES AND LYMPHOPROLIFERATIVE DISEASE OF GRANULAR LYMPHOCYTES. <i>Lancet</i> , The, 1987, 330, 1527.	13.7	20
375	High serum levels of soluble interleukin 2 receptor in patients with B chronic lymphocytic leukemia. <i>Blood</i> , 1987, 70, 396-400.	1.4	109
376	Pulmonary alveolar macrophages in patients with sarcoidosis and hypersensitivity pneumonitis: Characterization by monoclonal antibodies. <i>Journal of Clinical Immunology</i> , 1987, 7, 64-70.	3.8	36
377	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987, 60, 2412-2418.	4.1	25
378	The lymphoproliferative disease of granular lymphocytes. A heterogeneous disorder ranging from indolent to aggressive conditions. <i>Cancer</i> , 1987, 60, 2971-2978.	4.1	179

#	ARTICLE	IF	CITATIONS
379	Alpha-interferon activated cytotoxic lymphocytes in hairy cell leukemia patients: Evaluation of cytotoxic events. <i>Leukemia Research</i> , 1987, 11, 843-847.	0.8	13
380	Rearrangement for the T-cell receptor gene and co-expression of immature T-cell markers and natural killer cell phenotype, in a patient with acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 1987, 65, 17-22.	2.5	8
381	THE SOLUBLE INTERLEUKIN-2 RECEPTOR IN HAEMATOLOGICAL DISORDERS. <i>British Journal of Haematology</i> , 1987, 67, 377-380.	2.5	69
382	Soluble interleukin-2 receptors in the sera of patients with hairy cell leukemia: relationship with the effect of recombinant alpha-interferon therapy on clinical parameters and natural killer in vitro activity. <i>Blood</i> , 1987, 70, 1530-1535.	1.4	95
383	Cytotoxic in vitro function in the lymphoproliferative disease of granular lymphocytes. <i>Clinical and Experimental Immunology</i> , 1987, 70, 222-30.	2.6	4
384	High serum levels of soluble interleukin-2 receptors in sarcoidosis. <i>Sarcoidosis</i> , 1987, 4, 25-7.	0.4	26
385	High serum levels of soluble interleukin 2 receptor in patients with B chronic lymphocytic leukemia. <i>Blood</i> , 1987, 70, 396-400.	1.4	28
386	Soluble interleukin-2 receptors in the sera of patients with hairy cell leukemia: relationship with the effect of recombinant alpha-interferon therapy on clinical parameters and natural killer in vitro activity. <i>Blood</i> , 1987, 70, 1530-5.	1.4	18
387	Increased levels of soluble interleukin-2 receptor in the serum of patients with human immunodeficiency virus infection. <i>Diagnostic and Clinical Immunology</i> , 1987, 5, 180-3.	0.3	6
388	Activated T Cells with Immunoregulatory Functions at Different Sites of Involvement in Sarcoidosis.. <i>Annals of the New York Academy of Sciences</i> , 1986, 465, 56-73.	3.8	45
389	Alpha-interferon activates the natural killer system in patients with hairy cell leukemia. <i>Blood</i> , 1986, 68, 293-296.	1.4	66
390	Detection of a Soluble form of the Receptor for Interleukin 2 in the Serum of Patients with Hairy Cell Leukaemia. <i>International Journal of Biological Markers</i> , 1986, 1, 101-104.	1.8	36
391	Immunoregulation in Farmer's Lung Disease. <i>Chest</i> , 1986, 89, 133S-135S.	0.8	4
392	Definition by CB12 monoclonal antibody of a differentiation marker specific for human monocytes and their bone marrow precursors. <i>Cellular Immunology</i> , 1986, 97, 276-285.	3.0	9
393	The Immunology of Sarcoidosis. <i>Seminars in Respiratory and Critical Care Medicine</i> , 1986, 8, 17-29.	2.1	12
394	Transient expression of type IV collagenolytic metalloproteinase by human mononuclear phagocytes.. <i>Journal of Biological Chemistry</i> , 1986, 261, 2369-2375.	3.4	107
395	Lung T cells in hypersensitivity pneumonitis: phenotypic and functional analyses. <i>Journal of Immunology</i> , 1986, 137, 1164-72.	0.8	59
396	Transient expression of type IV collagenolytic metalloproteinase by human mononuclear phagocytes. <i>Journal of Biological Chemistry</i> , 1986, 261, 2369-75.	3.4	96

#	ARTICLE	IF	CITATIONS
397	Detection of a soluble form of the receptor for interleukin 2 in the serum of patients with hairy cell leukaemia. <i>International Journal of Biological Markers</i> , 1986, 1, 101-4.	1.8	14
398	Alpha-interferon activates the natural killer system in patients with hairy cell leukemia. <i>Blood</i> , 1986, 68, 293-6.	1.4	6
399	Impaired Gamma Interferon Production by Cells from Patients with Lymphoproliferative Disorders of Mature T and NK Cells. <i>Scandinavian Journal of Immunology</i> , 1985, 21, 315-320.	2.7	5
400	CHRONIC LYMPHOCYTOSIS DUE TO THE EXPANSION OF GRANULAR LYMPHOCYTES. <i>British Journal of Haematology</i> , 1985, 60, 771-773.	2.5	11
401	Phorbol ester induces abnormal chronic lymphocytic leukemia cells to express features of hairy cell leukemia. <i>Blood</i> , 1985, 66, 1035-1042.	1.4	57
402	Cultured T Cells from Patients with T Cell Chronic Lymphocytic Leukemia Demonstrate a Normal Phenotype. <i>Immunobiology</i> , 1985, 169, 186-197.	1.9	1
403	Immunohistologic analysis of a human pulmonary alveolar macrophage antigen. <i>Clinical Immunology and Immunopathology</i> , 1985, 37, 213-219.	2.0	15
404	Phenotypical and functional analysis of natural killer cells in sarcoidosis. <i>Clinical Immunology and Immunopathology</i> , 1985, 37, 262-275.	2.0	19
405	T-HELPER PHENOTYPE CHRONIC LYMPHOCYTIC LEUKAEMIA AND "ADULT T-CELL LEUKAEMIA" IN ITALY. <i>Lancet, The</i> , 1985, 326, 633-636.	13.7	38
406	T-HELPER PHENOTYPE LEUKAEMIAS: ROLE OF HTLV-I. <i>Lancet, The</i> , 1985, 326, 1367-1368.	13.7	6
407	Conjunctival Biopsy in Sarcoidosis. <i>American Journal of Ophthalmology</i> , 1985, 100, 347-348.	3.3	1
408	Bronchoalveolar lavage and lung histology. Comparative analysis of inflammatory and immunocompetent cells in patients with sarcoidosis and hypersensitivity pneumonitis. <i>The American Review of Respiratory Disease</i> , 1985, 132, 400-4.	2.9	97
409	Heterogeneous Expression of Dipeptidyl-Amino-Peptidase (DAP IV) in T-Cell Chronic Lymphocytic Leukemia. <i>Acta Haematologica</i> , 1984, 71, 277-281.	1.4	9
410	Abnormal expansions of polyclonal large to small size granular lymphocytes: reactive or neoplastic process?. <i>Blood</i> , 1984, 63, 1271-1277.	1.4	62
411	Immunohistological analysis of Tac antigen expression in tissues involved by Hodgkin's disease. <i>British Journal of Cancer</i> , 1984, 50, 415-417.	6.4	49
412	Chromosome studies in patients with T-CLL chronic lymphocytic leukemia and expansions of granular lymphocytes. <i>International Journal of Cancer</i> , 1984, 34, 171-176.	5.1	25
413	Characterization of two patients with lymphomas of large granular lymphocytes. <i>Cancer</i> , 1984, 53, 445-452.	4.1	39
414	Non-T, non-B childhood acute lymphoblastic leukemia. Correlation between cytochemical markers and first complete remission. <i>Cancer</i> , 1984, 54, 981-985.	4.1	6



#	ARTICLE	IF	CITATIONS
415	Classification of patients with T-cell chronic lymphocytic leukemia and expansions of granular lymphocytes: Heterogeneity of Italian cases by a multiparameter analysis. <i>Journal of Clinical Immunology</i> , 1984, 4, 174-184.	3.8	24
416	B cells in chronic lymphocytic leukaemia comparative analysis of blood and bone marrow. <i>Blut</i> , 1984, 49, 69-73.	1.2	3
417	Immunohistological study in sarcoidosis: Evaluation at different sites of disease activity. <i>Clinical Immunology and Immunopathology</i> , 1984, 30, 29-40.	2.0	59
418	Distribution and heterogeneity of cells detected by HNK-1 monoclonal antibody in blood and tissues in normal, reactive and neoplastic conditions. <i>Clinical and Experimental Immunology</i> , 1984, 57, 195-206.	2.6	46
419	Evidence of cells bearing interleukin-2 receptor at sites of disease activity in sarcoid patients. <i>Clinical and Experimental Immunology</i> , 1984, 57, 331-7.	2.6	49
420	T cell subpopulations in B cell chronic lymphocytic leukaemias. <i>Clinical and Experimental Immunology</i> , 1984, 57, 752-4.	2.6	2
421	The immunological approach to the enigma of sarcoidosis. <i>Sarcoidosis</i> , 1984, 1, 24-35.	0.4	7
422	Abnormal expansions of polyclonal large to small size granular lymphocytes: reactive or neoplastic process?. <i>Blood</i> , 1984, 63, 1271-7.	1.4	9
423	T lymphocytes in B-cell chronic lymphocytic leukemia: Characterization by monoclonal antibodies and correlation with Fc receptors. <i>Clinical Immunology and Immunopathology</i> , 1983, 26, 155-161.	2.0	39
424	Immunohistologic study of bone marrow involvement in B-chronic lymphocytic leukemia. <i>Blood</i> , 1983, 62, 1289-1296.	1.4	78
425	HNK-1 monoclonal antibody (Leu-7) in the identification of abnormal expansions of large granular lymphocytes. <i>Clinical and Experimental Immunology</i> , 1983, 52, 641-7.	2.6	25
426	Immunohistologic study of bone marrow involvement in B-chronic lymphocytic leukemia. <i>Blood</i> , 1983, 62, 1289-96.	1.4	19
427	Redistribution of T Lymphocytes in the Lymph Nodes of Patients with Sarcoidosis. <i>New England Journal of Medicine</i> , 1982, 306, 48-49.	27.0	79
428	T-CELL LEUKAEMIA-LYMPHOMA VIRUS AND HETEROGENEITY OF CHRONIC T-CELL MALIGNANCIES. <i>Lancet</i> , The, 1982, 320, 1273.	13.7	11
429	Heterogeneity of T-CLL defined by monoclonal antibodies in nine patients. <i>Clinical Immunology and Immunopathology</i> , 1982, 24, 330-341.	2.0	29
430	Immunologic evaluation of T chronic lymphocyte leukemia cells: correlations among phenotype, functional activities, and morphology. <i>Blood</i> , 1982, 59, 688-695.	1.4	78
431	Chronic T-cell leukaemias. III. T-colonies, PHA response and correlation with membrane phenotype. <i>Leukemia Research</i> , 1982, 6, 809-814.	0.8	11
432	Binding of sheep erythrocytes in chronic lymphocytic leukemias of B-cell origin. <i>Journal of Clinical Immunology</i> , 1982, 2, 296-302.	3.8	8

#	ARTICLE	IF	CITATIONS
433	Immunologic evaluation of T chronic lymphocyte leukemia cells: correlations among phenotype, functional activities, and morphology. <i>Blood</i> , 1982, 59, 688-95.	1.4	10
434	Immunoregulation in sarcoidosis. <i>Clinical Immunology and Immunopathology</i> , 1981, 19, 416-427.	2.0	25
435	N-Acetyl- $\beta$ -D-Glucosaminidase Activity in T Chronic Lymphocytic Leukaemia. <i>Acta Haematologica</i> , 1981, 66, 69-70.	1.4	3
436	T-lymphocyte subpopulations in chronic lymphocytic leukemia: A quantitative and functional study. <i>Cancer</i> , 1981, 48, 2191-2197.	4.1	42
437	Cytochemical Study of Thymocytes and T Lymphocytes. <i>British Journal of Haematology</i> , 1980, 44, 577-582.	2.5	73
438	D cells with cytotoxic activity in acute lymphoblastic leukemia. <i>Clinical Immunology and Immunopathology</i> , 1980, 16, 238-244.	2.0	6
439	Immunological features in chronic lymphocytic leukaemia (CLL) of T cell origin. <i>Journal of Clinical &amp; Laboratory Immunology</i> , 1979, 2, 45-50.	0.1	2
440	Stimulation induced by autologous lymphocyte subpopulations from healthy subjects in mixed lymphocyte reaction (MLR). <i>Transplantation Proceedings</i> , 1979, 11, 1373-4.	0.6	2