

Kezhong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5297113/publications.pdf>

Version: 2024-02-01

90
papers

9,487
citations

94269

37
h-index

51492

86
g-index

91
all docs

91
docs citations

91
times ranked

13191
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | An updated ANGPTL3-4-8 model as a mechanism of triglyceride partitioning between fat and oxidative tissues. <i>Progress in Lipid Research</i> , 2022, 85, 101140. | 5.3 | 41 |
| 2 | Analysis of Insulin Resistance in Nonalcoholic Steatohepatitis. <i>Methods in Molecular Biology</i> , 2022, 2455, 233-241. | 0.4 | 1 |
| 3 | Stress-induced Regulators of Intestinal Fat Absorption. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 1469-1470. | 2.3 | 2 |
| 4 | Inhalation Exposure to Airborne PM _{2.5} Induces Integrated Organelle Stress Response in the Liver. <i>FASEB Journal</i> , 2022, 36, . | 0.2 | 0 |
| 5 | MicroRNA-466 and microRNA-200 increase endothelial permeability in hyperglycemia by targeting Claudin-5. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 29, 259-271. | 2.3 | 7 |
| 6 | Intestinal Dysbiosis in Young Cystic Fibrosis Rabbits. <i>Journal of Personalized Medicine</i> , 2021, 11, 132. | 1.1 | 6 |
| 7 | Inositol Requiring Enzyme 1 Mediated Synthesis of Monounsaturated Fatty Acids as a Driver of B Cell Differentiation and Lupus-like Autoimmune Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 2314-2326. | 2.9 | 9 |
| 8 | Regulation of hepatic circadian metabolism by the E3 ubiquitin ligase HRD1-controlled CREBH/PPAR transcriptional program. <i>Molecular Metabolism</i> , 2021, 49, 101192. | 3.0 | 14 |
| 9 | ER Stress and Micronuclei Cluster: Stress Response Contributes to Genome Chaos in Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 673188. | 1.8 | 6 |
| 10 | Toll-like receptor 3 ablation prevented high-fat diet-induced obesity and metabolic disorder. <i>Journal of Nutritional Biochemistry</i> , 2021, 95, 108761. | 1.9 | 9 |
| 11 | Phenotypes of CF rabbits generated by CRISPR/Cas9-mediated disruption of the CFTR gene. <i>JCI Insight</i> , 2021, 6, . | 2.3 | 20 |
| 12 | Type 2 diabetes sex-specific effects associated with E167K coding variant in TM6SF2. <i>IScience</i> , 2021, 24, 103196. | 1.9 | 10 |
| 13 | Mitochondrial Nuclear Retrograde Regulator 1 (MNRR1) rescues the cellular phenotype of MELAS by inducing homeostatic mechanisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 32056-32065. | 3.3 | 31 |
| 14 | The UPR Transducer IRE1 Promotes Breast Cancer Malignancy by Degrading Tumor Suppressor microRNAs. <i>IScience</i> , 2020, 23, 101503. | 1.9 | 25 |
| 15 | Toll-like receptor 2 (TLR2) engages endoplasmic reticulum stress sensor IRE1 to regulate retinal innate responses in <i>Staphylococcus aureus</i> endophthalmitis. <i>FASEB Journal</i> , 2020, 34, 13826-13838. | 0.2 | 11 |
| 16 | Hepatic E4BP4 induction promotes lipid accumulation by suppressing AMPK signaling in response to chemical or diet-induced ER stress. <i>FASEB Journal</i> , 2020, 34, 13533-13547. | 0.2 | 16 |
| 17 | YY1 directly interacts with myocardin to repress the triad myocardin/SRF/CArG box-mediated smooth muscle gene transcription during smooth muscle phenotypic modulation. <i>Scientific Reports</i> , 2020, 10, 21781. | 1.6 | 12 |
| 18 | Mechanisms, regulation and functions of the unfolded protein response. <i>Nature Reviews Molecular Cell Biology</i> , 2020, 21, 421-438. | 16.1 | 1,129 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Modulating Heparanase Activity: Tuning Sulfation Pattern and Glycosidic Linkage of Oligosaccharides. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 4227-4255. | 2.9 | 10 |
| 20 | Ambient fine particulate matter disrupts hepatic circadian oscillation and lipid metabolism in a mouse model. <i>Environmental Pollution</i> , 2020, 262, 114179. | 3.7 | 35 |
| 21 | Ambient fine particulate matter exposure perturbed circadian rhythm and oscillations of lipid metabolism in adipose tissues. <i>Chemosphere</i> , 2020, 251, 126392. | 4.2 | 20 |
| 22 | Airborne Particulates Affect Corneal Homeostasis and Immunity. , 2020, 61, 23. | | 14 |
| 23 | Sex-dependent effects of ambient PM _{2.5} pollution on insulin sensitivity and hepatic lipid metabolism in mice. <i>Particle and Fibre Toxicology</i> , 2020, 17, 14. | 2.8 | 44 |
| 24 | MKP-1 Modulates Mitochondrial Transcription Factors, Oxidative Phosphorylation, and Glycolysis. <i>ImmunoHorizons</i> , 2020, 4, 245-258. | 0.8 | 11 |
| 25 | PM _{2.5} exposure induces systemic inflammation and oxidative stress in an intracranial atherosclerosis rat model. <i>Environmental Toxicology</i> , 2019, 34, 530-538. | 2.1 | 82 |
| 26 | Ameliorating Methylglyoxal-Induced Progenitor Cell Dysfunction for Tissue Repair in Diabetes. <i>Diabetes</i> , 2019, 68, 1287-1302. | 0.3 | 25 |
| 27 | Regulation of hepatic autophagy by stress-sensing transcription factor CREBH. <i>FASEB Journal</i> , 2019, 33, 7896-7914. | 0.2 | 18 |
| 28 | HIF-1 α regulates IL-1 β and IL-17 in sarcoidosis. <i>ELife</i> , 2019, 8, . | 2.8 | 50 |
| 29 | NO-to Autophagy: Fat Does the Trick for Diabetes. <i>Diabetes</i> , 2018, 67, 180-181. | 0.3 | 10 |
| 30 | Molecular architecture of mouse and human pancreatic zymogen granules: protein components and their copy numbers. <i>Biophysics Reports</i> , 2018, 4, 94-103. | 0.2 | 3 |
| 31 | Deficiency of the Mitochondrial NAD Kinase Causes Stress-Induced Hepatic Steatosis in Mice. <i>Gastroenterology</i> , 2018, 154, 224-237. | 0.6 | 35 |
| 32 | HRD1-ERAD controls production of the hepatokine FGF21 through CREBH polyubiquitination. <i>EMBO Journal</i> , 2018, 37, . | 3.5 | 43 |
| 33 | Hepatic Sel1-Hrd1 ER-associated degradation (ERAD) manages FGF21 levels and systemic metabolism via CREBH. <i>EMBO Journal</i> , 2018, 37, . | 3.5 | 55 |
| 34 | ER-associated ubiquitin ligase HRD1 programs liver metabolism by targeting multiple metabolic enzymes. <i>Nature Communications</i> , 2018, 9, 3659. | 5.8 | 42 |
| 35 | IRE1 α prevents hepatic steatosis by processing and promoting the degradation of select microRNAs. <i>Science Signaling</i> , 2018, 11, . | 1.6 | 95 |
| 36 | The endoplasmic reticulum-resident E3 ubiquitin ligase Hrd1 controls a critical checkpoint in B cell development in mice. <i>Journal of Biological Chemistry</i> , 2018, 293, 12934-12944. | 1.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | NRG1-Fc improves metabolic health via dual hepatic and central action. <i>JCI Insight</i> , 2018, 3, . | 2.3 | 37 |
| 38 | CREBH mediates metabolic inflammation to hepatic VLDL overproduction and hyperlipoproteinemia. <i>Journal of Molecular Medicine</i> , 2017, 95, 839-849. | 1.7 | 16 |
| 39 | CREBH Maintains Circadian Glucose Homeostasis by Regulating Hepatic Glycogenolysis and Gluconeogenesis. <i>Molecular and Cellular Biology</i> , 2017, 37, . | 1.1 | 46 |
| 40 | SUMOylation represses the transcriptional activity of the Unfolded Protein Response transducer ATF6. <i>Biochemical and Biophysical Research Communications</i> , 2017, 494, 446-451. | 1.0 | 9 |
| 41 | Inhalation Exposure to PM2.5 Counteracts Hepatic Steatosis in Mice Fed High-fat Diet by Stimulating Hepatic Autophagy. <i>Scientific Reports</i> , 2017, 7, 16286. | 1.6 | 33 |
| 42 | Inositol-Requiring Enzyme 1 Facilitates Diabetic Wound Healing Through Modulating MicroRNAs. <i>Diabetes</i> , 2017, 66, 177-192. | 0.3 | 47 |
| 43 | Interaction between stress responses and circadian metabolism in metabolic disease. <i>Liver Research</i> , 2017, 1, 156-162. | 0.5 | 16 |
| 44 | Fumonisin B1 Inhibits Endoplasmic Reticulum Stress Associated-apoptosis After FoscanPDT Combined with C6-Pyridinium Ceramide or Fenretinide. <i>Anticancer Research</i> , 2017, 37, 455-464. | 0.5 | 9 |
| 45 | SM22 α suppresses cytokine-induced inflammation and the transcription of NF- κ B inducing kinase (Nik) by modulating SRF transcriptional activity in vascular smooth muscle cells. <i>PLoS ONE</i> , 2017, 12, e0190191. | 1.1 | 13 |
| 46 | HDAC2 overexpression correlates with aggressive clinicopathological features and DNA-damage response pathway of breast cancer. <i>American Journal of Cancer Research</i> , 2017, 7, 1213-1226. | 1.4 | 29 |
| 47 | ER Stress-induced Inflammasome Activation Contributes to Hepatic Inflammation and Steatosis. <i>Journal of Clinical & Cellular Immunology</i> , 2016, 7, . | 1.5 | 34 |
| 48 | Microarray analysis of microRNA expression in bone marrow-derived progenitor cells from mice with type 2 diabetes. <i>Genomics Data</i> , 2016, 7, 86-87. | 1.3 | 2 |
| 49 | Toll-like Receptor (TLR) Signaling Interacts with CREBH to Modulate High-density Lipoprotein (HDL) in Response to Bacterial Endotoxin. <i>Journal of Biological Chemistry</i> , 2016, 291, 23149-23158. | 1.6 | 20 |
| 50 | Nogo β receptor deficiency increases liver X receptor alpha nuclear translocation and hepatic lipogenesis through an adenosine monophosphate α -activated protein kinase alpha α -dependent pathway. <i>Hepatology</i> , 2016, 64, 1559-1576. | 3.6 | 26 |
| 51 | CREBH Couples Circadian Clock With Hepatic Lipid Metabolism. <i>Diabetes</i> , 2016, 65, 3369-3383. | 0.3 | 59 |
| 52 | Endoplasmic reticulum-resident E3 ubiquitin ligase Hrd1 controls B-cell immunity through degradation of the death receptor CD95/Fas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10394-10399. | 3.3 | 38 |
| 53 | Glucagon regulates hepatic lipid metabolism via cAMP and Insig-2 signaling: implication for the pathogenesis of hypertriglyceridemia and hepatic steatosis. <i>Scientific Reports</i> , 2016, 6, 32246. | 1.6 | 30 |
| 54 | COX7AR is a Stress-inducible Mitochondrial COX Subunit that Promotes Breast Cancer Malignancy. <i>Scientific Reports</i> , 2016, 6, 31742. | 1.6 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Isolation and Primary Culture of Mouse Aortic Endothelial Cells. <i>Journal of Visualized Experiments</i> , 2016, , . | 0.2 | 45 |
| 56 | Transcriptional signatures of unfolded protein response implicate the limitation of animal models in pathophysiological studies. <i>Environmental Disease</i> , 2016, 1, 24. | 0.1 | 3 |
| 57 | A novel ERâ€“microtubule-binding protein, ERLIN2, stabilizes Cyclin B1 and regulates cell cycle progression. <i>Cell Discovery</i> , 2015, 1, 15024. | 3.1 | 25 |
| 58 | Petroleum Coke in the Urban Environment: A Review of Potential Health Effects. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6218-6231. | 1.2 | 48 |
| 59 | COPII-Dependent ER Export: A Critical Component of Insulin Biogenesis and Î²-Cell ER Homeostasis. <i>Molecular Endocrinology</i> , 2015, 29, 1156-1169. | 3.7 | 30 |
| 60 | Endoplasmic reticulum stress response and transcriptional reprogramming. <i>Frontiers in Genetics</i> , 2015, 5, 460. | 1.1 | 13 |
| 61 | Exposure to fine airborne particulate matters induces hepatic fibrosis in murine models. <i>Journal of Hepatology</i> , 2015, 63, 1397-1404. | 1.8 | 141 |
| 62 | Lysine Acetylation of CREBH Regulates Fasting-Induced Hepatic Lipid Metabolism. <i>Molecular and Cellular Biology</i> , 2015, 35, 4121-4134. | 1.1 | 41 |
| 63 | Liver-Enriched Transcription Factor CREBH Interacts With Peroxisome Proliferator-Activated Receptor Î± to Regulate Metabolic Hormone FGF21. <i>Endocrinology</i> , 2014, 155, 769-782. | 1.4 | 105 |
| 64 | Elevated systemic expression of ER stress related genes is associated with stress-related mental disorders in the Detroit Neighborhood Health Study. <i>Psychoneuroendocrinology</i> , 2014, 43, 62-70. | 1.3 | 65 |
| 65 | Toll-like receptor-mediated IRE1Î± activation as a therapeutic target for inflammatory arthritis. <i>EMBO Journal</i> , 2013, 32, 2477-2490. | 3.5 | 175 |
| 66 | Exposure to ambient particulate matter induces a NASH-like phenotype and impairs hepatic glucose metabolism in an animal model. <i>Journal of Hepatology</i> , 2013, 58, 148-154. | 1.8 | 241 |
| 67 | The Serine-threonine Kinase Inositol-requiring Enzyme 1Î± (IRE1Î±) Promotes IL-4 Production in T Helper Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 33272-33282. | 1.6 | 48 |
| 68 | Diabetes Mellitus Is Associated with Hepatocellular Carcinoma: A Retrospective Case-Control Study in Hepatitis Endemic Area. <i>PLoS ONE</i> , 2013, 8, e84776. | 1.1 | 25 |
| 69 | Exposure to fine airborne particulate matter induces macrophage infiltration, unfolded protein response, and lipid deposition in white adipose tissue. <i>American Journal of Translational Research (discontinued)</i> , 2013, 5, 224-34. | 0.0 | 50 |
| 70 | Endoplasmic reticulum factor ERLIN2 regulates cytosolic lipid content in cancer cells. <i>Biochemical Journal</i> , 2012, 446, 415-425. | 1.7 | 31 |
| 71 | Endoplasmic Reticulum Stress-Associated Lipid Droplet Formation and Type II Diabetes. <i>Biochemistry Research International</i> , 2012, 2012, 1-5. | 1.5 | 31 |
| 72 | Pharmacologic ER stress induces non-alcoholic steatohepatitis in an animal model. <i>Toxicology Letters</i> , 2012, 211, 29-38. | 0.4 | 125 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | ERLIN2 promotes breast cancer cell survival by modulating endoplasmic reticulum stress pathways. <i>BMC Cancer</i> , 2012, 12, 225. | 1.1 | 55 |
| 74 | Endoplasmic reticulum-tethered transcription factor cAMP responsive element-binding protein, hepatocyte specific, regulates hepatic lipogenesis, fatty acid oxidation, and lipolysis upon metabolic stress in mice. <i>Hepatology</i> , 2012, 55, 1070-1082. | 3.6 | 163 |
| 75 | Pharmacological ER stress promotes hepatic lipogenesis and lipid droplet formation. <i>American Journal of Translational Research (discontinued)</i> , 2012, 4, 102-13. | 0.0 | 102 |
| 76 | The unfolded protein response transducer IRE1 $\hat{\pm}$ prevents ER stress-induced hepatic steatosis. <i>EMBO Journal</i> , 2011, 30, 1357-1375. | 3.5 | 302 |
| 77 | Measurement of ER Stress Response and Inflammation in the Mouse Model of Nonalcoholic Fatty Liver Disease. <i>Methods in Enzymology</i> , 2011, 489, 329-348. | 0.4 | 25 |
| 78 | Airborne particulate matter selectively activates endoplasmic reticulum stress response in the lung and liver tissues. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 299, C736-C749. | 2.1 | 183 |
| 79 | Real-world exposure of airborne particulate matter triggers oxidative stress in an animal model. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2010, 2, 64-68. | 0.8 | 14 |
| 80 | ER Stress Controls Iron Metabolism Through Induction of Heparin. <i>Science</i> , 2009, 325, 877-880. | 6.0 | 278 |
| 81 | Hepatocyte nuclear factor 4 $\hat{\pm}$ is implicated in endoplasmic reticulum stress-induced acute phase response by regulating expression of cyclic adenosine monophosphate responsive element binding protein H. <i>Hepatology</i> , 2008, 48, 1242-1250. | 3.6 | 88 |
| 82 | From endoplasmic-reticulum stress to the inflammatory response. <i>Nature</i> , 2008, 454, 455-462. | 13.7 | 1,693 |
| 83 | Chapter Twenty Identification and Characterization of Endoplasmic Reticulum Stress-Induced Apoptosis In Vivo. <i>Methods in Enzymology</i> , 2008, 442, 395-419. | 0.4 | 78 |
| 84 | Antioxidants reduce endoplasmic reticulum stress and improve protein secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18525-18530. | 3.3 | 593 |
| 85 | Endoplasmic Reticulum Stress Activates Cleavage of CREBH to Induce a Systemic Inflammatory Response. <i>Cell</i> , 2006, 124, 587-599. | 13.5 | 720 |
| 86 | The unfolded protein response: A stress signaling pathway critical for health and disease. <i>Neurology</i> , 2006, 66, S102-S109. | 1.5 | 519 |
| 87 | Antioxidants Improve Factor VIII Secretion in the Liver by Preventing Oxidative Stress, Activation of the Unfolded Protein Response, and Apoptosis.. <i>Blood</i> , 2006, 108, 197-197. | 0.6 | 0 |
| 88 | The unfolded protein response sensor IRE1 $\hat{\pm}$ is required at 2 distinct steps in B cell lymphopoiesis. <i>Journal of Clinical Investigation</i> , 2005, 115, 268-281. | 3.9 | 270 |
| 89 | The unfolded protein response sensor IRE1 $\hat{\pm}$ is required at 2 distinct steps in B cell lymphopoiesis. <i>Journal of Clinical Investigation</i> , 2005, 115, 268-281. | 3.9 | 193 |
| 90 | Signaling the Unfolded Protein Response from the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2004, 279, 25935-25938. | 1.6 | 508 |