

# Natalia V Alenina

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5301566/publications.pdf>

Version: 2024-02-01

103  
papers

5,825  
citations

94433

37  
h-index

76900

74  
g-index

106  
all docs

106  
docs citations

106  
times ranked

6535  
citing authors

#	ARTICLE	IF	CITATIONS
1	The ACE2/Angiotensin-(1 <sup>α</sup> 7)/MAS Axis of the Renin-Angiotensin System: Focus on Angiotensin-(1 <sup>α</sup> 7). <i>Physiological Reviews</i> , 2018, 98, 505-553.	28.8	756
2	Discovery and Characterization of Alamandine. <i>Circulation Research</i> , 2013, 112, 1104-1111.	4.5	323
3	Growth retardation and altered autonomic control in mice lacking brain serotonin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 10332-10337.	7.1	305
4	<i>Mas</i> Deficiency in FVB/N Mice Produces Marked Changes in Lipid and Glycemic Metabolism. <i>Diabetes</i> , 2008, 57, 340-347.	0.6	219
5	Impairment of In Vitro and In Vivo Heart Function in Angiotensin-(1-7) Receptor <i>Mas</i> Knockout Mice. <i>Hypertension</i> , 2006, 47, 996-1002.	2.7	211
6	Serotonin Is Required for Exercise-Induced Adult Hippocampal Neurogenesis. <i>Journal of Neuroscience</i> , 2013, 33, 8270-8275.	3.6	185
7	Endothelial Dysfunction and Elevated Blood Pressure in <i>Mas</i> Gene-Deleted Mice. <i>Hypertension</i> , 2008, 51, 574-580.	2.7	178
8	Evidence for a Functional Interaction of the Angiotensin-(1 <sup>α</sup> 7) Receptor <i>Mas</i> With AT 1 and AT 2 Receptors in the Mouse Heart. <i>Hypertension</i> , 2005, 46, 937-942.	2.7	158
9	Nonpeptide AVE 0991 Is an Angiotensin-(1 <sup>α</sup> 7) Receptor <i>Mas</i> Agonist in the Mouse Kidney. <i>Hypertension</i> , 2004, 44, 490-496.	2.7	155
10	Molecular Mechanisms Involved in the Angiotensin-(1-7)/ <i>Mas</i> Signaling Pathway in Cardiomyocytes. <i>Hypertension</i> , 2008, 52, 542-548.	2.7	147
11	<i>Mas</i> and Its Related G Protein-Coupled Receptors, Mrgprs. <i>Pharmacological Reviews</i> , 2014, 66, 1080-1105.	16.0	147
12	The role of serotonin in adult hippocampal neurogenesis. <i>Behavioural Brain Research</i> , 2015, 277, 49-57.	2.2	144
13	Improved Lipid and Glucose Metabolism in Transgenic Rats With Increased Circulating Angiotensin-(1-7). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 953-961.	2.4	143
14	ACE2-angiotensin-(1 <sup>α</sup> 7)- <i>Mas</i> axis and oxidative stress in cardiovascular disease. <i>Hypertension Research</i> , 2011, 34, 154-160.	2.7	141
15	Genetic deletion of the angiotensin-(1 <sup>α</sup> 7) receptor <i>Mas</i> leads to glomerular hyperfiltration and microalbuminuria. <i>Kidney International</i> , 2009, 75, 1184-1193.	5.2	125
16	Genetically altered animal models for <i>Mas</i> and angiotensin-(1 <sup>α</sup> 7). <i>Experimental Physiology</i> , 2008, 93, 528-537.	2.0	119
17	ACE2 in Brain Physiology and Pathophysiology: Evidence from Transgenic Animal Models. <i>Neurochemical Research</i> , 2019, 44, 1323-1329.	3.3	112
18	Stretch-Activation of Angiotensin II Type 1 Receptors Contributes to the Myogenic Response of Mouse Mesenteric and Renal Arteries. <i>Circulation Research</i> , 2014, 115, 263-272.	4.5	108

#	ARTICLE	IF	CITATIONS
19	Life without brain serotonin: Reevaluation of serotonin function with mice deficient in brain serotonin synthesis. <i>Behavioural Brain Research</i> , 2015, 277, 78-88.	2.2	104
20	Comeback of the Rat in Biomedical Research. <i>ACS Chemical Neuroscience</i> , 2017, 8, 900-903.	3.5	90
21	An orally active formulation of angiotensin-(1-7) produces an antithrombotic effect. <i>Clinics</i> , 2011, 66, 837-841.	1.5	89
22	Evidence for Heterodimerization and Functional Interaction of the Angiotensin Type 2 Receptor and the Receptor MAS. <i>Hypertension</i> , 2017, 69, 1128-1135.	2.7	87
23	Angiotensin-(1 <sup>7</sup> )/Mas axis integrity is required for the expression of object recognition memory. <i>Neurobiology of Learning and Memory</i> , 2012, 97, 113-123.	1.9	74
24	Oral administration of angiotensin-(1 <sup>7</sup> ) ameliorates type 2 diabetes in rats. <i>Journal of Molecular Medicine</i> , 2014, 92, 255-265.	3.9	74
25	Postnatal Growth Defects in Mice with Constitutive Depletion of Central Serotonin. <i>ACS Chemical Neuroscience</i> , 2013, 4, 171-181.	3.5	71
26	Tryptophan Hydroxylase as Novel Target for the Treatment of Depressive Disorders. <i>Pharmacology</i> , 2010, 85, 95-109.	2.2	68
27	Ablation of angiotensin (1-7) receptor Mas in C57Bl/6 mice causes endothelial dysfunction. <i>Journal of the American Society of Hypertension</i> , 2008, 2, 418-424.	2.3	63
28	Reduced isolation-induced pup ultrasonic communication in mouse pups lacking brain serotonin. <i>Molecular Autism</i> , 2015, 6, 13.	4.9	54
29	Evidence that the vasodilator angiotensin-(1 <sup>7</sup> )-Mas axis plays an important role in erectile function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2588-H2596.	3.2	53
30	Depletion of angiotensin-converting enzyme 2 reduces brain serotonin and impairs the running-induced neurogenic response. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 3625-3634.	5.4	53
31	Genetic Deletion of ACE2 Induces Vascular Dysfunction in C57BL/6 Mice: Role of Nitric Oxide Imbalance and Oxidative Stress. <i>PLoS ONE</i> , 2016, 11, e0150255.	2.5	52
32	The role of angiotensin(1 <sup>7</sup> ) receptor Mas in spermatogenesis in mice and rats. <i>Journal of Anatomy</i> , 2009, 214, 736-743.	1.5	50
33	Effects of genetic deletion of angiotensin-(1 <sup>7</sup> ) receptor Mas on cardiac function during ischemia/reperfusion in the isolated perfused mouse heart. <i>Life Sciences</i> , 2006, 80, 264-268.	4.3	48
34	Angiotensin-(1-7) attenuates the anxiety and depression-like behaviors in transgenic rats with low brain angiotensinogen. <i>Behavioural Brain Research</i> , 2013, 257, 25-30.	2.2	48
35	The Meaning of Mas. <i>Hypertension</i> , 2018, 72, 1072-1075.	2.7	46
36	Effects of ACE2 deficiency on physical performance and physiological adaptations of cardiac and skeletal muscle to exercise. <i>Hypertension Research</i> , 2016, 39, 506-512.	2.7	45

#	ARTICLE	IF	CITATIONS
37	Angiotensin-(1-7) receptor Mas is an essential modulator of extracellular matrix protein expression in the heart. <i>Regulatory Peptides</i> , 2012, 175, 30-42.	1.9	38
38	Angiotensin 1 <sup>–7</sup> Reduces Mortality and Rupture of Intracranial Aneurysms in Mice. <i>Hypertension</i> , 2014, 64, 362-368.	2.7	38
39	Cell Type-specific Expression of the Mas Proto-oncogene in Testis. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 691-695.	2.5	37
40	Inducible Transgenic Rat Model for Diabetes Mellitus Based on shRNA-Mediated Gene Knockdown. <i>PLoS ONE</i> , 2009, 4, e5124.	2.5	37
41	Mas receptors in modulating relaxation induced by perivascular adipose tissue. <i>Life Sciences</i> , 2011, 89, 467-472.	4.3	37
42	Knockout of Angiotensin 1 <sup>–7</sup> Receptor Mas Worsens the Course of Two-Kidney, One-Clip Goldblatt Hypertension: Roles of Nitric Oxide Deficiency and Enhanced Vascular Responsiveness to Angiotensin II. <i>Kidney and Blood Pressure Research</i> , 2010, 33, 476-488.	2.0	35
43	Adaptive changes in serotonin metabolism preserve normal behavior in mice with reduced TPH2 activity. <i>Neuropharmacology</i> , 2014, 85, 73-80.	4.1	35
44	Genetic deletion of the alamandine receptor MRGD leads to dilated cardiomyopathy in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 316, H123-H133.	3.2	35
45	Exercise induces renin <sup>–</sup> angiotensin system unbalance and high collagen expression in the heart of Mas-deficient mice. <i>Peptides</i> , 2012, 38, 54-61.	2.4	32
46	Alterations in gene expression in the testis of angiotensin-(1 <sup>–7</sup> )-receptor Mas-deficient mice. <i>Regulatory Peptides</i> , 2007, 138, 51-55.	1.9	31
47	Altered cardiovascular reflexes responses in conscious Angiotensin-(1-7) receptor Mas-knockout mice. <i>Peptides</i> , 2010, 31, 1934-1939.	2.4	31
48	Receptor Mas Protects Mice Against Hypothermia and Mortality Induced By Endotoxemia. <i>Shock</i> , 2014, 41, 331-336.	2.1	31
49	Functional Cross-Talk Between Aldosterone and Angiotensin-(1-7) in Ventricular Myocytes. <i>Hypertension</i> , 2013, 61, 425-430.	2.7	30
50	Diabetes Mellitus in Pregnancy Leads to Growth Restriction and Epigenetic Modification of the <i>Srebf2</i> Gene in Rat Fetuses. <i>Hypertension</i> , 2018, 71, 911-920.	2.7	30
51	Mas receptor deficiency is associated with worsening of lipid profile and severe hepatic steatosis in ApoE-knockout mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 305, R1323-R1330.	1.8	28
52	Increased brain-derived neurotrophic factor (BDNF) protein concentrations in mice lacking brain serotonin. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 281-284.	3.2	28
53	Derivation, Characterization, and Stable Transfection of Induced Pluripotent Stem Cells from Fischer344 Rats. <i>PLoS ONE</i> , 2011, 6, e27345.	2.5	26
54	Reply to Lrp5 regulation of bone mass and gut serotonin synthesis. <i>Nature Medicine</i> , 2014, 20, 1229-1230.	30.7	26

#	ARTICLE	IF	CITATIONS
55	Stable maintenance of <i>de novo</i> assembled human artificial chromosomes in embryonic stem cells and their differentiated progeny in mice. <i>Cell Cycle</i> , 2015, 14, 1268-1273.	2.6	22
56	Serotonin regulates prostate growth through androgen receptor modulation. <i>Scientific Reports</i> , 2017, 7, 15428.	3.3	21
57	TPH2 Deficiency Influences Neuroplastic Mechanisms and Alters the Response to an Acute Stress in a Sex Specific Manner. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 389.	2.9	21
58	Angiotensin-(1-7) induces beige fat thermogenesis through the Mas receptor. <i>Metabolism: Clinical and Experimental</i> , 2020, 103, 154048.	3.4	19
59	CYP17A1 deficient XY mice display susceptibility to atherosclerosis, altered lipidomic profile and atypical sex development. <i>Scientific Reports</i> , 2020, 10, 8792.	3.3	19
60	Forced Expression of LIM Homeodomain Transcription Factor 1b Enhances Differentiation of Mouse Embryonic Stem Cells into Serotonergic Neurons. <i>Stem Cells and Development</i> , 2011, 20, 301-311.	2.1	17
61	Mas receptor deficiency exacerbates lipopolysaccharide-induced cerebral and systemic inflammation in mice. <i>Immunobiology</i> , 2015, 220, 1311-1321.	1.9	17
62	Transfer of Synthetic Human Chromosome into Human Induced Pluripotent Stem Cells for Biomedical Applications. <i>Cells</i> , 2018, 7, 261.	4.1	17
63	Beyond Gene Inactivation: Evolution of Tools for Analysis of Serotonergic Circuitry. <i>ACS Chemical Neuroscience</i> , 2015, 6, 1116-1129.	3.5	14
64	CD36/Sirtuin 1 Axis Impairment Contributes to Hepatic Steatosis in ACE2-Deficient Mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-11.	4.0	13
65	Lack of Brain Serotonin Affects Feeding and Differentiation of Newborn Cells in the Adult Hypothalamus. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 65.	3.7	13
66	Myogenic Vasoconstriction Requires Canonical G <sub>q/11</sub> Signaling of the Angiotensin II Type 1 Receptor. <i>Journal of the American Heart Association</i> , 2022, 11, e022070.	3.7	12
67	Phenylalanine hydroxylase contributes to serotonin synthesis in mice. <i>FASEB Journal</i> , 2021, 35, e21648.	0.5	11
68	Alamandine but not angiotensin-(1-7) produces cardiovascular effects at the rostral insular cortex. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 321, R513-R521.	1.8	11
69	The TetO rat as a new translational model for type 2 diabetic retinopathy by inducible insulin receptor knockdown. <i>Diabetologia</i> , 2017, 60, 202-211.	6.3	10
70	Mast Cells and Serotonin Synthesis Modulate Chagas Disease in the Colon: Clinical and Experimental Evidence. <i>Digestive Diseases and Sciences</i> , 2018, 63, 1473-1484.	2.3	10
71	Increased adult neurogenesis in mice with a permanent overexpression of the postsynaptic 5-HT 1A receptor. <i>Neuroscience Letters</i> , 2016, 633, 246-251.	2.1	9
72	Targeted Manipulation of Brain Serotonin: RNAi-Mediated Knockdown of Tryptophan Hydroxylase 2 in Rats. <i>ACS Chemical Neuroscience</i> , 2019, 10, 3207-3217.	3.5	9

#	ARTICLE	IF	CITATIONS
73	Cytochrome P450 2D (CYP2D) enzyme dysfunction associated with aging and serotonin deficiency in the brain and liver of female Dark Agouti rats. <i>Neurochemistry International</i> , 2022, 152, 105223.	3.8	8
74	Priming of LTP in amygdala and hippocampus by prior paired pulse facilitation paradigm in mice lacking brain serotonin. <i>Hippocampus</i> , 2019, 29, 610-618.	1.9	7
75	The Absence of Serotonin in the Brain Alters Acute Stress Responsiveness by Interfering With the Genomic Function of the Glucocorticoid Receptors. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 128.	3.7	7
76	Genetic Deletion of Trace-Amine Associated Receptor 9 (TAAR9) in Rats Leads to Decreased Blood Cholesterol Levels. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2942.	4.1	7
77	ACE2, a multifunctional protein “ from cardiovascular regulation to COVID-19. <i>Clinical Science</i> , 2020, 134, 3229-3232.	4.3	7
78	Glucagon-producing cells are increased in Mas-deficient mice. <i>Endocrine Connections</i> , 2017, 6, 27-32.	1.9	6
79	Angiotensin-(1-7) Receptor Mas in Hemodynamic and Thermoregulatory Dysfunction After High-Level Spinal Cord Injury in Mice: A Pilot Study. <i>Frontiers in Physiology</i> , 2018, 9, 1930.	2.8	6
80	The serotonin-free brain: behavioral consequences of Tph2 deficiency in animal models. <i>Handbook of Behavioral Neuroscience</i> , 2020, 31, 601-607.	0.7	6
81	Dorsal raphe serotonin neurotransmission is required for the expression of nursing behavior and for pup survival. <i>Scientific Reports</i> , 2021, 11, 6004.	3.3	6
82	Diabetic pregnancy as a novel risk factor for cardiac dysfunction in the offspring—the heart as a target for fetal programming in rats. <i>Diabetologia</i> , 2021, 64, 2829-2842.	6.3	6
83	Peripheral Serotonin Deficiency Affects Anxiety-like Behavior and the Molecular Response to an Acute Challenge in Rats. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4941.	4.1	6
84	Nephropathy in Hypertensive Animals Is Linked to M2 Macrophages and Increased Expression of the YM1/Chi3l3 Protein. <i>Mediators of Inflammation</i> , 2019, 2019, 1-14.	3.0	5
85	The antiobese effect of AT1 receptor blockade is augmented in mice lacking Mas. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 865-877.	3.0	5
86	Evaluation of Endothelial Dysfunction In Vivo. <i>Methods in Molecular Biology</i> , 2017, 1527, 355-367.	0.9	4
87	Targeted genomic integration of EGFP under tubulin beta 3 class III promoter and mEos2 under tryptophan hydroxylase 2 promoter does not produce sufficient levels of reporter gene expression. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 17208-17218.	2.6	4
88	3-Amino-1,2,4-Triazole Induces Quick and Strong Fat Loss in Mice with High Fat-Induced Metabolic Syndrome. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-14.	4.0	4
89	Intrauterine Exposure to Diabetic Milieu Does Not Induce Diabetes and Obesity in Male Adulthood in a Novel Rat Model. <i>Hypertension</i> , 2021, 77, 202-215.	2.7	4
90	Hemodynamic phenotyping of transgenic rats with ubiquitous expression of an angiotensin-(1-7)-producing fusion protein. <i>Clinical Science</i> , 2021, 135, 2197-2216.	4.3	4

#	ARTICLE	IF	CITATIONS
91	Tph2 Gene Expression Defines Ethanol Drinking Behavior in Mice. <i>Cells</i> , 2022, 11, 874.	4.1	4
92	Angiotensin-(1-7) and Mas. , 2015, , 155-159.		3
93	Chronic Overexpression of Bradykinin in Kidney Causes Polyuria and Cardiac Hypertrophy. <i>Frontiers in Medicine</i> , 2018, 5, 338.	2.6	3
94	Abstract P110: Mrgd Expression in Cardiovascular Related Areas. <i>Hypertension</i> , 2015, 66, .	2.7	3
95	Alterations in BDNF Protein Concentrations in the Hippocampus do not Explain the Pro-Neurogenic Effect of Citalopram on Adult Neurogenesis. <i>Pharmacopsychiatry</i> , 2021, 54, 101-105.	3.3	2
96	Enduring Effects of Conditional Brain Serotonin Knockdown, Followed by Recovery, on Adult Rat Neurogenesis and Behavior. <i>Cells</i> , 2021, 10, 3240.	4.1	2
97	In Vivo Renin Activity Imaging in the Kidney of Progeroid Ercc1 Mutant Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12433.	4.1	2
98	Carbon-mixed dental cement for fixing fiber optic ferrules prevents visually triggered locomotive enhancement in mice upon optogenetic stimulation. <i>Heliyon</i> , 2022, 8, e08692.	3.2	2
99	Multiple non-coding exons and alternative splicing in the mouse Mas protooncogene. <i>Gene</i> , 2015, 568, 155-164.	2.2	1
100	Angiotensin-(1â€“7) Receptor Mas Deficiency Does Not Exacerbate Cardiac Atrophy Following High-Level Spinal Cord Injury in Mice. <i>Frontiers in Physiology</i> , 2020, 11, 203.	2.8	1
101	Life Without Brain Serotonin. , 2019, , 405-420.		0
102	Characterization of a novel transgenic rat model for imaging brain vascular dynamics in vivo using confocal endomicroscopy (686.27). <i>FASEB Journal</i> , 2014, 28, 686.27.	0.5	0
103	Genetic Models. , 2019, , 35-51.		0