

Jean François Emile

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5302446/publications.pdf>

Version: 2024-02-01

188
papers

13,992
citations

31976

53
h-index

22166

113
g-index

196
all docs

196
docs citations

196
times ranked

12834
citing authors

#	ARTICLE	IF	CITATIONS
1	ALK-positive histiocytosis: a new clinicopathologic spectrum highlighting neurologic involvement and responses to ALK inhibition. <i>Blood</i> , 2022, 139, 256-280.	1.4	60
2	Prognostic Value of <i>Fusobacterium nucleatum</i> after Abdominoperineal Resection for Anal Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 1606.	3.7	7
3	Cutaneous histiocytoses in children. <i>Histopathology</i> , 2022, 80, 196-215.	2.9	14
4	Gene expression profile of high PD-L1 non-small cell lung cancers refractory to pembrolizumab. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 2791-2799.	4.2	3
5	Granulomatous splenic mass with necrosis revealing an EBV-positive inflammatory follicular dendritic cell sarcoma. <i>Journal of Surgical Case Reports</i> , 2022, 2022, rjac034.	0.4	1
6	The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Myeloid and Histiocytic/Dendritic Neoplasms. <i>Leukemia</i> , 2022, 36, 1703-1719.	7.2	1,211
7	Malignant Histiocytosis With PD-L1 Expression: Dramatic Response to Nivolumab. <i>Mayo Clinic Proceedings</i> , 2022, 97, 1401-1403.	3.0	3
8	High frequency of clonal hematopoiesis in Erdheim-Chester disease. <i>Blood</i> , 2021, 137, 485-492.	1.4	30
9	Second primary cutaneous melanoma in patients with advanced melanoma treated with anti-programmed cell death receptor-1 monoclonal antibodies. <i>British Journal of Dermatology</i> , 2021, 184, 746-748.	1.5	1
10	Avelumab versus standard second line treatment chemotherapy in metastatic colorectal cancer patients with microsatellite instability: The SAMCO-PRODIGE 54 randomised phase II trial. <i>Digestive and Liver Disease</i> , 2021, 53, 318-323.	0.9	14
11	Pancreatic Ductal Adenocarcinoma Arising in Young and Old Patients Displays Similar Molecular Features. <i>Cancers</i> , 2021, 13, 1234.	3.7	10
12	Baseline Hedgehog Pathway Activation and Increase of Plasma Wnt1 Protein Are Associated with Resistance to Immune Checkpoint Inhibitors in Advanced Non-Small-Cell Lung Cancer. <i>Cancers</i> , 2021, 13, 1107.	3.7	16
13	Shwachman-Diamond syndrome and solid tumors: Three new patients from the French Registry for Severe Chronic Neutropenia and literature review. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29071.	1.5	4
14	Tumour and stroma RNA signatures predict more accurately distant recurrence than clinicopathological factors in resected pancreatic adenocarcinoma. <i>European Journal of Cancer</i> , 2021, 148, 171-180.	2.8	7
15	Peritoneal or mesenteric tumours revealing histiocytosis. <i>BMJ Open Gastroenterology</i> , 2021, 8, e000622.	2.7	3
16	Histiocytosis and the nervous system: from diagnosis to targeted therapies. <i>Neuro-Oncology</i> , 2021, 23, 1433-1446.	1.2	33
17	Immune Thrombocytopenia Revealing Enriched IgG-4 Peri-Renal Rosai-Dorfman Disease Successfully Treated with Rituximab: A Case Report and Literature Review.. <i>Frontiers in Medicine</i> , 2021, 8, 678456.	2.6	3
18	Inherited PD-1 deficiency underlies tuberculosis and autoimmunity in a child. <i>Nature Medicine</i> , 2021, 27, 1646-1654.	30.7	65

#	ARTICLE	IF	CITATIONS
19	Intratumor CMS Heterogeneity Impacts Patient Prognosis in Localized Colon Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 4768-4780.	7.0	25
20	<scp><i>CARMNâ€NOTCH2</i></scp> fusion transcript drives high <scp>NOTCH2</scp> expression in glomus tumors of the upper digestive tract. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 723-732.	2.8	11
21	A circulating subset of <i>BRAF</i>^{V600E}â€positive cells in infants with highâ€risk Langerhans cell histiocytosis treated with BRAF inhibitors. <i>British Journal of Haematology</i> , 2021, 194, 745-749.	2.5	5
22	Histiocytosis. <i>Lancet, The</i> , 2021, 398, 157-170.	13.7	58
23	IgG4-related disease and Rosai-Dorfman-Destombes disease â€ Authors' reply. <i>Lancet, The</i> , 2021, 398, 1214-1215.	13.7	0
24	Pembrolizumab with Capox Bevacizumab in patients with microsatellite stable metastatic colorectal cancer and a high immune infiltrate: The FFCD 1703-POCHI trial. <i>Digestive and Liver Disease</i> , 2021, 53, 1254-1259.	0.9	5
25	Plasma Biomarkers Screening by Multiplex ELISA Assay in Patients with Advanced Non-Small Cell Lung Cancer Treated with Immune Checkpoint Inhibitors. <i>Cancers</i> , 2021, 13, 97.	3.7	6
26	Malignant histiocytosis with a Langerhans cell subtype: A report on the diagnostic and therapeutic challenge. <i>Blood Cells, Molecules, and Diseases</i> , 2021, 92, 102623.	1.4	0
27	Circulating tumor DNA is a prognostic marker of tumor recurrence in stage II and III colorectal cancer: multicentric, prospective cohort study (ALGECOLS). <i>European Journal of Cancer</i> , 2021, 159, 24-33.	2.8	24
28	Pediatric Erdheim-Chester Disease in the Molecular Era: A Multicenter Case Series. <i>Blood</i> , 2021, 138, 4194-4194.	1.4	1
29	Case Report: Evolution of a Severe Vascular Refractory Form of ECD Requiring Liver Transplantation Correlated With the Change in the Monocyte Subset Analysis. <i>Frontiers in Immunology</i> , 2021, 12, 755846.	4.8	2
30	MicroRNA-15a-5p acts as a tumor suppressor in histiocytosis by mediating CXCL10-ERK-LIN28a-let-7 axis. <i>Leukemia</i> , 2021, , .	7.2	3
31	High Circulating Sonic Hedgehog Protein Is Associated With Poor Outcome in EGFR-Mutated Advanced NSCLC Treated With Tyrosine Kinase Inhibitors. <i>Frontiers in Oncology</i> , 2021, 11, 747692.	2.8	3
32	Erdheim-Chester disease with concomitant Rosai-Dorfman like lesions: a distinct entity mainly driven by <i>MAP2K1</i>. <i>Haematologica</i> , 2020, 105, e5-e8.	3.5	34
33	Response to trametinib of histiocytosis with an activating <i>PTPN11</i> mutation. <i>Leukemia and Lymphoma</i> , 2020, 61, 194-197.	1.3	2
34	Lung Involvement in Destombes-Rosai-Dorfman Disease. <i>Chest</i> , 2020, 157, 323-333.	0.8	17
35	Pangenomic Classification of Pituitary Neuroendocrine Tumors. <i>Cancer Cell</i> , 2020, 37, 123-134.e5.	16.8	186
36	Clinical Cutaneous Features of Patients Infected With SARS-CoV-2 Hospitalized for Pneumonia: A Cross-sectional Study. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa394.	0.9	10

#	ARTICLE	IF	CITATIONS
37	Multispectral imaging detects gastritis consistently in mouse model and in humans. Scientific Reports, 2020, 10, 20047.	3.3	3
38	Long-term follow-up of children with risk organ-negative Langerhans cell histiocytosis after 2-β-chlorodeoxyadenosine treatment. British Journal of Haematology, 2020, 191, 825-834.	2.5	14
39	Central nervous system involvement in Erdheim-Chester disease. Neurology, 2020, 95, e2746-e2754.	1.1	22
40	The Contribution of MicroRNAs to the Inflammatory and Neoplastic Characteristics of Erdheim-Chester Disease. Cancers, 2020, 12, 3240.	3.7	5
41	Immune phenotyping of Erdheim-Chester disease through mass cytometry highlights decreased proportion of non-classical monocytes and increased proportion of Th17 cells. Annals of the Rheumatic Diseases, 2020, 79, 1522-1524.	0.9	6
42	Decision for adjuvant treatment in stage II colon cancer based on circulating tumor DNA: The CIRCULATE-PRODIGE 70 trial. Digestive and Liver Disease, 2020, 52, 730-733.	0.9	18
43	Refractory Inflammatory Bowel Disease Associated With Sclerosing Cholangitis, Diabetes Insipidus, and Myeloid Neoplasm: Langerhans Cell Histiocytosis Was Hiding Since the Beginning. Inflammatory Bowel Diseases, 2020, 26, e85-e86.	1.9	3
44	Artificial intelligence-guided tissue analysis combined with immune infiltrate assessment predicts stage III colon cancer outcomes in PETACC08 study. Gut, 2020, 69, 681-690.	12.1	79
45	Prognostic Value of Tumor Deposits for Disease-Free Survival in Patients With Stage III Colon Cancer: A Post Hoc Analysis of the IDEA France Phase III Trial (PRODIGE-GERCOR). Journal of Clinical Oncology, 2020, 38, 1702-1710.	1.6	40
46	Sequential ctDNA whole-exome sequencing in advanced lung adenocarcinoma with initial durable tumor response on immune checkpoint inhibitor and late progression. , 2020, 8, e000527.		24
47	Sacroiliitis in a patient with Rosai-Dorfman disease: new bone location or overlap with axial spondylarthritis?. Rheumatology, 2020, 59, 2168-2170.	1.9	4
48	Fatal Cytomegalovirus Infection in an Adult with Inherited NOS2 Deficiency. New England Journal of Medicine, 2020, 382, 437-445.	27.0	38
49	Prognostic and predictive value of the Immunoscore in stage III colon cancer patients treated with oxaliplatin in the prospective IDEA France PRODIGE-GERCOR cohort study. Annals of Oncology, 2020, 31, 921-929.	1.2	104
50	Loss of SMARCB1 expression in colon carcinoma. Cancer Biomarkers, 2020, 27, 399-406.	1.7	4
51	Nationwide incidence of sarcomas and tumors of intermediate malignancy in the NETSARC network with central pathology review: Correlation with published clinical research.. Journal of Clinical Oncology, 2020, 38, 11560-11560.	1.6	0
52	Second primary melanoma in advanced melanoma patients treated with anti-PD-1 monoclonal antibodies.. Journal of Clinical Oncology, 2020, 38, e22025-e22025.	1.6	0
53	Prognostic and predictive value of the Immunoscore in stage III colon cancer patients treated with mFOLFOX6 (three versus six months) in the prospective IDEA France cohort study (PRODIGE-GERCOR).. Journal of Clinical Oncology, 2020, 38, 10-10.	1.6	1
54	Congenital Neutropenia Is Also Associated with a High Cancer Risk: A Study from the French Severe Chronic Neutropenia Registry. Blood, 2020, 136, 15-16.	1.4	15

#	ARTICLE	IF	CITATIONS
55	The cellular prion protein controls the mesenchymal-like molecular subtype and predicts disease outcome in colorectal cancer. <i>EBioMedicine</i> , 2019, 46, 94-104.	6.1	24
56	Gastrointestinal stromal tumours (GISTs): French Intergroup Clinical Practice Guidelines for diagnosis, treatments and follow-up (SNFGE, FFCD, GERCOR, UNICANCER, SFCD, SFED, SFRO). <i>Digestive and Liver Disease</i> , 2019, 51, 1223-1231.	0.9	49
57	Role of antibiotic use, plasma citrulline and blood microbiome in advanced non-small cell lung cancer patients treated with nivolumab. , 2019, 7, 176.		62
58	Progress towards molecular-based management of childhood Langerhans cell histiocytosis. <i>Archives De Pédiatrie</i> , 2019, 26, 301-307.	1.0	24
59	Plasma Biomarkers and Immune Checkpoint Inhibitors in Non-Small Cell Lung Cancer: New Tools for Better Patient Selection?. <i>Cancers</i> , 2019, 11, 1269.	3.7	25
60	Vemurafenib for Refractory Multisystem Langerhans Cell Histiocytosis in Children: An International Observational Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 2857-2865.	1.6	132
61	Atteintes ostéoarticulaires au cours des histiocytoses. <i>Revue Du Rhumatisme Monographies</i> , 2019, 86, 120-125.	0.0	0
62	Inherited IL-18BP deficiency in human fulminant viral hepatitis. <i>Journal of Experimental Medicine</i> , 2019, 216, 1777-1790.	8.5	70
63	Erdheim-Chester disease associated with chronic myelomonocytic leukemia harboring the same clonal mutation. <i>Haematologica</i> , 2019, 104, e530-e533.	3.5	16
64	Childhood pulmonary Langerhans cell histiocytosis: a comprehensive clinical-histopathological and BRAFV600E mutation study from the French national cohort. <i>Human Pathology</i> , 2019, 89, 51-61.	2.0	14
65	Systemic Histiocytosis (Langerhans Cell Histiocytosis, Erdheim-Chester Disease,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 347 Oncology Reports, 2019, 21, 62.	4.0	48
66	Can we classify ampullary tumours better? Clinical, pathological and molecular features. Results of an AGEO study. <i>British Journal of Cancer</i> , 2019, 120, 697-702.	6.4	19
67	Autoimmunity associated with Erdheim-Chester disease improves with BRAF/MEK inhibitors. <i>Haematologica</i> , 2019, 104, e502-e505.	3.5	15
68	Activating mutations in CSF1R and additional receptor tyrosine kinases in histiocytic neoplasms. <i>Nature Medicine</i> , 2019, 25, 1839-1842.	30.7	122
69	hENT1 Testing in Pancreatic Ductal Adenocarcinoma: Are We Ready? A Multimodal Evaluation of hENT1 Status. <i>Cancers</i> , 2019, 11, 1808.	3.7	23
70	Langerhans Cell Histiocytoma: A Benign Histiocytic Neoplasm of Diverse Lines of Terminal Differentiation. <i>American Journal of Dermatopathology</i> , 2019, 41, 29-36.	0.6	12
71	Erdheim-Chester Disease: a Concise Review. <i>Current Rheumatology Reports</i> , 2019, 21, 66.	4.7	38
72	Local immunomodulation combined to radiofrequency ablation results in a complete cure of local and distant colorectal carcinoma. <i>Oncolmunology</i> , 2019, 8, 1550342.	4.6	36

#	ARTICLE	IF	CITATIONS
73	Rationale and Design of the IROCAS Study: Multicenter, International, Randomized Phase 3 Trial Comparing Adjuvant Modified (m) FOLFIRINOX to mFOLFOX6 in Patients With High-Risk Stage III (pT4) Tj ETQq1 123784314 mgBT /Ome	10.7	84314
74	Highly sensitive methods are required to detect mutations in histiocytoses. <i>Haematologica</i> , 2019, 104, e97-e99.	3.5	27
75	Association of IL-36 β with tertiary lymphoid structures and inflammatory immune infiltrates in human colorectal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 109-120.	4.2	59
76	High Serum VEGF Level in Erdheim-Chester Disease: Correlation with Cardiovascular Involvement and Response to Treatment. <i>Blood</i> , 2019, 134, 2324-2324.	1.4	2
77	Validation of the Immunoscore prognostic value in stage III colon cancer patients treated with oxaliplatin in the prospective IDEA France cohort study (PRODIGE-GERCOR).. <i>Journal of Clinical Oncology</i> , 2019, 37, 3513-3513.	1.6	8
78	Correlation of BRAF V600E mutation with cardiac involvement assessed by heart imaging in a monocentric series of 205 patients with Erdheim-Chester disease.. <i>Journal of Clinical Oncology</i> , 2019, 37, 7019-7019.	1.6	2
79	Prognostic value of tumor deposits for disease free survival in patients with stage III colon cancer: A post hoc analysis of IDEA France phase III trial (PRODIGE-GERCOR).. <i>Journal of Clinical Oncology</i> , 2019, 37, 3519-3519.	1.6	0
80	Molecular Characterisation of Diffuse Large B Cell Lymphoma in Patients of 80 Years Old or More: Clinical Relevance in a Multicentric Randomized Phase III Study of the Lysa (SENIOR Study). <i>Blood</i> , 2019, 134, 2765-2765.	1.4	0
81	Phenotypes and survival in Erdheim-Chester disease: Results from a 165-patient cohort. <i>American Journal of Hematology</i> , 2018, 93, E114-E117.	4.1	94
82	Circulating tumor DNA evaluated by Next-Generation Sequencing is predictive of tumor response and prolonged clinical benefit with nivolumab in advanced non-small cell lung cancer. <i>Oncolmmunology</i> , 2018, 7, e1424675.	4.6	66
83	Efficacy of infliximab in the treatment of Erdheim-Chester disease. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1387-1390.	0.9	22
84	Consensus recommendations for the diagnosis and clinical management of Rosai-Dorfman-Destombes disease. <i>Blood</i> , 2018, 131, 2877-2890.	1.4	335
85	Predictive role of plasmatic biomarkers in advanced non-small cell lung cancer treated by nivolumab. <i>Oncolmmunology</i> , 2018, 7, e1452581.	4.6	115
86	Efficacy of the MEK inhibitor cobimetinib for wild-type BRAF Erdheim-Chester disease. <i>British Journal of Haematology</i> , 2018, 180, 150-153.	2.5	55
87	Association of Prognostic Value of Primary Tumor Location in Stage III Colon Cancer With RAS and BRAF Mutational Status. <i>JAMA Oncology</i> , 2018, 4, e173695.	7.1	55
88	Incidence and risk factors for clinical neurodegenerative Langerhans cell histiocytosis: a longitudinal cohort study. <i>British Journal of Haematology</i> , 2018, 183, 608-617.	2.5	54
89	Human IFN- β immunity to mycobacteria is governed by both IL-12 and IL-23. <i>Science Immunology</i> , 2018, 3, .	11.9	152
90	BRAF V600E mutation detected in a case of Rosai-Dorfman disease. <i>Haematologica</i> , 2018, 103, e377-e379.	3.5	45

#	ARTICLE	IF	CITATIONS
91	AB1144â€¦.Histology of rosai-dorfman disease in a subset of patients with erdheim-chester disease: a distinct entity mainly driven by map2k1. , 2018, , .		0
92	Histiocytoses. , 2018, , 379-390.		0
93	Hypoalphalipoproteinemia and<i>BRAF</i>^{V600E}Mutation Are Major Predictors of Aortic Infiltration in the Erdheim-Chester Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2018, 38, 1913-1925.	2.4	15
94	Contribution of genetic amplification by PCR for the diagnosis of <i>Helicobacter pylori</i> infection in patients receiving proton pump inhibitors. United European Gastroenterology Journal, 2018, 6, 1267-1273.	3.8	19
95	<i>CDKN2A</i> Depletion Causes Aneuploidy and Enhances Cell Proliferation in Non-Immortalized Normal Human Cells. Cancer Investigation, 2018, 36, 338-348.	1.3	7
96	Epigenetic prediction of response to anti-PD-1 treatment in non-small-cell lung cancer: a multicentre, retrospective analysis. Lancet Respiratory Medicine,the, 2018, 6, 771-781.	10.7	167
97	Histology of Rosai-Dorfman disease in a subset of patients with Erdheim-Chester disease: A distinct entity mainly driven by MAP2K1.. Journal of Clinical Oncology, 2018, 36, e24180-e24180.	1.6	1
98	Improvement of immune response after radiofrequency ablation in colorectal cancer.. Journal of Clinical Oncology, 2018, 36, 102-102.	1.6	3
99	PRODIGE 52-UCGI 29-CCTG/CO.27 (IROCAS): A multicenter, international, randomized phase III trial comparing adjuvant modified (m)FOLFIRINOX to mFOLFOX6 in patients with high-risk stage III (pT4) Tj ETQq1 1 0.784314 rgBT /Over TPS3622-TPS3622.	1.6	0
100	Discontinuation of anti-PD-1 mAb after complete response in advanced melanoma pts.. Journal of Clinical Oncology, 2018, 36, e21549-e21549.	1.6	1
101	PD-1/ PD-L1 Expression Is Associated with Tissue Inflammation and BRAF Status in Erdheim-Chester Disease. Blood, 2018, 132, 4380-4380.	1.4	0
102	Histiocytoses: emerging neoplasia behind inflammation. Lancet Oncology, The, 2017, 18, e113-e125.	10.7	154
103	Circulating cellâ€free <i>BRAF</i>^{V600E} as a biomarker in children with Langerhans cell histiocytosis. British Journal of Haematology, 2017, 178, 457-467.	2.5	57
104	Reply to â€œClinical and therapeutic implications of <i>BRAF</i> mutation heterogeneity in metastatic melanomaâ€by Mesbah Ardakani etÂal.. Pigment Cell and Melanoma Research, 2017, 30, 498-500.	3.3	3
105	Functional evidence for derivation of systemic histiocytic neoplasms from hematopoietic stem/progenitor cells. Blood, 2017, 130, 176-180.	1.4	98
106	Adjuvant FOLFOX +/â€ cetuximab in fullRAS andBRAF wildtype stage III colon cancer patients. Annals of Oncology, 2017, 28, 824-830.	1.2	38
107	Neurodegeneration in histiocytoses might start in utero. Lancet Neurology, The, 2017, 16, 953-954.	10.2	2
108	Histiocitosis sistÃ©micas. EMC - Tratado De Medicina, 2017, 21, 1-4.	0.0	0

#	ARTICLE	IF	CITATIONS
109	FDG-PET-driven consolidation strategy in diffuse large B-cell lymphoma: final results of a randomized phase 2 study. <i>Blood</i> , 2017, 130, 1315-1326.	1.4	87
110	High prevalence of myeloid neoplasms in adults with non-Langerhans cell histiocytosis. <i>Blood</i> , 2017, 130, 1007-1013.	1.4	98
111	Prospective validation of a lymphocyte infiltration prognostic test in stage III colon cancer patients treated with adjuvant FOLFOX. <i>European Journal of Cancer</i> , 2017, 82, 16-24.	2.8	40
112	Targeted therapies in 54 patients with Erdheim-Chester disease, including follow-up after interruption (the LOVE study). <i>Blood</i> , 2017, 130, 1377-1380.	1.4	146
113	New somatic BRAF splicing mutation in Langerhans cell histiocytosis. <i>Molecular Cancer</i> , 2017, 16, 115.	19.2	37
114	Variation of mutant allele frequency in NRAS Q61 mutated melanomas. <i>BMC Dermatology</i> , 2017, 17, 9.	2.1	19
115	Molecular characterization of circulating tumor cells in lung cancer: moving beyond enumeration. <i>Oncotarget</i> , 2017, 8, 109818-109835.	1.8	5
116	Clinical utility of colon cancer molecular subtypes: Validation of two main colorectal molecular classifications on the PETACC-8 phase III trial cohort.. <i>Journal of Clinical Oncology</i> , 2017, 35, 3509-3509.	1.6	24
117	Association of prognostic value of primary tumor location in stage III colon cancer with RAS and BRAF mutational status.. <i>Journal of Clinical Oncology</i> , 2017, 35, 3515-3515.	1.6	3
118	<i>BRAF</i> Mutation Correlates With High-Risk Langerhans Cell Histiocytosis and Increased Resistance to First-Line Therapy. <i>Journal of Clinical Oncology</i> , 2016, 34, 3023-3030.	1.6	233
119	Langerhans cell histiocytosis: therapeutic strategy and outcome in a 30-year nationwide cohort of 1478 patients under 18 years of age. <i>British Journal of Haematology</i> , 2016, 174, 887-898.	2.5	83
120	Superior efficacy and tolerance of reduced doses of vemurafenib plus anakinra in Erdheim-Chester disease: Towards the paradigm of combined targeting and immune therapies. <i>Acta Oncologica</i> , 2016, 55, 930-932.	1.8	19
121	Revised classification of histiocytoses and neoplasms of the macrophage-dendritic cell lineages. <i>Blood</i> , 2016, 127, 2672-2681.	1.4	1,040
122	Increase in NRAS mutant allele percentage during metastatic melanoma progression. <i>Experimental Dermatology</i> , 2016, 25, 472-474.	2.9	8
123	A Study of Hypermethylated Circulating Tumor DNA as a Universal Colorectal Cancer Biomarker. <i>Clinical Chemistry</i> , 2016, 62, 1129-1139.	3.2	111
124	Identification of precancerous lesions by multispectral gastroendoscopy. <i>Signal, Image and Video Processing</i> , 2016, 10, 455-462.	2.7	9
125	Cutaneous manifestations of Erdheim-Chester disease (ECD): Clinical, pathological, and molecular features in a monocentric series of 40 patients. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 513-520.	1.2	64
126	Prognostic Effect of <i>BRAF</i> and <i>KRAS</i> Mutations in Patients With Stage III Colon Cancer Treated With Leucovorin, Fluorouracil, and Oxaliplatin With or Without Cetuximab. <i>JAMA Oncology</i> , 2016, 2, 643.	7.1	125

#	ARTICLE	IF	CITATIONS
127	Diverse and Targetable Kinase Alterations Drive Histiocytic Neoplasms. <i>Cancer Discovery</i> , 2016, 6, 154-165.	9.4	372
128	Three Rounds of External Quality Assessment in France to Evaluate the Performance of 28 Platforms for Multiparametric Molecular Testing in Metastatic Colorectal and Non-Small Cell Lung Cancer. <i>Journal of Molecular Diagnostics</i> , 2016, 18, 205-214.	2.8	23
129	Frequent Clinical Overlap of Histiocytic Neoplasms and WHO-Classified Myeloid Malignancies Leads to Functional Insights into the Cell-of-Origin of Histiocytoses. <i>Blood</i> , 2016, 128, 951-951.	1.4	3
130	Validation of the prognostic impact of lymphocyte infiltration (LI) in patients (pts) with stage III colon cancer (CC) treated with adjuvant FOLFOX+/- cetuximab: A PETACC8 translational study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 553-553.	1.6	3
131	Recurrent BRAF mutations in bone marrow progenitors of patients with Erdheim-Chester disease.. <i>Journal of Clinical Oncology</i> , 2016, 34, 7069-7069.	1.6	0
132	Frequent allelic imbalance in <i>NRAS</i> mutant melanomas.. <i>Journal of Clinical Oncology</i> , 2016, 34, 9578-9578.	1.6	0
133	Treatment of Erdheim-Chester disease patients with the MEK inhibitor cobimetinib.. <i>Journal of Clinical Oncology</i> , 2016, 34, e19074-e19074.	1.6	0
134	Sirolimus plus prednisone for Erdheim-Chester disease: an open-label trial. <i>Blood</i> , 2015, 126, 1163-1171.	1.4	69
135	Common cancer-associated PIK3CA activating mutations rarely occur in Langerhans cell histiocytosis. <i>Blood</i> , 2015, 125, 2448-2449.	1.4	28
136	Complete remission of critical neurohistiocytosis by vemurafenib. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2015, 2, e78.	6.0	38
137	Reproducible and Sustained Efficacy of Targeted Therapy With Vemurafenib in Patients With <i>BRAF</i> ^{V600E} -Mutated Erdheim-Chester Disease. <i>Journal of Clinical Oncology</i> , 2015, 33, 411-418.	1.6	238
138	The histiocytosis Erdheim-Chester disease is an inflammatory myeloid neoplasm. <i>Expert Review of Clinical Immunology</i> , 2015, 11, 1033-1042.	3.0	38
139	Vemurafenib as first line therapy in BRAF-mutated Langerhans cell histiocytosis. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, e29-e30.	1.2	22
140	Vemurafenib Use in an Infant for High-Risk Langerhans Cell Histiocytosis. <i>JAMA Oncology</i> , 2015, 1, 836.	7.1	92
141	Immunohistochemistry as a potential tool for routine detection of the <i>NRAS</i> Q61R mutation in patients with metastatic melanoma. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 786-793.	1.2	37
142	Sonic Hedgehog and Gli1 Expression Predict Outcome in Resected Pancreatic Adenocarcinoma. <i>Clinical Cancer Research</i> , 2015, 21, 1215-1224.	7.0	63
143	Variations of BRAF mutant allele percentage in melanomas. <i>BMC Cancer</i> , 2015, 15, 497.	2.6	36
144	Clinical Relevance of <i>KRAS</i> -Mutated Subclones Detected with Picodroplet Digital PCR in Advanced Colorectal Cancer Treated with Anti-EGFR Therapy. <i>Clinical Cancer Research</i> , 2015, 21, 1087-1097.	7.0	137

#	ARTICLE	IF	CITATIONS
145	Prognostic value of <i>BRAF</i> ^{V600} mutations in American Joint Committee on Cancer (AJCC) stage 3 cutaneous melanoma patients in the MelanCohort prospective cohort.. <i>Journal of Clinical Oncology</i> , 2015, 33, 9037-9037.	1.6	1
146	Detection of BRAF V600 Mutations in Melanoma: Evaluation of Concordance between the Cobas® 4800 BRAF V600 Mutation Test and the Methods Used in French National Cancer Institute (INCa) Platforms in a Real-Life Setting. <i>PLoS ONE</i> , 2015, 10, e0120232.	2.5	24
147	Langerhans cell histiocytosis in children: Correlation of <i>BRAF</i> status with clinical characteristic.. <i>Journal of Clinical Oncology</i> , 2015, 33, 10003-10003.	1.6	0
148	ERCC1, XRCC1 and GSTP1 Single Nucleotide Polymorphisms and Survival of Patients with Colon Cancer Receiving Oxaliplatin-Based Adjuvant Chemotherapy. <i>Journal of Cancer</i> , 2014, 5, 425-432.	2.5	30
149	<i>BRAF</i> ^{V600E} Mutation in a Histiocytic Sarcoma Arising From Hairy Cell Leukemia. <i>Journal of Clinical Oncology</i> , 2014, 32, e117-e121.	1.6	47
150	Detection of <i>BRAF</i> ^{V600E} Mutations in Melanoma by Immunohistochemistry Has a Good Interobserver Reproducibility. <i>Archives of Pathology and Laboratory Medicine</i> , 2014, 138, 71-75.	2.5	57
151	Marked efficacy of vemurafenib in suprasellar Erdheim-Chester disease. <i>Neurology</i> , 2014, 83, 1294-1296.	1.1	29
152	Dramatic response of a <i>BRAF</i> ^{V600E} -mutated primary CNS histiocytic sarcoma to vemurafenib. <i>Neurology</i> , 2014, 83, 1478-1480.	1.1	70
153	Copy-neutral loss of heterozygosity and chromosome gains and losses are frequent in gastrointestinal stromal tumors. <i>Molecular Cancer</i> , 2014, 13, 246.	19.2	12
154	Erdheim-Chester Disease. <i>Current Rheumatology Reports</i> , 2014, 16, 412.	4.7	110
155	Oxaliplatin, fluorouracil, and leucovorin with or without cetuximab in patients with resected stage III colon cancer (PETACC-8): an open-label, randomised phase 3 trial. <i>Lancet Oncology</i> , 2014, 15, 862-873.	10.7	239
156	Recurrent RAS and PIK3CA mutations in Erdheim-Chester disease. <i>Blood</i> , 2014, 124, 3016-3019.	1.4	197
157	Association of both Langerhans cell histiocytosis and Erdheim-Chester disease linked to the BRAF ^{V600E} mutation. <i>Blood</i> , 2014, 124, 1119-1126.	1.4	208
158	Prognostic value of <i>KRAS</i> exon 2 gene mutations in stage III colon cancer: Post hoc analyses of the PETACC8 trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3549-3549.	1.6	0
159	Diagnosis, prognosis and treatment of patients with gastrointestinal stromal tumour (GIST) and germline mutation of KIT exon 13. <i>European Journal of Cancer</i> , 2013, 49, 2531-2541.	2.8	41
160	Improvement of the quality of BRAF testing in melanomas with nationwide external quality assessment, for the BRAF EQA group. <i>BMC Cancer</i> , 2013, 13, 472.	2.6	11
161	Effects of endoplasmic reticulum stressors on maturation and signaling of hemizygous and heterozygous wild-type and mutant forms of KIT. <i>Molecular Oncology</i> , 2013, 7, 323-333.	4.6	9
162	Detection of BRAF ^{V600E} Mutations in Melanomas. <i>Journal of Molecular Diagnostics</i> , 2013, 15, 94-100.	2.8	144

#	ARTICLE	IF	CITATIONS
163	<i>BRAF</i> Mutations in Erdheim-Chester Disease. <i>Journal of Clinical Oncology</i> , 2013, 31, 398-398.	1.6	65
164	Dramatic efficacy of vemurafenib in both multisystemic and refractory Erdheim-Chester disease and Langerhans cell histiocytosis harboring the BRAF V600E mutation. <i>Blood</i> , 2013, 121, 1495-1500.	1.4	479
165	Performance and Cost Efficiency of KRAS Mutation Testing for Metastatic Colorectal Cancer in Routine Diagnosis: The MOKAECM Study, a Nationwide Experience. <i>PLoS ONE</i> , 2013, 8, e68945.	2.5	23
166	Impact of mutational status and other prognostic factors on survival in patients with advanced GIST treated with standard-dose imatinib (IM): Results from the BFR14 phase III trial of the French Sarcoma Group.. <i>Journal of Clinical Oncology</i> , 2013, 31, 10548-10548.	1.6	2
167	Gene Expression Patterns of Hemizygous and Heterozygous KIT Mutations Suggest Distinct Oncogenic Pathways: A Study in NIH3T3 Cell Lines and GIST Samples. <i>PLoS ONE</i> , 2013, 8, e61103.	2.5	9
168	Relationship of the topography of KIT exon 11 alterations and predictive value for PFS in patients with advanced GIST: Results of the BFR14 prospective French Sarcoma Group randomized phase III trial.. <i>Journal of Clinical Oncology</i> , 2013, 31, 10542-10542.	1.6	0
169	High prevalence of BRAF V600E mutations in Erdheim-Chester disease but not in other non-Langerhans cell histiocytoses. <i>Blood</i> , 2012, 120, 2700-2703.	1.4	589
170	Prognostic Value of BRAF V600 Mutations in Melanoma Patients After Resection of Metastatic Lymph Nodes. <i>Annals of Surgical Oncology</i> , 2012, 19, 4314-4321.	1.5	91
171	Linear quantification of lymphoid infiltration of the tumor margin: a reproducible method, developed with colorectal cancer tissues, for assessing a highly variable prognostic factor. <i>Diagnostic Pathology</i> , 2012, 7, 156.	2.0	28
172	Levels of Gemcitabine Transport and Metabolism Proteins Predict Survival Times of Patients Treated With Gemcitabine for Pancreatic Adenocarcinoma. <i>Gastroenterology</i> , 2012, 143, 664-674.e6.	1.3	218
173	A Mild Form of SLC29A3 Disorder: A Frameshift Deletion Leads to the Paradoxical Translation of an Otherwise Noncoding mRNA Splice Variant. <i>PLoS ONE</i> , 2012, 7, e29708.	2.5	50
174	B-RAF Mutant Alleles Associated with Langerhans Cell Histiocytosis, a Granulomatous Pediatric Disease. <i>PLoS ONE</i> , 2012, 7, e33891.	2.5	132
175	Competitive allele specific TaqMan PCR for KRAS, BRAF and EGFR mutation detection in clinical formalin fixed paraffin embedded samples. <i>Experimental and Molecular Pathology</i> , 2012, 92, 275-280.	2.1	106
176	miRNA expression as a predictor of survival in patients with metastatic colorectal cancer treated with EGFR inhibitors.. <i>Journal of Clinical Oncology</i> , 2012, 30, e14059-e14059.	1.6	0
177	Prognostic value of BRAFV600 mutations in melanoma patients after resection of metastatic lymph nodes.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8540-8540.	1.6	1
178	Langerhansâ€™ cell histiocytosis of the liver in adults. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2011, 35, 475-481.	1.5	46
179	Defective Mismatch Repair Status as a Prognostic Biomarker of Disease-Free Survival in Stage III Colon Cancer Patients Treated with Adjuvant FOLFOX Chemotherapy. <i>Clinical Cancer Research</i> , 2011, 17, 7470-7478.	7.0	76
180	Diagnostic criteria, specific mutations, and genetic predisposition in gastrointestinal stromal tumors. <i>The Application of Clinical Genetics</i> , 2010, 3, 85.	3.0	10

#	ARTICLE	IF	CITATIONS
181	GIST with homozygous KIT exon 11 mutations. <i>Laboratory Investigation</i> , 2008, 88, 456-457.	3.7	13
182	<i>KRAS</i> Mutations As an Independent Prognostic Factor in Patients With Advanced Colorectal Cancer Treated With Cetuximab. <i>Journal of Clinical Oncology</i> , 2008, 26, 374-379.	1.6	1,398
183	Consensus meeting for the management of gastrointestinal stromal tumors Report of the GIST Consensus Conference of 2004 March 2004, under the auspices of ESMO. <i>Annals of Oncology</i> , 2005, 16, 566-578.	1.2	628
184	Clinicopathologic, phenotypic, and genotypic characteristics of gastrointestinal mesenchymal tumors. <i>Clinical Gastroenterology and Hepatology</i> , 2004, 2, 597-605.	4.4	82
185	High expression of both mutant and wild-type alleles of c-kit in gastrointestinal stromal tumors. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2004, 1688, 250-256.	3.8	29
186	Langerhans cell histiocytosis in adults Report from the International Registry of the Histiocyte Society. <i>European Journal of Cancer</i> , 2003, 39, 2341-2348.	2.8	450
187	Length Analysis of Polymerase Chain Reaction Products: A Sensitive and Reliable Technique for the Detection of Mutations in KIT Exon 11 in Gastrointestinal Stromal Tumors. <i>Diagnostic Molecular Pathology</i> , 2002, 11, 107-112.	2.1	28
188	Definitive Diagnosis with the Use of Monoclonal Antibody O10 on Routinely Paraffin-embedded Samples. <i>American Journal of Surgical Pathology</i> , 1995, 19, 636-641.	3.7	148