

# Takashi Yanagishita

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5305534/publications.pdf>

Version: 2024-02-01

104  
papers

1,534  
citations

430874

18  
h-index

361022

35  
g-index

105  
all docs

105  
docs citations

105  
times ranked

1347  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of Ideally Ordered Anodic Porous Alumina by Prepatterning Process Using a Flexible Mold. ECS Journal of Solid State Science and Technology, 2022, 11, 013001.	1.8	3
2	Efficient fabrication of ordered alumina through-hole membranes using a TiO <sub>2</sub> protective layer prepared by atomic layer deposition. RSC Advances, 2022, 12, 3662-3671.	3.6	5
3	Formation of ideally ordered porous Ga oxide by anodization of pretextured Ga. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2022, 40, 010603.	1.2	2
4	Nanopillar Polymer Films as Antibacterial Packaging Materials. ACS Applied Nano Materials, 2022, 5, 2578-2591.	5.0	18
5	Preparation of moth-eye structures on curved surfaces by nanoimprinting using anodic porous alumina molds. Japanese Journal of Applied Physics, 2022, 61, 038001.	1.5	4
6	Preparation of ordered nanohole array structures by anodization of prepatterned Cu, Zn, and Ni. RSC Advances, 2022, 12, 6848-6854.	3.6	6
7	Preparation of Ordered Nanohole Arrays with High Aspect Ratios by Anodization of Prepatterned 304 Stainless Steel. Journal of the Electrochemical Society, 2022, 169, 063502.	2.9	7
8	Micro-nano hierarchical pillar array structures prepared on curved surfaces by nanoimprinting using flexible molds from anodic porous alumina and their application to superhydrophobic surfaces. RSC Advances, 2022, 12, 20340-20347.	3.6	8
9	Highly Ordered Anodic Porous Alumina Prepared by Anodization of Al in Extremely Dilute H <sub>2</sub> SO <sub>4</sub> . Journal of the Electrochemical Society, 2022, 169, 073504.	2.9	2
10	Pretexturing and Anodization of W for Fabricating Ordered Anodic Porous WO <sub>3</sub> . Journal of the Electrochemical Society, 2022, 169, 072504.	2.9	5
11	Structure size effect on polymer infiltration in injection molded direct joining. Precision Engineering, 2021, 67, 100-109.	3.4	12
12	Preparation of Ni micropillar arrays with high aspect ratios using anodic porous alumina template and their application to molds for imprinting. RSC Advances, 2021, 11, 2096-2102.	3.6	3
13	Highly Ordered Alumina Through-Hole Membranes Having Reduced Hole Intervals: 30±50 nm. ECS Journal of Solid State Science and Technology, 2021, 10, 013007.	1.8	2
14	Fabrication of metal nanorod arrays using anodic porous alumina mask with elliptical apertures prepared by lattice conversion process. Japanese Journal of Applied Physics, 2021, 60, 010907.	1.5	4
15	SnO <sub>2</sub> nanofibers prepared by wet spinning using an ordered porous alumina spinneret. Nanotechnology, 2021, 32, 145603.	2.6	6
16	Monodisperse albumin particles fabricated by membrane emulsification using anodic porous alumina. Materials Research Express, 2021, 8, 025003.	1.6	3
17	Highly ordered anodic porous oxides of transition metals fabricated by anodization combined with a pretexturing process. Electrochemistry Communications, 2021, 123, 106916.	4.7	9
18	Formation of ideally ordered porous anodic zirconia by anodization of vacuum deposited Zr on molds. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2021, 39, .	1.2	2

#	ARTICLE	IF	CITATIONS
19	Communication“Fabrication of Li Nanohole Array by Replication Process Using Anodic Porous Alumina Template. Journal of the Electrochemical Society, 2021, 168, 032508.	2.9	3
20	Formation of Functional Optical Device Using Anodic Porous Alumina. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2021, 72, 206-210.	0.2	0
21	Preparation of Monodisperse Nanoparticles by Membrane Emulsification Using Ordered Anodic Porous Alumina and Its Application to Batteries. Hosokawa Powder Technology Foundation ANNUAL REPORT, 2021, 28, 98-102.	0.0	0
22	Preparation of Ordered Anodic Porous Alumina with Single-Nanometer-Order-Size Holes by Atomic Layer Deposition. Langmuir, 2021, 37, 8331-8338.	3.5	5
23	Renewable Superhydrophobic Surfaces Prepared by Nanoimprinting Using Anodic Porous Alumina Molds. Langmuir, 2021, 37, 10573-10578.	3.5	8
24	Template-Free Preparation of Metal Nanowires by Two-Phase Electrolysis Using Cells Composed of Water and Oil Phases. Journal of the Electrochemical Society, 2021, 168, 093502.	2.9	0
25	Self-ordered anodic porous alumina with inter-hole spacing over 1.5 $\mu\text{m}$ . RSC Advances, 2021, 11, 3777-3782.	3.6	18
26	Ideally Ordered Anodic Porous Alumina on Si Substrate Prepared by Anodization of Sputtered Al-Mg Thin Film. ECS Journal of Solid State Science and Technology, 2021, 10, 115002.	1.8	1
27	Fabrication of ideally ordered $\text{TiO}_2$ through-hole membranes by two-layer anodization. RSC Advances, 2020, 10, 37657-37661.	3.6	6
28	Preparation of multilayered porous alumina hollow spheres by anodization of Al particles. Electrochemistry Communications, 2020, 120, 106848.	4.7	3
29	Preparation of freestanding tubular alumina through-hole membranes by two-layer anodization. Japanese Journal of Applied Physics, 2020, 59, 038002.	1.5	9
30	Preparation of Ordered Porous Alumina Through-Hole Membranes with Large Hole Periods by Two-Layer Anodization. Journal of the Electrochemical Society, 2020, 167, 163502.	2.9	10
31	One-pod preparation of anodic porous alumina molds with tapered holes for moth-eye structures by nanoimprinting. Japanese Journal of Applied Physics, 2019, 58, 068005.	1.5	2
32	Preparation of Polymer Nanofibers with Controlled Diameters by Continuous Spinning Using Ordered Anodic Porous Alumina as Spinneret. Chemistry Letters, 2019, 48, 86-89.	1.3	3
33	Thermal radiation control structure obtained by anisotropic anode etching of Al. , 2019, , .		0
34	Preparation of Monodisperse $\text{LiCoO}_2$ Hollow Particles by Membrane Emulsification Using Anodic Porous Alumina. Chemistry Letters, 2018, 47, 551-554.	1.3	4
35	Preparation of renewable antireflection moth-eye surfaces by nanoimprinting using anodic porous alumina molds. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2018, 36, 031802.	1.2	12
36	Preparation of nanoporous alumina hollow spheres with a highly ordered hole arrangement. RSC Advances, 2018, 8, 2041-2047.	3.6	6

#	ARTICLE	IF	CITATIONS
37	Preparation of superhydrophobic surfaces with micro/nano alumina molds. RSC Advances, 2018, 8, 36697-36704.	3.6	14
38	Selective through-holing of anodic porous alumina membranes with large area. RSC Advances, 2018, 8, 38455-38460.	3.6	9
39	Efficient Preparation Process for TiO <sub>2</sub> Through-Hole Membranes with Ordered Hole Arrangements. Journal of the Electrochemical Society, 2018, 165, E763-E767.	2.9	6
40	Anodic porous alumina with elliptical apertures. Electrochemistry Communications, 2018, 96, 61-65.	4.7	10
41	Control of thermal radiation in metal hole array structures formed by anisotropic anodic etching of Al. Optics Express, 2018, 26, 27865.	3.4	8
42	Preparation of ideally ordered through-hole anodic porous alumina membranes by two-layer anodization. Japanese Journal of Applied Physics, 2017, 56, 035202.	1.5	32
43	Optimizing TiO <sub>2</sub> nanotube morphology for enhanced photocatalytic H <sub>2</sub> evolution using single-walled and highly ordered TiO <sub>2</sub> nanotubes decorated with dewetted Au nanoparticles. Electrochemistry Communications, 2017, 79, 46-50.	4.7	33
44	Formation of porous Al particles by anisotropic anodic etching. Electrochemistry Communications, 2017, 78, 26-28.	4.7	7
45	Anodic porous alumina with square holes through lattice conversion of naturally occurring ordered structures. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2017, 35, 050602.	1.2	1
46	Tuning of the interval in a nanohole array of anodic porous alumina through deformation of polymer templates. RSC Advances, 2017, 7, 44799-44803.	3.6	2
47	Fabrication of aluminum nanowires by mechanical deformation of Al using anodic porous alumina molds. Materials Express, 2016, 6, 363-366.	0.5	13
48	Polymer lenses with antireflection structures prepared using anodic porous alumina molds. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2016, 34, .	1.2	21
49	Formation of Porous Anodic TiO <sub>2</sub> with Square Nanoholes by Pretexturing Process. Journal of the Electrochemical Society, 2016, 163, E206-E207.	2.9	3
50	Fabrication of Porous Si Particles by Barrel Anode Etching. Chemistry Letters, 2016, 45, 708-710.	1.3	3
51	Two-dimensional photonic crystals based on anodic porous TiO <sub>2</sub> with ideally ordered hole arrangement. Applied Physics Express, 2016, 9, 102001.	2.4	7
52	(Invited) Preparation of Ordered Anodic Porous Alumina Through-Hole Membrane and Its Applications. ECS Transactions, 2016, 75, 21-26.	0.5	2
53	Fabrication of ideally ordered anodic porous TiO <sub>2</sub> by anodization of pretextured two-layered metals. Electrochemistry Communications, 2016, 72, 100-103.	4.7	18
54	Functional Applications of Ordered Anodic Porous Alumina. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2016, 67, 538-543.	0.2	3

#	ARTICLE	IF	CITATIONS
55	Facile preparation of porous alumina through-hole masks for sputtering by two-layer anodization. AIP Advances, 2016, 6, 085108.	1.3	5
56	Surface-enhanced Raman scattering on gold nanowire array formed by mechanical deformation using anodic porous alumina molds. Applied Physics Express, 2015, 8, 062002.	2.4	9
57	Ideally ordered porous TiO <sub>2</sub> prepared by anodization of pret textured Ti by nanoimprinting process. Electrochemistry Communications, 2015, 50, 73-76.	4.7	44
58	Carbon nanofiber arrays from high-aspect ratio polymer pillar prepared by nanoimprinting using anodic porous alumina. Materials Letters, 2015, 160, 235-237.	2.6	13
59	Enlargement of surface area of Al by electrochemical insertion and deinsertion of Li. Electrochemistry Communications, 2015, 59, 13-15.	4.7	4
60	TiO <sub>2</sub> hollow spheres with nanoporous structures fabricated by anodization of Ti particles. RSC Advances, 2015, 5, 41830-41834.	3.6	8
61	High-Throughput Fabrication Process for Highly Ordered Through-Hole Porous Alumina Membranes Using Two-Layer Anodization. Electrochimica Acta, 2015, 184, 80-85.	5.2	68
62	Functional Optical Devices Based on Highly Ordered Metal Nanostructures Obtained Using Anodic Porous Alumina. ECS Transactions, 2015, 69, 235-239.	0.5	1
63	21/4Zn, cãf«ãfÿãfŠãfŠãfZãf>ãf1/4ãf«ã, cãf-ãf1/4ãf@æ-°ã±•é-«. Electrochemistry, 2015, 83, 1006-1011.	1.4	3
64	Fabrication of highly ordered nanoporous Si with high aspect ratio through pre patterning of Si using porous alumina mask. Japanese Journal of Applied Physics, 2014, 53, 075201.	1.5	4
65	Monodisperse nanoparticles of metal oxides prepared by membrane emulsification using ordered anodic porous alumina. RSC Advances, 2014, 4, 1538-1542.	3.6	17
66	Fabrication of monodisperse particles by nanoimprinting using anodic porous alumina molds. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2014, 32, 011802.	1.2	1
67	Fabrication of polymer antireflection structures by injection molding using ordered anodic porous alumina mold. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2014, 32, 021809.	1.2	14
68	Fabrication of silica moth-eye structures by photo-nanoimprinting using ordered anodic porous alumina molds. Japanese Journal of Applied Physics, 2014, 53, 018002.	1.5	5
69	Functional Applications of Ordered Nanostructures of Anodic Porous Alumina. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2014, 65, 414-419.	0.2	3
70	In situ template synthesis of one-dimensional gold nanoparticle arrays in organic nanowires. RSC Advances, 2013, 3, 16243.	3.6	6
71	Fabrication of Porous Si Particles by Electrochemical Etching. ECS Solid State Letters, 2013, 2, P117-P119.	1.4	4
72	Preparation of Monodisperse Hydrogel Particles by Membrane Emulsification Using Highly Ordered Anodic Porous Alumina. Chemistry Letters, 2013, 42, 1349-1351.	1.3	4

#	ARTICLE	IF	CITATIONS
73	Cavity-type hypersonic phononic crystals. <i>New Journal of Physics</i> , 2012, 14, 113032.	2.9	16
74	Fabrication of Ordered Hole Arrays in Anodic Porous Alumina and Its Application to Functional Devices. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2012, 63, 82.	0.2	4
75	Facile and scalable patterning of sublithographic scale uniform nanowires by ultra-thin AAO free-standing membrane. <i>RSC Advances</i> , 2012, 2, 10618.	3.6	22
76	In situ synthesis of composite nanowires consisting of metal nanoparticles in ion-exchangeable polymer matrix using porous alumina templates. <i>Transactions of the Materials Research Society of Japan</i> , 2012, 37, 185-188.	0.2	0
77	Preparation of Uniform-sized Polymer Nanofibers by Extrusive Spinning Using Ordered Anodic Porous Alumina. <i>Chemistry Letters</i> , 2010, 39, 188-189.	1.3	7
78	Anodic Porous Alumina Masks with Checkerboard Pattern. <i>Applied Physics Express</i> , 2010, 3, 015001.	2.4	11
79	Nanoimprinting Process Using Highly Ordered Anodic Porous Alumina. <i>ECS Transactions</i> , 2010, 33, 67-73.	0.5	2
80	Preparation of Antireflection SiO <sub>2</sub> Structures Based on Nanoimprinting Using Anodic Porous Alumina Molds. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 065202.	1.5	15
81	Fabrication of Monodisperse Polymer Nanoparticles by Membrane Emulsification Using Ordered Anodic Porous Alumina. <i>Langmuir</i> , 2010, 26, 1516-1519.	3.5	45
82	Fabrication of two-dimensional polymer photonic crystals by nanoimprinting using anodic porous alumina mold. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010, 28, 398-400.	1.2	12
83	Fabrication of Nanohole Array by Anodization of Al and Its Application to Ordered Surfaces. <i>Journal of the Vacuum Society of Japan</i> , 2009, 52, 207-211.	0.3	0
84	Anti-Reflection Structures on Lenses by Nanoimprinting Using Ordered Anodic Porous Alumina. <i>Applied Physics Express</i> , 2009, 2, 022001.	2.4	86
85	Ordered Pillar Array Structures of TiO <sub>2</sub> by Nanoimprinting Using Anodic Porous Alumina as Molds. <i>Chemistry Letters</i> , 2009, 38, 274-275.	1.3	9
86	Two-Dimensional Photonic Crystal Composed of Ordered Polymer Nanopillar Arrays with High Aspect Ratios Using Anodic Porous Alumina Templates. <i>Applied Physics Express</i> , 2008, 1, 012002.	2.4	10
87	Fabrication of ideally ordered anodic porous alumina with large area by vacuum deposition of Al onto mold. <i>Journal of Vacuum Science &amp; Technology B</i> , 2008, 26, L10.	1.3	10
88	Optimization of antireflection structures of polymer based on nanoimprinting using anodic porous alumina. <i>Journal of Vacuum Science &amp; Technology B</i> , 2008, 26, 1856-1859.	1.3	56
89	Polymer through-hole membrane fabricated by nanoimprinting using metal molds with high aspect ratios. <i>Journal of Vacuum Science &amp; Technology B</i> , 2007, 25, L35-L38.	1.3	28
90	Nanoimprinting Using Highly Ordered Anodic Porous Alumina with Reduced Hole Periods. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2007, 20, 569-571.	0.3	1

#	ARTICLE	IF	CITATIONS
91	Patterning of Self-assembled Thin Films Using Vacuum Ultraviolet Irradiation Through Anodic Porous Alumina Mask. <i>Chemistry Letters</i> , 2007, 36, 1266-1267.	1.3	4
92	Antireflection Polymer Surface Using Anodic Porous Alumina Molds with Tapered Holes. <i>Chemistry Letters</i> , 2007, 36, 530-531.	1.3	71
93	Ordered Porous Alumina Geometries and Surface Metals for Surface-Assisted Laser Desorption/Ionization of Biomolecules: A Possible Mechanistic Implications of Metal Surface Melting. <i>Analytical Chemistry</i> , 2007, 79, 9122-9127.	6.5	59
94	Polymer Through-Hole Membranes with High Aspect Ratios from Anodic Porous Alumina Templates. <i>Japanese Journal of Applied Physics</i> , 2006, 45, L1133-L1135.	1.5	8
95	Nanoimprinting Using Ni Molds Prepared from Highly Ordered Anodic Porous Alumina Templates. <i>Japanese Journal of Applied Physics</i> , 2006, 45, L804-L806.	1.5	36
96	Fabrication of Metal Nanohole Arrays with High Aspect Ratios Using Two-Step Replication of Anodic Porous Alumina. <i>Advanced Materials</i> , 2005, 17, 2241-2243.	21.0	83
97	Carbon Nanotubes with a Triangular Cross-section, Fabricated Using Anodic Porous Alumina as the Template. <i>Advanced Materials</i> , 2004, 16, 429-432.	21.0	82
98	Preparation of Monodisperse SiO <sub>2</sub> Nanoparticles by Membrane Emulsification Using Ideally Ordered Anodic Porous Alumina. <i>Langmuir</i> , 2004, 20, 554-555.	3.5	57
99	Fabrication of TiO <sub>2</sub> Nanoparticles with Triangular Cross Section by Template Processes. <i>Hymen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2004, 55, 478-483.	0.2	0
100	Synthesis of Diamond Cylinders with Triangular and Square Cross Sections Using Anodic Porous Alumina Templates. <i>Chemistry Letters</i> , 2002, 31, 976-977.	1.3	12
101	Synthesis of Well-Aligned Diamond Nanocylinders. <i>Advanced Materials</i> , 2001, 13, 247-249.	21.0	133
102	Direct Nanomolding of Semiconductor Single Crystals. <i>Japanese Journal of Applied Physics</i> , 2000, 39, L256-L258.	1.5	9
103	Antireflection Polymer Hole Array Structures by Imprinting Using Metal Molds from Anodic Porous Alumina. <i>Applied Physics Express</i> , 0, 1, 067004.	2.4	43
104	Fabrication of Hollow Spheres with Porous Structures by Anodization of Small Al Particles. <i>Applied Physics Express</i> , 0, 1, 084001.	2.4	7