
## **Eivind Berge**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5310333/publications.pdf Version: 2024-02-01



FIVIND REDCE

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Endovascular thrombectomy and intra-arterial interventions for acute ischaemic stroke. The<br>Cochrane Library, 2022, 2022, CD007574.  | 2.8 | 14        |
| 2  | Stroke survivors' priorities for research related to life after stroke. Topics in Stroke Rehabilitation, 2021, 28, 153-158.  | 1.9 | 62        |
| 3  | Value of treatment by comprehensive stroke services for the reduction of critical gaps in acute stroke care in Europe. European Journal of Neurology, 2021, 28, 717-725.                             | 3.3 | 3         |
| 4  | Differential associations of cardiac troponin T and cardiac troponin I with coronary artery pathology and dynamics in response to short-duration exercise. Clinical Biochemistry, 2021, 88, 23-29.   | 1.9 | 8         |
| 5  | Tenecteplase in wake-up ischemic stroke trial: Protocol for a randomized-controlled trial.<br>International Journal of Stroke, 2021, 16, 990-994.  | 5.9 | 20        |
| 6  | European Stroke Organisation (ESO) guidelines on intravenous thrombolysis for acute ischaemic stroke. European Stroke Journal, 2021, 6, I-LXII.  | 5.5 | 500       |
| 7  | Blood pressure-lowering treatment for the prevention of cardiovascular events in patients with atrial fibrillation: An individual participant data meta-analysis. PLoS Medicine, 2021, 18, e1003599. | 8.4 | 16        |
| 8  | European Stroke Organisation (ESO) standard operating procedure for the preparation and publishing of guidelines. European Stroke Journal, 2021, 6, CXXII-CXXXIV.                                    | 5.5 | 13        |
| 9  | The association between patterns of atrial fibrillation, anticoagulation, and cardiovascular events.<br>Europace, 2020, 22, 195-204.   | 1.7 | 22        |
| 10 | Exercise Systolic Blood Pressure at Moderate Workload Is Linearly Associated With Coronary Disease<br>Risk in Healthy Men. Hypertension, 2020, 75, 44-50.  | 2.7 | 25        |
| 11 | STudy of Antithrombotic Treatment after IntraCerebral Haemorrhage: Protocol for a randomised controlled trial. European Stroke Journal, 2020, 5, 414-422.  | 5.5 | 5         |
| 12 | Outcome assessment by central adjudicators in randomised stroke trials: Simulation of differential and non-differential misclassification. European Stroke Journal, 2020, 5, 174-183.                | 5.5 | 6         |
| 13 | Cost-benefit of outcome adjudication in nine randomised stroke trials. Clinical Trials, 2020, 17, 576-580.   | 1.6 | 5         |
| 14 | Blood Pressure–Lowering Profiles and Clinical Effects of Angiotensin Receptor Blockers Versus<br>Calcium Channel Blockers. Hypertension, 2020, 75, 1584-1592.  | 2.7 | 11        |
| 15 | Utility-Weighted Modified Rankin Scale Scores for the Assessment of Stroke Outcome. Stroke, 2020, 51, 2411-2417.   | 2.0 | 14        |
| 16 | lmaging markers of small vessel disease and brain frailty, and outcomes in acute stroke. Neurology,<br>2020, 94, e439-e452.  | 1.1 | 91        |
| 17 | Improving economic evaluations in stroke: A report from the ESO Health Economics Working Group.<br>European Stroke Journal, 2020, 5, 184-192.  | 5.5 | 13        |
| 18 | Change in Body Weight and Long-Term Risk of Stroke and Death in Healthy Men. Stroke, 2020, 51,<br>1435-1441.   | 2.0 | 12        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Factor Xa inhibitors versus vitamin K antagonists for preventing cerebral or systemic embolismin patients with atrial fibrillation. Emergencias, 2020, 32, 278-279.   | 0.6 | 0         |
| 20 | Outcome Assessment by Central Adjudicators Versus Site Investigators in Stroke Trials. Stroke, 2019, 50, 2187-2196.   | 2.0 | 13        |
| 21 | Building a European â€~network of networks' for stroke clinical research – The European Stroke<br>Organisation Trials Alliance (ESOTA). European Stroke Journal, 2019, 4, 224-232.  | 5.5 | 2         |
| 22 | Sex differences in treatment and outcome after stroke. Neurology, 2019, 93, e2170-e2180.  | 1.1 | 90        |
| 23 | Effect of Glyceryl Trinitrate on Hemodynamics in Acute Stroke. Stroke, 2019, 50, 405-412.   | 2.0 | 7         |
| 24 | Prehospital Transdermal Glyceryl Trinitrate for Ultra-Acute Intracerebral Hemorrhage. Stroke, 2019,<br>50, 3064-3071.   | 2.0 | 36        |
| 25 | It is safe to use transdermal glyceryl trinitrate to lower blood pressure in patients with acute ischaemic stroke with carotid stenosis. Stroke and Vascular Neurology, 2019, 4, 28-35.   | 3.3 | 3         |
| 26 | Effects of Candesartan in the Acute Phase of Intracerebral Hemorrhage. Journal of Stroke and<br>Cerebrovascular Diseases, 2019, 28, 2262-2267.  | 1.6 | 1         |
| 27 | High-sensitive cardiac Troponin T and exercise stress test for evaluation of angiographically significant coronary disease. International Journal of Cardiology, 2019, 287, 1-6.  | 1.7 | 8         |
| 28 | SBP above 180 mmHg at moderate exercise workload increases coronary heart disease risk in healthy<br>men during 28-year follow-up. Journal of Hypertension, 2019, 37, 949-955.  | 0.5 | 6         |
| 29 | Antithrombotic treatment for secondary prevention of stroke and other thromboembolic events in patients with stroke or transient ischemic attack and non-valvular atrial fibrillation: A European Stroke Organisation guideline. European Stroke Journal, 2019, 4, 198-223.                   | 5.5 | 120       |
| 30 | Percutaneous Vascular Interventions Versus Intravenous Thrombolytic Treatment for Acute Ischemic<br>Stroke. Stroke, 2019, 50, .   | 2.0 | 0         |
| 31 | Lowering blood pressure after acute intracerebral haemorrhage: protocol for a systematic review<br>and meta-analysis using individual patient data from randomised controlled trials participating in the<br>Blood Pressure in Acute Stroke Collaboration (BASC). BMJ Open, 2019, 9, e030121. | 1.9 | 7         |
| 32 | Associations between change in blood pressure and functional outcome, early events and death.<br>Journal of Hypertension, 2019, 37, 2104-2109.  | 0.5 | 3         |
| 33 | A randomized controlled trial to test efficacy and safety of thrombectomy in stroke with extended lesion and extended time window. International Journal of Stroke, 2019, 14, 87-93.  | 5.9 | 69        |
| 34 | Effects of blood pressure lowering on cardiovascular events, in the context of regression to the mean. Journal of Hypertension, 2019, 37, 16-23.  | 0.5 | 37        |
| 35 | Blood pressure variability in hypertensive patients with atrial fibrillation in the VALUE trial. Blood<br>Pressure, 2019, 28, 77-83.  | 1.5 | 10        |
| 36 | Systematic review of organizational models for intra-arterial treatment of acute ischemic stroke.<br>International Journal of Stroke, 2019, 14, 12-22.  | 5.9 | 24        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Change in Cardiorespiratory Fitness and Risk of Stroke and Death. Stroke, 2019, 50, 155-161.  | 2.0 | 30        |
| 38 | Rivaroxaban plasma levels in acute ischemic stroke and intracerebral hemorrhage. Annals of Neurology, 2018, 83, 451-459.  | 5.3 | 45        |
| 39 | Effect of strenuous exercise on mediators of inflammation in patients with coronary artery disease.<br>Cytokine, 2018, 105, 17-22.  | 3.2 | 13        |
| 40 | Blood pressure variability and risk of cardiovascular events and death in patients with hypertension and different baseline risks. European Heart Journal, 2018, 39, 2243-2251.   | 2.2 | 156       |
| 41 | Protocol for a prospective collaborative systematic review and meta-analysis of individual patient data from randomized controlled trials of vasoactive drugs in acute stroke: The Blood pressure in Acute Stroke Collaboration, stage-3. International Journal of Stroke, 2018, 13, 759-765. | 5.9 | 7         |
| 42 | Blood pressure variability and leukoaraiosis in acute ischemic stroke. International Journal of Stroke, 2018, 13, 473-480.  | 5.9 | 5         |
| 43 | Long-term predictors of stroke in healthy middle-aged men. International Journal of Stroke, 2018, 13, 292-300.  | 5.9 | 11        |
| 44 | Relationship between race and outcome in Asian, Black, and Caucasian patients with spontaneous<br>intracerebral hemorrhage: Data from the Virtual International Stroke Trials Archive and Efficacy of<br>Nitric Oxide in Stroke trial. International Journal of Stroke, 2018, 13, 362-373.    | 5.9 | 19        |
| 45 | Are there opportunities for a closer collaboration on clinical stroke research in Europe?. European Stroke Journal, 2018, 3, 22-28.   | 5.5 | 1         |
| 46 | How to do a systematic review. International Journal of Stroke, 2018, 13, 138-156.  | 5.9 | 182       |
| 47 | Route of Feeding as a Proxy for Dysphagia After Stroke and the Effect of Transdermal Glyceryl<br>Trinitrate: Data from the Efficacy of Nitric Oxide in Stroke Randomised Controlled Trial.<br>Translational Stroke Research, 2018, 9, 120-129.  | 4.2 | 8         |
| 48 | P826Increase in cardiac biomarkers during exercise stress test in patients with angiographically verified coronary artery disease. European Heart Journal, 2018, 39, .  | 2.2 | 0         |
| 49 | Central adjudication of serious adverse events did not affect trial's safety results: Data from the<br>Efficacy of Nitric Oxide in Stroke (ENOS) trial. PLoS ONE, 2018, 13, e0208142.   | 2.5 | 6         |
| 50 | 3137Body mass index and cardiorespiratory fitness improve stroke prediction beyond classical cardiovascular risk factors. European Heart Journal, 2018, 39, .   | 2.2 | 0         |
| 51 | Response to letters from Torp-Pedersen and colleagues and de Courson and colleagues. European<br>Heart Journal, 2018, 39, 4221-4221.  | 2.2 | 0         |
| 52 | Central masked adjudication of stroke diagnosis at trial entry offered no advantage over diagnosis by<br>local clinicians: Secondary analysis and simulation. Contemporary Clinical Trials Communications,<br>2018, 12, 176-181.  | 1.1 | 5         |
| 53 | Impact of hydration status on haemodynamics, effects of acute blood pressure″owering treatment,<br>and prognosis after stroke. British Journal of Clinical Pharmacology, 2018, 84, 2914-2922.   | 2.4 | 6         |
| 54 | PRECIOUS: PREvention of Complications to Improve OUtcome in elderly patients with acute Stroke.<br>Rationale and design of a randomised, open, phase III, clinical trial with blinded outcome assessment.<br>European Stroke Journal, 2018, 3, 291-298.                                       | 5.5 | 19        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Long-term health-related quality of life, survival and costs by different levels of functional outcome<br>six months after stroke. European Stroke Journal, 2018, 3, 157-164.  | 5.5  | 10        |
| 56 | Tenecteplase for the treatment of acute ischemic stroke: A review of completed and ongoing randomized controlled trials. International Journal of Stroke, 2018, 13, 885-892.   | 5.9  | 36        |
| 57 | Factor Xa Inhibitors Versus Vitamin K Antagonists for Prevention of Cerebral or Systemic Embolism in<br>Patients With Atrial Fibrillation. Stroke, 2018, 49, .   | 2.0  | 1         |
| 58 | Blood pressure-lowering treatment strategies based on cardiovascular risk versus blood pressure: A<br>meta-analysis of individual participant data. PLoS Medicine, 2018, 15, e1002538.   | 8.4  | 67        |
| 59 | Thrombolytic Treatment for Ischaemic Stroke: Could the Crisis of Confidence Have Been Avoided by<br>Better Analysis of Trial Data?. Drugs and Aging, 2017, 34, 79-88.  | 2.7  | 5         |
| 60 | Continuing or Temporarily Stopping Prestroke Antihypertensive Medication in Acute Stroke.<br>Hypertension, 2017, 69, 933-941.  | 2.7  | 15        |
| 61 | Evolving antithrombotic treatment patterns for patients with newly diagnosed atrial fibrillation.<br>Heart, 2017, 103, 307-314.  | 2.9  | 205       |
| 62 | Increasing value and reducing waste in stroke research. Lancet Neurology, The, 2017, 16, 399-408.  | 10.2 | 33        |
| 63 | Antithrombotic treatment after stroke due to intracerebral haemorrhage. The Cochrane Library, 2017, 2017, CD012144.  | 2.8  | 19        |
| 64 | Should elevated blood pressure be lowered in the acute phase of ischaemic stroke?. Journal of Hypertension, 2017, 35, 1166-1167.   | 0.5  | 0         |
| 65 | Enlarged perivascular spaces are associated with healthâ€related quality of life in patients with acute ischemic stroke. CNS Neuroscience and Therapeutics, 2017, 23, 973-979.   | 3.9  | 11        |
| 66 | Infections Up to 76ÂDays After Stroke Increase Disability and Death. Translational Stroke Research, 2017, 8, 541-548.  | 4.2  | 25        |
| 67 | Pro-coagulant activity during exercise testing in patients with coronary artery disease. Thrombosis<br>Journal, 2017, 15, 3.   | 2.1  | 9         |
| 68 | Understanding the relationship between costs and the modified Rankin Scale: A systematic review,<br>multidisciplinary consensus and recommendations for future studies. European Stroke Journal, 2017,<br>2, 3-12.   | 5.5  | 21        |
| 69 | 11947-year change in physical fitness in healthy middle-aged men predicts stroke during 28 years<br>follow-up. European Heart Journal, 2017, 38, .   | 2.2  | 0         |
| 70 | Effect of Treatment Delay, Stroke Type, and Thrombolysis on the Effect of Glyceryl Trinitrate, a Nitric<br>Oxide Donor, on Outcome after Acute Stroke: A Systematic Review and Meta-Analysis of Individual<br>Patient from Randomised Trials. Stroke Research and Treatment, 2016, 2016, 1-12. | 0.8  | 22        |
| 71 | Methods to improve patient recruitment and retention in stroke trials. International Journal of Stroke, 2016, 11, 663-676.   | 5.9  | 24        |
| 72 | Effects of alteplase on survival after ischaemic stroke (IST-3): 3 year follow-up of a randomised,<br>controlled, open-label trial. Lancet Neurology, The, 2016, 15, 1028-1034.  | 10.2 | 41        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Mortality after thrombolysis – Authors' reply. Lancet Neurology, The, 2016, 15, 1305.  | 10.2 | Ο         |
| 74 | Glyceryl Trinitrate for Acute Intracerebral Hemorrhage. Stroke, 2016, 47, 44-52.   | 2.0  | 32        |
| 75 | Prognostic Value of 24-H ABPM in Acute Ischemic Stroke for Short-, Medium-, and Long-Term Outcome:<br>A Systematic Review and Meta-Analysis. International Journal of Stroke, 2015, 10, 1000-1007.                                 | 5.9  | 22        |
| 76 | Effects of Candesartan in Acute Stroke on Vascular Events during Long-Term Follow-up: Results from<br>the Scandinavian Candesartan Acute Stroke Trial (SCAST). International Journal of Stroke, 2015, 10,<br>830-835.              | 5.9  | 13        |
| 77 | Blood pressure-lowering treatment in acute intracerebral haemorrhage. Journal of Hypertension, 2015, 33, 931-932.  | 0.5  | Ο         |
| 78 | Blood pressure and hypertension in athletes: a systematic review. British Journal of Sports Medicine, 2015, 49, 716-723.   | 6.7  | 74        |
| 79 | Effects of Blood Pressure–Lowering Treatment in Different Subtypes of Acute Ischemic Stroke.<br>Stroke, 2015, 46, 877-879.   | 2.0  | 30        |
| 80 | Response to Letter Regarding Article, "Blood Pressure–Lowering Treatment With Candesartan in<br>Patients With Acute Hemorrhagic Stroke― Stroke, 2015, 46, e14.   | 2.0  | 0         |
| 81 | Cochrane reviewers' response to Alper and colleagues' analysis of thrombolysis in acute ischaemic stroke. BMJ, The, 2015, 350, h1790-h1790.  | 6.0  | 2         |
| 82 | Effect of Hyperacute Administration (Within 6 Hours) of Transdermal Glyceryl Trinitrate, a Nitric<br>Oxide Donor, on Outcome After Stroke. Stroke, 2015, 46, 3194-3201.  | 2.0  | 88        |
| 83 | Effects of Blood Pressure and Blood Pressure–Lowering Treatment During the First 24 Hours Among Patients in the Third International Stroke Trial of Thrombolytic Treatment for Acute Ischemic Stroke. Stroke, 2015, 46, 3362-3369. | 2.0  | 83        |
| 84 | Regulation and Governance of Multinational Drug Trials in Stroke: Barriers and Possibilities.<br>International Journal of Stroke, 2015, 10, 425-428.   | 5.9  | 9         |
| 85 | Blood Pressure–Lowering Treatment With Candesartan in Patients With Acute Hemorrhagic Stroke.<br>Stroke, 2014, 45, 3440-3442.  | 2.0  | 27        |
| 86 | Applying New Strategies for the National Adaptation, Updating, and Dissemination of Trustworthy Guidelines. Chest, 2014, 146, 735-761.   | 0.8  | 32        |
| 87 | Heart Rate as a Predictor of Stroke in High-risk, Hypertensive Patients with Previous Stroke or<br>Transient Ischemic Attack. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2814-2818.                                 | 1.6  | 15        |
| 88 | Factor Xa Inhibitors vs Warfarin for Preventing Stroke and Thromboembolism in Patients With Atrial<br>Fibrillation. JAMA - Journal of the American Medical Association, 2014, 311, 1150.   | 7.4  | 8         |
| 89 | Can We Agree on a Standard Terminology for Catheter-Based Interventions for Acute Ischemic Stroke?. Stroke, 2014, 45, e42.   | 2.0  | Ο         |
| 90 | Cochrane Stroke Group: Twenty Years of Evidence-Based Stroke Medicine. International Journal of Stroke, 2014, 9, 107-109.  | 5.9  | 7         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Alteplase for ischaemic stroke—responses. Lancet, The, 2014, 384, 661-662.  | 13.7 | 3         |
| 92  | Recanalisation therapies for wake-up stroke. The Cochrane Library, 2014, , .  | 2.8  | 4         |
| 93  | Adaptation of Trustworthy Guidelines Developed Using the GRADE Methodology. Chest, 2014, 146, 727-734.  | 0.8  | 18        |
| 94  | Factor Xa Inhibitors Versus Vitamin K Antagonists for Preventing Cerebral or Systemic Embolism in<br>Patients With Atrial Fibrillation. Stroke, 2013, 44, .   | 2.0  | 2         |
| 95  | Testing for Differential Item Functioning within the EQ-5D. Medical Decision Making, 2013, 33, 252-260.   | 2.4  | 32        |
| 96  | Response to Letter by Simone Vidale Regarding Article, "Relation Between Change in Blood Pressure in<br>Acute Stroke and Risk of Early Adverse Events and Poor Outcome― Stroke, 2012, 43, .   | 2.0  | 0         |
| 97  | Recombinant tissue plasminogen activator for acute ischaemic stroke: an updated systematic review and meta-analysis. Lancet, The, 2012, 379, 2364-2372.   | 13.7 | 847       |
| 98  | The benefits and harms of intravenous thrombolysis with recombinant tissue plasminogen activator<br>within 6 h of acute ischaemic stroke (the third international stroke trial [IST-3]): a randomised<br>controlled trial. Lancet, The, 2012, 379, 2352-2363. | 13.7 | 1,018     |
| 99  | Anticoagulants versus antiplatelet agents for acute ischaemic stroke. The Cochrane Library, 2002, ,<br>CD003242.  | 2.8  | 48        |
| 100 | Percutaneous vascular interventions versus intravenous thrombolytic treatment for acute ischaemic stroke. The Cochrane Library, 0, , .  | 2.8  | 7         |
| 101 | Oral anticoagulants versus antiplatelet therapy for preventing stroke and systemic embolic events in patients with atrial fibrillation. The Cochrane Library, 0, , .  | 2.8  | 1         |