Kyung-Do Han

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5313285/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Data Analytic Process of a Nationwide Population-Based Study Using National Health Information Database Established by National Health Insurance Service. Diabetes and Metabolism Journal, 2016, 40, 79.	4.7	269
2	Cholesterol variability and the risk of mortality, myocardial infarction, and stroke: a nationwide population-based study. European Heart Journal, 2017, 38, 3560-3566.	2.2	171
3	Associations of Variability in Blood Pressure, Clucose and Cholesterol Concentrations, and Body Mass Index With Mortality and Cardiovascular Outcomes in the General Population. Circulation, 2018, 138, 2627-2637.	1.6	169
4	Trends in the incidence and prevalence of atrial fibrillation and estimated thromboembolic risk using the CHA2DS2-VASc score in the entire Korean population. International Journal of Cardiology, 2017, 236, 226-231.	1.7	150
5	The triglyceride glucose index is a simple and low-cost marker associated with atherosclerotic cardiovascular disease: a population-based study. BMC Medicine, 2020, 18, 361.	5.5	130
6	Effectiveness and Safety of Non-Vitamin K Antagonist Oral Anticoagulants in Asian Patients With Atrial Fibrillation. Stroke, 2017, 48, 3040-3048.	2.0	117
7	Sarcopenia as a Determinant of Blood Pressure in Older Koreans: Findings from the Korea National Health and Nutrition Examination Surveys (KNHANES) 2008–2010. PLoS ONE, 2014, 9, e86902.	2.5	110
8	Mortality and causes of death in patients with atrial fibrillation: A nationwide population-based study. PLoS ONE, 2018, 13, e0209687.	2.5	108
9	Metabolic syndrome and risk of Parkinson disease: A nationwide cohort study. PLoS Medicine, 2018, 15, e1002640.	8.4	106
10	Underweight is a risk factor for atrial fibrillation: A nationwide population-based study. International Journal of Cardiology, 2016, 215, 449-456.	1.7	96
11	Trends in the prevalence of metabolic syndrome and its components in South Korea: Findings from the Korean National Health Insurance Service Database (2009–2013). PLoS ONE, 2018, 13, e0194490.	2.5	95
12	Direct Oral Anticoagulants in PatientsÂWith Atrial Fibrillation andÂLiverÂDisease. Journal of the American College of Cardiology, 2019, 73, 3295-3308.	2.8	95
13	Edoxaban in Asian Patients With AtrialÂFibrillation. Journal of the American College of Cardiology, 2018, 72, 838-853.	2.8	93
14	Obesity Fact Sheet in Korea, 2019: Prevalence of Obesity and Abdominal Obesity from 2009 to 2018 and Social Factors. Journal of Obesity and Metabolic Syndrome, 2020, 29, 124-132.	3.6	91
15	Association of Vitamin B ₁₂ Deficiency and Metformin Use in Patients with Type 2 Diabetes. Journal of Korean Medical Science, 2014, 29, 965.	2.5	81
16	Obesity, metabolic health, and mortality in adults: a nationwide population-based study in Korea. Scientific Reports, 2016, 6, 30329.	3.3	81
17	Risk of early mortality and cardiovascular disease in type 1 diabetes: a comparison with type 2 diabetes, a nationwide study. Cardiovascular Diabetology, 2019, 18, 157.	6.8	78
18	Changes in metabolic syndrome and its components and the risk of type 2 diabetes: a nationwide cohort study. Scientific Reports, 2020, 10, 2313.	3.3	75

#	Article	IF	CITATIONS
19	Effectiveness and Safety of Contemporary Oral Anticoagulants Among Asians With Nonvalvular Atrial Fibrillation. Stroke, 2019, 50, 2245-2249.	2.0	73
20	Risk of Anxiety and Depression in Patients with Inflammatory Bowel Disease: A Nationwide, Population-Based Study. Journal of Clinical Medicine, 2019, 8, 654.	2.4	73
21	The relationship between drinking alcohol and esophageal, gastric or colorectal cancer: A nationwide population-based cohort study of South Korea. PLoS ONE, 2017, 12, e0185778.	2.5	73
22	Direct Oral Anticoagulants in Patients With Nonvalvular Atrial Fibrillation andÂLowÂBodyÂWeight. Journal of the American College of Cardiology, 2019, 73, 919-931.	2.8	72
23	Mediterranean diet, Dietary Approaches to Stop Hypertension (DASH) style diet, and metabolic health in U.S. adults. Clinical Nutrition, 2017, 36, 1301-1309.	5.0	71
24	Altered Risk for Cardiovascular Events With Changes in the Metabolic Syndrome Status. Annals of Internal Medicine, 2019, 171, 875.	3.9	71
25	Temporal trends of antithrombotic therapy for stroke prevention in Korean patients with non-valvular atrial fibrillation in the era of non-vitamin K antagonist oral anticoagulants: A nationwide population-based study. PLoS ONE, 2017, 12, e0189495.	2.5	71
26	Body Mass Index, Diabetes, and the Risk of Parkinson's Disease. Movement Disorders, 2020, 35, 236-244.	3.9	65
27	Blood Pressure Variability and the Risk of Dementia. Hypertension, 2020, 75, 982-990.	2.7	63
28	Evaluation of the association between diabetic retinopathy and the incidence of atrial fibrillation: A nationwide population-based study. International Journal of Cardiology, 2016, 223, 953-957.	1.7	62
29	Trends in the incidence and prevalence of Parkinson's disease in Korea: a nationwide, population-based study. BMC Geriatrics, 2019, 19, 320.	2.7	61
30	Patients with Inflammatory Bowel Disease Are at an Increased Risk of Parkinson's Disease: A South Korean Nationwide Population-Based Study. Journal of Clinical Medicine, 2019, 8, 1191.	2.4	60
31	Obesity Fact Sheet in Korea, 2020: Prevalence of Obesity by Obesity Class from 2009 to 2018. Journal of Obesity and Metabolic Syndrome, 2021, 30, 141-148.	3.6	60
32	Risk of Atrial Fibrillation According to Cancer Type. JACC: CardioOncology, 2021, 3, 221-232.	4.0	60
33	Atrial fibrillation risk in metabolically healthy obesity: A nationwide population-based study. International Journal of Cardiology, 2017, 240, 221-227.	1.7	59
34	Implication of liver enzymes on incident cardiovascular diseases and mortality: A nationwide population-based cohort study. Scientific Reports, 2018, 8, 3764.	3.3	59
35	The impact of body weight and diabetes on new-onset atrial fibrillation: a nationwide population based study. Cardiovascular Diabetology, 2019, 18, 128.	6.8	57
36	Obesity Fact Sheet in Korea, 2021: Trends in Obesity Prevalence and Obesity-Related Comorbidity Incidence Stratified by Age from 2009 to 2019. Journal of Obesity and Metabolic Syndrome, 2022, 31, 169-177.	3.6	56

#	Article	IF	CITATIONS
37	Dietary inflammatory potential and risk of mortality in metabolically healthy and unhealthy phenotypes among overweight and obese adults. Clinical Nutrition, 2019, 38, 682-688.	5.0	55
38	Cirrhosis is a risk factor for atrial fibrillation: A nationwide, populationâ€based study. Liver International, 2017, 37, 1660-1667.	3.9	54
39	The Associations between Serum Zinc Levels and Metabolic Syndrome in the Korean Population: Findings from the 2010 Korean National Health and Nutrition Examination Survey. PLoS ONE, 2014, 9, e105990.	2.5	53
40	Association between socioeconomic status and oral health behaviors: The 2008–2010 Korea national health and nutrition examination survey. Experimental and Therapeutic Medicine, 2016, 12, 2657-2664.	1.8	53
41	Association of Hearing Loss and Tinnitus with Health-Related Quality of Life: The Korea National Health and Nutrition Examination Survey. PLoS ONE, 2015, 10, e0131247.	2.5	53
42	Variability in Total Cholesterol Is Associated With the Risk of End-Stage Renal Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 1963-1970.	2.4	51
43	Severe hypoglycemia and the risk of cardiovascular disease and mortality in type 2 diabetes: a nationwide population-based cohort study. Cardiovascular Diabetology, 2019, 18, 103.	6.8	51
44	Association Between Alcohol Consumption and Periodontal Disease: The 2008 to 2010 Korea National Health and Nutrition Examination Survey. Journal of Periodontology, 2014, 85, 1521-1528.	3.4	50
45	Disparities in Cervical Cancer Screening Among Women With Disabilities: A National Database Study in South Korea. Journal of Clinical Oncology, 2018, 36, 2778-2786.	1.6	50
46	Variability in metabolic parameters and risk of dementia: a nationwide population-based study. Alzheimer's Research and Therapy, 2018, 10, 110.	6.2	50
47	Increased liver markers are associated with higher risk of type 2 diabetes. World Journal of Gastroenterology, 2015, 21, 7478.	3.3	49
48	Abdominal obesity, glucose intolerance and decreased high-density lipoprotein cholesterol as components of the metabolic syndrome are associated with the development of colorectal cancer. European Journal of Epidemiology, 2018, 33, 1077-1085.	5.7	49
49	Frequent drinking is a more important risk factor for new-onset atrial fibrillation than binge drinking: a nationwide population-based study. Europace, 2020, 22, 216-224.	1.7	49
50	Impact of the Duration and Degree of Hypertension and Body Weight on New-Onset Atrial Fibrillation. Hypertension, 2019, 74, e45-e51.	2.7	49
51	Increased end-stage renal disease risk in patients with inflammatory bowel disease: A nationwide population-based study. World Journal of Gastroenterology, 2018, 24, 4798-4808.	3.3	48
52	Temporal trends of the prevalence and incidence of atrial fibrillation and stroke among Asian patients with hypertrophic cardiomyopathy: A nationwide population-based study. International Journal of Cardiology, 2018, 273, 130-135.	1.7	47
53	Total cholesterol and lipoprotein composition are associated with dry eye disease in Korean women. Lipids in Health and Disease, 2013, 12, 84.	3.0	46
54	Severe Periodontitis Is Associated with Insulin Resistance in Non-abdominal Obese Adults. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4251-4259.	3.6	45

#	Article	IF	CITATIONS
55	Direct Bypass Versus Indirect Bypass in Adult Moyamoya Angiopathy with Symptoms or Hemodynamic Instability: A Meta-analysis of Comparative Studies. World Neurosurgery, 2016, 94, 273-284.	1.3	45
56	Association between adult height, myocardial infarction, heart failure, stroke and death: a Korean nationwide population-based study. International Journal of Epidemiology, 2018, 47, 289-298.	1.9	45
57	Patients with inflammatory bowel disease have an increased risk of myocardial infarction: a nationwide study. Alimentary Pharmacology and Therapeutics, 2019, 50, 769-779.	3.7	45
58	Blood Pressure Variability and Incidence of New-Onset Atrial Fibrillation. Hypertension, 2020, 75, 309-315.	2.7	45
59	BMI, Weight Change, and Dementia Risk in Patients With New-Onset Type 2 Diabetes: A Nationwide Cohort Study. Diabetes Care, 2019, 42, 1217-1224.	8.6	44
60	Smoking cessation, but not reduction, reduces cardiovascular disease incidence. European Heart Journal, 2021, 42, 4141-4153.	2.2	44
61	Inverse Relationship Between High Blood 25-Hydroxyvitamin D and Late Stage of Age-Related Macular Degeneration in a Representative Korean Population. , 2014, 55, 4823.		43
62	Association of Parkinson Disease With Risk of Cardiovascular Disease and All-Cause Mortality. Circulation, 2020, 141, 1205-1207.	1.6	43
63	Trends in the pervasiveness of type 2 diabetes, impaired fasting glucose and co-morbidities during an 8-year-follow-up of nationwide Korean population. Scientific Reports, 2017, 7, 46656.	3.3	42
64	Oral Anticoagulation in Asian Patients With Atrial Fibrillation and a History of Intracranial Hemorrhage. Stroke, 2020, 51, 416-423.	2.0	42
65	Association of Hypertension and Blood Pressure With Kidney Cancer Risk. Hypertension, 2020, 75, 1439-1446.	2.7	42
66	Increased risk of atrial fibrillation in patients with inflammatory bowel disease: A nationwide population-based study. World Journal of Gastroenterology, 2019, 25, 2788-2798.	3.3	41
67	Metabolic Health, Obesity, and the Risk of Developing Open-Angle Glaucoma: Metabolically Healthy Obese Patients versus Metabolically Unhealthy but Normal Weight Patients. Diabetes and Metabolism Journal, 2020, 44, 414.	4.7	41
68	Association between insulin resistance and periodontitis in Korean adults. Journal of Clinical Periodontology, 2014, 41, 121-130.	4.9	40
69	Risk of ischemic stroke in metabolically healthy obesity: A nationwide population-based study. PLoS ONE, 2018, 13, e0195210.	2.5	40
70	Optimal Rivaroxaban Dose in Asian Patients With Atrial Fibrillation and Normal or Mildly Impaired Renal Function. Stroke, 2019, 50, 1140-1148.	2.0	39
71	Adult height in relation to risk of cancer in a cohort of 22,809,722 Korean adults. British Journal of Cancer, 2019, 120, 668-674.	6.4	39
72	Risk of Ischemic Stroke in Patients With Non-Valvular Atrial Fibrillation Not Receiving Oral Anticoagulants ― Korean Nationwide Population-Based Study ―. Circulation Journal, 2017, 81, 1158-1164.	1.6	38

#	Article	IF	CITATIONS
73	Associations Among Oral Hygiene Behavior and Hypertension Prevalence and Control: The 2008 to 2010 Korea National Health and Nutrition Examination Survey. Journal of Periodontology, 2015, 86, 866-873.	3.4	37
74	Diet Quality and Mortality Risk in Metabolically Obese Normal-Weight Adults. Mayo Clinic Proceedings, 2016, 91, 1372-1383.	3.0	37
75	Association between sleep duration and menstrual cycle irregularity in Korean female adolescents. Sleep Medicine, 2017, 35, 62-66.	1.6	37
76	Increased Risk of Atrial Fibrillation and Thromboembolism in Patients with Severe Psoriasis: a Nationwide Population-based Study. Scientific Reports, 2017, 7, 9973.	3.3	37
77	Association Between Systolic and Diastolic Blood Pressure Variability and the Risk of End-Stage Renal Disease. Hypertension, 2019, 74, 880-887.	2.7	37
78	Recurrence Rate of Herpes Zoster and Its Risk Factors: a Population-based Cohort Study. Journal of Korean Medical Science, 2019, 34, e1.	2.5	37
79	Cancer risk in patients with Parkinson's disease in South Korea: A nationwide, population-based cohort study. European Journal of Cancer, 2019, 117, 5-13.	2.8	37
80	Weight change and mortality and cardiovascular outcomes in patients with new-onset diabetes mellitus: a nationwide cohort study. Cardiovascular Diabetology, 2019, 18, 36.	6.8	37
81	Lower risk of stroke after alcohol abstinence in patients with incident atrial fibrillation: a nationwide population-based cohort study. European Heart Journal, 2021, 42, 4759-4768.	2.2	36
82	Incidence and Risk Factors for Dementia in Type 2 Diabetes Mellitus: A Nationwide Population-Based Study in Korea. Diabetes and Metabolism Journal, 2020, 44, 113.	4.7	36
83	Prevalence and Annual Incidence of Thyroid Disease in Korea from 2006 to 2015: A Nationwide Population-Based Cohort Study. Endocrinology and Metabolism, 2018, 33, 260.	3.0	35
84	Non-genetic risk factors for atrial fibrillation are equally important in both young and old age: A nationwide population-based study. European Journal of Preventive Cardiology, 2021, 28, 666-676.	1.8	35
85	Incidence of cardiovascular disease and mortality in underweight individuals. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 331-338.	7.3	35
86	Association of the Frequency and Quantity of Alcohol Consumption With Gastrointestinal Cancer. JAMA Network Open, 2021, 4, e2120382.	5.9	35
87	The insulin resistance by triglyceride glucose index and risk for dementia: population-based study. Alzheimer's Research and Therapy, 2021, 13, 9.	6.2	35
88	Insulin Resistance Distribution and Cut-Off Value in Koreans from the 2008-2010 Korean National Health and Nutrition Examination Survey. PLoS ONE, 2016, 11, e0154593.	2.5	35
89	Is nonalcoholic fatty liver disease associated with the development of prostate cancer? A nationwide study with 10,516,985 Korean men. PLoS ONE, 2018, 13, e0201308.	2.5	34
90	Women with Metabolic Syndrome and General Obesity Are at a Higher Risk for Significant Hyperuricemia Compared to Men. Journal of Clinical Medicine, 2019, 8, 837.	2.4	34

#	Article	IF	CITATIONS
91	Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes. Medicine (United States), 2019, 98, e16317.	1.0	34
92	The influence of diabetes and antidiabetic medications on the risk of pancreatic cancer: a nationwide population-based study in Korea. Scientific Reports, 2018, 8, 9719.	3.3	33
93	Chronic renal dysfunction, proteinuria, and risk of Parkinson's disease in the elderly. Movement Disorders, 2019, 34, 1184-1191.	3.9	33
94	Blood Pressure and Development of Cardiovascular Disease in Koreans With Type 2 Diabetes Mellitus. Hypertension, 2019, 73, 319-326.	2.7	33
95	Association between clustering of unhealthy lifestyle factors and risk of new-onset atrial fibrillation: a nationwide population-based study. Scientific Reports, 2020, 10, 19224.	3.3	33
96	Increased risk of Alzheimer's disease in patients with psoriasis: a nationwide population-based cohort study. Scientific Reports, 2020, 10, 6454.	3.3	33
97	Bodyweight fluctuation is associated with increased risk of incident atrial fibrillation. Heart Rhythm, 2020, 17, 365-371.	0.7	32
98	Prevalence and incidence of neuromyelitis optica spectrum disorder and multiple sclerosis in Korea. Multiple Sclerosis Journal, 2020, 26, 1837-1844.	3.0	32
99	Metabolic Syndrome and the Risk of Thyroid Cancer: A Nationwide Population-Based Cohort Study. Thyroid, 2020, 30, 1496-1504.	4.5	32
100	Low vision and the risk of dementia: a nationwide population-based cohort study. Scientific Reports, 2020, 10, 9109.	3.3	32
101	Risk of cancer in pre-dialysis chronic kidney disease: A nationwide population-based study with a matched control group. Kidney Research and Clinical Practice, 2019, 38, 60-70.	2.2	32
102	Increased Risk of Herpes Zoster in Young and Metabolically Healthy Patients with Inflammatory Bowel Disease: A Nationwide Population-Based Study. Gut and Liver, 2019, 13, 333-341.	2.9	32
103	HDL-Cholesterol, Its Variability, and the Risk of Diabetes: A Nationwide Population-Based Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 5633-5641.	3.6	31
104	High Proportion of Adult Cases and Prevalence of Metabolic Syndrome in Type 1 Diabetes Mellitus Population in Korea: A Nationwide Study. Diabetes and Metabolism Journal, 2019, 43, 76.	4.7	31
105	Ankylosing spondylitis: A novel risk factor for atrial fibrillation — A nationwide population-based study. International Journal of Cardiology, 2019, 275, 77-82.	1.7	31
106	Association of four lipid components with mortality, myocardial infarction, and stroke in statin-naÃ⁻ve young adults: A nationwide cohort study. European Journal of Preventive Cardiology, 2020, 27, 870-881.	1.8	31
107	The Repeatedly Elevated Fatty Liver Index Is Associated With Increased Mortality: A Population-Based Cohort Study. Frontiers in Endocrinology, 2021, 12, 638615.	3.5	31
108	Epidemiology of continuous renal replacement therapy in Korea: Results from the National Health Insurance Service claims database from 2005 to 2016. Kidney Research and Clinical Practice, 2018, 37, 119-129.	2.2	31

#	Article	IF	CITATIONS
109	Risk of mental health problems in adolescents skipping meals: The Korean National Health and Nutrition Examination Survey 2010 to 2012. Nursing Outlook, 2017, 65, 411-419.	2.6	30
110	Hypertension and risk of psoriasis incidence: An 11-year nationwide population-based cohort study. PLoS ONE, 2018, 13, e0202854.	2.5	30
111	Cholesterol levels and development of cardiovascular disease in Koreans with type 2 diabetes mellitus and without pre-existing cardiovascular disease. Cardiovascular Diabetology, 2019, 18, 139.	6.8	30
112	Dose–response relationship between cigarette smoking and risk of ulcerative colitis: a nationwide population-based study. Journal of Gastroenterology, 2019, 54, 881-890.	5.1	30
113	The association between nonalcoholic fatty liver disease and esophageal, stomach, or colorectal cancer: National population-based cohort study. PLoS ONE, 2020, 15, e0226351.	2.5	30
114	Obesity and breast cancer risk for pre- and postmenopausal women among over 6 million Korean women. Breast Cancer Research and Treatment, 2021, 185, 495-506.	2.5	30
115	Age- and Sex-Specific Relationships between Household Income, Education, and Diabetes Mellitus in Korean Adults: The Korea National Health and Nutrition Examination Survey, 2008-2010. PLoS ONE, 2015, 10, e0117034.	2.5	29
116	Association between 24-h urinary sodium excretion and obesity in Korean adults: A multicenter study. Nutrition, 2017, 41, 113-119.	2.4	29
117	Association between oral health behavior and periodontal disease among Korean adults. Medicine (United States), 2017, 96, e6176.	1.0	29
118	Impact of weight changes on the incidence of diabetes mellitus: a Korean nationwide cohort study. Scientific Reports, 2018, 8, 3735.	3.3	29
119	Ten-year Nationwide Population-based Survey on the Characteristics of Children with Henoch-SchÓ§nlein Purpura in Korea. Journal of Korean Medical Science, 2018, 33, e174.	2.5	29
120	Increased risk of coronary heart disease and stroke in lung cancer survivors: A Korean nationwide study of 20,458 patients. Lung Cancer, 2019, 136, 115-121.	2.0	29
121	Female reproductive factors and the risk of Parkinson's disease: a nationwide cohort study. European Journal of Epidemiology, 2020, 35, 871-878.	5.7	29
122	Hospitalization for heart failure incidence according to the transition in metabolic health and observed study. Cardiovascular Diabetology, 2020, 19, 77.	6.8	29
123	Association of Female Reproductive Factors With Incidence of Fracture Among Postmenopausal Women in Korea. JAMA Network Open, 2021, 4, e2030405.	5.9	29
124	Obesity Fact Sheet in Korea, 2018: Data Focusing on Waist Circumference and Obesity-Related Comorbidities. Journal of Obesity and Metabolic Syndrome, 2019, 28, 236-245.	3.6	29
125	Prevalence of Non-valvular Atrial Fibrillation Based on Geographical Distribution and Socioeconomic Status in the Entire Korean Population. Korean Circulation Journal, 2018, 48, 622.	1.9	28
126	Metabolic syndrome is associated with an increased risk of psoriasis: A nationwide population-based study. Metabolism: Clinical and Experimental, 2019, 99, 19-24.	3.4	28

#	Article	IF	CITATIONS
127	Hypertension is associated with oral, laryngeal, and esophageal cancer: a nationwide population-based study. Scientific Reports, 2020, 10, 10291.	3.3	28
128	Trends of the prevalence and incidence of hypertrophic cardiomyopathy in Korea: A nationwide population-based cohort study. PLoS ONE, 2020, 15, e0227012.	2.5	28
129	Gender Difference in the Association of Metabolic Syndrome and Its Components with Age-Related Cataract: The Korea National Health and Nutrition Examination Survey 2008-2010. PLoS ONE, 2014, 9, e85068.	2.5	28
130	Ambient Temperature and Prevalence of Obesity: A Nationwide Population-Based Study in Korea. PLoS ONE, 2015, 10, e0141724.	2.5	28
131	Trend of prevalence and incidence of systemic lupus erythematosus in South Korea, 2005 to 2015: a nationwide population-based study. Korean Journal of Internal Medicine, 2020, 35, 652-661.	1.7	28
132	Association Between Metabolic Syndrome and the Risk of Colorectal Cancer Diagnosed Before Age 50 Years According to Tumor Location. Gastroenterology, 2022, 163, 637-648.e2.	1.3	28
133	Association between hemoglobin A1c variability and subclinical coronary atherosclerosis in subjects with type 2 diabetes. Journal of Diabetes and Its Complications, 2015, 29, 776-782.	2.3	27
134	Breast cancer screening disparities between women with and without disabilities: A national database study in South Korea. Cancer, 2020, 126, 1522-1529.	4.1	27
135	Mildly Abnormal Lipid Levels, but Not High Lipid Variability, Are Associated With Increased Risk of Myocardial Infarction and Stroke in "Statin-Naive―Young Population A Nationwide Cohort Study. Circulation Research, 2020, 126, 824-835.	4.5	27
136	Reduced risk for chronic kidney disease after recovery from metabolic syndrome: A nationwide population-based study. Kidney Research and Clinical Practice, 2020, 39, 180-191.	2.2	27
137	Increased risk of hepatocellular carcinoma and mortality in chronic viral hepatitis with concurrent fatty liver. Alimentary Pharmacology and Therapeutics, 2022, 55, 97-107.	3.7	27
138	Sex Differences in the Prevalence of Head and Neck Cancers: A 10-Year Follow-Up Study of 10 Million Healthy People. Cancers, 2022, 14, 2521.	3.7	27
139	Lipid profiles in adolescents with and without asthma: Korea National Health and nutrition examination survey data. Lipids in Health and Disease, 2018, 17, 158.	3.0	26
140	Timed up-and-go test is a useful predictor of fracture incidence. Bone, 2019, 127, 474-481.	2.9	26
141	Impact of body mass index on development of nontuberculous mycobacterial pulmonary disease. European Respiratory Journal, 2021, 57, 2000454.	6.7	26
142	The Timed Up and Go test and the ageing heart: Findings from a national health screening of 1,084,875 community-dwelling older adults. European Journal of Preventive Cardiology, 2021, 28, 213-219.	1.8	26
143	Association between Consumption of Coffee and the Prevalence of Periodontitis: The 2008–2010 Korea National Health and Nutrition Examination Survey. PLoS ONE, 2016, 11, e0158845.	2.5	26
144	The associations of hepatic steatosis and fibrosis using fatty liver index and BARD score with cardiovascular outcomes and mortality in patients with new-onset type 2 diabetes: a nationwide cohort study. Cardiovascular Diabetology, 2022, 21, 53.	6.8	26

#	Article	IF	CITATIONS
145	Visit-to-visit variability of metabolic parameters and risk of heart failure: A nationwide population-based study. International Journal of Cardiology, 2019, 293, 153-158.	1.7	25
146	Timed Up and Go Test and the Risk of Parkinson's Disease: A Nationâ€wide Retrospective Cohort Study. Movement Disorders, 2020, 35, 1263-1267.	3.9	25
147	The relationship between metabolic syndrome and obstructive sleep apnea syndrome: a nationwide population-based study. Scientific Reports, 2021, 11, 8751.	3.3	25
148	Association between exercise habits and stroke, heart failure, and mortality in Korean patients with incident atrial fibrillation: A nationwide population-based cohort study. PLoS Medicine, 2021, 18, e1003659.	8.4	25
149	Independent Impact of Diabetes on the Severity of Coronavirus Disease 2019 in 5,307 Patients in South Korea: A Nationwide Cohort Study. Diabetes and Metabolism Journal, 2020, 44, 737-746.	4.7	25
150	Differential Association of Metabolic Risk Factors with Open Angle Glaucoma according to Obesity in a Korean Population. Scientific Reports, 2016, 6, 38283.	3.3	24
151	Associations of mental health and sleep duration with menstrual cycle irregularity: a population-based study. Archives of Women's Mental Health, 2018, 21, 619-626.	2.6	24
152	Effectiveness and Safety of Direct Oral Anticoagulant for Secondary Prevention in Asians with Atrial Fibrillation. Journal of Clinical Medicine, 2019, 8, 2228.	2.4	24
153	Abdominal obesity increases risk for esophageal cancer: a nationwide population-based cohort study of South Korea. Journal of Gastroenterology, 2020, 55, 307-316.	5.1	24
154	Glucose variability and the risks of stroke, myocardial infarction, and all-cause mortality in individuals with diabetes: retrospective cohort study. Cardiovascular Diabetology, 2020, 19, 144.	6.8	24
155	Off-label underdosed apixaban use in Asian patients with non-valvular atrial fibrillation. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 415-423.	3.0	24
156	Age-Related Association of Refractive Error with Intraocular Pressure in the Korea National Health and Nutrition Examination Survey. PLoS ONE, 2014, 9, e111879.	2.5	24
157	Association of Physical Activity, Including Amount and Maintenance, With All-Cause Mortality in Parkinson Disease. JAMA Neurology, 2021, 78, 1446.	9.0	24
158	Normal-to-mildly increased albuminuria predicts the risk for diabetic retinopathy in patients with type 2 diabetes. Scientific Reports, 2017, 7, 11757.	3.3	23
159	Depression and Mortality in People with Type 2 Diabetes Mellitus, 2003 to 2013: A Nationwide Population-Based Cohort Study. Diabetes and Metabolism Journal, 2017, 41, 296.	4.7	23
160	Cancer risk in patients with Behçet disease: A nationwide population-based dynamic cohort study from Korea. Journal of the American Academy of Dermatology, 2018, 78, 464-470.e2.	1.2	23
161	Obesity, abdominal obesity and subsequent risk of kidney cancer: a cohort study of 23.3 million East Asians. British Journal of Cancer, 2019, 121, 271-277.	6.4	23
162	Retinal Vein Occlusion is Associated with Low Blood High-Density Lipoprotein Cholesterol: AÂNationwide Cohort Study. American Journal of Ophthalmology, 2019, 205, 35-42.	3.3	23

#	Article	IF	CITATIONS
163	Association of metabolic syndrome and chronic kidney disease with atrial fibrillation: A nationwide population-based study in Korea. Diabetes Research and Clinical Practice, 2019, 148, 14-22.	2.8	23
164	Liver enzyme variability and risk of heart disease and mortality: A nationwide populationâ€based study. Liver International, 2020, 40, 1292-1302.	3.9	23
165	Risk of cancer incidence in patients with idiopathic pulmonary fibrosis: A nationwide cohort study. Respirology, 2021, 26, 180-187.	2.3	23
166	Disparities in the Participation Rate of Colorectal Cancer Screening by Fecal Occult Blood Test among People with Disabilities: A National Database Study in South Korea. Cancer Research and Treatment, 2020, 52, 60-73.	3.0	23
167	Changes in Metabolic Syndrome Status are Associated With Altered Risk of Pancreatic Cancer: A Nationwide Cohort Study. Gastroenterology, 2022, 162, 509-520.e7.	1.3	23
168	Proteinuria Detected by Urine Dipstick Test as a Risk Factor for Atrial Fibrillation: A Nationwide Population-Based Study. Scientific Reports, 2017, 7, 6324.	3.3	22
169	The Incremental Risk of Pancreatic Cancer According to Fasting Glucose Levels: Nationwide Population-Based Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4594-4599.	3.6	22
170	Temporal trends in prevalence and antithrombotic treatment among Asians with atrial fibrillation undergoing percutaneous coronary intervention: A nationwide Korean population-based study. PLoS ONE, 2019, 14, e0209593.	2.5	22
171	Effect of the variability of blood pressure, glucose level, total cholesterol level, and body mass index on the risk of atrial fibrillation in a healthy population. Heart Rhythm, 2020, 17, 12-19.	0.7	22
172	Longâ€ŧerm risk of congestive heart failure in younger breast cancer survivors: A nationwide study by the SMARTSHIP group. Cancer, 2020, 126, 181-188.	4.1	22
173	Cumulative burden of metabolic syndrome and its components on the risk of atrial fibrillation: a nationwide population-based study. Cardiovascular Diabetology, 2021, 20, 20.	6.8	22
174	Hypertension Burden and the Risk of New-Onset Atrial Fibrillation. Hypertension, 2021, 77, 919-928.	2.7	22
175	Periodontitis combined with smoking increases risk of the ulcerative colitis: A national cohort study. World Journal of Gastroenterology, 2020, 26, 5661-5672.	3.3	22
176	Heavy Alcohol Consumption with Alcoholic Liver Disease Accelerates Sarcopenia in Elderly Korean Males: The Korean National Health and Nutrition Examination Survey 2008-2010. PLoS ONE, 2016, 11, e0163222.	2.5	21
177	Association between underweight and tooth loss among Korean adults. Scientific Reports, 2017, 7, 41524.	3.3	21
178	High hemoglobin levels are associated with decreased risk of diabetic retinopathy in Korean type 2 diabetes. Scientific Reports, 2018, 8, 5538.	3.3	21
179	Risk of endâ€stage renal disease from chronic kidney disease defined by decreased glomerular filtration rate in type 1 diabetes: A comparison with type 2 diabetes and the effect of metabolic syndrome. Diabetes/Metabolism Research and Reviews, 2019, 35, e3197.	4.0	21
180	Effects of Variability in Blood Pressure, Glucose, and Cholesterol Concentrations, and Body Mass Index on End-Stage Renal Disease in the General Population of Korea. Journal of Clinical Medicine, 2019, 8, 755.	2.4	21

#	Article	IF	CITATIONS
181	Sex differences in smoking, alcohol consumption, and risk of Parkinson's disease: A nationwide cohort study. Parkinsonism and Related Disorders, 2020, 71, 60-65.	2.2	21
182	Menopausal factors and risk of seropositive rheumatoid arthritis in postmenopausal women: a nationwide cohort study of 1.36 million women. Scientific Reports, 2020, 10, 20793.	3.3	21
183	Association between physical activity and conversion from mild cognitive impairment to dementia. Alzheimer's Research and Therapy, 2020, 12, 136.	6.2	21
184	Female reproductive factors and the risk of lung cancer in postmenopausal women: a nationwide cohort study. British Journal of Cancer, 2020, 122, 1417-1424.	6.4	21
185	Alcohol Abstinence and the Risk of Atrial Fibrillation in Patients With Newly Diagnosed Type 2 Diabetes Mellitus: A Nationwide Population-Based Study. Diabetes Care, 2021, 44, 1393-1401.	8.6	21
186	Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study. Diabetes and Metabolism Journal, 2021, 45, 379-389.	4.7	21
187	Impact of the Dynamic Change of Metabolic Health Status on the Incident Type 2 Diabetes: A Nationwide Population-Based Cohort Study. Endocrinology and Metabolism, 2019, 34, 406.	3.0	21
188	The Impact of Diabetes on the Risk of Prostate Cancer Development according to Body Mass Index: A 10-year Nationwide Cohort Study. Journal of Cancer, 2016, 7, 2061-2066.	2.5	20
189	Metabolic Syndrome and Incidence of Laryngeal Cancer: A Nationwide Cohort Study. Scientific Reports, 2019, 9, 667.	3.3	20
190	High variability in bodyweight is associated with an increased risk of atrial fibrillation in patients with type 2 diabetes mellitus: a nationwide cohort study. Cardiovascular Diabetology, 2020, 19, 78.	6.8	20
191	Young-onset type 2 diabetes in South Korea: a review of the current status and unmet need. Korean Journal of Internal Medicine, 2021, 36, 1049-1058.	1.7	20
192	Obesity as a Potential Risk Factor for Blepharoptosis: The Korea National Health and Nutrition Examination Survey 2008-2010. PLoS ONE, 2015, 10, e0131427.	2.5	20
193	Association between temporomandibular disorders and obesity. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 1003-1007.	1.7	19
194	Periodontitis is associated with diabetic retinopathy in non-obese adults. Endocrine, 2017, 56, 82-89.	2.3	19
195	Impact of metabolic status on the incidence of psoriasis: a Korean nationwide cohort study. Scientific Reports, 2017, 7, 1989.	3.3	19
196	Non–Vitamin K Antagonist Oral Anticoagulants in Asian Patients With Supranormal Renal Function. Stroke, 2019, 50, 1480-1489.	2.0	19
197	Disparities in the Diagnosis and Treatment of Lung Cancer among People with Disabilities. Journal of Thoracic Oncology, 2019, 14, 163-175.	1.1	19
198	Increased risk of idiopathic pulmonary fibrosis in inflammatory bowel disease: A nationwide study. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 249-255.	2.8	19

#	Article	IF	CITATIONS
199	Conditional relative survival and competing mortality in patients who underwent surgery for lung cancer: A nationwide cohort study. International Journal of Cancer, 2021, 148, 626-636.	5.1	19
200	Non–Vitamin K Antagonist Oral Anticoagulants in Patients With Atrial Fibrillation and Prior Gastrointestinal Bleeding. Stroke, 2021, 52, 511-520.	2.0	19
201	Association of High-Density Lipoprotein Cholesterol Variability and the Risk of Developing Parkinson Disease. Neurology, 2021, 96, e1391-e1401.	1.1	19
202	Nonalcoholic fatty liver disease increases the risk of diabetes in young adults: A nationwide population-based study in Korea. Metabolism: Clinical and Experimental, 2021, 123, 154866.	3.4	19
203	Severe Hypoglycemia Increases Dementia Risk and Related Mortality: A Nationwide, Population-based Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1976-e1986.	3.6	19
204	Relationship between Olfactory Dysfunction and Suicidal Ideation: The Korea National Health and Nutrition Examination Survey. American Journal of Rhinology and Allergy, 2015, 29, 268-272.	2.0	18
205	Obesity in relation to oral health behaviors: An analysis of the Korea National Health and Nutrition Examination Survey 2008-2010. Experimental and Therapeutic Medicine, 2016, 12, 3093-3100.	1.8	18
206	Estimating the impact of body mass index on bladder cancer risk: Stratification by smoking status. Scientific Reports, 2018, 8, 947.	3.3	18
207	Comparison of the Effects of Ezetimibe-Statin Combination Therapy on Major Adverse Cardiovascular Events in Patients with and without Diabetes: A Meta-Analysis. Endocrinology and Metabolism, 2018, 33, 219.	3.0	18
208	Association of CKD with Incident Tuberculosis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 1002-1010.	4.5	18
209	Smoking and risk of incident end-stage kidney disease in general population: A Nationwide Population-based Cohort Study from Korea. Scientific Reports, 2019, 9, 19511.	3.3	18
210	Crohn's disease and ulcerative colitis are associated with different lipid profile disorders: a nationwide populationâ€based study. Alimentary Pharmacology and Therapeutics, 2020, 51, 446-456.	3.7	18
211	Exposure-weighted scoring for metabolic syndrome and the risk of myocardial infarction and stroke: a nationwide population-based study. Cardiovascular Diabetology, 2020, 19, 153.	6.8	18
212	Lipid profiles and risk of major adverse cardiovascular events in CKD and diabetes: A nationwide population-based study. PLoS ONE, 2020, 15, e0231328.	2.5	18
213	High-Density Lipoprotein Cholesterol and the Risk of Myocardial Infarction, Stroke, and Cause-Specific Mortality: a Nationwide Cohort Study in Korea. Journal of Lipid and Atherosclerosis, 2021, 10, 74.	3.5	18
214	Body Mass Index and Clinical Outcomes in Asian Patients With Atrial Fibrillation Receiving Oral Anticoagulation. Stroke, 2021, 52, 521-530.	2.0	18
215	Diabetes Status and Association With Risk of Tuberculosis Among Korean Adults. JAMA Network Open, 2021, 4, e2126099.	5.9	18
216	Changes in Direct Healthcare Costs before and after the Diagnosis of Inflammatory Bowel Disease: A Nationwide Population-Based Study. Gut and Liver, 2020, 14, 89-99.	2.9	18

#	Article	IF	CITATIONS
217	Association of Periodontitis With Urinary Albumin Excretion in Korean Adults With Diabetes. Medicine (United States), 2015, 94, e1839.	1.0	17
218	Associations between the number of natural teeth in postmenopausal women and duration of lactation: The 2010–2012 Korea National Health and Nutrition Examination Survey. Maturitas, 2016, 85, 73-78.	2.4	17
219	The incidence of hip fracture and mortality rate after hip fracture in Korea: A nationwide population-based cohort study. Osteoporosis and Sarcopenia, 2019, 5, 38-43.	1.9	17
220	Risk of end-stage renal disease in patients with hypertrophic cardiomyopathy: A nationwide population-based cohort study. Scientific Reports, 2019, 9, 14565.	3.3	17
221	Disparities in gastric cancer screening among people with disabilities: a national registry-linkage study in South Korea. Gastric Cancer, 2020, 23, 497-509.	5.3	17
222	Comparing proton pump inhibitors with histamin-2 receptor blockers regarding the risk of osteoporotic fractures: a nested case-control study of more than 350,000 Korean patients with GERD and peptic ulcer disease. BMC Geriatrics, 2020, 20, 407.	2.7	17
223	Visual Acuity and Development of Parkinson's Disease: A Nationwide Cohort Study. Movement Disorders, 2020, 35, 1532-1541.	3.9	17
224	Gammaâ€glutamyl transferase variability and risk of dementia: A nationwide study. International Journal of Geriatric Psychiatry, 2020, 35, 1105-1114.	2.7	17
225	Association of Body Mass Index and Waist Circumference with All-Cause Mortality in Hemodialysis Patients. Journal of Clinical Medicine, 2020, 9, 1289.	2.4	17
226	Effectiveness and Safety of Direct Oral Anticoagulants in Relation to Temporal Changes in Their Use. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e005894.	2.2	17
227	Relationship between oral health behaviour and handgrip strength: a cross-sectional study with 7589 Korean adults. Acta Odontologica Scandinavica, 2020, 78, 438-444.	1.6	17
228	Impact of Hemoglobin Levels and Their Dynamic Changes on the Risk of Atrial Fibrillation: A Nationwide Population-Based Study. Scientific Reports, 2020, 10, 6762.	3.3	17
229	The 10-Year Trend of Out-of-hospital Cardiac Arrests: a Korean Nationwide Population-Based Study. Korean Circulation Journal, 2021, 51, 866.	1.9	17
230	Nonalcoholic fatty liver disease and the risk of atrial fibrillation stratified by body mass index: a nationwide population-based study. Scientific Reports, 2021, 11, 3737.	3.3	17
231	Late-life depression, subjective cognitive decline, and their additive risk in incidence of dementia: A nationwide longitudinal study. PLoS ONE, 2021, 16, e0254639.	2.5	17
232	Association Between Obesity and Cardiovascular Disease in Elderly Patients With Diabetes: A Retrospective Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e515-e527.	3.6	17
233	Association between Chronic Laryngitis and Particulate Matter Based on the Korea National Health and Nutrition Examination Survey 2008–2012. PLoS ONE, 2015, 10, e0133180.	2.5	17
234	Sarcopenia and Hearing Loss in Older Koreans: Findings from the Korea National Health and Nutrition Examination Survey (KNHANES) 2010. PLoS ONE, 2016, 11, e0150281.	2.5	17

#	Article	IF	CITATIONS
235	Acromegaly and cardiovascular outcomes: a cohort study. European Heart Journal, 2022, 43, 1491-1499.	2.2	17
236	U-Shaped Associations Between Body Weight Changes and Major Cardiovascular Events in Type 2 Diabetes Mellitus: A Longitudinal Follow-up Study of a Nationwide Cohort of Over 1.5 Million. Diabetes Care, 2022, 45, 1239-1246.	8.6	17
237	Males seropositive for hepatitis B surface antigen are at risk of lower bone mineral density: the 2008–2010 Korea National Health and Nutrition Examination Surveys. Hepatology International, 2016, 10, 470-477.	4.2	16
238	The Association between Tobacco Smoke and Serum Immunoglobulin E Levels in Korean Adults. Internal Medicine, 2017, 56, 2571-2577.	0.7	16
239	Association between Body Weight Changes and Menstrual Irregularity: The Korea National Health and Nutrition Examination Survey 2010 to 2012. Endocrinology and Metabolism, 2017, 32, 248.	3.0	16
240	Metabolic risk factors in Korean adolescents with severe obesity: Results from the Korea National Health and Nutrition Examination Surveys (K-NHANES) 2007–2014. Diabetes Research and Clinical Practice, 2018, 138, 169-176.	2.8	16
241	The risk of end-stage renal disease in systemic lupus erythematosus. Medicine (United States), 2019, 98, e16420.	1.0	16
242	Association Between Fatty Liver Index and Risk of Breast Cancer: A Nationwide Population-Based Study. Clinical Breast Cancer, 2020, 20, e450-e457.	2.4	16
243	Association between overweight, obesity and incidence of advanced dental caries in South Korean adults: A 10-year nationwide population-based observational study. PLoS ONE, 2020, 15, e0229572.	2.5	16
244	Association between high-density lipoprotein cholesterol level and risk of hematologic malignancy. Leukemia, 2021, 35, 1356-1364.	7.2	16
245	Premature ventricular contraction is associated with increased risk of atrial fibrillation: a nationwide population-based study. Scientific Reports, 2021, 11, 1601.	3.3	16
246	Association between living alone and incident type 2 diabetes among middle-aged individuals in Korea: a nationwide cohort study. Scientific Reports, 2021, 11, 3659.	3.3	16
247	Association between Lipid Profiles and the Incidence of Hepatocellular Carcinoma: A Nationwide Population-Based Study. Cancers, 2021, 13, 1599.	3.7	16
248	Sex differences in the prognosis of patients with hypertrophic cardiomyopathy. Scientific Reports, 2021, 11, 4854.	3.3	16
249	Trends in the incidence and prevalence of end-stage renal disease with hemodialysis in entire Korean population. Medicine (United States), 2021, 100, e25293.	1.0	16
250	Association of prediabetes, diabetes, and diabetes duration with biliary tract cancer risk: A nationwide cohort study. Metabolism: Clinical and Experimental, 2021, 123, 154848.	3.4	16
251	Psychiatric Distress as a Common Risk Factor for Tinnitus and Joint Pain: A National Population-Based Survey. Clinical and Experimental Otorhinolaryngology, 2020, 13, 234-240.	2.1	16
252	Risk of inflammatory bowel disease in patients with chronic obstructive pulmonary disease: A nationwide, population-based study. World Journal of Gastroenterology, 2019, 25, 6354-6364.	3.3	16

#	Article	IF	CITATIONS
253	Variabilities in Weight and Waist Circumference and Risk of Myocardial Infarction, Stroke, and Mortality: A Nationwide Cohort Study. Endocrinology and Metabolism, 2020, 35, 933-942.	3.0	16
254	Association of Depression With Atrial Fibrillation in South Korean Adults. JAMA Network Open, 2022, 5, e2141772.	5.9	16
255	Long-Term Mortality of Tuberculosis Survivors in Korea: A Population-based Longitudinal Study. Clinical Infectious Diseases, 2023, 76, e973-e981.	5.8	16
256	Excessive Consumption of Green Tea as a Risk Factor for Periodontal Disease among Korean Adults. Nutrients, 2016, 8, 408.	4.1	15
257	Associations Between the Periodontal Disease in Women Before Menopause and Menstrual Cycle Irregularity. Medicine (United States), 2016, 95, e2791.	1.0	15
258	Coffee Intake as a Risk Indicator for Tooth Loss in Korean Adults. Scientific Reports, 2018, 8, 2392.	3.3	15
259	Evaluation of an association between long sleep duration and periodontal disease among men and women using nationally representative data. Gaceta Sanitaria, 2018, 32, 143-150.	1.5	15
260	Comparison of Once-Daily Administration of Edoxaban and Rivaroxaban in Asian Patients with Atrial Fibrillation. Scientific Reports, 2019, 9, 6690.	3.3	15
261	Anti-diabetic medications and the risk for colorectal cancer: A population-based nested case-control study. Cancer Epidemiology, 2020, 64, 101658.	1.9	15
262	The incidence rates and risk factors of Parkinson disease in patients with psoriasis: A nationwide population-based cohort study. Journal of the American Academy of Dermatology, 2020, 83, 1688-1695.	1.2	15
263	Atopic Diseases Are Associated With Development of Inflammatory Bowel Diseases in Korea: A Nationwide Population-based Study. Clinical Gastroenterology and Hepatology, 2021, 19, 2072-2081.e6.	4.4	15
264	Metabolic Syndrome and Risk of Lung Cancer: An Analysis of Korean National Health Insurance Corporation Database. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e4102-e4111.	3.6	15
265	Prepregnancy smoking and the risk of gestational diabetes requiring insulin therapy. Scientific Reports, 2020, 10, 13901.	3.3	15
266	Risk of dementia in prostate cancer survivors: A nationwide cohort study in Korea. Current Problems in Cancer, 2020, 44, 100578.	2.0	15
267	Renal outcomes and allâ€cause death associated with sodiumâ€glucose coâ€transporterâ€2 inhibitors versus other glucoseâ€lowering drugs (<scp>CVDâ€REAL</scp> 3 <scp>Korea</scp>). Diabetes, Obesity and Metabolism, 2021, 23, 455-466.	4.4	15
268	Cumulative exposure to impaired fasting glucose and future risk of type 2 diabetes mellitus. Diabetes Research and Clinical Practice, 2021, 175, 108799.	2.8	15
269	Association between non-alcoholic fatty liver disease and the risk of biliary tract cancers: A South Korean nationwide cohort study. European Journal of Cancer, 2021, 150, 73-82.	2.8	15
270	Exercise and the Risk of Dementia in Patients with Newly Diagnosed Atrial Fibrillation: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2021, 10, 3126.	2.4	15

#	Article	IF	CITATIONS
271	Impact of smoking on the development of idiopathic pulmonary fibrosis: results from a nationwide population-based cohort study. Thorax, 2022, 77, 470-476.	5.6	15
272	Incidence and risk factors for osteoporotic fractures in patients with systemic lupus erythematosus versus matched controls. Korean Journal of Internal Medicine, 2021, 36, 154-163.	1.7	15
273	Young adults with nonalcoholic fatty liver disease, defined using the fatty liver index, can be at increased risk of myocardial infarction or stroke. Diabetes, Obesity and Metabolism, 2022, 24, 465-472.	4.4	15
274	Association of nasal septal deviation with the incidence of anxiety, depression, and migraine: A national population-based study. PLoS ONE, 2021, 16, e0259468.	2.5	15
275	The relationship between the number of natural teeth and airflow obstruction: a cross-sectional study using data from the Korean National Health and Nutrition Examination Survey. International Journal of COPD, 2015, 11, 13.	2.3	14
276	Dental pain related to quality of life and mental health in South Korean adults. Psychology, Health and Medicine, 2016, 21, 981-992.	2.4	14
277	Sleep duration is associated with body fat and muscle mass and waistâ€toâ€height ratio beyond conventional obesity parameters in Korean adolescent boys. Journal of Sleep Research, 2017, 26, 444-452.	3.2	14
278	Association between HOMA-IR and Lung Function in Korean Young Adults based on the Korea National Health and Nutrition Examination Survey. Scientific Reports, 2017, 7, 11726.	3.3	14
279	Age threshold for moderate and severe periodontitis among Korean adults without diabetes mellitus, hypertension, metabolic syndrome, and/or obesity. Medicine (United States), 2017, 96, e7835.	1.0	14
280	Dipstick proteinuria predicts all-cause mortality in general population: A study of 17 million Korean adults. PLoS ONE, 2018, 13, e0199913.	2.5	14
281	Incidence of Prostate Cancer according to Metabolic Health Status: a Nationwide Cohort Study. Journal of Korean Medical Science, 2019, 34, e49.	2.5	14
282	Association between Fatty Liver Index and Periodontitis: the Korea National Health and Nutrition Examination Survey. Scientific Reports, 2020, 10, 3805.	3.3	14
283	Lipid Level, Lipid Variability, and Risk of Multiple Myeloma: A Nationwide Population-Based Study of 3,527,776 Subjects. Cancers, 2021, 13, 540.	3.7	14
284	Cumulative Exposure to Metabolic Syndrome Components and the Risk of Dementia: A Nationwide Population-Based Study. Endocrinology and Metabolism, 2021, 36, 424-435.	3.0	14
285	Different Influence of Blood Pressure on New-Onset Atrial Fibrillation in Pre- and Postmenopausal Women. Hypertension, 2021, 77, 1500-1509.	2.7	14
286	Risk of upper gastrointestinal bleeding in patients on oral anticoagulant and proton pump inhibitor co-therapy. PLoS ONE, 2021, 16, e0253310.	2.5	14
287	Frequency of Exposure to Impaired Fasting Glucose and Risk of Mortality and Cardiovascular Outcomes. Endocrinology and Metabolism, 2021, 36, 1007-1015.	3.0	14
288	Body Mass Index, Diabetes, and Risk of Tuberculosis: A Retrospective Cohort Study. Frontiers in Nutrition, 2021, 8, 739766.	3.7	14

#	Article	IF	CITATIONS
289	Blood Pressure and Development of Cardiovascular Disease in Koreans With Type 2 Diabetes Mellitus. Hypertension, 2019, 73, 319-326.	2.7	14
290	Metabolic Syndrome, Gamma-Glutamyl Transferase, and Risk of Sudden Cardiac Death. Journal of Clinical Medicine, 2022, 11, 1781.	2.4	14
291	Association of Change in Alcohol Consumption With Risk of Ischemic Stroke. Stroke, 2022, 53, 2488-2496.	2.0	14
292	Association between Î ³ -glutamyltransferase level and incidence of atrial fibrillation: A nationwide population-based study. International Journal of Cardiology, 2017, 245, 149-155.	1.7	13
293	Association between the number of natural teeth and diabetic retinopathy among type 2 diabetes mellitus. Medicine (United States), 2017, 96, e8694.	1.0	13
294	Association between Abdominal Obesity and Incident Colorectal Cancer: A Nationwide Cohort Study in Korea. Cancers, 2020, 12, 1368.	3.7	13
295	Combinations of metabolic syndrome components and the risk of type 2 diabetes mellitus: A nationwide cohort study. Diabetes Research and Clinical Practice, 2020, 165, 108237.	2.8	13
296	The sweet spot: fasting glucose, cardiovascular disease, and mortality in older adults with diabetes: a nationwide population-based study. Cardiovascular Diabetology, 2020, 19, 44.	6.8	13
297	Lifestyle is associated with atrial fibrillation development in patients with type 2 diabetes mellitus. Scientific Reports, 2021, 11, 4676.	3.3	13
298	Smoking Cessation after Diagnosis of New-Onset Atrial Fibrillation and the Risk of Stroke and Death. Journal of Clinical Medicine, 2021, 10, 2238.	2.4	13
299	Nonalcoholic fatty liver disease is associated with the development of obstructive sleep apnea. Scientific Reports, 2021, 11, 13473.	3.3	13
300	Dose-Dependent Effect of Smoking on Risk of Diabetes Remains after Smoking Cessation: A Nationwide Population-Based Cohort Study in Korea. Diabetes and Metabolism Journal, 2021, 45, 539-546.	4.7	13
301	Nationwide cohort study: cholesterol level is inversely related with the risk of gastric cancer among postmenopausal women. Gastric Cancer, 2022, 25, 11-21.	5.3	13
302	Prevalence of Type 2 Diabetes Mellitus among Korean Children, Adolescents, and Adults Younger than 30 Years: Changes from 2002 to 2016. Diabetes and Metabolism Journal, 2022, 46, 297-306.	4.7	13
303	Female Reproductive Factors and Incidence of Nontuberculous Mycobacterial Pulmonary Disease Among Postmenopausal Women in Korea. Clinical Infectious Diseases, 2022, 75, 1397-1404.	5.8	13
304	Effect of smoking reduction, cessation, and resumption on cancer risk: A nationwide cohort study. Cancer, 2022, 128, 2126-2137.	4.1	13
305	Age-dependent associations of body mass index with myocardial infarction, heart failure, and mortality in over 9 million Koreans. European Journal of Preventive Cardiology, 2022, 29, 1479-1488.	1.8	13
306	The Gender-Dependent Association between Obesity and Age-Related Cataracts in Middle-Aged Korean Adults. PLoS ONE, 2015, 10, e0124262.	2.5	12

#	Article	IF	CITATIONS
307	Associations between the number of natural teeth and renal dysfunction. Medicine (United States), 2016, 95, e4681.	1.0	12
308	Relationship between alcohol consumption and age at menopause: The Korea National Health and Nutrition Examination Survey. Taiwanese Journal of Obstetrics and Gynecology, 2017, 56, 482-486.	1.3	12
309	Reciprocal relationship between herpes zoster and cardiovascular diseases: A nationwide populationâ€based case–control study in Korea. Journal of Dermatology, 2018, 45, 1312-1318.	1.2	12
310	Investigation of the association between orthodontic treatment and temporomandibular joint pain and dysfunction in the South Korean population. Korean Journal of Orthodontics, 2019, 49, 181.	2.3	12
311	Association of Total Reproductive Years With Incident Atrial Fibrillation, and Subsequent Ischemic Stroke in Women With Natural Menopause. Circulation: Arrhythmia and Electrophysiology, 2019, 12, e007428.	4.8	12
312	Influence of Metabolic Syndrome on Risk of Breast Cancer: A Study Analyzing Nationwide Data from Korean National Health Insurance Service. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2038-2047.	2.5	12
313	Cigarette Smoking Is Associated with Increased Risk of Malignant Gliomas: A Nationwide Population-Based Cohort Study. Cancers, 2020, 12, 1343.	3.7	12
314	Gamma glutamyltransferase and risk of dementia in prediabetes and diabetes. Scientific Reports, 2020, 10, 6800.	3.3	12
315	Obesity-related hypertension: Findings from The Korea National Health and Nutrition Examination Survey 2008–2010. PLoS ONE, 2020, 15, e0230616.	2.5	12
316	Impact of the Combinations of Allergic Diseases on Myocardial Infarction and Mortality. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 872-880.e4.	3.8	12
317	Influence of Metabolic Syndrome on Cancer Risk in HBV Carriers: A Nationwide Population Based Study Using the National Health Insurance Service Database. Journal of Clinical Medicine, 2021, 10, 2401.	2.4	12
318	Gender Difference in the Epidemiological Association between Metabolic Syndrome and Olfactory Dysfunction: The Korea National Health and Nutrition Examination Survey. PLoS ONE, 2016, 11, e0148813.	2.5	12
319	U-shaped association between sleep duration and urinary albumin excretion in Korean adults: 2011-2014 Korea National Health and Nutrition Examination Survey. PLoS ONE, 2018, 13, e0192980.	2.5	12
320	Predicting the Development of Myocardial Infarction in Middle-Aged Adults with Type 2 Diabetes: A Risk Model Generated from a Nationwide Population-Based Cohort Study in Korea. Endocrinology and Metabolism, 2020, 35, 636-646.	3.0	12
321	Smoking Cessation, Weight Change, and Risk of Parkinson's Disease: Analysis of National Cohort Data.		

#	Article	IF	CITATIONS
325	Repeated Low High-Density Lipoprotein Cholesterol and the Risk of Thyroid Cancer: A Nationwide Population- Based Study in Korea. Endocrinology and Metabolism, 2022, 37, 303-311.	3.0	12
326	Association between female reproductive factors and gout: a nationwide population-based cohort study of 1 million postmenopausal women. Arthritis Research and Therapy, 2021, 23, 304.	3.5	12
327	Triglyceride-Glucose Index Is a Useful Marker for Predicting Future Cardiovascular Disease and Mortality in Young Korean Adults: A Nationwide Population-Based Cohort Study. Journal of Lipid and Atherosclerosis, 2022, 11, 178.	3.5	12
328	Elevated serum gamma-glutamyltransferase is associated with an increased risk of oesophageal carcinoma in a cohort of 8,388,256 Korean subjects. PLoS ONE, 2017, 12, e0177053.	2.5	11
329	Secondary Breast, Ovarian, and Uterine Cancers After Colorectal Cancer: A Nationwide Population-Based Cohort Study in Korea. Diseases of the Colon and Rectum, 2018, 61, 1250-1257.	1.3	11
330	Evaluation of the association between sleep duration and tooth loss among Korean adults: data from the Korean National Health and Nutrition Examination Survey (KNHANES 2012–2014). BMJ Open, 2018, 8, e018383.	1.9	11
331	Nationwide analysis of the relationships between mental health, body mass index and tinnitus in premenopausal female adults in Korea: 2010–2012 KNHANES. Scientific Reports, 2018, 8, 7028.	3.3	11
332	Non-Vitamin K Antagonist Oral Anticoagulants in Patients with Atrial Fibrillation and Valvular Heart Disease. Journal of Clinical Medicine, 2019, 8, 1624.	2.4	11
333	Metoclopramide and Levosulpiride Use and Subsequent Levodopa Prescription in the Korean Elderly: The Prescribing Cascade. Journal of Clinical Medicine, 2019, 8, 1496.	2.4	11
334	Increased Cardiovascular Risk and All-cause Death in Patients with Behçet Disease: A Korean Nationwide Population-based Dynamic Cohort Study. Journal of Rheumatology, 2020, 47, 903-908.	2.0	11
335	Fasting plasma glucose level and the risk of open angle glaucoma: Nationwide population-based cohort study in Korea. PLoS ONE, 2020, 15, e0239529.	2.5	11
336	Non-vitamin K antagonist oral anticoagulants in very elderly east Asians with atrial fibrillation: A nationwide population-based study. American Heart Journal, 2020, 229, 81-91.	2.7	11
337	Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. Scientific Reports, 2020, 10, 11668.	3.3	11
338	Glomerular hyperfiltration is associated with dementia: A nationwide population-based study. PLoS ONE, 2020, 15, e0228361.	2.5	11
339	Retinal Vein Occlusion and the Risk of Dementia: A Nationwide Cohort Study. American Journal of Ophthalmology, 2021, 221, 181-189.	3.3	11
340	Changes in Metabolic Syndrome Status and Breast Cancer Risk: A Nationwide Cohort Study. Cancers, 2021, 13, 1177.	3.7	11
341	The Clinical Characteristics of Gestational Diabetes Mellitus in Korea: A National Health Information Database Study. Endocrinology and Metabolism, 2021, 36, 628-636.	3.0	11
342	Premature ventricular contraction increases the risk of heart failure and ventricular tachyarrhythmia. Scientific Reports, 2021, 11, 12698.	3.3	11

#	Article	IF	CITATIONS
343	Risk of female-specific cancers according to obesity and menopausal status in 2•7 million Korean women: Similar trends between Korean and Western women. The Lancet Regional Health - Western Pacific, 2021, 11, 100146.	2.9	11
344	Sodium–Glucose Cotransporter 2 Inhibitors and Risk of Retinal Vein Occlusion Among Patients With Type 2 Diabetes: A Propensity Score–Matched Cohort Study. Diabetes Care, 2021, 44, 2419-2426.	8.6	11
345	Age-related hearing loss in the Korea National Health and Nutrition Examination Survey. PLoS ONE, 2020, 15, e0243001.	2.5	11
346	Trends and risk factors of elderly-onset Crohn's disease: A nationwide cohort study. World Journal of Gastroenterology, 2020, 26, 404-415.	3.3	11
347	The Prevalence and Risk of Type 2 Diabetes in Adults with Disabilities in Korea. Endocrinology and Metabolism, 2020, 35, 552-561.	3.0	11
348	Low Risk of Dementia in Patients With Newly Diagnosed Atrial Fibrillation and a Clustering of Healthy Lifestyle Behaviors: A Nationwide Populationâ€Based Cohort Study. Journal of the American Heart Association, 2022, 11, e023739.	3.7	11
349	Gender differences in the association between food insecurity and insulin resistance among U.S. adults: National Health and Nutrition Examination Survey, 2005–2010. Annals of Epidemiology, 2015, 25, 643-648.	1.9	10
350	Women Who Sleep More Have Reduced Risk of Peptic Ulcer Disease; Korean National Health and Nutrition Examination Survey (2008–2009). Scientific Reports, 2016, 6, 36925.	3.3	10
351	Risk of Atrial Fibrillation in Relation to the Time Course of Type 2 Diabetes Mellitus and Fasting Blood Glucose. American Journal of Cardiology, 2019, 124, 1881-1888.	1.6	10
352	Association of body mass index with bladder cancer risk in men depends on abdominal obesity. World Journal of Urology, 2019, 37, 2393-2400.	2.2	10
353	Association between Diabetes and the Use of Removable Dental Prostheses among the Korean Population. Journal of Korean Medical Science, 2019, 34, e262.	2.5	10
354	Temporal Trends of Emergency Department Visits of Patients with Atrial Fibrillation: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2020, 9, 1485.	2.4	10
355	Gamma-Glutamyl Transferase Variability and Risk of Dementia in Diabetes Mellitus: A Nationwide Population-Based Study. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e119-e129.	3.6	10
356	Associations of general obesity and central obesity with the risk of hepatocellular carcinoma in a Korean population: A national populationâ€based cohort study. International Journal of Cancer, 2021, 148, 1144-1154.	5.1	10
357	Hypertriglyceridemia Is an Independent Risk Factor for Cardiovascular Diseases in Korean Adults Aged 30–49 Years: a Nationwide Population-Based Study. Journal of Lipid and Atherosclerosis, 2021, 10, 88.	3.5	10
358	The incidence of myocardial infarction and stroke in head and neck cancer patients. Scientific Reports, 2021, 11, 4174.	3.3	10
359	Proton Pump Inhibitor Co-Therapy in Patients with Atrial Fibrillation Treated with Oral Anticoagulants and a Prior History of Upper Gastrointestinal Tract Bleeding. Cardiovascular Drugs and Therapy, 2022, 36, 679-689.	2.6	10
360	Changes in Smoking, Alcohol Consumption, and the Risk of Thyroid Cancer: A Population-Based Korean Cohort Study. Cancers, 2021, 13, 2343.	3.7	10

#	Article	IF	CITATIONS
361	Individual 5-Year Lung Cancer Risk Prediction Model in Korea Using a Nationwide Representative Database. Cancers, 2021, 13, 3496.	3.7	10
362	Impact of Non-Vitamin K Antagonist Oral Anticoagulants on the Change of Antithrombotic Regimens in Patients with Atrial Fibrillation Undergoing Percutaneous Coronary Intervention. Korean Circulation Journal, 2021, 51, 409.	1.9	10
363	Alcohol Drinking Pattern and Risk of Head and Neck Cancer: A Nationwide Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 11204.	2.6	10
364	Appropriate Amount of Regular Exercise Is Associated with a Reduced Mortality Risk. Medicine and Science in Sports and Exercise, 2018, 50, 2451-2458.	0.4	9
365	Prescription pattern of alpha-blockers for management of lower urinary tract symptoms/benign prostatic hyperplasia. Scientific Reports, 2018, 8, 13223.	3.3	9
366	Metabolic Syndrome Resolved within Two Years is Still a Risk Factor for Kidney Cancer. Journal of Clinical Medicine, 2019, 8, 1329.	2.4	9
367	Association between anemia and hyperuricemia: results from the Korean National Health and Nutrition Examination Survey. Scientific Reports, 2019, 9, 19067.	3.3	9
368	Association Between Moderateâ€toâ€Vigorous Physical Activity and the Risk of Major Adverse Cardiovascular Events or Mortality in People With Various Metabolic Syndrome Status: A Nationwide Populationâ€Based Cohort Study Including 6ÂMillion People. Journal of the American Heart Association, 2020, 9, e016806.	3.7	9
369	Anemia is associated with the risk of Crohn's disease, not ulcerative colitis: A nationwide population-based cohort study. PLoS ONE, 2020, 15, e0238244.	2.5	9
370	Cardiovascular or mortality risk of controlled hypertension and importance of physical activity. Heart, 2021, 107, 1472-1479.	2.9	9
371	Increased atrial fibrillation risk in Parkinson's disease: A nationwide populationâ€based study. Annals of Clinical and Translational Neurology, 2021, 8, 238-246.	3.7	9
372	Nationwide Glaucoma incidence in end stage renal disease patients and kidney transplant recipients. Scientific Reports, 2021, 11, 7418.	3.3	9
373	Body weight variability and the risk of cardiovascular outcomes in patients with nonalcoholic fatty liver disease. Scientific Reports, 2021, 11, 9154.	3.3	9
374	Fasting glucose level and all-cause or cause-specific mortality in Korean adults: a nationwide cohort study. Korean Journal of Internal Medicine, 2021, 36, 647-658.	1.7	9
375	Predictive value of triglyceride/high-density lipoprotein cholesterol for major clinical outcomes in advanced chronic kidney disease: a nationwide population-based study. CKJ: Clinical Kidney Journal, 2021, 14, 1961-1968.	2.9	9
376	Risk of typeÂ2 diabetes according to the cumulative exposure to metabolic syndrome or obesity: A nationwide populationâ€based study. Journal of Diabetes Investigation, 2020, 11, 1583-1593.	2.4	9
377	Association between high fatty liver index and development of colorectal cancer: a nationwide cohort study with 21,592,374 Korean. Korean Journal of Internal Medicine, 2020, 35, 1354-1363.	1.7	9
378	Association of Alcohol Intake and Fracture Risk in Elderly Varied by Affected Bones: A Nationwide Longitudinal Study. Psychiatry Investigation, 2020, 17, 1013-1020.	1.6	9

#	Article	IF	CITATIONS
379	Insulin Resistance Is Associated with Prevalence of Physician-Diagnosed Urinary Incontinence in Postmenopausal Non-Diabetic Adult Women: Data from the Fourth Korea National Health and Nutrition Examination Survey. PLoS ONE, 2015, 10, e0141720.	2.5	8
380	Associations between the number of natural teeth in postmenopausal women and hormone replacement therapy. Maturitas, 2016, 94, 125-130.	2.4	8
381	Relationship between delivery history and health-related quality of life in menopausal South Korean women: The Korea National Health and Nutrition Examination Surveys. Maturitas, 2016, 92, 24-29.	2.4	8
382	Increased Risk of Atrial Fibrillation in the Early Period after Herpes Zoster Infection: a Nationwide Population-based Case-control Study. Journal of Korean Medical Science, 2018, 33, e160.	2.5	8
383	Influence of diabetes on the risk of urothelial cancer according to body mass index: a 10-year nationwide population-based observational study. Journal of Cancer, 2018, 9, 488-493.	2.5	8
384	Korean survey data reveals an association of chronic laryngitis with tinnitus in men. PLoS ONE, 2018, 13, e0191148.	2.5	8
385	Increased risk of atrial fibrillation in patients with Behçet's disease: A nationwide population-based study. International Journal of Cardiology, 2019, 292, 106-111.	1.7	8
386	Obstructive sleep apnea as a risk factor for incident end stage renal disease: a nationwide population-based cohort study from Korea. Clinical and Experimental Nephrology, 2019, 23, 1391-1397.	1.6	8
387	Association between height and hypercholesterolemia in adults: a nationwide population-based study in Korea. Lipids in Health and Disease, 2019, 18, 198.	3.0	8
388	Age-specific diabetes risk by the number of metabolic syndrome components: a Korean nationwide cohort study. Diabetology and Metabolic Syndrome, 2019, 11, 112.	2.7	8
389	Serum gamma-glutamyltransferase activity and Parkinson's disease risk in men and women. Scientific Reports, 2020, 10, 1258.	3.3	8
390	A model to predict risk of stroke in middle-aged adults with type 2 diabetes generated from a nationwide population-based cohort study in Korea. Diabetes Research and Clinical Practice, 2020, 163, 108157.	2.8	8
391	Dipstick proteinuria and cancer incidence: a nationwide population-based study. Journal of Nephrology, 2020, 33, 1067-1077.	2.0	8
392	Increased incidence of bladder cancer with metabolically unhealthy status: analysis from the National Health Checkup database in Korea. Scientific Reports, 2020, 10, 6476.	3.3	8
393	Herpes Zoster and Subsequent Cancer Risk: A Nationwide Population-Based Cohort Study in Korea. Dermatology, 2021, 237, 73-78.	2.1	8
394	Influences of pregravid liver enzyme levels on the development of gestational diabetes mellitus. Liver International, 2021, 41, 743-753.	3.9	8
395	Combination of Statin and Ezetimibe versus Statin Monotherapy on Cardiovascular Disease and Type 2 Diabetes Incidence among Adults with Impaired Fasting Glucose: a Propensity-Matched Nationwide Cohort Study. Journal of Lipid and Atherosclerosis, 2021, 10, 303.	3.5	8
396	Smoking, development of or recovery from metabolic syndrome, and major adverse cardiovascular events: A nationwide population-based cohort study including 6 million people. PLoS ONE, 2021, 16, e0241623.	2.5	8

Kyung-Do Han

#	Article	IF	CITATIONS
397	Risk factors associated with failure of total ankle arthroplasty: a nationwide cohort study. Scientific Reports, 2021, 11, 2878.	3.3	8
398	Effect of depressive symptom and depressive disorder on glaucoma incidence in elderly. Scientific Reports, 2021, 11, 5888.	3.3	8
399	Proteinuria and Psoriasis Risk: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2021, 10, 2356.	2.4	8
400	Association between the Persistence of Obesity and the Risk of Gastric Cancer: A Nationwide Population-Based Study. Cancer Research and Treatment, 2022, 54, 199-207.	3.0	8
401	Changes in metabolic syndrome status and risk of laryngeal cancer: A nationwide cohort study. PLoS ONE, 2021, 16, e0252872.	2.5	8
402	Early mortality and cardiovascular disease, varied association with body mass index and its changes in insulin-treated diabetes: a nationwide study. International Journal of Obesity, 2021, 45, 2482-2489.	3.4	8
403	Being Underweight Increases the Risk of Non-Cystic Fibrosis Bronchiectasis in the Young Population: A Nationwide Population-Based Study. Nutrients, 2021, 13, 3206.	4.1	8
404	Atrial fibrillation is associated with increased risk of lethal ventricular arrhythmias. Scientific Reports, 2021, 11, 18111.	3.3	8
405	The Association between Smoking Status and Influenza Vaccination Coverage Rate in Korean Adults: Analysis of the 2010–2012 Korea National Health and Nutrition Examination Survey. Korean Journal of Family Medicine, 2018, 39, 90.	1.2	8
406	Cardiovascular Outcomes of Obesity According to Menopausal Status: A Nationwide Population-Based Study. Endocrinology and Metabolism, 2021, 36, 1029-1041.	3.0	8
407	Sex differences in the association between nonalcoholic fatty liver disease and Parkinson's disease. Parkinsonism and Related Disorders, 2021, 93, 19-26.	2.2	8
408	Associations Between Smoking, Alcohol Consumption, Physical Activity and Depression in Middle-Aged Premenopausal and Postmenopausal Women. Frontiers in Psychiatry, 2021, 12, 761761.	2.6	8
409	Fasting Glucose Variability and the Risk of Dementia in Individuals with Diabetes: A Nationwide Cohort Study. Diabetes and Metabolism Journal, 2022, 46, 923-935.	4.7	8
410	Risk of Dementia After Smoking Cessation in Patients With Newly Diagnosed Atrial Fibrillation. JAMA Network Open, 2022, 5, e2217132.	5.9	8
411	Severity of underweight and risk of fracture: a Korean nationwide population-based cohort study. Scientific Reports, 2022, 12, .	3.3	8
412	Incidence of hip fracture in underweight individuals: a nationwide populationâ€based cohort study in Korea. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 2473-2479.	7.3	8
413	Antithrombotic Therapy in Patients With Atrial Fibrillation After Percutaneous Coronary Intervention During 2-Year Follow-Up, from a Nationwide Population Study. American Journal of Cardiology, 2019, 123, 1921-1926.	1.6	7
414	Postdischarge long-term cardiovascular outcomes of intensive care unit survivors who developed dialysis-requiring acute kidney injury after cardiac surgery. Journal of Critical Care, 2019, 50, 92-98.	2.2	7

#	Article	IF	CITATIONS
415	Trends in the Incidence and Treatment of Benign Vocal Fold Lesions in Korea, 2006–2015: A Nationwide Population-based Study. Journal of Voice, 2020, 34, 100-104.	1.5	7
416	Risk of Ischemic Heart Disease and Stroke in Prostate Cancer Survivors: A Nationwide Study in South Korea. Scientific Reports, 2020, 10, 10313.	3.3	7
417	Variability in body weight precedes diagnosis in dementia: A nationwide cohort study. Brain and Behavior, 2020, 10, e01811.	2.2	7
418	Increased Mortality Burden in Young Asian Subjects with Dysglycemia and Comorbidities. Journal of Clinical Medicine, 2020, 9, 1042.	2.4	7
419	Comparison of the Effects of High-intensity Statin Therapy with Moderate-Intensity Statin and Ezetimibe Combination Therapy on Major Adverse Cardiovascular Events in Patients with Acute Myocardial Infarction: a Nationwide Cohort Study. Journal of Lipid and Atherosclerosis, 2021, 10, 291.	3.5	7
420	Severe hypoglycemia and the risk of end stage renal disease in type 2 diabetes. Scientific Reports, 2021, 11, 4305.	3.3	7
421	Risk of early mortality and cardiovascular disease according to the presence of recently diagnosed diabetes and requirement for insulin treatment: A nationwide study. Journal of Diabetes Investigation, 2021, 12, 1855-1863.	2.4	7
422	Obesity, metabolic health, and urological disorders in adults: a nationwide population-based study. Scientific Reports, 2021, 11, 8687.	3.3	7
423	Association between toothbrushing and non-alcoholic fatty liver disease. PLoS ONE, 2021, 16, e0243686.	2.5	7
424	Relationship between total cholesterol level and tuberculosis risk in a nationwide longitudinal cohort. Scientific Reports, 2021, 11, 16254.	3.3	7
425	Nonalcoholic fatty liver disease and the risk of insulin-requiring gestational diabetes. Diabetology and Metabolic Syndrome, 2021, 13, 90.	2.7	7
426	Risk of Atrial Fibrillation in Young Adults With Isolated Diastolic, Isolated Systolic, and Systolic-Diastolic Hypertension. Hypertension, 2021, 78, 1248-1258.	2.7	7
427	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. Journal of Affective Disorders, 2021, 294, 786-793.	4.1	7
428	The Risk of Psoriasis in Patients With Allergic Diseases: A Nationwide Population-based Cohort Study. Allergy, Asthma and Immunology Research, 2021, 13, 638.	2.9	7
429	Chromosomal abnormalities and atrial fibrillation and ischemic stroke incidence: a nationwide population-based study. Scientific Reports, 2020, 10, 15872.	3.3	7
430	Increased depression risk in patients with abdominal aortic aneurysm: a nationwide cohort study. Annals of Surgical Treatment and Research, 2021, 101, 291.	1.0	7
431	Comparison of early postoperative cytokine changes in patients undergoing intubated and non-intubated thoracic surgery: a randomized controlled trial. Interactive Cardiovascular and Thoracic Surgery, 2021, 32, 343-350.	1.1	7
432	Analysis of Quality of Life and Mental Health in Patients With Atopic Dermatitis, Asthma and Allergic Rhinitis Using a Nation-wide Database, KNHANES VII. Allergy, Asthma and Immunology Research, 2022, 14, 273.	2.9	7

#	Article	IF	CITATIONS
433	Non-alcoholic Fatty Liver Disease and the Risk of Incident Atrial Fibrillation in Young Adults: A Nationwide Population-Based Cohort Study. Frontiers in Cardiovascular Medicine, 2022, 9, 832023.	2.4	7
434	Impact of Frailty on the Relationship between Blood Pressure and Cardiovascular Diseases and Mortality in Young-Old Adults. Journal of Personalized Medicine, 2022, 12, 418.	2.5	7
435	Non-Alcoholic Fatty Liver Disease Defined by Fatty Liver Index and Incidence of Heart Failure in the Korean Population: A Nationwide Cohort Study. Diagnostics, 2022, 12, 663.	2.6	7
436	Underweight and Weight Change Increases End-Stage Renal Disease Risk in Patients with Diabetes: A Nationwide Population-Based Cohort Study. Nutrients, 2022, 14, 154.	4.1	7
437	Effects of Blood Pressure According to Age on End-Stage Renal Disease Development in Patients With Diabetes: A Nationwide Population-Based Cohort Study. Hypertension, 2022, 79, 1765-1776.	2.7	7
438	Clinical implications of age and sex in the prevalence of periodontitis in Korean adults with diabetes. Experimental and Therapeutic Medicine, 2018, 15, 3865-3873.	1.8	6
439	Effect of Childbirth Age on Bone Mineral Density in Postmenopausal Women. Journal of Korean Medical Science, 2018, 33, e311.	2.5	6
440	Prevalence and relationship of olfactory dysfunction and tinnitus among middle- and old-aged population in Korea. PLoS ONE, 2018, 13, e0206328.	2.5	6
441	Association between menstrual cycle irregularity and tinnitus: a nationwide population-based study. Scientific Reports, 2019, 9, 14038.	3.3	6
442	Temporal trends of catheter ablation for patients with atrial fibrillation: A Korean nationwide populationâ€based study. Journal of Cardiovascular Electrophysiology, 2020, 31, 2616-2625.	1.7	6
443	Differential effect of obesity on the incidence of retinal vein occlusion with and without diabetes: a Korean nationwide cohort study. Scientific Reports, 2020, 10, 10512.	3.3	6
444	Glomerular Hyperfiltration and Cancer: A Nationwide Population-Based Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2070-2077.	2.5	6
445	Effect of Variability in Blood Pressure, Glucose and Cholesterol Concentrations, and Body Weight on Emergency Hospitalization and 30â€Đay Mortality in the General Population. Journal of the American Heart Association, 2020, 9, e017475.	3.7	6
446	Anemia and the risk of Parkinson's disease in Korean older adults: A nationwide population-based study. Scientific Reports, 2020, 10, 4268.	3.3	6
447	Tooth loss and risk of endâ€ s tage renal disease: A nationwide cohort study. Journal of Periodontology, 2021, 92, 371-377.	3.4	6
448	Anemia, sarcopenia, physical activity, and the risk of tuberculosis in the older population: a nationwide cohort study. Therapeutic Advances in Chronic Disease, 2021, 12, 204062232110159.	2.5	6
449	Weight fluctuation and risk of hepatocellular carcinoma: a nationwide population-based 8-million-subject study. Hepatology International, 2021, 15, 482-492.	4.2	6
450	Low hemoglobin levels and an increased risk of psoriasis in patients with chronic kidney disease. Scientific Reports, 2021, 11, 14741.	3.3	6

Kyung-Do Han

#	Article	IF	CITATIONS
451	Long-term mortality in patients with moyamoya angiopathy according to stroke presentation type in South Korea. Acta Neurochirurgica, 2021, 163, 3473-3481.	1.7	6
452	Increased Risk of Atrial Fibrillation in Patients with Atopic Triad: A Nationwide Population-Based Study. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 3422-3430.e5.	3.8	6
453	Secondary Primary Prostate Cancer after Colorectal Cancer: A Nationwide Population-based Cohort Study in Korea. Journal of Cancer Prevention, 2017, 22, 241-247.	2.0	6
454	Associations between the Number of Natural Teeth and the Maternal Age at Childbirth or History of Parity in Postmenopausal Women: The 2010–2012 Korea National Health and Nutrition Examination Survey. Advances in Clinical and Experimental Medicine, 2017, 26, 627-633.	1.4	6
455	Differential Effect of the Metabolic Syndrome on the Incidence of Retinal Vein Occlusion in the Korean Population: A Nationwide Cohort Study. Translational Vision Science and Technology, 2020, 9, 15.	2.2	6
456	OUP accepted manuscript. European Journal of Preventive Cardiology, 2021, , .	1.8	6
457	Assessing the Validity of the Criteria for the Extreme Risk Category of Atherosclerotic Cardiovascular Disease: A Nationwide Population-Based Study. Journal of Lipid and Atherosclerosis, 2022, 11, 73.	3.5	6
458	Associations of variability in body weight and glucose levels with the risk of hip fracture in people with diabetes. Metabolism: Clinical and Experimental, 2022, 129, 155135.	3.4	6
459	Analysis of Severe Hypoglycemia Among Adults With Type 2 Diabetes and Nonalcoholic Fatty Liver Disease. JAMA Network Open, 2022, 5, e220262.	5.9	6
460	Impaired Lung Function and Lung Cancer Incidence: A Nationwide Population-Based Cohort Study. Journal of Clinical Medicine, 2022, 11, 1077.	2.4	6
461	Nonalcoholic Fatty Liver Disease Is a Precursor of New-Onset Metabolic Syndrome in Metabolically Healthy Young Adults. Journal of Clinical Medicine, 2022, 11, 935.	2.4	6
462	Trends of severe hypoglycemia in patients with type 2 diabetes in Korea: A longitudinal nationwide cohort study. Journal of Diabetes Investigation, 2022, 13, 1438-1443.	2.4	6
463	Impact of diabetes mellitus on the outcomes of subjects with hypertrophic cardiomyopathy: A nationwide cohort study. Diabetes Research and Clinical Practice, 2022, 186, 109838.	2.8	6
464	High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea. Frontiers in Psychiatry, 2021, 12, 765129.	2.6	6
465	Comparison of mortality and cause of death between adults with and without hypertrophic cardiomyopathy. Scientific Reports, 2022, 12, 6386.	3.3	6
466	Cardiovascular Risk and Treatment Outcomes in Severe Hypercholesterolemia: A Nationwide Cohort Study. Journal of the American Heart Association, 2022, 11, e024379.	3.7	6
467	Acute myocardial infarction risk in multiple sclerosis and neuromyelitis optica spectrum disorder: A nationwide cohort study in South Korea. Multiple Sclerosis Journal, 2022, 28, 1849-1858.	3.0	6
468	Sex-specific association between asthma and hypertension in nationally representative young Korean adults. Scientific Reports, 2017, 7, 15667.	3.3	5

#	Article	IF	CITATIONS
469	Risk of fracture incidence in prostate cancer survivors: a nationwide cohort study in South Korea. Archives of Osteoporosis, 2020, 15, 110.	2.4	5
470	Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. Scientific Reports, 2020, 10, 15375.	3.3	5
471	Comparative analysis of the risk of osteoporotic fractures with proton pump inhibitor use and histamine-2 receptor antagonist therapy in elderly women: A nationwide population-based nested case-control study. Bone, 2020, 135, 115306.	2.9	5
472	Repeatedly elevated Î ³ -glutamyltransferase levels are associated with an increased incidence of digestive cancers: A population-based cohort study. World Journal of Gastroenterology, 2021, 27, 176-188.	3.3	5
473	Association between physical performance and incidence of end-stage renal disease in older adults: a national wide cohort study. BMC Nephrology, 2021, 22, 85.	1.8	5
474	Associations of General and Abdominal Obesity with the Risk of Glioma Development. Cancers, 2021, 13, 2859.	3.7	5
475	The beneficial effects of menopausal hormone therapy on renal survival in postmenopausal Korean women from a nationwide health survey. Scientific Reports, 2021, 11, 15418.	3.3	5
476	All-cause mortality of patients with idiopathic pulmonary fibrosis: a nationwide population-based cohort study in Korea. Scientific Reports, 2021, 11, 15145.	3.3	5
477	Association between body weight variability and incidence of Parkinson disease: A nationwide, populationâ€based cohort study. European Journal of Neurology, 2021, 28, 3626-3633.	3.3	5
478	Persistent status of metabolic syndrome and risk of cholangiocarcinoma: A Korean nationwide population-based cohort study. European Journal of Cancer, 2021, 155, 97-105.	2.8	5
479	Optimal Starting Age for Colorectal Cancer Screening in an Era of Increased Metabolic Unhealthiness: A Nationwide Korean Cross-Sectional Study. Gut and Liver, 2018, 12, 655-663.	2.9	5
480	The minimum-mortality estimated glomerular filtration rate percentile shifts upward in the aged population: a nationwide population-based study. CKJ: Clinical Kidney Journal, 2021, 14, 1356-1363.	2.9	5
481	The incidence of malignant brain tumors is increased in patients with obstructive sleep apnea: A national health insurance survey. PLoS ONE, 2020, 15, e0241598.	2.5	5
482	Weight change and the incidence of heart failure in the Korean population: data from the National Health Insurance Health checkup 2005–2015. European Journal of Preventive Cardiology, 2022, 28, 1767-1773.	1.8	5
483	Changes in Patterns of Physical Activity and Risk of Heart Failure in Newly Diagnosed Diabetes Mellitus Patients. Diabetes and Metabolism Journal, 2022, 46, 327-336.	4.7	5
484	Systemic lupus erythematosus is a risk factor for atrial fibrillation: a nationwide, population-based study. Clinical and Experimental Rheumatology, 2019, 37, 1019-1025.	0.8	5
485	Hip Fracture Risk According to Diabetic Kidney Disease Phenotype in a Korean Population. Endocrinology and Metabolism, 2022, 37, 148-158.	3.0	5
486	Changes in Physical Activity and the Risk of Dementia in Patients With New-Onset Type 2 Diabetes: A Nationwide Cohort Study. Diabetes Care, 2022, 45, 1091-1098.	8.6	5

#	Article	IF	CITATIONS
487	Comparison of early clinical outcomes between dual antiplatelet therapy and triple antithrombotic therapy in patients with atrial fibrillation undergoing percutaneous coronary intervention. PLoS ONE, 2022, 17, e0264538.	2.5	5
488	Epidemiologic Trends of Thalassemia, 2006–2018: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2022, 11, 2289.	2.4	5
489	Risk Factors of Incident Lung Cancer in Patients with Non-Cystic Fibrosis Bronchiectasis: A Korean Population-Based Study. Cancers, 2022, 14, 2604.	3.7	5
490	Waist circumference and risk of Parkinsonâ \in ${}^{\mathrm{M}}$ s disease. Npj Parkinson's Disease, 2022, 8, .	5.3	5
491	Effect of maternal age at childbirth on insulin resistance: the 2010 <scp>K</scp> orean <scp>N</scp> ational <scp>H</scp> ealth and <scp>N</scp> utrition <scp>E</scp> xamination <scp>S</scp> urvey. Clinical Endocrinology, 2015, 82, 824-830.	2.4	4
492	Prediction of the severity and length of hospital stay in infants with acute bronchiolitis using the severity score. Allergy Asthma & Respiratory Disease, 2016, 4, 429.	0.2	4
493	Socioeconomic Disparities in the Prevalence of Blepharoptosis in the South Korean Adult Population Based on a Nationwide Cross-Sectional Study. PLoS ONE, 2016, 11, e0145069.	2.5	4
494	A possible association between dysphonia and sleep duration: A cross-sectional study based on the Korean National Health and nutrition examination surveys from 2010 to 2012. PLoS ONE, 2017, 12, e0182286.	2.5	4
495	House dust mite and Cockroach specific Immunoglobulin E sensitization is associated with diabetes mellitus in the adult Korean population. Scientific Reports, 2018, 8, 2614.	3.3	4
496	Postdischarge Major Adverse Cardiovascular Events of ICU Survivors Who Received Acute Renal Replacement Therapy. Critical Care Medicine, 2018, 46, e1047-e1054.	0.9	4
497	Association between Atrial Fibrillation, Myocardial Infarction, Heart Failure and Mortality in Patients with Nontuberculous Mycobacterial Infection: a nationwide population-based study. Scientific Reports, 2019, 9, 15503.	3.3	4
498	Fluctuating renal function and the risk of incident atrial fibrillation: a nationwide population-based study. Scientific Reports, 2019, 9, 18055.	3.3	4
499	Middle-aged men with type 2 diabetes as potential candidates for pancreatic cancer screening: a 10-year nationwide population-based cohort study. Acta Diabetologica, 2020, 57, 197-202.	2.5	4
500	Increased Overall Heart Rate Irregularity Risk by Hyperuricemia in the General Population: Results from the Korean National Health and Nutrition Examination Survey. Medicina (Lithuania), 2020, 56, 501.	2.0	4
501	The Population Prevalence, Associations of Congenital Heart Defect and Mortality Risk for Down's Syndrome in South Korea Based on National Health Insurance Service (NHIS) Data. Clinical Epidemiology, 2020, Volume 12, 519-525.	3.0	4
502	Hemorrhoids Are Associated with Urinary Incontinence. Journal of Women's Health, 2020, 29, 1464-1468.	3.3	4
503	Higher incidence of penetrating keratoplasty having effects on repeated keratoplasty in South Korea: A nationwide population-based study. PLoS ONE, 2020, 15, e0235233.	2.5	4
504	Waist circumference, body mass index, and colorectal cancer risk according to diabetes status: A Korean nationwide populationâ€based cohort study. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 397-405.	2.8	4

#	Article	IF	CITATIONS
505	Epidemiological Study of Malignant Cliomas in Korea Using Nationwide Dataset from 2007 to 2017. Journal of Korean Medical Science, 2021, 36, e68.	2.5	4
506	Gastrectomy, vitamin B12 supplementation and the risk of Parkinson's disease: A nationwide cohort study. Parkinsonism and Related Disorders, 2021, 83, 15-21.	2.2	4
507	Longitudinal Patterns in Antithrombotic Therapy in Patients with Atrial Fibrillation after Percutaneous Coronary Intervention in the Non-Vitamin K Oral Anticoagulant Era: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2021, 10, 1505.	2.4	4
508	Increased Risk of Major Depressive Disorder After Cholecystectomy: A Nationwide Population-Based Cohort Study in Korea. Clinical and Translational Gastroenterology, 2021, 12, e00339.	2.5	4
509	Enhanced Susceptibility to Breast Cancer in Korean Women With Elevated Serum Gamma-Glutamyltransferase Levels: A Nationwide Population-Based Cohort Study. Frontiers in Oncology, 2021, 11, 668624.	2.8	4
510	Risks and Prognoses of Alzheimer's Disease and Vascular Dementia in Patients With Insomnia: A Nationwide Population-Based Study. Frontiers in Neurology, 2021, 12, 611446.	2.4	4
511	Systemic Antibiotics and Obesity: Analyses from a Population-Based Cohort. Journal of Clinical Medicine, 2021, 10, 2601.	2.4	4
512	Relationship between serum lipid level and meibomian gland dysfunction subtype in Korea using propensity score matching. Scientific Reports, 2021, 11, 16102.	3.3	4
513	Association between body composite indices and vertebral fractures in pre and postmenopausal women in Korea. PLoS ONE, 2021, 16, e0254755.	2.5	4
514	The Prognostic Significance of Body Mass Index and Metabolic Parameter Variabilities in Predialysis CKD: A Nationwide Observational Cohort Study. Journal of the American Society of Nephrology: JASN, 2021, 32, 2595-2612.	6.1	4
515	Association of Obesity and Incidence of Third, Fourth, and Sixth Cranial Nerve Palsies. American Journal of Ophthalmology, 2022, 235, 258-270.	3.3	4
516	The influence of endogenous and exogenous hormonal factors on migraine in spontaneous postmenopausal women: A nationwide population-based study in South Korea. Cephalalgia, 2022, 42, 376-384.	3.9	4
517	Occult Blood in Feces Is Associated with Increased Risk of Psoriasis. Dermatology, 2021, , 1-8.	2.1	4
518	Association between Urinary Albumin Excretion and Intraocular Pressure in Type 2 Diabetic Patients without Renal Impairment. PLoS ONE, 2014, 9, e96335.	2.5	4
519	Glomerular filtration rate affects interpretation of pulmonary function test in a Korean general population: results from the Korea National Health and Nutrition Examination Survey 2010 to 2012. Korean Journal of Internal Medicine, 2016, 31, 1101-1109.	1.7	4
520	Can Body Mass Index and/or Waist Circumference Be the Risk Factors of Chronic Spontaneous Urticaria?: A Nationwide Population-Based Study. Annals of Dermatology, 2019, 31, 482.	0.9	4
521	Impact of vision and hearing impairments on risk of cardiovascular outcomes and mortality in patients with type 2 diabetes: A nationwide cohort study. Journal of Diabetes Investigation, 2022, 13, 515-524.	2.4	4
522	The Effects of Glucose Lowering Agents on the Secondary Prevention of Coronary Artery Disease in Patients with Type 2 Diabetes. Endocrinology and Metabolism, 2021, 36, 977-987.	3.0	4

#	Article	IF	CITATIONS
523	The Association between Sleep Duration and Dizziness in Korean Women: The Korea National Health and Nutrition Examination Survey. Journal of Korean Medical Science, 2019, 34, e226.	2.5	4
524	Risk of Diabetes in Subjects with Positive Fecal Immunochemical Test: A Nationwide Population-Based Study. Endocrinology and Metabolism, 2021, 36, 1069-1077.	3.0	4
525	Obesity and Risk of Diabetes Mellitus by Menopausal Status: A Nationwide Cohort Study. Journal of Clinical Medicine, 2021, 10, 5189.	2.4	4
526	Clinical impact of atrial fibrillation in a nationwide cohort of hypertrophic cardiomyopathy patients. Annals of Translational Medicine, 2020, 8, 1386.	1.7	4
527	Effect of obesity and metabolic health on urolithiasis: A nationwide population-based study. Investigative and Clinical Urology, 2022, 63, 63.	2.0	4
528	Association of Smoking Status With the Risk of Type 2 Diabetes Among Young Adults: A Nationwide Cohort Study in South Korea. Nicotine and Tobacco Research, 2022, 24, 1234-1240.	2.6	4
529	Graves' disease and the risk of Parkinson's disease: a Korean population-based study. Brain Communications, 2022, 4, fcac014.	3.3	4
530	Evaluation of the meibomian glands using the tear interferometer wearing orthokeratology lenses. BMC Ophthalmology, 2022, 22, 133.	1.4	4
531	Changes in Underweight Status and Risk of Hip Fracture: A Korean Nationwide Population-Based Cohort Study. Journal of Clinical Medicine, 2022, 11, 1913.	2.4	4
532	The Change in Metabolic Syndrome Status and the Risk of Nonviral Liver Cirrhosis. Biomedicines, 2021, 9, 1948.	3.2	4
533	Cumulative Exposure to High γ-Clutamyl Transferase Level and Risk of Diabetes: A Nationwide Population-Based Study. Endocrinology and Metabolism, 2022, 37, 272-280.	3.0	4
534	Frequent drinking is more predictive of ischemic stroke than binge drinking, but not of myocardial infarction. Atherosclerosis, 2022, 350, 65-72.	0.8	4
535	Association between gamma-glutamyltransferase and albuminuria in nondiabetic adults with normal renal function. Clinical and Experimental Nephrology, 2017, 21, 835-841.	1.6	3
536	The Prevalence of "Drinking and Biking―and Associated Risk Factors: The Korea National Health and Nutrition Examination Survey. Journal of Korean Medical Science, 2017, 32, 1396.	2.5	3
537	Evaluation of the associations between immunoglobulin E levels and the number of natural teeth. Journal of the Formosan Medical Association, 2018, 117, 605-612.	1.7	3
538	Clinical implication of fasting glucose and systolic/diastolic blood pressure on the prevalence of periodontitis in nonâ€'diabetic and nonâ€'hypertensive adults using nationally representative data. Experimental and Therapeutic Medicine, 2018, 16, 671-678.	1.8	3
539	Evaluation of the association between the number of natural teeth and anemia among Korean adults using nationally representative data. Journal of Periodontology, 2018, 89, 1184-1192.	3.4	3
540	Longâ€ŧerm impact of dialysisâ€requiring AKI during the perioperative period of liver transplantation on postdischarge outcomes. Clinical Transplantation, 2019, 33, e13649.	1.6	3

Kyung-Do Han

#	Article	IF	CITATIONS
541	Evaluation of the Association between Menstrual Cycle Irregularity and Dental Pain or Chewing Discomfort in Women before Menopause. Journal of Clinical Medicine, 2019, 8, 454.	2.4	3
542	Associations between Breastfeeding and Type 2 Diabetes Mellitus and Glycemic Control in Parous Women: A Nationwide, Population-Based Study. Diabetes and Metabolism Journal, 2019, 43, 236.	4.7	3
543	Late-life falling and depressive symptoms associated with the risk of Parkinson's disease: a nationwide cohort data analysis. BMC Geriatrics, 2020, 20, 284.	2.7	3
544	Incidence of intussusception before and after the introduction of rotavirus vaccine in Korea. PLoS ONE, 2020, 15, e0238185.	2.5	3
545	Association between the severity of hearing loss and the risk of dementia within the 2010–2017 national insurance service survey in South Korea. Scientific Reports, 2020, 10, 20679.	3.3	3
546	Association between Hearing Loss and Cognitive Disorder: A Nationwide Population-Based Study. Yonsei Medical Journal, 2021, 62, 446.	2.2	3
547	Association between cotinine-verified smoking status and moderately increased albuminuria in the middle-aged and older population in Korea: A nationwide population-based study. PLoS ONE, 2021, 16, e0246017.	2.5	3
548	Proteinuria Is Associated with the Development of Crohn's Disease: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2021, 10, 799.	2.4	3
549	Determining the association between repeatedly elevated serum gammaâ€glutamyltransferase levels and risk of respiratory cancer: A nationwide populationâ€based cohort study. Cancer Medicine, 2021, 10, 1366-1376.	2.8	3
550	Associations of Variability in Metabolic Parameters with Lung Cancer: A Nationwide Population-Based Study. Cancers, 2021, 13, 1982.	3.7	3
551	Impact of waist circumference on the risk of vertebral fracture: A nationwide cohort study in South Korea. Bone, 2021, 145, 115870.	2.9	3
552	Risk of active tuberculosis infection in kidney transplantation recipients: A matched comparative nationwide cohort study. American Journal of Transplantation, 2021, 21, 3629-3639.	4.7	3
553	The Association Between Cholecystectomy and the Risk for Fracture: A Nationwide Population-Based Cohort Study in Korea. Frontiers in Endocrinology, 2021, 12, 657488.	3.5	3
554	Hypertension, renin-angiotensin-aldosterone-system-blocking agents, and COVID-19. Clinical Hypertension, 2021, 27, 11.	2.0	3
555	Increasing serum gamma-glutamyltransferase level accompanies a rapid increase in the incidence of endometrial cancer in Korea: A nationwide cohort study. Gynecologic Oncology, 2021, 161, 864-870.	1.4	3
556	Association of Dynamic Changes in Metabolic Syndrome Status with the Risk of Parkinson's Disease: A Nationwide Cohort Study. Journal of Parkinson's Disease, 2021, 11, 1-9.	2.8	3
557	Risk of Heart Disease after Cholecystectomy: A Nationwide Population-Based Cohort Study in South Korea. Journal of Clinical Medicine, 2021, 10, 3253.	2.4	3
558	Association between height and the risk of primary brain malignancy in adults: a nationwide population-based cohort study. Neuro-Oncology Advances, 2021, 3, vdab098.	0.7	3

#	Article	IF	CITATIONS
559	Pre-pregnancy metabolic syndrome and insulin administration in gestational diabetes: A nationwide population-based cohort study. Obesity Research and Clinical Practice, 2021, 15, 362-367.	1.8	3
560	Is retinal vein occlusion associated with depression symptoms?. Medicine (United States), 2021, 100, e26937.	1.0	3
561	Association between diabetes status and subsequent onset of glaucoma in postmenopausal women. Scientific Reports, 2021, 11, 18272.	3.3	3
562	FEMALE REPRODUCTIVE FACTORS AND THE RISK OF EXUDATIVE AGE-RELATED MACULAR DEGENERATION. Retina, 2021, 41, 2088-2097.	1.7	3
563	Efficacy and Safety of Incontinence Surgery According to the Surgeon's Specialty and Performance of a Preoperative Urodynamic Study. International Neurourology Journal, 2018, 22, 305-312.	1.2	3
564	Impact of variability in estimated glomerular filtration rate on major clinical outcomes: A nationwide population-based study. PLoS ONE, 2020, 15, e0244156.	2.5	3
565	Relationship between blood pressure levels and ischemic stroke, myocardial infarction, and mortality in very elderly patients taking antihypertensives: a nationwide population-based cohort study. BMC Geriatrics, 2021, 21, 620.	2.7	3
566	Risk of Postoperative Gastrointestinal Bleeding and Its Associated Factors: A Nationwide Population-Based Study in Korea. Journal of Personalized Medicine, 2021, 11, 1222.	2.5	3
567	Relation between Handgrip Strength and Quality of Life in Patients with Arthritis in Korea: The Korea National Health and Nutrition Examination Survey, 2015–2018. Medicina (Lithuania), 2022, 58, 172.	2.0	3
568	Reproductive Life Span and Severe Hypoglycemia Risk in Postmenopausal Women with Type 2 Diabetes Mellitus. Diabetes and Metabolism Journal, 2022, 46, 578-591.	4.7	3
569	Association between lung function and the risk of atrial fibrillation in a nationwide population cohort study. Scientific Reports, 2022, 12, 4007.	3.3	3
570	Synergistic association between underweight and type 2 diabetes on the development of laryngeal cancer: a national population-based retrospective cohort study. BMC Cancer, 2022, 22, 345.	2.6	3
571	Graves' Disease and the Risk of End-Stage Renal Disease: A Korean Population-Based Study. Endocrinology and Metabolism, 2022, 37, 281-289.	3.0	3
572	Fasting Glucose Variability as a Risk Indicator for End-Stage Kidney Disease in Patients with Diabetes: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2021, 10, 5948.	2.4	3
573	Association of High-Density Lipoprotein Cholesterol Phenotypes with the Risk of Cardiovascular Diseases and Mortality: A Cohort Study in Korea. Endocrinology and Metabolism, 2022, 37, 261-271.	3.0	3
574	Adherence to healthy lifestyle behaviors as a preventable risk factor for severe hypoglycemia in people with type 2 diabetes: A longitudinal nationwide cohort study. Journal of Diabetes Investigation, 2022, 13, 1533-1542.	2.4	3
575	Increased Risk of Cancer after Cholecystectomy: A Nationwide Cohort Study in Korea including 123,295 Patients. Gut and Liver, 2022, 16, 465-473.	2.9	3
576	Light-to-Moderate Alcohol Consumption Increases the Risk of Biliary Tract Cancer in Prediabetes and Diabetes, but Not in Normoglycemic Status: A Nationwide Cohort Study. Journal of Clinical Oncology, 2022, 40, 3623-3632.	1.6	3

Kyung-Do Han

#	÷	Article	IF	CITATIONS
5	77	Effects of exercise initiation and smoking cessation after new-onset type 2 diabetes mellitus on risk of mortality and cardiovascular outcomes. Scientific Reports, 2022, 12, .	3.3	3
5	78	Risk for Parkinson's Disease in Patients with Behçet's Disease: A Nationwide Population-Based Dynamic Cohort Study in Korea. Journal of Parkinson's Disease, 2019, 9, 583-589.	2.8	2
5	79	Actinic keratosis and diabetes complications: A nationwide population-based study in South Korea (2009–2015). Diabetes and Metabolism, 2019, 45, 32-38.	2.9	2
5	80	Interleukin-15 and irisin serum concentrations are not related to cardiometabolic risk factors in patients with type 2 diabetes from Korea and Germany. Acta Diabetologica, 2020, 57, 381-384.	2.5	2
5	81	Differential Risk of Incident Fractures Depending on Intensity and Frequency of Physical Activity According to Cognitive Status: A Nationwide Longitudinal Study. Frontiers in Medicine, 2020, 7, 572466.	2.6	2
5	82	Risk of cancer in patients with glaucoma: A nationwide population-based cohort study. Scientific Reports, 2020, 10, 8170.	3.3	2
5	83	Variability in estimated glomerular filtration rate and the incidence of type 2 diabetes: a nationwide population-based study. BMJ Open Diabetes Research and Care, 2020, 8, e001187.	2.8	2
5	84	Cardiovascular risk and undertreatment of dyslipidemia in lung cancer survivors: A nationwide population-based study. Current Problems in Cancer, 2021, 45, 100615.	2.0	2
5	85	Relationships among visual acuity, risk of acute myocardial infarction, and stroke: a nationwide cohort study in south korea. Ophthalmic Epidemiology, 2022, 29, 57-69.	1.7	2
5	86	Hypertension control and end-stage renal disease in atrial fibrillation: a nationwide population-based cohort study. Clinical Research in Cardiology, 2021, , 1.	3.3	2
5	87	Cumulative hypertension burden and risk of end-stage renal disease. Hypertension Research, 2021, 44, 1652-1661.	2.7	2
5	88	Risk of Kidney Failure in Patients With Cancer: A South Korean Population-Based Cohort Study. American Journal of Kidney Diseases, 2021, , .	1.9	2
5	89	Association between Kidney Function, Proteinuria and the Risk of Multiple Myeloma: A Population-Based Retrospective Cohort Study in South Korea. Cancer Research and Treatment, 2022, 54, 926-936.	3.0	2
5	90	Outcomes in relation to antithrombotic therapy among patients with atrial fibrillation after percutaneous coronary intervention. PLoS ONE, 2020, 15, e0240161.	2.5	2
5	91	Disability of Hearing Impairment Is Positively Associated With Urine Albumin/Creatinine Ratio in Korean Adults: The 2011–2012 Korea National Health and Nutrition Examination Survey. Clinical and Experimental Otorhinolaryngology, 2016, 9, 212-219.	2.1	2
5	92	Response to comment on "Incidence and risk factors for osteoporotic fractures in patients with systemic lupus erythematosus versus matched controls― Korean Journal of Internal Medicine, 2020, , .	1.7	2
5	93	Hypertension as a risk factor for retinal vein occlusion in menopausal women. Medicine (United) Tj ETQq1 1 0.784	1314 rgBT	/Qverlock
5	94	Association between Blood Pressure and Renal Progression in Korean Adults with Normal Renal Function Journal of Korean Medical Science, 2020, 35, e312	2.5	2

Function. Journal of Korean Medical Science, 2020, 35, e312.

#	Article	IF	CITATIONS
595	Cholecystectomy and subsequent risk of Parkinson's disease: a nationwide retrospective cohort study. Npj Parkinson's Disease, 2021, 7, 100.	5.3	2
596	Liver enzymes and risk of ocular motor cranial nerve palsy: a nationwide population-based study. Neurological Sciences, 2022, 43, 3395-3405.	1.9	2
597	Contribution of Hypertriglyceridemia to Ischemic Cardiovascular Disease in Korean Women: A Nationwide Population-based Study. Journal of Clinical Lipidology, 2021, , .	1.5	2
598	Association between age-related cataract and blepharoptosis in Korean adults: a population-based study. Scientific Reports, 2022, 12, 389.	3.3	2
599	The risk of dementia in adults with abdominal aortic aneurysm. Scientific Reports, 2022, 12, 1228.	3.3	2
600	Female Reproductive Factors and the Risk of Bronchiectasis: A Nationwide Population-Based Longitudinal Study. Biomedicines, 2022, 10, 303.	3.2	2
601	Association between visit-to-visit blood pressure variability and risks of dementia in CKD patients: a nationwide observational cohort study. CKJ: Clinical Kidney Journal, 2022, 15, 1506-1513.	2.9	2
602	Blood pressure and mortality after percutaneous coronary intervention: a population-based cohort study. Scientific Reports, 2022, 12, 2768.	3.3	2
603	High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea. Psychological Medicine, 2022, , 1-9.	4.5	2
604	Association of Metabolic Parameter Variability with Esophageal Cancer Risk: A Nationwide Population-Based Study. Journal of Personalized Medicine, 2022, 12, 375.	2.5	2
605	Personalized 5-Year Prostate Cancer Risk Prediction Model in Korea Based on Nationwide Representative Data. Journal of Personalized Medicine, 2022, 12, 2.	2.5	2
606	Association between Smoking Status and Incident Non-Cystic Fibrosis Bronchiectasis in Young Adults: A Nationwide Population-Based Study. Journal of Personalized Medicine, 2022, 12, 691.	2.5	2
607	Combined Effects of Chronic Kidney Disease and Nonalcoholic Fatty Liver Disease on the Risk of Cardiovascular Disease in Patients with Diabetes. Biomedicines, 2022, 10, 1245.	3.2	2
608	The risk of Parkinson's disease according to diabetic kidney disease status in a Korean population. Parkinsonism and Related Disorders, 2022, 100, 13-18.	2.2	2
609	Lipid cutoffs for increased cardiovascular disease risk in non-diabetic young people. European Journal of Preventive Cardiology, 2022, 29, 1866-1877.	1.8	2
610	Difference in prostate cancer incidence around sixty years: effects of age and metabolic diseases. Cancer Medicine, 2018, 7, 2736-2743.	2.8	1
611	Impact of previous percutaneous coronary intervention on cardiovascular outcomes and mortality after lung cancer surgery: A nationwide study in Korea. Thoracic Cancer, 2020, 11, 2517-2528.	1.9	1
612	Reply to: Kidney Dysfunction and Risk of Parkinson's Disease: The Issue of Equations and Large Number― Movement Disorders, 2020, 35, 520-520.	3.9	1

#	Article	lF	CITATIONS
613	Association between sleeping time and temporomandibular disorders in a sample of the South Korean population. Cranio - Journal of Craniomandibular Practice, 2021, 39, 107-112.	1.4	1
614	Incident Parkinson's disease in kidney transplantation recipients: a nationwide population-based cohort study in Korea. Scientific Reports, 2021, 11, 10541.	3.3	1
615	Uvulopalatopharyngoplasty may decrease the incidence of Parkinson's disease associated with obstructive sleep apnea. Scientific Reports, 2021, 11, 9608.	3.3	1
616	Reproductive risk factors of pterygium in postmenopausal women: a nationwide study in the Republic of Korea. Scientific Reports, 2021, 11, 12473.	3.3	1
617	Blood pressure prior to percutaneous coronary intervention is associated with the risk of end-stage renal disease: a nationwide population based-cohort study. Kidney Research and Clinical Practice, 2021, 40, 432-444.	2.2	1
618	Obesity-Independent Association between Glycemic Status and the Risk of Hematologic Malignancy: A Nationwide Population-Based Longitudinal Cohort Study. Cancers, 2021, 13, 4760.	3.7	1
619	Factors Associated with Influenza Vaccination Location in Korean Adult Population. Korean Journal of Family Practice, 2019, 9, 431-437.	0.3	1
620	Differential Impact of Cigarette Smoking on Fracture Risks in Subjective Cognitive Decline and Dementia: A Nationwide Longitudinal Study. Psychiatry Investigation, 2020, 17, 786-795.	1.6	1
621	Disparities in Liver Cancer Surveillance Among People With Disabilities. Journal of Clinical Gastroenterology, 2021, 55, 439-448.	2.2	1
622	Conditional Relative Survival and Competing Mortality of Patients with Prostate Cancer in Korea: A Nationwide Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 326-334.	2.5	1
623	A Study on Metabolic Health Status as a Risk Factor for Female Bladder Cancer Incidence: Analysis From the National Health Checkups Database of Korea. The Korean Journal of Urological Oncology, 2021, 19, 223-231.	0.1	1
624	Short adult height increases the risk of end-stage renal disease in type 2 diabetes. Endocrine Connections, 2020, 9, 912-921.	1.9	1
625	Changes in general and central fatness are associated with hepatocellular carcinoma: A Korean nationwide longitudinal study. International Journal of Cancer, 2022, 150, 1587-1598.	5.1	1
626	Emergency department utilization in patients with hypertrophic cardiomyopathy: a nationwide population-based study. Scientific Reports, 2022, 12, 3534.	3.3	1
627	Non-Alcoholic Fatty Liver Disease and the Risk of Diabetes Mellitus by Menopausal Status: A Nationwide Cohort Study. Journal of Personalized Medicine, 2022, 12, 546.	2.5	1
628	<i>De novo</i> major cardiovascular events in kidney transplant recipients: a comparative matched cohort study. Nephrology Dialysis Transplantation, 2023, 38, 499-506.	0.7	1
629	Association of weight change following smoking cessation with the risk of tuberculosis development: A nationwide population-based cohort study. PLoS ONE, 2022, 17, e0266262.	2.5	1
630	The Importance of Metabolic Syndrome Status for the Risk of Non-Viral Hepatocellular Carcinoma: A Nationwide Population-Based Study. Frontiers in Oncology, 2022, 12, .	2.8	1

Kyung-Do Han

#	Article	IF	CITATIONS
631	Association Between Hypertension and Incident Infective Endocarditis. Hypertension, 2022, 79, 1466-1474.	2.7	1
632	Risk of Psoriasis in Postgastrectomy Gastric Cancer Survivors: A Nationwide Population-Based Cohort Study. Annals of Dermatology, 2022, 34, 191.	0.9	1
633	SP324Atherosclerotic Cardiovascular Disease Risk Stratification using lipid profiles in Diabetes and Chronic Kidney Disease: a nationwide population-based study from Korea. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
634	Association between Parent's Metabolic Syndrome and 12- to18-Year-Old Offspring's Overweight: Results from the Korea National Health and Nutrition Examination Survey (K-NHANES) 2009–2016. International Journal of Endocrinology, 2020, 2020, 1-7.	1.5	0
635	P1018LIPID PROFILES AND RISK OF MAJOR ADVERSE CARDIOVASCULAR EVENTS IN CKD AND DIABETES: A NATIONWIDE POPULATION-BASED STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
636	Effect of body mass index and abdominal obesity on mortality after percutaneous coronary intervention: a nationwide, population-based study. Korean Journal of Internal Medicine, 2021, 36, S90-S98.	1.7	0
637	Reply to comment on: "Retinal vein occlusion and the risk of dementia: a nationwide cohort study― American Journal of Ophthalmology, 2021, 231, 208-209.	3.3	Ο
638	The Population Prevalence, Thyroid Cancer and Mortality Risk for Turner Syndrome in South Korea Based on National Health Insurance Service (NHIS) Data. Journal of the Endocrine Society, 2021, 5, A800-A801.	0.2	0
639	Response to Comment on Choi et al. Alcohol Abstinence and the Risk of Atrial Fibrillation in Patients With Newly Diagnosed Type 2 Diabetes Mellitus: a Nationwide Population-Based Study. Diabetes Care 2021;44:1393–1401. Diabetes Care, 2021, 44, e199-e199.	8.6	0
640	A Comparison of Predictability of Physician-Diagnosed Diabetes according to Metabolic Syndrome Components: A Nationwide Population-Based Retrospective Cohort Study. Korean Journal of Family Practice, 2017, 7, 110-115.	0.3	0
641	A Comparison of Predictability of Physician-Diagnosed Hypertension according to Major Cardiovascular Disease Risk Factors: A Nationwide Population-Based Retrospective Cohort Study. Korean Journal of Family Practice, 2017, 7, 527-532.	0.3	0
642	The Influencing Factors of Influenza Vaccination, Especially Drink Status in South Korean Population: The Fifth Korea National Health and Nutrition Examination Survey 2010-2012. Korean Journal of Family Practice, 2017, 7, 581-587.	0.3	0
643	Association between Serum Liver Enzyme and Mortality in the Diabetes Patients of Korea. Korean Journal of Family Practice, 2018, 8, 504-511.	0.3	0
644	The Association between Serum Ferritin and Menstrual Irregularity in Female Adults in Korea. Korean Journal of Family Practice, 2018, 8, 530-534.	0.3	0
645	Changing Disease Trends in the Northern Gyeonggi-do Province of South Korea from 2002 to 2013: A Big Data Study Using National Health Information Database Cohort. Osong Public Health and Research Perspectives, 2018, 9, 248-254.	1.9	0
646	Short adult height increases the risk of end-stage renal disease in type 2 diabetes. Endocrine Connections, 2020, 9, 912-921.	1.9	0
647	Response to Comment on Lee et al. Sodium–Glucose Cotransporter 2 Inhibitors and Risk of Retinal Vein Occlusion Among Patients With Type 2 Diabetes: A Propensity Score–Matched Cohort Study. Diabetes Care 2021; 44:2419–2426. Diabetes Care, 2022, 45, e38-e38.	8.6	0
648	Low waist circumference prior to percutaneous coronary intervention predict the risk for end-stage renal disease: a nationwide Korean population based-cohort study. Korean Journal of Internal Medicine, 2022, , .	1.7	0

#	Article	IF	CITATIONS
649	Cumulative obesity exposure increases the risk of kidney cancer: a longitudinal nationwide cohort study. American Journal of Cancer Research, 2021, 11, 5016-5026.	1.4	0
650	Response to Letter to the Editor from Qingju Zhou: "Blood Pressure Variability and the Risk of Fracture: A Nationwide Cohort Study― Journal of Clinical Endocrinology and Metabolism, 2022, , .	3.6	0
651	Title is missing!. , 2020, 15, e0231328.		0
652	Title is missing!. , 2020, 15, e0231328.		0
653	Title is missing!. , 2020, 15, e0231328.		0
654	Title is missing!. , 2020, 15, e0231328.		0
655	Title is missing!. , 2020, 15, e0231328.		0
656	Title is missing!. , 2020, 15, e0231328.		0
657	Title is missing!. , 2020, 15, e0231328.		0
658	Title is missing!. , 2020, 15, e0231328.		0
659	Oral health behavior as a risk factor for high urinary sodium among Korean women. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 671-680.	0.4	Ο
660	Effects of exercise on reducing diabetes risk in Korean women according to menopausal status. Cardiovascular Prevention and Pharmacotherapy, 2022, 4, 75-86.	0.1	0
661	A Longitudinal Retrospective Observational Study on Obesity Indicators and the Risk of Impaired Fasting Glucose in Pre- and Postmenopausal Women. Journal of Clinical Medicine, 2022, 11, 2795.	2.4	0