## Artur da Cämara Machado

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5314454/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Arbuscular mycorrhizal fungal community composition associated with Juniperus brevifolia in native Azorean forest. Acta Oecologica, 2017, 79, 48-61.	1.1	19
2	Developing a 670k genotyping array to tag ~2M SNPs across 24 horse breeds. BMC Genomics, 2017, 18, 565.	2.8	116
3	In vitro propagation of Picconia azorica (Tutin) Knobl. (Oleaceae) an Azorean endangered endemic plant species. Acta Physiologiae Plantarum, 2015, 37, 1.	2.1	3
4	Morphological and genetic characterization of an emerging Azorean horse breed: the Terceira Pony. Frontiers in Genetics, 2015, 6, 62.	2.3	9
5	Genetic diversity and population structure of the endemic Azorean juniper, Juniperus brevifolia (Seub.) Antoine, inferred from SSRs and ISSR markers. Biochemical Systematics and Ecology, 2015, 59, 314-324.	1.3	12
6	Lignification of developing maize (Zea mays L.) endosperm transfer cells and starchy endosperm cells. Frontiers in Plant Science, 2014, 5, 102.	3.6	13
7	Genetic diversity of an Azorean endemic and endangered plant species inferred from inter-simple sequence repeat markers. AoB PLANTS, 2014, 6, .	2.3	19
8	Analysis of copy number variants by three detection algorithms and their association with body size in horses. BMC Genomics, 2013, 14, 487.	2.8	49
9	Development of flange and reticulate wall ingrowths in maize (Zea mays L.) endosperm transfer cells. Protoplasma, 2013, 250, 495-503.	2.1	21
10	Diagnosis of Theileria equi infections in horses in the Azores using cELISA and nested PCR. Ticks and Tick-borne Diseases, 2013, 4, 242-245.	2.7	23
11	Genetic Diversity in the Modern Horse Illustrated from Genome-Wide SNP Data. PLoS ONE, 2013, 8, e54997.	2.5	214
12	Genome-Wide Analysis Reveals Selection for Important Traits in Domestic Horse Breeds. PLoS Genetics, 2013, 9, e1003211.	3.5	240
13	The use of microsatellites to analyze relationships and to decipher homonyms and synonyms in Azorean apples (MalusÂ×Âdomestica Borkh.). Plant Systematics and Evolution, 2012, 298, 1297-1313.	0.9	9
14	SNP identification and polymorphism analysis in exon 2 of the horse <i>myostatin</i> gene. Animal Genetics, 2012, 43, 229-232.	1.7	15
15	ASSESSMENT OF GENETIC VARIABILITY WITHIN AND AMONG PORTUGUESE APPLE CULTIVARS REVEALED BY SSRS. Acta Horticulturae, 2011, , 371-378.	0.2	0
16	Refinement of quantitative trait loci on equine chromosome 10 for radiological signs of navicular disease in Hanoverian warmblood horses. Animal Genetics, 2010, 41, 36-40.	1.7	2
17	Genetic diversity in the Maremmano horse and its relationship with other European horse breeds. Animal Genetics, 2010, 41, 53-55.	1.7	20
18	Fine mapping a quantitative trait locus on horse chromosome 2 associated with radiological signs of navicular disease in Hanoverian warmblood horses. Animal Genetics, 2009, 40, 955-957.	1.7	5

#	Article	IF	CITATIONS
19	New insights on the genetic basis of Portuguese grapevine and on grapevine domestication. Genome, 2009, 52, 790-800.	2.0	47
20	Standardization of a set of microsatellite markers for use in cultivar identification studies in olive (Olea europaea L.). Scientia Horticulturae, 2008, 116, 367-373.	3.6	48
21	SURVEY, PHENOLOGIC DEVELOPMENT AND MOLECULAR CHARACTHERIZATION OF CHESTNUT TRADITIONAL VARIETIES FROM TERCEIRA ISLAND MADE BY GERMOBANCO III PROJECT. Acta Horticulturae, 2008, , 127-132.	0.2	0
22	Long-term stability of marker gene expression in Prunus subhirtella: A model fruit tree species. Journal of Biotechnology, 2007, 127, 310-321.	3.8	24
23	Discrimination of Portuguese grapevines based on microsatellite markers. Journal of Biotechnology, 2006, 127, 34-44.	3.8	52
24	TRANSFORMATION OF WOODY SPECIES: STATE OF THE ART. Acta Horticulturae, 2006, , 747-752.	0.2	0
25	Isolation and characterization of simple sequence repeat loci in Rubus hochstetterorum and their use in other species from the Rosaceae family. Molecular Ecology Notes, 2006, 6, 750-752.	1.7	24
26	Development and characterization of microsatellite loci from Olea europaea. Molecular Ecology Notes, 2006, 6, 1275-1277.	1.7	35
27	Molecular characterization of grapevine plants transformed with GFLV resistance genes: II. Plant Cell Reports, 2006, 25, 546-553.	5.6	46
28	The Lusitano horse maternal lineage based on mitochondrial Dâ€loop sequence variation. Animal Genetics, 2005, 36, 196-202.	1.7	39
29	Identification of microsatellite loci in apricot. Molecular Ecology Notes, 2002, 2, 24-26.	1.7	90
30	Identification of microsatellite loci in olive (Olea europaea) and their characterization in Italian and Iberian olive trees. Molecular Ecology, 2000, 9, 1171-1173.	3.9	357
31	Use of an ultrasound cell retention system for the size fractionation of somatic embryos of woody species. Plant Cell Reports, 2000, 19, 1057-1063.	5.6	14
32	GENOTYPING OF VITIS CULTIVARS USED FOR THE PRODUCTION OF VQPRD AND VLQPRD IN THE AZORES BY MICROSATELLITE MARKERS. Acta Horticulturae, 2000, , 191-194.	0.2	0
33	The use of microsatellites for germplasm management in a Portuguese grapevine collection. Theoretical and Applied Genetics, 1999, 99, 733-739.	3.6	113
34	Improved virus detection in rosaceous fruit trees in vitro. Plant Cell, Tissue and Organ Culture, 1998, 52, 3-6.	2.3	8
35	GENETIC TRANSFORMATION OF CHERRY TREES. Acta Horticulturae, 1998, , 71-76.	0.2	29
36	A BROAD-SPECTRUM PCR ASSAY COMBINED WITH RFLP ANALYSIS FOR DETECTION AND DIFFERENTIATION OF PLUM POX VIRUS ISOLATES. Acta Horticulturae, 1998, , 483-490.	0.2	13

#	Article	IF	CITATIONS
37	PHYTOSANITARY IMPROVEMENT OF FRUIT TREE SPECIES: DIAGNOSTIC STRATEGIES IN VIRUS-INDEXING OF IN VIRUS PLANTS. Acta Horticulturae, 1998, , 511-516.	0.2	8
38	DIAGNOSIS OF VIRAL DISEASES IN STONE FRUITS CULTIVATED IN THE AZOREAN ISLANDS TERCEIRA AND GRACIOSA. Acta Horticulturae, 1998, , 537-542.	0.2	2
39	TRANSFORMATION OF SOMATIC EMBRYOS OF VITIS SP. WITH DIFFERENT CONSTRUCTS CONTAINING NUCLEOTIDE SEQUENCES FROM NEPOVIRUS COAT PROTEIN GENES. Acta Horticulturae, 1997, , 265-272.	0.2	9
40	Improved Virus Detection in Rosaceous Fruit Trees in vitro. Developments in Plant Pathology, 1997, , 23-29.	0.1	1
41	NEW ASPECTS OF VIRUS ELIMINATION IN FRUIT TREES. Acta Horticulturae, 1995, , 409-418.	0.2	35
42	Rhizogenesis in stem discs of Malus pumila rootstock M9 "Jork― I. Hormonal and environmental effects on root induction and callus formation. Plant Cell Reports, 1995, 14, 679-683.	5.6	4
43	Localization of fruit tree viruses by immuno-tissue printing in infected shoots of Malus sp. and Prunus sp Journal of Virological Methods, 1995, 55, 157-173.	2.1	48
44	DISTRIBUTION OF APPLE CHLOROTIC LEAFSPOT VIRUS IN APPLE SHOOTS CULTIVATED IN VITRO. Acta Horticulturae, 1995, , 187-194.	0.2	6
45	PROGRESS IN PATHOGEN-MEDIATED RESISTANCE BREEDING AGAINST PLUM POX VIRUS. Acta Horticulturae, 1995, , 318-326.	0.2	2
46	GENE TRANSFER METHODS FOR THE PATHOGEN-MEDIATED RESISTANCE BREEDING IN FRUIT TREES. Acta Horticulturae, 1995, , 193-202.	0.2	7
47	Genetic Transformation in Prunus armeniaca L. (Apricot). Biotechnology in Agriculture and Forestry, 1995, , 240-254.	0.2	4
48	Coat protein-mediated protection against plum pox virus in herbaceous model plants and transformation of apricot and plum. Euphytica, 1994, 77, 129-134.	1.2	17
49	Approaches to pathogen-mediated resistance breeding against plum pox potyvirus in stone-fruit trees. EPPO Bulletin, 1994, 24, 697-704.	0.8	1
50	Coat protein-mediated protection against plum pox virus in herbaceous model plants and transformation of apricot and plum. Developments in Plant Breeding, 1994, , 349-354.	0.2	5
51	TRANSFORMATION AND REGENERATION OF PLANTS OF PRUNUS ARMENIACA WITH THE COAT PROTEIN GENE OF PLUM POX VIRUS. Acta Horticulturae, 1992, , 183-190.	0.2	2
52	Regeneration of transgenic plants of Prunus armeniaca containing the coat protein gene of Plum Pox Virus. Plant Cell Reports, 1992, 11, 25-29.	5.6	138
53	Coat protein mediated resistance to Plum Pox Virus in Nicotiana clevelandii and N. benthamiana. Plant Cell Reports, 1992, 11, 30-33.	5.6	69
54	COAT PROTEIN-MEDIATED PROTECTION AGAINST PLUM POX VIRUS. Acta Horticulturae, 1992, , 203-210.	0.2	5

#	Article	IF	CITATIONS
55	A new, efficient method using 8-hydroxy-quinolinol-sulfate for the initiation and establishment of tissue cultures of apple from adult material. Plant Cell, Tissue and Organ Culture, 1991, 27, 155-160.	2.3	19
56	EXPRESSION OF THE PLUM POX VIRUS COAT PROTEIN GENE IN NICOTIANA CLEVELANDII. Acta Horticulturae, 1990, , 577-580.	0.2	7
57	Efficient transformation ofAgrobacteriumspp. by eletroporation. Nucleic Acids Research, 1989, 17, 6747-6747.	14.5	194
58	Expression of the plum pox virus coat protein region in Escherichia coli. Virus Genes, 1989, 2, 119-127.	1.6	9
59	REGENERATION OF SHOOTS FROM LEAF DISCS AND STEM MICROCUTTINGS OF FRUIT TREES AS A TOOL FOR TRANSFORMATION. Acta Horticulturae, 1989, , 85-92.	0.2	10