

# Hailong Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5318758/publications.pdf>

Version: 2024-02-01

349  
papers

23,253  
citations

8159

76  
h-index

12558

132  
g-index

354  
all docs

354  
docs citations

354  
times ranked

15085  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The role of various ameliorants on geochemical arsenic distribution and CO <sub>2</sub> -carbon efflux under paddy soil conditions. <i>Environmental Geochemistry and Health</i> , 2023, 45, 507-523.  | 1.8 | 12        |
| 2  | Multifunctional applications of biochar beyond carbon storage. <i>International Materials Reviews</i> , 2022, 67, 150-200.   | 9.4 | 245       |
| 3  | Biostimulants decreased nitrogen leaching and NH <sub>3</sub> volatilization but increased N <sub>2</sub> O emission from plastic-shed greenhouse vegetable soil. <i>Environmental Science and Pollution Research</i> , 2022, 29, 6093-6102.   | 2.7 | 4         |
| 4  | Interactions between organic matter and Fe (hydr)oxides and their influences on immobilization and remobilization of metal(loid)s: A review. <i>Critical Reviews in Environmental Science and Technology</i> , 2022, 52, 4016-4037.            | 6.6 | 68        |
| 5  | Pig carcass-derived biochar caused contradictory effects on arsenic mobilization in a contaminated paddy soil under fluctuating controlled redox conditions. <i>Journal of Hazardous Materials</i> , 2022, 421, 126647.                        | 6.5 | 32        |
| 6  | Co-pyrolysis route of chlorella sp. and bauxite tailings to fabricate metal-biochar as persulfate activator. <i>Chemical Engineering Journal</i> , 2022, 428, 132578.  | 6.6 | 29        |
| 7  | Elucidating the redox-driven dynamic interactions between arsenic and iron-impregnated biochar in a paddy soil using geochemical and spectroscopic techniques. <i>Journal of Hazardous Materials</i> , 2022, 422, 126808.                      | 6.5 | 57        |
| 8  | Antimony contamination and its risk management in complex environmental settings: A review. <i>Environment International</i> , 2022, 158, 106908.  | 4.8 | 125       |
| 9  | The effect of solvents polarity and extraction conditions on the microalgal lipids yield, fatty acids profile, and biodiesel properties. <i>Bioresource Technology</i> , 2022, 344, 126303.  | 4.8 | 18        |
| 10 | Treatment processes to eliminate potential environmental hazards and restore agronomic value of sewage sludge: A review. <i>Environmental Pollution</i> , 2022, 293, 118564.   | 3.7 | 63        |
| 11 | Residual moisture in the sewage sludge feed significantly affects the pyrolysis process: Simulation of continuous process in a batch reactor. <i>Journal of Analytical and Applied Pyrolysis</i> , 2022, 161, 105387.                          | 2.6 | 3         |
| 12 | Conductive materials supplement alters digestate dewaterability during anaerobic co-digestion of food waste and sewage sludge and promotes follow-up indigenous peroxides activation. <i>Chemical Engineering Journal</i> , 2022, 431, 133875. | 6.6 | 13        |
| 13 | Technical solutions for minimizing wheat grain cadmium: A field study in North China. <i>Science of the Total Environment</i> , 2022, 818, 151791.   | 3.9 | 6         |
| 14 | Insights into the mechanism of low-temperature H <sub>2</sub> S oxidation over Zn-Cu/Al <sub>2</sub> O <sub>3</sub> catalyst. <i>Chemosphere</i> , 2022, 291, 133105.  | 4.2 | 11        |
| 15 | Enhanced sorption of trivalent antimony by chitosan-loaded biochar in aqueous solutions: Characterization, performance and mechanisms. <i>Journal of Hazardous Materials</i> , 2022, 425, 127971.  | 6.5 | 89        |
| 16 | Nanobiochar-rhizosphere interactions: Implications for the remediation of heavy-metal contaminated soils. <i>Environmental Pollution</i> , 2022, 299, 118810.  | 3.7 | 38        |
| 17 | Accumulation and partitioning of toxic trace metal(loid)s in phytoliths of wheat grown in a multi-element contaminated soil. <i>Environmental Pollution</i> , 2022, 294, 118645.   | 3.7 | 10        |
| 18 | Effect of fulvic acid co-precipitation on biosynthesis of Fe(III) hydroxysulfate and its adsorption of lead. <i>Environmental Pollution</i> , 2022, 295, 118669.   | 3.7 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Magnetic bimetallic Fe, Ce-embedded N-enriched porous biochar for peroxymonosulfate activation in metronidazole degradation: Applications, mechanism insight and toxicity evaluation. <i>Chemical Engineering Journal</i> , 2022, 433, 134387. | 6.6 | 71        |
| 20 | Aging features of metal(loid)s in biochar-amended soil: Effects of biochar type and aging method. <i>Science of the Total Environment</i> , 2022, 815, 152922.   | 3.9 | 31        |
| 21 | Recovery, regeneration and sustainable management of spent adsorbents from wastewater treatment streams: A review. <i>Science of the Total Environment</i> , 2022, 822, 153555.  | 3.9 | 174       |
| 22 | High potential of stable carbon sequestration in phytoliths of China's grasslands. <i>Global Change Biology</i> , 2022, 28, 2736-2750.   | 4.2 | 23        |
| 23 | Biochar and soil properties limit the phytoavailability of lead and cadmium by <i>Brassica chinensis</i> L. in contaminated soils. <i>Biochar</i> , 2022, 4, 1.  | 6.2 | 21        |
| 24 | Revamping highly weathered soils in the tropics with biochar application: What we know and what is needed. <i>Science of the Total Environment</i> , 2022, 822, 153461.  | 3.9 | 22        |
| 25 | Interactions between lead(II) ions and dissolved organic matter derived from organic fertilizers incubated in the field. <i>Journal of Environmental Sciences</i> , 2022, 121, 77-89.  | 3.2 | 5         |
| 26 | Sorption of Pb(II) onto biochar is enhanced through co-sorption of dissolved organic matter. <i>Science of the Total Environment</i> , 2022, 825, 153686.  | 3.9 | 30        |
| 27 | Assessing simultaneous immobilization of lead and improvement of phosphorus availability through application of phosphorus-rich biochar in a contaminated soil: A pot experiment. <i>Chemosphere</i> , 2022, 296, 133891.                      | 4.2 | 17        |
| 28 | Synthesis of mesoporous carbon materials from renewable plant polyphenols for environmental and energy applications. <i>New Carbon Materials</i> , 2022, 37, 196-222.  | 2.9 | 20        |
| 29 | A Single Soil Washing with Humic Substance Can Achieve the Risk-Based Remedial Target for Nickel Contaminated Soil. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2022, 109, 623-629.  | 1.3 | 3         |
| 30 | Comparative study on the characteristics and environmental risk of potentially toxic elements in biochar obtained via pyrolysis of swine manure at lab and pilot scales. <i>Science of the Total Environment</i> , 2022, 825, 153941.          | 3.9 | 10        |
| 31 | Biochar as a potential strategy for remediation of contaminated mining soils: Mechanisms, applications, and future perspectives. <i>Journal of Environmental Management</i> , 2022, 313, 114973.   | 3.8 | 53        |
| 32 | The significance of eighteen rice genotypes on arsenic accumulation, physiological response and potential health risk. <i>Science of the Total Environment</i> , 2022, 832, 155004.  | 3.9 | 15        |
| 33 | Spectroscopic investigations and density functional theory calculations reveal differences in retention mechanisms of lead and copper on chemically-modified phytolith-rich biochars. <i>Chemosphere</i> , 2022, 301, 134590.                  | 4.2 | 6         |
| 34 | Formation and transformation of reactive species in the Fe <sup>2+</sup> /peroxydisulfate/Cl <sup>-</sup> system. <i>Journal of Environmental Management</i> , 2022, 316, 115219.  | 3.8 | 6         |
| 35 | Functionalized biochars for the (im) mobilization of potentially toxic elements in paddy soils under dynamic redox conditions: a case study. , 2022, , 155-164.  |     | 0         |
| 36 | The impact of biochar on nutrient supplies in agricultural ecosystems. , 2022, , 193-201.  |     | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Responses of rice ( <i>Oryza sativa</i> L.) plant growth, grain yield and quality, and soil properties to the microplastic occurrence in paddy soil. <i>Journal of Soils and Sediments</i> , 2022, 22, 2174-2183.                      | 1.5 | 23        |
| 38 | Mobilization of contaminants: Potential for soil remediation and unintended consequences. <i>Science of the Total Environment</i> , 2022, 839, 156373.   | 3.9 | 43        |
| 39 | Engineered biochar for environmental decontamination in aquatic and soil systems: a review. , 2022, 1, .   |     | 93        |
| 40 | Calcined Oyster Shell-Humic Complex as Soil Amendment to Remediate Cd- and As-Contaminated Soil. <i>Agronomy</i> , 2022, 12, 1413.   | 1.3 | 3         |
| 41 | A critical review of biochar-based nitrogen fertilizers and their effects on crop production and the environment. <i>Biochar</i> , 2022, 4, .  | 6.2 | 46        |
| 42 | Towards a better understanding of the role of Fe cycling in soil for carbon stabilization and degradation. , 2022, 1, .  |     | 51        |
| 43 | Distribution, transformation and remediation of poly- and per-fluoroalkyl substances (PFAS) in wastewater sources. <i>Chemical Engineering Research and Design</i> , 2022, 164, 91-108.  | 2.7 | 48        |
| 44 | Beneficial use of Fe-impregnated bentonite as a catalyst for pyrolysis of grass cut into syngas, bio-oil and biochar. <i>Chemical Engineering Journal</i> , 2022, 448, 137502.   | 6.6 | 34        |
| 45 | Hydroxyapatite tailored hierarchical porous biochar composite immobilized Cd(II) and Pb(II) and mitigated their hazardous effects in contaminated water and soil. <i>Journal of Hazardous Materials</i> , 2022, 437, 129330.           | 6.5 | 62        |
| 46 | Environmental implications, potential value, and future of food-waste anaerobic digestate management: A review. <i>Journal of Environmental Management</i> , 2022, 318, 115519.  | 3.8 | 40        |
| 47 | Insights into simultaneous adsorption and oxidation of antimonite [Sb(III)] by crawfish shell-derived biochar: spectroscopic investigation and theoretical calculations. <i>Biochar</i> , 2022, 4, .                                   | 6.2 | 15        |
| 48 | Biochar Modified by Nano-manganese Dioxide as Adsorbent and Oxidant for Oxytetracycline. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2021, 107, 269-275.   | 1.3 | 12        |
| 49 | Interactions between methanotrophs and ammonia oxidizers modulate the response of in situ methane emissions to simulated climate change and its legacy in an acidic soil. <i>Science of the Total Environment</i> , 2021, 752, 142225. | 3.9 | 22        |
| 50 | Soil type regulates carbon and nitrogen stoichiometry and mineralization following biochar or nitrogen addition. <i>Science of the Total Environment</i> , 2021, 753, 141645.  | 3.9 | 28        |
| 51 | Ball milling biochar with ammonia hydroxide or hydrogen peroxide enhances its adsorption of phenyl volatile organic compounds (VOCs). <i>Journal of Hazardous Materials</i> , 2021, 403, 123540.                                       | 6.5 | 89        |
| 52 | Effects of feedstock biopolymer compositions on the physiochemical characteristics of dissolved black carbon from lignocellulose-based biochar. <i>Science of the Total Environment</i> , 2021, 751, 141491.                           | 3.9 | 32        |
| 53 | Soil organic matter turnover depending on land use change: Coupling C/N ratios, $\delta^{13}C$ and lignin biomarkers. <i>Land Degradation and Development</i> , 2021, 32, 1591-1605.   | 1.8 | 19        |
| 54 | Hydrogeochemical and health risk evaluation of arsenic in shallow and deep aquifers along the different floodplains of Punjab, Pakistan. <i>Journal of Hazardous Materials</i> , 2021, 402, 124074.                                    | 6.5 | 46        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Influence of biochar and soil properties on soil and plant tissue concentrations of Cd and Pb: A meta-analysis. <i>Science of the Total Environment</i> , 2021, 755, 142582.   | 3.9 | 109       |
| 56 | Contrasting short-term responses of soil heterotrophic and autotrophic respiration to biochar-based and chemical fertilizers in a subtropical Moso bamboo plantation. <i>Applied Soil Ecology</i> , 2021, 157, 103758.   | 2.1 | 18        |
| 57 | Distribution, sources, and decomposition of soil organic matter along a salinity gradient in estuarine wetlands characterized by C:N ratio, $\text{I}^{\text{sup}} > 13 </sup> \text{C} \hat{\text{e}} \text{I}^{\text{sup}} > 15 </sup> \text{N}$ , and lignin biomarker. <i>Global Change Biology</i> , 2021, 27, 417-434. | 4.2 | 63        |
| 58 | Vertical distributions of organic carbon fractions under paddy and forest soils derived from black shales: Implications for potential of long-term carbon storage. <i>Catena</i> , 2021, 198, 105056.  | 2.2 | 15        |
| 59 | Sorption of diethyl phthalate and cadmium by pig carcass and green waste-derived biochars under single and binary systems. <i>Environmental Research</i> , 2021, 193, 110594.  | 3.7 | 17        |
| 60 | Effect of biochar aging and co-existence of diethyl phthalate on the mono-sorption of cadmium and zinc to biochar-treated soils. <i>Journal of Hazardous Materials</i> , 2021, 408, 124850.  | 6.5 | 37        |
| 61 | Iron-modified biochar and water management regime-induced changes in plant growth, enzyme activities, and phytoavailability of arsenic, cadmium and lead in a paddy soil. <i>Journal of Hazardous Materials</i> , 2021, 407, 124344.   | 6.5 | 150       |
| 62 | Remediation of poly- and perfluoroalkyl substances (PFAS) contaminated soils – To mobilize or to immobilize or to degrade?. <i>Journal of Hazardous Materials</i> , 2021, 401, 123892.   | 6.5 | 169       |
| 63 | Effect of pyrolysis temperature on the bioavailability of heavy metals in rice straw-derived biochar. <i>Environmental Science and Pollution Research</i> , 2021, 28, 2198-2208.   | 2.7 | 28        |
| 64 | The benefit of leafy vegetable as catch crop to mitigate N and P leaching losses in intensive plastic-shed production system. <i>Journal of Soils and Sediments</i> , 2021, 21, 2253-2261.   | 1.5 | 5         |
| 65 | Rice Rhizospheric Effects on the Bioavailability of Toxic Trace Elements during Land Application of Biochar. <i>Environmental Science &amp; Technology</i> , 2021, 55, 7344-7354.  | 4.6 | 22        |
| 66 | Effect of biofertilizer and wheat straw biochar application on nitrous oxide emission and ammonia volatilization from paddy soil. <i>Environmental Pollution</i> , 2021, 275, 116640.  | 3.7 | 40        |
| 67 | Pristine and iron-engineered animal- and plant-derived biochars enhanced bacterial abundance and immobilized arsenic and lead in a contaminated soil. <i>Science of the Total Environment</i> , 2021, 763, 144218.   | 3.9 | 72        |
| 68 | Vegetation Determines Lake Sediment Carbon Accumulation during Holocene in the Forest–Steppe Ecotone in Northern China. <i>Forests</i> , 2021, 12, 696.  | 0.9 | 6         |
| 69 | Edaphic variables influence soil bacterial structure under successive fertilization of Paulownia plantation substituting native vegetation. <i>Journal of Soils and Sediments</i> , 2021, 21, 2922.  | 1.5 | 6         |
| 70 | Biochar-based fertilizer decreased while chemical fertilizer increased soil N <sub>2</sub> O emissions in a subtropical Moso bamboo plantation. <i>Catena</i> , 2021, 202, 105257.   | 2.2 | 22        |
| 71 | Enhanced adsorption of Cu(II) and Zn(II) from aqueous solution by polyethyleneimine modified straw hydrochar. <i>Science of the Total Environment</i> , 2021, 778, 146116.   | 3.9 | 105       |
| 72 | Visualizing the development trend and research frontiers of biochar in 2020: a scientometric perspective. <i>Biochar</i> , 2021, 3, 419-436.   | 6.2 | 39        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Efficient degradation of diclofenac sodium by periodate activation using Fe/Cu bimetallic modified sewage sludge biochar/UV system. <i>Science of the Total Environment</i> , 2021, 783, 146974.   | 3.9 | 79        |
| 74 | Mitigation of petroleum-hydrocarbon-contaminated hazardous soils using organic amendments: A review. <i>Journal of Hazardous Materials</i> , 2021, 416, 125702.  | 6.5 | 46        |
| 75 | Microorganisms-carbonaceous materials immobilized complexes: Synthesis, adaptability and environmental applications. <i>Journal of Hazardous Materials</i> , 2021, 416, 125915.  | 6.5 | 71        |
| 76 | Modification of ordered mesoporous carbon for removal of environmental contaminants from aqueous phase: A review. <i>Journal of Hazardous Materials</i> , 2021, 418, 126266.   | 6.5 | 48        |
| 77 | Electrochemical sensor based on corncob biochar layer supported chitosan-MIPs for determination of dibutyl phthalate (DBP). <i>Journal of Electroanalytical Chemistry</i> , 2021, 897, 115549.   | 1.9 | 23        |
| 78 | Co-benefits of biochar-supported nanoscale zero-valent iron in simultaneously stabilizing soil heavy metals and reducing their bioaccessibility. <i>Journal of Hazardous Materials</i> , 2021, 418, 126292.  | 6.5 | 44        |
| 79 | Investigation on g-C <sub>3</sub> N <sub>4</sub> /rGO/TiO <sub>2</sub> nanocomposite with enhanced photocatalytic degradation performance. <i>Journal of Physics and Chemistry of Solids</i> , 2021, 156, 110181.  | 1.9 | 30        |
| 80 | Quantitative analysis on the mechanism of Cd <sup>2+</sup> removal by MgCl <sub>2</sub> -modified biochar in aqueous solutions. <i>Journal of Hazardous Materials</i> , 2021, 420, 126487.   | 6.5 | 78        |
| 81 | Particulate plastics-plant interaction in soil and its implications: A review. <i>Science of the Total Environment</i> , 2021, 792, 148337.  | 3.9 | 44        |
| 82 | Spatial distribution of plant-available silicon and its controlling factors in paddy fields of China. <i>Geoderma</i> , 2021, 401, 115215.   | 2.3 | 16        |
| 83 | Biochar protects hydrophilic dissolved organic matter against mineralization and enhances its microbial carbon use efficiency. <i>Science of the Total Environment</i> , 2021, 795, 148793.  | 3.9 | 14        |
| 84 | Preparation of ammonium-modified cassava waste-derived biochar and its evaluation for synergistic adsorption of ternary antibiotics from aqueous solution. <i>Journal of Environmental Management</i> , 2021, 298, 113530.                                     | 3.8 | 26        |
| 85 | Supplying silicon alters microbial community and reduces soil cadmium bioavailability to promote health wheat growth and yield. <i>Science of the Total Environment</i> , 2021, 796, 148797.   | 3.9 | 35        |
| 86 | Immobilization of cadmium and lead using phosphorus-rich animal-derived and iron-modified plant-derived biochars under dynamic redox conditions in a paddy soil. <i>Environment International</i> , 2021, 156, 106628.   | 4.8 | 77        |
| 87 | Linking soil carbon availability, microbial community composition and enzyme activities to organic carbon mineralization of a bamboo forest soil amended with pyrogenic and fresh organic matter. <i>Science of the Total Environment</i> , 2021, 801, 149717. | 3.9 | 44        |
| 88 | <i>Spartina alterniflora</i> invasion controls organic carbon stocks in coastal marsh and mangrove soils across tropics and subtropics. <i>Global Change Biology</i> , 2021, 27, 1627-1644.  | 4.2 | 62        |
| 89 | A Critical Review of Methods for Analyzing Freshwater Eutrophication. <i>Water (Switzerland)</i> , 2021, 13, 225.  | 1.2 | 42        |
| 90 | MONTMORILLONITE-HYDROCHAR NANOCOMPOSITES AS EXAMPLES OF CLAY-ORGANIC INTERACTIONS DELIVERING ECOSYSTEM SERVICES. <i>Clays and Clay Minerals</i> , 2021, 69, 406-415.   | 0.6 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Effects of modified biochar on As-contaminated water and soil: A recent update. <i>Advances in Chemical Pollution, Environmental Management and Protection</i> , 2021, 7, 107-136.                              | 0.3 | 2         |
| 92  | A 10-year monitoring of soil properties dynamics and soil fertility evaluation in Chinese hickory plantation regions of southeastern China. <i>Scientific Reports</i> , 2021, 11, 23531.                        | 1.6 | 23        |
| 93  | Effects of contrasting biochars on the leaching of inorganic nitrogen from soil. <i>Journal of Soils and Sediments</i> , 2020, 20, 3017-3026.   | 1.5 | 24        |
| 94  | Efficient improvement of soil salinization through phytoremediation induced by chemical remediation in extreme arid land northwest China. <i>International Journal of Phytoremediation</i> , 2020, 22, 334-341. | 1.7 | 12        |
| 95  | Almond and walnut shell-derived biochars affect sorption-desorption, fractionation, and release of phosphorus in two different soils. <i>Chemosphere</i> , 2020, 241, 124888.                                   | 4.2 | 33        |
| 96  | Foamed urea-formaldehyde microspheres for removal of heavy metals from aqueous solutions. <i>Chemosphere</i> , 2020, 241, 125004.   | 4.2 | 21        |
| 97  | Characteristics of organo-mineral complexes in contaminated soils with long-term biochar application. <i>Journal of Hazardous Materials</i> , 2020, 384, 121265.  | 6.5 | 43        |
| 98  | Chemical and biological immobilization mechanisms of potentially toxic elements in biochar-amended soils. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 903-978.                  | 6.6 | 157       |
| 99  | An effective biochar-based slow-release fertilizer for reducing nitrogen loss in paddy fields. <i>Journal of Soils and Sediments</i> , 2020, 20, 3027-3040.   | 1.5 | 58        |
| 100 | A critical review on remediation of bisphenol S (BPS) contaminated water: Efficacy and mechanisms. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 476-522.                         | 6.6 | 56        |
| 101 | Nitrogen fertilizer enhances zinc and cadmium uptake by hyperaccumulator <i>Sedum alfredii</i> Hance. <i>Journal of Soils and Sediments</i> , 2020, 20, 320-329.  | 1.5 | 25        |
| 102 | Effects of laboratory biotic aging on the characteristics of biochar and its water-soluble organic products. <i>Journal of Hazardous Materials</i> , 2020, 382, 121071.   | 6.5 | 90        |
| 103 | Low-cost field production of biochars and their properties. <i>Environmental Geochemistry and Health</i> , 2020, 42, 1569-1578.   | 1.8 | 30        |
| 104 | Characteristics and applications of biochar for remediating Cr(VI)-contaminated soils and wastewater. <i>Environmental Geochemistry and Health</i> , 2020, 42, 1543-1567.                                       | 1.8 | 55        |
| 105 | Effects of rice straw biochar on sorption and desorption of di-n-butyl phthalate in different soil particle-size fractions. <i>Science of the Total Environment</i> , 2020, 702, 134878.                        | 3.9 | 27        |
| 106 | (Im)mobilization and speciation of lead under dynamic redox conditions in a contaminated soil amended with pine sawdust biochar. <i>Environment International</i> , 2020, 135, 105376.                          | 4.8 | 63        |
| 107 | Changes of nutrients and potentially toxic elements during hydrothermal carbonization of pig manure. <i>Chemosphere</i> , 2020, 243, 125331.  | 4.2 | 44        |
| 108 | Limited Cu(II) binding to biochar DOM: Evidence from C K-edge NEXAFS and EEM-PARAFAC combined with two-dimensional correlation analysis. <i>Science of the Total Environment</i> , 2020, 701, 134919.           | 3.9 | 57        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Responses of ammonia volatilization from rice paddy soil to application of wood vinegar alone or combined with biochar. <i>Chemosphere</i> , 2020, 242, 125247.   | 4.2 | 50        |
| 110 | Sewage sludge-derived hydrochar that inhibits ammonia volatilization, improves soil nitrogen retention and rice nitrogen utilization. <i>Chemosphere</i> , 2020, 245, 125558.   | 4.2 | 51        |
| 111 | Achieving the safe use of Cd- and As-contaminated agricultural land with an Fe-based biochar: A field study. <i>Science of the Total Environment</i> , 2020, 706, 135898.   | 3.9 | 54        |
| 112 | Photocatalytic performance and mechanism of Z-Scheme CuBi <sub>2</sub> O <sub>4</sub> /Ag <sub>3</sub> PO <sub>4</sub> in the degradation of diclofenac sodium under visible light irradiation: Effects of pH, H <sub>2</sub> O <sub>2</sub> , and S <sub>2</sub> O <sub>8</sub> <sup>2-</sup> . <i>Science of the Total Environment</i> , 2020, 711, 134643. | 3.9 | 52        |
| 113 | Special issue on sustainable waste treatment and management. <i>Environmental Science and Pollution Research</i> , 2020, 27, 43425-43427.   | 2.7 | 0         |
| 114 | Soil properties and the growth of wheat ( <i>Triticum aestivum</i> L.) and maize ( <i>Zea mays</i> L.) in response to reed ( <i>Phragmites communis</i> ) biochar use in a salt-affected soil in the Yellow River Delta. <i>Agriculture, Ecosystems and Environment</i> , 2020, 303, 107124.  | 2.5 | 45        |
| 115 | NosZ clade II rather than clade I determine in situ N <sub>2</sub> O emissions with different fertilizer types under simulated climate change and its legacy. <i>Soil Biology and Biochemistry</i> , 2020, 150, 107974.   | 4.2 | 62        |
| 116 | Effects of cultivars, water regimes, and growth stages on cadmium accumulation in rice with different radial oxygen loss. <i>Plant and Soil</i> , 2020, 453, 529-543.   | 1.8 | 20        |
| 117 | Wetting-drying cycles during a rice-wheat crop rotation rapidly (im)mobilize recalcitrant soil phosphorus. <i>Journal of Soils and Sediments</i> , 2020, 20, 3921-3930.   | 1.5 | 16        |
| 118 | Phytolith-rich straw application and groundwater table management over 36 years affect the soil-plant silicon cycle of a paddy field. <i>Plant and Soil</i> , 2020, 454, 343-358.   | 1.8 | 34        |
| 119 | Contrasting impacts of pH on the abiotic transformation of hydrochar-derived dissolved organic matter mediated by Fe-MnO <sub>2</sub> . <i>Geoderma</i> , 2020, 378, 114627.  | 2.3 | 23        |
| 120 | Molecularly imprinted mesoporous silica embedded with perovskite CsPbBr <sub>3</sub> quantum dots for the fluorescence sensing of 2,2-dichlorovinyl dimethyl phosphate. <i>Sensors and Actuators B: Chemical</i> , 2020, 325, 128751.   | 4.0 | 34        |
| 121 | Variation of dissolved nutrient exports by surface runoff from sugarcane watershed is controlled by fertilizer application and ground cover. <i>Agriculture, Ecosystems and Environment</i> , 2020, 303, 107121.  | 2.5 | 24        |
| 122 | Sorption mechanisms of lead on soil-derived black carbon formed under varying cultivation systems. <i>Chemosphere</i> , 2020, 261, 128220.  | 4.2 | 5         |
| 123 | Redox-induced mobilization of Ag, Sb, Sn, and Tl in the dissolved, colloidal and solid phase of a biochar-treated and un-treated mining soil. <i>Environment International</i> , 2020, 140, 105754.   | 4.8 | 104       |
| 124 | Long-term influence of maize stover and its derived biochar on soil structure and organo-mineral complexes in Northeast China. <i>Environmental Science and Pollution Research</i> , 2020, 27, 28374-28383.   | 2.7 | 9         |
| 125 | Silicon Effects on Biomass Carbon and Phytolith-Occluded Carbon in Grasslands Under High-Salinity Conditions. <i>Frontiers in Plant Science</i> , 2020, 11, 657.  | 1.7 | 15        |
| 126 | Optimizing extraction procedures for better removal of potentially toxic elements during EDTA-assisted soil washing. <i>Journal of Soils and Sediments</i> , 2020, 20, 3417-3426.   | 1.5 | 12        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | MnO <sub>2</sub> -decorated N-doped carbon nanotube with boosted activity for low-temperature oxidation of formaldehyde. <i>Journal of Hazardous Materials</i> , 2020, 396, 122750.   | 6.5 | 66        |
| 128 | Carbon-nitrogen isotope coupling of soil organic matter in a karst region under land use change, Southwest China. <i>Agriculture, Ecosystems and Environment</i> , 2020, 301, 107027.   | 2.5 | 108       |
| 129 | Facile synthesis of polyoxometalate-modified metal organic frameworks for eliminating tetrabromobisphenol-A from water. <i>Journal of Hazardous Materials</i> , 2020, 399, 122946.  | 6.5 | 14        |
| 130 | Valorization of plastics and paper mill sludge into carbon composite and its catalytic performance for a carbon material consisted of the multi-layered dye oxidation. <i>Journal of Hazardous Materials</i> , 2020, 398, 123173.   | 6.5 | 16        |
| 131 | Preface "Biochar and agricultural sustainability. <i>Journal of Soils and Sediments</i> , 2020, 20, 3015-3016.  | 1.5 | 4         |
| 132 | Holocene carbon accumulation in lakes of the current east Asian monsoonal margin: Implications under a changing climate. <i>Science of the Total Environment</i> , 2020, 737, 139723.   | 3.9 | 7         |
| 133 | A review of recent advancements in utilization of biomass and industrial wastes into engineered biochar. <i>Journal of Hazardous Materials</i> , 2020, 400, 123242.   | 6.5 | 149       |
| 134 | Visualizing the emerging trends of biochar research and applications in 2019: a scientometric analysis and review. <i>Biochar</i> , 2020, 2, 135-150.   | 6.2 | 71        |
| 135 | Animal carcass- and wood-derived biochars improved nutrient bioavailability, enzyme activity, and plant growth in metal-phthalic acid ester co-contaminated soils: A trial for reclamation and improvement of degraded soils. <i>Journal of Environmental Management</i> , 2020, 261, 110246. | 3.8 | 86        |
| 136 | The ratio of H/C is a useful parameter to predict adsorption of the herbicide metolachlor to biochars. <i>Environmental Research</i> , 2020, 184, 109324.   | 3.7 | 42        |
| 137 | Soil parent material controls organic matter stocks and retention patterns in subtropical China. <i>Journal of Soils and Sediments</i> , 2020, 20, 2426-2438.   | 1.5 | 18        |
| 138 | Conversion of Oyster Shell Waste to Amendment for Immobilising Cadmium and Arsenic in Agricultural Soil. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2020, 105, 277-282.  | 1.3 | 21        |
| 139 | Lead and copper-induced hormetic effect and toxicity mechanisms in lettuce ( <i>Lactuca sativa</i> L.) grown in a contaminated soil. <i>Science of the Total Environment</i> , 2020, 741, 140440.   | 3.9 | 22        |
| 140 | Red mud modified sludge biochar for the activation of peroxymonosulfate: Singlet oxygen dominated mechanism and toxicity prediction. <i>Science of the Total Environment</i> , 2020, 740, 140388.   | 3.9 | 124       |
| 141 | Novel ball-milled biochar-vermiculite nanocomposites effectively adsorb aqueous As(III). <i>Chemosphere</i> , 2020, 260, 127566.  | 4.2 | 28        |
| 142 | Simulated photocatalytic aging of biochar in soil ecosystem: Insight into organic carbon release, surface physicochemical properties and cadmium sorption. <i>Environmental Research</i> , 2020, 183, 109241.   | 3.7 | 55        |
| 143 | Conversion of biological solid waste to graphene-containing biochar for water remediation: A critical review. <i>Chemical Engineering Journal</i> , 2020, 390, 124611.  | 6.6 | 108       |
| 144 | Biochar and bacteria inoculated biochar enhanced Cd and Cu immobilization and enzymatic activity in a polluted soil. <i>Environment International</i> , 2020, 137, 105576.  | 4.8 | 236       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Biochar effects on environmental qualities in multiple directions. <i>Chemosphere</i> , 2020, 250, 126306.  | 4.2 | 4         |
| 146 | Novel Fe-Mn binary oxide-biochar as an adsorbent for removing Cd(II) from aqueous solutions. <i>Chemical Engineering Journal</i> , 2020, 389, 124465.   | 6.6 | 182       |
| 147 | A review of carbon isotopes of phytoliths: implications for phytolith-occluded carbon sources. <i>Journal of Soils and Sediments</i> , 2020, 20, 1811-1823.   | 1.5 | 6         |
| 148 | Coconut-fiber biochar reduced the bioavailability of lead but increased its translocation rate in rice plants: Elucidation of immobilization mechanisms and significance of iron plaque barrier on roots using spectroscopic techniques. <i>Journal of Hazardous Materials</i> , 2020, 389, 122117. | 6.5 | 57        |
| 149 | Storage of soil phytoliths and phytolith-occluded carbon along a precipitation gradient in grasslands of northern China. <i>Geoderma</i> , 2020, 364, 114200.   | 2.3 | 16        |
| 150 | Silicon accumulation controls carbon cycle in wetlands through modifying nutrients stoichiometry and lignin synthesis of <i>Phragmites australis</i> . <i>Environmental and Experimental Botany</i> , 2020, 175, 104058.  | 2.0 | 19        |
| 151 | Visible light photocatalytic degradation of tetracycline with porous Ag/graphite carbon nitride plasmonic composite: Degradation pathways and mechanism. <i>Journal of Colloid and Interface Science</i> , 2020, 574, 110-121.  | 5.0 | 105       |
| 152 | Priming of soil organic carbon induced by sugarcane residues and its biochar control the source of nitrogen for plant uptake: A dual <sup>13</sup> C and <sup>15</sup> N isotope three-source-partitioning study. <i>Soil Biology and Biochemistry</i> , 2020, 146, 107792.                         | 4.2 | 31        |
| 153 | A critical review on arsenic removal from water using biochar-based sorbents: The significance of modification and redox reactions. <i>Chemical Engineering Journal</i> , 2020, 396, 125195.  | 6.6 | 243       |
| 154 | Urea formaldehyde modified alginate beads with improved stability and enhanced removal of Pb <sup>2+</sup> , Cd <sup>2+</sup> , and Cu <sup>2+</sup> . <i>Journal of Hazardous Materials</i> , 2020, 396, 122664.   | 6.5 | 44        |
| 155 | Coupled effects of biochar use and farming practice on physical properties of a salt-affected soil with wheat-maize rotation. <i>Journal of Soils and Sediments</i> , 2020, 20, 3053-3061.  | 1.5 | 19        |
| 156 | Catalytic Pyrolysis of Polystyrene over Steel Slag under CO <sub>2</sub> Environment. <i>Journal of Hazardous Materials</i> , 2020, 395, 122576.  | 6.5 | 61        |
| 157 | New trends in biochar pyrolysis and modification strategies: feedstock, pyrolysis conditions, sustainability concerns and implications for soil amendment. <i>Soil Use and Management</i> , 2020, 36, 358-386.  | 2.6 | 200       |
| 158 | The contribution of Asian dust in the pedogenesis of ultisols in Southeastern China determined by soil grain size. <i>Journal of Soils and Sediments</i> , 2019, 19, 232-240.   | 1.5 | 4         |
| 159 | Wood-based biochar for the removal of potentially toxic elements in water and wastewater: a critical review. <i>International Materials Reviews</i> , 2019, 64, 216-247.  | 9.4 | 355       |
| 160 | Pyrolysis Temperature-Dependent Changes in the Characteristics of Biochar-Borne Dissolved Organic Matter and Its Copper Binding Properties. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2019, 103, 169-174.   | 1.3 | 53        |
| 161 | Experimental and theoretical aspects of biochar-supported nanoscale zero-valent iron activating H <sub>2</sub> O <sub>2</sub> for ciprofloxacin removal from aqueous solution. <i>Journal of Hazardous Materials</i> , 2019, 380, 120848.   | 6.5 | 119       |
| 162 | Balancing nutrient stoichiometry facilitates the fate of wheat residue-carbon in physically defined soil organic matter fractions. <i>Geoderma</i> , 2019, 354, 113883.   | 2.3 | 35        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Ag <sub>3</sub> PO <sub>4</sub> Deposited on CuBi <sub>2</sub> O <sub>4</sub> to Construct Z-Scheme Photocatalyst with Excellent Visible-Light Catalytic Performance Toward the Degradation of Diclofenac Sodium. <i>Nanomaterials</i> , 2019, 9, 959. | 1.9 | 19        |
| 164 | Floating duckweed mitigated ammonia volatilization and increased grain yield and nitrogen use efficiency of rice in biochar amended paddy soils. <i>Chemosphere</i> , 2019, 237, 124532.   | 4.2 | 38        |
| 165 | A critical review on bioremediation technologies for Cr(VI)-contaminated soils and wastewater. <i>Critical Reviews in Environmental Science and Technology</i> , 2019, 49, 1027-1078.  | 6.6 | 298       |
| 166 | Carbon-coated montmorillonite nanocomposite for the removal of chromium(VI) from aqueous solutions. <i>Journal of Hazardous Materials</i> , 2019, 368, 541-549.  | 6.5 | 73        |
| 167 | Carbon nanotube-grafted chitosan and its adsorption capacity for phenol in aqueous solution. <i>Science of the Total Environment</i> , 2019, 682, 340-347.   | 3.9 | 64        |
| 168 | Sorption of lead in soil amended with coconut fiber biochar: Geochemical and spectroscopic investigations. <i>Geoderma</i> , 2019, 350, 52-60.   | 2.3 | 43        |
| 169 | Biochar decreases soil N <sub>2</sub> O emissions in Moso bamboo plantations through decreasing labile N concentrations, N-cycling enzyme activities and nitrification/denitrification rates. <i>Geoderma</i> , 2019, 348, 135-145.                    | 2.3 | 76        |
| 170 | Effect of biochars on the bioavailability of cadmium and di-(2-ethylhexyl) phthalate to <i>Brassica chinensis</i> L. in contaminated soils. <i>Science of the Total Environment</i> , 2019, 678, 43-52.  | 3.9 | 77        |
| 171 | Response of microbial communities to biochar-amended soils: a critical review. <i>Biochar</i> , 2019, 1, 3-22.   | 6.2 | 419       |
| 172 | Urbanization-induced acid rain causes leaching loss of calcium from limestone-derived soil in South China. <i>Journal of Soils and Sediments</i> , 2019, 19, 3797-3804.  | 1.5 | 11        |
| 173 | Assessing the effect of pyrolysis temperature on the molecular properties and copper sorption capacity of a halophyte biochar. <i>Environmental Pollution</i> , 2019, 251, 56-65.  | 3.7 | 73        |
| 174 | Low-Temperature Hydrothermal Carbonization of Fresh Pig Manure: Effects of Temperature on Characteristics of Hydrochars. <i>Journal of Environmental Engineering, ASCE</i> , 2019, 145, .  | 0.7 | 19        |
| 175 | Interactive effects of rice straw biochar and $\gamma$ -Al <sub>2</sub> O <sub>3</sub> on immobilization of Zn. <i>Journal of Hazardous Materials</i> , 2019, 373, 250-257.  | 6.5 | 30        |
| 176 | Soil organic carbon dynamics: Impact of land use changes and management practices: A review. <i>Advances in Agronomy</i> , 2019, , 1-107.  | 2.4 | 216       |
| 177 | A scientometric review of biochar research in the past 20 years (1998–2018). <i>Biochar</i> , 2019, 1, 23-43.  | 6.2 | 160       |
| 178 | Remediation efficacy of <i>Sedum plumbizincicola</i> as affected by intercropping of landscape plants and oxalic acid in urban cadmium contaminated soil. <i>Journal of Soils and Sediments</i> , 2019, 19, 3512-3520.                                 | 1.5 | 11        |
| 179 | Responses of soil greenhouse gas emissions to different application rates of biochar in a subtropical Chinese chestnut plantation. <i>Agricultural and Forest Meteorology</i> , 2019, 271, 168-179.  | 1.9 | 74        |
| 180 | Sorption mechanisms of lead on silicon-rich biochar in aqueous solution: Spectroscopic investigation. <i>Science of the Total Environment</i> , 2019, 672, 572-582.  | 3.9 | 79        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Surface functional groups of carbon-based adsorbents and their roles in the removal of heavy metals from aqueous solutions: A critical review. <i>Chemical Engineering Journal</i> , 2019, 366, 608-621.                        | 6.6 | 790       |
| 182 | Responses of wheat ( <i>Triticum aestivum</i> ) plants grown in a Cd contaminated soil to the application of iron oxide nanoparticles. <i>Ecotoxicology and Environmental Safety</i> , 2019, 173, 156-164.                      | 2.9 | 145       |
| 183 | Understanding the role of natural clay minerals as effective adsorbents and alternative source of rare earth elements: Adsorption operative parameters. <i>Hydrometallurgy</i> , 2019, 185, 149-161.                            | 1.8 | 76        |
| 184 | Management of biosolids-derived hydrochar (Sewchar): Effect on plant germination, and farmers' acceptance. <i>Journal of Environmental Management</i> , 2019, 237, 200-214.   | 3.8 | 48        |
| 185 | A Soluble Humic Substance for the Simultaneous Removal of Cadmium and Arsenic from Contaminated Soils. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4999.                               | 1.2 | 19        |
| 186 | Wheat straw biochar application increases ammonia volatilization from an urban compacted soil giving a short-term reduction in fertilizer nitrogen use efficiency. <i>Journal of Soils and Sediments</i> , 2019, 19, 1624-1631. | 1.5 | 28        |
| 187 | Development of a novel bio-organic fertilizer for the removal of atrazine in soil. <i>Journal of Environmental Management</i> , 2019, 233, 553-560.   | 3.8 | 36        |
| 188 | The impact of crop residue biochars on silicon and nutrient cycles in croplands. <i>Science of the Total Environment</i> , 2019, 659, 673-680.  | 3.9 | 94        |
| 189 | Biochar as an (Im)mobilizing Agent for the Potentially Toxic Elements in Contaminated Soils. , 2019, , 255-274.   |     | 13        |
| 190 | Chemically activated hydrochar as an effective adsorbent for volatile organic compounds (VOCs). <i>Chemosphere</i> , 2019, 218, 680-686.  | 4.2 | 145       |
| 191 | Effect of tobacco stem-derived biochar on soil metal immobilization and the cultivation of tobacco plant. <i>Journal of Soils and Sediments</i> , 2019, 19, 2313-2321.  | 1.5 | 33        |
| 192 | Exploring the arsenic removal potential of various biosorbents from water. <i>Environment International</i> , 2019, 123, 567-579.   | 4.8 | 130       |
| 193 | Impact of sugarcane bagasse-derived biochar on heavy metal availability and microbial activity: A field study. <i>Chemosphere</i> , 2018, 200, 274-282.   | 4.2 | 254       |
| 194 | Soil organic carbon in particle-size fractions under three grassland types in Inner Mongolia, China. <i>Journal of Soils and Sediments</i> , 2018, 18, 1896-1905.   | 1.5 | 22        |
| 195 | Bamboo- and pig-derived biochars reduce leaching losses of dibutyl phthalate, cadmium, and lead from co-contaminated soils. <i>Chemosphere</i> , 2018, 198, 450-459.  | 4.2 | 121       |
| 196 | Using Biochar for Remediation of Contaminated Soils. , 2018, , 763-783.   |     | 4         |
| 197 | Effects of biochar application in forest ecosystems on soil properties and greenhouse gas emissions: a review. <i>Journal of Soils and Sediments</i> , 2018, 18, 546-563.   | 1.5 | 287       |
| 198 | Comparative analysis biochar and compost-induced degradation of di-(2-ethylhexyl) phthalate in soils. <i>Science of the Total Environment</i> , 2018, 625, 987-993.   | 3.9 | 65        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Plant and soil responses to hydrothermally converted sewage sludge (sewchar). <i>Chemosphere</i> , 2018, 206, 338-348.  | 4.2 | 55        |
| 200 | Spatial variation of organic carbon density in topsoils of a typical subtropical forest, southeastern China. <i>Catena</i> , 2018, 167, 181-189.  | 2.2 | 53        |
| 201 | Glyphosate application increased catabolic activity of gram-negative bacteria but impaired soil fungal community. <i>Environmental Science and Pollution Research</i> , 2018, 25, 14762-14772.  | 2.7 | 16        |
| 202 | Arsenic removal by Japanese oak wood biochar in aqueous solutions and well water: Investigating arsenic fate using integrated spectroscopic and microscopic techniques. <i>Science of the Total Environment</i> , 2018, 621, 1642-1651.   | 3.9 | 175       |
| 203 | Effects of metal ions and pH on ofloxacin sorption to cassava residue-derived biochar. <i>Science of the Total Environment</i> , 2018, 616-617, 1384-1391.  | 3.9 | 74        |
| 204 | Characterization of pig manure-derived hydrochars for their potential application as fertilizer. <i>Environmental Science and Pollution Research</i> , 2018, 25, 25772-25779.   | 2.7 | 34        |
| 205 | Arsenic removal by perilla leaf biochar in aqueous solutions and groundwater: An integrated spectroscopic and microscopic examination. <i>Environmental Pollution</i> , 2018, 232, 31-41.   | 3.7 | 297       |
| 206 | Contribution of forests to the carbon sink via biologically-mediated silicate weathering: A case study of China. <i>Science of the Total Environment</i> , 2018, 615, 1-8.  | 3.9 | 31        |
| 207 | Phytolith accumulation in broadleaf and conifer forests of northern China: Implications for phytolith carbon sequestration. <i>Geoderma</i> , 2018, 312, 36-44.   | 2.3 | 47        |
| 208 | Biochar modulates heavy metal toxicity and improves microbial carbon use efficiency in soil. <i>Science of the Total Environment</i> , 2018, 621, 148-159.  | 3.9 | 181       |
| 209 | Fabrication of the heterojunction catalyst BiVO <sub>4</sub> /P25 and its visible-light photocatalytic activities. <i>Royal Society Open Science</i> , 2018, 5, 180752.   | 1.1 | 12        |
| 210 | Silicon regulation of soil organic carbon stabilization and its potential to mitigate climate change. <i>Earth-Science Reviews</i> , 2018, 185, 463-475.  | 4.0 | 47        |
| 211 | Characterization and mechanism of copper biosorption by a highly copper-resistant fungal strain isolated from copper-polluted acidic orchard soil. <i>Environmental Science and Pollution Research</i> , 2018, 25, 24965-24974.   | 2.7 | 32        |
| 212 | Arsenic removal by natural and chemically modified water melon rind in aqueous solutions and groundwater. <i>Science of the Total Environment</i> , 2018, 645, 1444-1455.   | 3.9 | 96        |
| 213 | Effects of pyrolysis temperature on the hydrologically relevant porosity of willow biochar. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 134, 446-453.  | 2.6 | 34        |
| 214 | Dynamic changes of polychlorinated biphenyls (PCBs) degradation and adsorption to biochar as affected by soil organic carbon content. <i>Chemosphere</i> , 2018, 211, 120-127.  | 4.2 | 37        |
| 215 | Study on the Visible-Light Photocatalytic Performance and Degradation Mechanism of Diclofenac Sodium under the System of Hetero-Structural CuBi <sub>2</sub> O <sub>4</sub> /Ag <sub>3</sub> PO <sub>4</sub> with H <sub>2</sub> O <sub>2</sub> . <i>Materials</i> , 2018, 11, 511. | 1.3 | 15        |
| 216 | Sorption of norfloxacin, sulfamerazine and oxytetracycline by KOH-modified biochar under single and ternary systems. <i>Bioresource Technology</i> , 2018, 263, 385-392.  | 4.8 | 181       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Crude oil removal from aqueous solution using raw and carbonized <i>Xanthoceras sorbifolia</i> shells. <i>Environmental Science and Pollution Research</i> , 2018, 25, 29325-29334.  | 2.7 | 9         |
| 218 | Bioavailability of Cd and Zn in soils treated with biochars derived from tobacco stalk and dead pigs. <i>Journal of Soils and Sediments</i> , 2017, 17, 751-762.   | 1.5 | 133       |
| 219 | Effect of bamboo and rice straw biochars on the mobility and redistribution of heavy metals (Cd, Cu, Tj ETQq1 1 0.784314 rgBT /Ove<br>3.8 471  | 3.8 | 471       |
| 220 | Soil carbon dynamics in successional and plantation forests in subtropical China. <i>Journal of Soils and Sediments</i> , 2017, 17, 2250-2256.   | 1.5 | 14        |
| 221 | Effect of Eucalyptus forests on understory vegetation and soil quality. <i>Journal of Soils and Sediments</i> , 2017, 17, 2383-2389.   | 1.5 | 21        |
| 222 | Sugarcane bagasse biochars impact respiration and greenhouse gas emissions from a latosol. <i>Journal of Soils and Sediments</i> , 2017, 17, 632-640.  | 1.5 | 45        |
| 223 | Phosphate-assisted phytoremediation of arsenic by <i>Brassica napus</i> and <i>Brassica juncea</i> : Morphological and physiological response. <i>International Journal of Phytoremediation</i> , 2017, 19, 670-678.                   | 1.7 | 112       |
| 224 | Biosolids application affects the competitive sorption and lability of cadmium, copper, nickel, lead, and zinc in fluvial and calcareous soils. <i>Environmental Geochemistry and Health</i> , 2017, 39, 1365-1379.                    | 1.8 | 34        |
| 225 | Humic substances as a washing agent for Cd-contaminated soils. <i>Chemosphere</i> , 2017, 181, 461-467.  | 4.2 | 79        |
| 226 | Pyrogenic carbon and its role in contaminant immobilization in soils. <i>Critical Reviews in Environmental Science and Technology</i> , 2017, 47, 795-876.   | 6.6 | 72        |
| 227 | Effect of compost addition on arsenic uptake, morphological and physiological attributes of maize plants grown in contrasting soils. <i>Journal of Geochemical Exploration</i> , 2017, 178, 83-91.                                     | 1.5 | 81        |
| 228 | The accumulation of phytolith-occluded carbon in soils of different grasslands. <i>Journal of Soils and Sediments</i> , 2017, 17, 2420-2427.   | 1.5 | 25        |
| 229 | Biochar increased soil respiration in temperate forests but had no effects in subtropical forests. <i>Forest Ecology and Management</i> , 2017, 405, 339-349.  | 1.4 | 76        |
| 230 | Leonardite-derived humic substances are great adsorbents for cadmium. <i>Environmental Science and Pollution Research</i> , 2017, 24, 23006-23014.   | 2.7 | 31        |
| 231 | Impact of grassland degradation on soil phytolith carbon sequestration in Inner Mongolian steppe of China. <i>Geoderma</i> , 2017, 308, 86-92.   | 2.3 | 32        |
| 232 | Preface to the special issue for the 8th International Symposium on Forest Soils: Linking Soil Processes to Forest Productivity and Water Protection under Global Change. <i>Journal of Soils and Sediments</i> , 2017, 17, 2215-2217. | 1.5 | 2         |
| 233 | Potential value of phosphate compounds in enhancing immobilization and reducing bioavailability of mixed heavy metal contaminants in shooting range soil. <i>Chemosphere</i> , 2017, 184, 197-206.                                     | 4.2 | 127       |
| 234 | Applications of biochar in redox-mediated reactions. <i>Bioresource Technology</i> , 2017, 246, 271-281.   | 4.8 | 322       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Unraveling sorption of lead in aqueous solutions by chemically modified biochar derived from coconut fiber: A microscopic and spectroscopic investigation. <i>Science of the Total Environment</i> , 2017, 576, 766-774. | 3.9 | 172       |
| 236 | TEMPORARY REMOVAL: High potential of phytoliths in terrestrial carbon sequestration at a centennial–millennial scale: Reply to comments by Santos and Alexandre. <i>Earth-Science Reviews</i> , 2017, 164, 256.          | 4.0 | 6         |
| 237 | Soil quality assessment under different <i>Paulownia fortunei</i> plantations in mid-subtropical China. <i>Journal of Soils and Sediments</i> , 2017, 17, 2371-2382.   | 1.5 | 26        |
| 238 | Impact of climate and lithology on soil phytolith-occluded carbon accumulation in eastern China. <i>Journal of Soils and Sediments</i> , 2017, 17, 481-490.  | 1.5 | 15        |
| 239 | Impact of natural and calcined starfish ( <i>Asterina pectinifera</i> ) on the stabilization of Pb, Zn and As in contaminated agricultural soil. <i>Environmental Geochemistry and Health</i> , 2017, 39, 431-441.       | 1.8 | 18        |
| 240 | Phytolith-occluded organic carbon as a mechanism for long-term carbon sequestration in a typical steppe: The predominant role of belowground productivity. <i>Science of the Total Environment</i> , 2017, 577, 413-417. | 3.9 | 21        |
| 241 | Thermal Properties of Biochars Derived from Waste Biomass Generated by Agricultural and Forestry Sectors. <i>Energies</i> , 2017, 10, 469.   | 1.6 | 69        |
| 242 | Potential Hotspot Areas of Nitrous Oxide Emissions From Grazed Pastoral Dairy Farm Systems. <i>Advances in Agronomy</i> , 2017, 145, 205-268.  | 2.4 | 34        |
| 243 | Degradation of Tetracyclines in Pig Manure by Composting with Rice Straw. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 254.  | 1.2 | 25        |
| 244 | Magnesium Alleviates Adverse Effects of Lead on Growth, Photosynthesis, and Ultrastructural Alterations of <i>Torreya grandis</i> Seedlings. <i>Frontiers in Plant Science</i> , 2016, 7, 1819.                          | 1.7 | 25        |
| 245 | Effects of biochar application on fluxes of three biogenic greenhouse gases: a meta-analysis. <i>Ecosystem Health and Sustainability</i> , 2016, 2, .  | 1.5 | 91        |
| 246 | Occurrence, turnover and carbon sequestration potential of phytoliths in terrestrial ecosystems. <i>Earth-Science Reviews</i> , 2016, 158, 19-30.  | 4.0 | 115       |
| 247 | Topographic control on phytolith carbon sequestration in moso bamboo ( <i>Phyllostachys</i> Tj ETQq1 1 0.784314 rgBT /Overlock 10 T  | 1.2 | 15        |
| 248 | Phytoremediation of Arsenic-Contaminated Soils Using Arsenic Hyperaccumulating Ferns. , 2016, , 521-545.   |     | 10        |
| 249 | Influence of pyrolysis temperature on lead immobilization by chemically modified coconut fiber-derived biochars in aqueous environments. <i>Environmental Science and Pollution Research</i> , 2016, 23, 22890-22896.    | 2.7 | 67        |
| 250 | Metagenomic analysis of microbial consortia enriched from compost: new insights into the role of Actinobacteria in lignocellulose decomposition. <i>Biotechnology for Biofuels</i> , 2016, 9, 22.                        | 6.2 | 237       |
| 251 | Contaminated Land, Ecological Assessment, and Remediation Conference Series (CLEAR 2014): environmental remediation with advanced materials. <i>Environmental Science and Pollution Research</i> , 2016, 23, 949-950.    | 2.7 | 0         |
| 252 | The impact of different forest types on phytolith-occluded carbon accumulation in subtropical forest soils. <i>Journal of Soils and Sediments</i> , 2016, 16, 461-466.   | 1.5 | 18        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Effect of aging process on adsorption of diethyl phthalate in soils amended with bamboo biochar. <i>Chemosphere</i> , 2016, 142, 28-34.   | 4.2 | 105       |
| 254 | Land use affects soil organic carbon of paddy soils: empirical evidence from 6280 years BP to present. <i>Journal of Soils and Sediments</i> , 2016, 16, 767-776.   | 1.5 | 8         |
| 255 | <sup>87</sup> Sr/ <sup>143</sup> Nd elements and isotopes as tracers of dust input in a tropical soil chronosequence. <i>Geoderma</i> , 2016, 262, 227-234.   | 2.3 | 28        |
| 256 | Biochar reduces the bioavailability of di-(2-ethylhexyl) phthalate in soil. <i>Chemosphere</i> , 2016, 142, 24-27.  | 4.2 | 55        |
| 257 | Effect of biochar on the extractability of heavy metals (Cd, Cu, Pb, and Zn) and enzyme activity in soil. <i>Environmental Science and Pollution Research</i> , 2016, 23, 974-984.  | 2.7 | 412       |
| 258 | Research and Application of Biochar in China. <i>SSSA Special Publication Series</i> , 2015, , 377-407.   | 0.2 | 9         |
| 259 | Evaluation of the Interactions between Water Extractable Soil Organic Matter and Metal Cations (Cu(II), Eu(III)) Using Excitation-Emission Matrix Combined with Parallel Factor Analysis. <i>International Journal of Molecular Sciences</i> , 2015, 16, 14464-14476. | 1.8 | 14        |
| 260 | Lithological control on phytolith carbon sequestration in moso bamboo forests. <i>Scientific Reports</i> , 2015, 4, 5262.   | 1.6 | 13        |
| 261 | Rice ( <i>Oryza sativa</i> L) plantation affects the stability of biochar in paddy soil. <i>Scientific Reports</i> , 2015, 5, 10001.  | 1.6 | 44        |
| 262 | Ecological impacts of long-term application of biosolids to a radiata pine plantation. <i>Science of the Total Environment</i> , 2015, 530-531, 233-240.  | 3.9 | 27        |
| 263 | Effects of biochar amendment on rice growth and nitrogen retention in a waterlogged paddy field. <i>Journal of Soils and Sediments</i> , 2015, 15, 153-162.   | 1.5 | 156       |
| 264 | Effect of biochar amendment on yield and photosynthesis of peanut on two types of soils. <i>Environmental Science and Pollution Research</i> , 2015, 22, 6112-6125.   | 2.7 | 170       |
| 265 | Long-term fertilizer application effects on the soil, root arbuscular mycorrhizal fungi and community composition in rotation agriculture. <i>Applied Soil Ecology</i> , 2015, 89, 35-43.   | 2.1 | 96        |
| 266 | Enhancing phytolith carbon sequestration in rice ecosystems through basalt powder amendment. <i>Science Bulletin</i> , 2015, 60, 591-597.   | 4.3 | 48        |
| 267 | Effect of 17 years of organic and inorganic fertilizer applications on soil phosphorus dynamics in a rice-wheat rotation cropping system in eastern China. <i>Journal of Soils and Sediments</i> , 2015, 15, 1889-1899.   | 1.5 | 30        |
| 268 | Plant silicon content in forests of north China and its implications for phytolith carbon sequestration. <i>Ecological Research</i> , 2015, 30, 347-355.  | 0.7 | 22        |
| 269 | Contamination and remediation of phthalic acid esters in agricultural soils in China: a review. <i>Agronomy for Sustainable Development</i> , 2015, 35, 519-534.  | 2.2 | 206       |
| 270 | In situ remediation technologies for mercury-contaminated soil. <i>Environmental Science and Pollution Research</i> , 2015, 22, 8124-8147.  | 2.7 | 102       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Evaluating the Environmental Health Effect of Bamboo-Derived Volatile Organic Compounds through Analysis the Metabolic Indices of the Disorder Animal Model. <i>Biomedical and Environmental Sciences</i> , 2015, 28, 595-605.              | 0.2 | 4         |
| 272 | Effect of 26 Years of Intensively Managed <i>Carya cathayensis</i> Stands on Soil Organic Carbon and Fertility. <i>Scientific World Journal</i> , The, 2014, 2014, 1-6.   | 0.8 | 3         |
| 273 | Retention and release of diethyl phthalate in biochar-amended vegetable garden soils. <i>Journal of Soils and Sediments</i> , 2014, 14, 1790-1799.  | 1.5 | 41        |
| 274 | Spectroscopic evidence for biochar amendment promoting humic acid synthesis and intensifying humification during composting. <i>Journal of Hazardous Materials</i> , 2014, 280, 409-416.  | 6.5 | 159       |
| 275 | Phytolith carbon sequestration in bamboos of different ecotypes: a case study in China. <i>Science Bulletin</i> , 2014, 59, 4816-4822.  | 1.7 | 12        |
| 276 | Rapid soil fungal community response to intensive management in a bamboo forest developed from rice paddies. <i>Soil Biology and Biochemistry</i> , 2014, 68, 177-184.  | 4.2 | 49        |
| 277 | Increase of available soil silicon by Si-rich manure for sustainable rice production. <i>Agronomy for Sustainable Development</i> , 2014, 34, 813-819.  | 2.2 | 49        |
| 278 | Decomposition and the contribution of glomalin-related soil protein (GRSP) in heavy metal sequestration: Field experiment. <i>Soil Biology and Biochemistry</i> , 2014, 68, 283-290.  | 4.2 | 113       |
| 279 | <sup>13</sup> C pulse-chase labeling comparative assessment of the active methanogenic archaeal community composition in the transgenic and nontransgenic parental rice rhizospheres. <i>FEMS Microbiology Ecology</i> , 2014, 87, 746-756. | 1.3 | 17        |
| 280 | Biogeochemical silicon cycle and carbon sequestration in agricultural ecosystems. <i>Earth-Science Reviews</i> , 2014, 139, 268-278.  | 4.0 | 53        |
| 281 | Effect of bamboo and rice straw biochars on the bioavailability of Cd, Cu, Pb and Zn to <i>Sedum plumbizincicola</i> . <i>Agriculture, Ecosystems and Environment</i> , 2014, 191, 124-132.   | 2.5 | 303       |
| 282 | Phytolith carbon sequestration in China's croplands. <i>European Journal of Agronomy</i> , 2014, 53, 10-15.   | 1.9 | 59        |
| 283 | Effects of sediment texture on in-stream nitrogen uptake. <i>Environmental Earth Sciences</i> , 2014, 72, 21-33.  | 1.3 | 1         |
| 284 | Binding between lead ions and the high-abundance serum proteins. <i>Chemosphere</i> , 2014, 112, 472-480.   | 4.2 | 9         |
| 285 | Phylogenetic variation of phytolith carbon sequestration in bamboos. <i>Scientific Reports</i> , 2014, 4, 4710.   | 1.6 | 19        |
| 286 | Responses of methane emissions and rice yield to applications of biochar and straw in a paddy field. <i>Journal of Soils and Sediments</i> , 2013, 13, 1450-1460.   | 1.5 | 126       |
| 287 | Formation and distribution of methylmercury in sediments at a mariculture site: a mesocosm study. <i>Journal of Soils and Sediments</i> , 2013, 13, 1301-1308.  | 1.5 | 10        |
| 288 | Using biochar for remediation of soils contaminated with heavy metals and organic pollutants. <i>Environmental Science and Pollution Research</i> , 2013, 20, 8472-8483.  | 2.7 | 663       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Influence of elevated UV-B radiation on leaf litter chemistry and subsequent decomposition in humid subtropical China. <i>Journal of Soils and Sediments</i> , 2013, 13, 846-853.   | 1.5 | 9         |
| 290 | Clean Coal Technology Combustion Products. <i>Advances in Agronomy</i> , 2013, , 309-370.   | 2.4 | 10        |
| 291 | Landfills as a biorefinery to produce biomass and capture biogas. <i>Bioresource Technology</i> , 2013, 135, 578-587.   | 4.8 | 55        |
| 292 | Salicylic acid induces physiological and biochemical changes in three Red bayberry ( <i>Myric rubra</i> ) genotypes under water stress. <i>Plant Growth Regulation</i> , 2013, 71, 181-189.                                       | 1.8 | 27        |
| 293 | Sorption of ammonium and phosphate from aqueous solution by biochar derived from phytoremediation plants. <i>Journal of Zhejiang University: Science B</i> , 2013, 14, 1152-1161.   | 1.3 | 159       |
| 294 | Removal of Cu, Zn, and Cd from aqueous solutions by the dairy manure-derived biochar. <i>Environmental Science and Pollution Research</i> , 2013, 20, 358-368.  | 2.7 | 460       |
| 295 | Chemistry of decomposing mulching materials and the effect on soil carbon dynamics under a <i>Phyllostachys praecox</i> bamboo stand. <i>Journal of Soils and Sediments</i> , 2013, 13, 24-33.                                    | 1.5 | 12        |
| 296 | Soil CO <sub>2</sub> flux dynamics in the two main plantation forest types in subtropical China. <i>Science of the Total Environment</i> , 2013, 444, 363-368.  | 3.9 | 50        |
| 297 | Occluded C in rice phytoliths: implications to biogeochemical carbon sequestration. <i>Plant and Soil</i> , 2013, 370, 615-623.   | 1.8 | 109       |
| 298 | Insight into the Effects of Biochar on Manure Composting: Evidence Supporting the Relationship between N <sub>2</sub> O Emission and Denitrifying Community. <i>Environmental Science &amp; Technology</i> , 2013, 47, 7341-7349. | 4.6 | 296       |
| 299 | Subcellular Distribution of Metals within <i>Brassica chinensis</i> L. in Response to Elevated Lead and Chromium Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 4715-4722.                                 | 2.4 | 66        |
| 300 | Economic Analysis of a Pine Plantation Receiving Repeated Applications of Biosolids. <i>PLoS ONE</i> , 2013, 8, e57705.   | 1.1 | 4         |
| 301 | Chemical characterization of rice straw-derived biochar for soil amendment. <i>Biomass and Bioenergy</i> , 2012, 47, 268-276.   | 2.9 | 517       |
| 302 | Plant impact on the coupled terrestrial biogeochemical cycles of silicon and carbon: Implications for biogeochemical carbon sequestration. <i>Earth-Science Reviews</i> , 2012, 115, 319-331.                                     | 4.0 | 116       |
| 303 | Are the biogeochemical cycles of carbon, nitrogen, sulfur, and phosphorus driven by the "Fell redox wheel" in dynamic redox environments?. <i>Journal of Soils and Sediments</i> , 2012, 12, 683-693.                             | 1.5 | 170       |
| 304 | Soil microbial communities and enzyme activities in a reclaimed coastal soil chronosequence under rice-barley cropping. <i>Journal of Soils and Sediments</i> , 2012, 12, 1134-1144.  | 1.5 | 52        |
| 305 | Decontamination of anaerobically digested slurry in a paddy field ecosystem in Jiaying region of China. <i>Agriculture, Ecosystems and Environment</i> , 2012, 146, 13-22.  | 2.5 | 47        |
| 306 | Influence of incubation time on phosphorus sorption dynamics in lake sediments. <i>Journal of Soils and Sediments</i> , 2012, 12, 443-455.  | 1.5 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Seasonal soil CO <sub>2</sub> efflux dynamics after land use change from a natural forest to Moso bamboo plantations in subtropical China. <i>Forest Ecology and Management</i> , 2011, 262, 1131-1137.                               | 1.4 | 134       |
| 308 | Hydrothermal conversion of water lettuce biomass at 473 or 523 K. <i>Biomass and Bioenergy</i> , 2011, 35, 4855-4861.   | 2.9 | 29        |
| 309 | Environmental heterogeneity analysis, assessment of trophic state and source identification in Chaohu Lake, China. <i>Environmental Science and Pollution Research</i> , 2011, 18, 1333-1342.   | 2.7 | 54        |
| 310 | Combined inverse modeling approach and load duration curve method for variable nitrogen total maximum daily load development in an agricultural watershed. <i>Environmental Science and Pollution Research</i> , 2011, 18, 1405-1413. | 2.7 | 25        |
| 311 | Microbial activity facilitates phosphorus adsorption to shallow lake sediment. <i>Journal of Soils and Sediments</i> , 2011, 11, 185-193.   | 1.5 | 18        |
| 312 | Reducing CH <sub>4</sub> and CO <sub>2</sub> emissions from waterlogged paddy soil with biochar. <i>Journal of Soils and Sediments</i> , 2011, 11, 930-939.   | 1.5 | 302       |
| 313 | Kinetics of the pyrolytic and hydrothermal decomposition of water hyacinth. <i>Bioresource Technology</i> , 2011, 102, 6990-6994.   | 4.8 | 47        |
| 314 | Effect of temperature on phosphorus sorption to sediments from shallow eutrophic lakes. <i>Ecological Engineering</i> , 2011, 37, 1515-1522.  | 1.6 | 59        |
| 315 | Response surface analysis of the water: feed ratio influences on hydrothermal recovery from biomass. <i>Waste Management</i> , 2011, 31, 438-444.   | 3.7 | 8         |
| 316 | Seasonal variations of nitrogen and phosphorus retention in an agricultural drainage river in East China. <i>Environmental Science and Pollution Research</i> , 2010, 17, 312-320.  | 2.7 | 41        |
| 317 | Improvement of biochemical and biological properties of eroded red soil by artificial revegetation. <i>Journal of Soils and Sediments</i> , 2010, 10, 255-262.  | 1.5 | 22        |
| 318 | Sorption of the herbicide terbuthylazine in two New Zealand forest soils amended with biosolids and biochars. <i>Journal of Soils and Sediments</i> , 2010, 10, 283-289.  | 1.5 | 194       |
| 319 | Soil microbial community responses to Bt transgenic rice residue decomposition in a paddy field. <i>Journal of Soils and Sediments</i> , 2010, 10, 1598-1605.   | 1.5 | 24        |
| 320 | Effect of <i>Pinus radiata</i> derived biochars on soil sorption and desorption of phenanthrene. <i>Environmental Pollution</i> , 2010, 158, 2821-2825.   | 3.7 | 167       |
| 321 | Isolation and Characterization of a Bensulfuron-Methyl-Degrading Strain L1 of <i>Bacillus</i> . <i>Pedosphere</i> , 2010, 20, 111-119.  | 2.1 | 16        |
| 322 | Adsorption of the herbicide terbuthylazine across a range of New Zealand forestry soils. <i>Canadian Journal of Forest Research</i> , 2010, 40, 1448-1457.  | 0.8 | 14        |
| 323 | Temporal dynamics of iron-rich, tropical soil organic carbon pools after land-use change from forest to sugarcane. <i>Journal of Soils and Sediments</i> , 2009, 9, 112-120.  | 1.5 | 12        |
| 324 | Sorption and genotoxicity of sediment-associated pentachlorophenol and pyrene influenced by crop residue ash. <i>Journal of Soils and Sediments</i> , 2009, 9, 604-612.   | 1.5 | 32        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Winter mulch increases soil CO <sub>2</sub> efflux under <i>Phyllostachys praecox</i> stands. <i>Journal of Soils and Sediments</i> , 2009, 9, 511-514.   | 1.5 | 13        |
| 326 | Effect of CO <sub>2</sub> Elevation on Root Growth and Its Relationship with Indole Acetic Acid and Ethylene in Tomato Seedlings. <i>Pedosphere</i> , 2009, 19, 570-576.                                    | 2.1 | 41        |
| 327 | Technological options for the management of biosolids. <i>Environmental Science and Pollution Research</i> , 2008, 15, 308-317.   | 2.7 | 175       |
| 328 | Global change and environmental risk assessment. <i>Journal of Soils and Sediments</i> , 2008, 8, 208-209.  | 1.5 | 0         |
| 329 | Distribution of heavy metals in a sandy forest soil repeatedly amended with biosolids. <i>Soil Research</i> , 2008, 46, 502.  | 0.6 | 9         |
| 330 | Effect of calcium on cyclamen pedicel elongation. <i>Journal of Plant Nutrition and Soil Science</i> , 2007, 170, 664-668.  | 1.1 | 0         |
| 331 | Fractionation and mobility of phosphorus in a sandy forest soil amended with biosolids. <i>Environmental Science and Pollution Research</i> , 2007, 14, 529-535.  | 2.7 | 29        |
| 332 | ESPR subject area 5 –Environmental Microbiology, (Bio)Technologies, Health Issues™. <i>Environmental Science and Pollution Research</i> , 2007, 14, 449-449.  | 2.7 | 0         |
| 333 | ESPR subject area 5 –Environmental Microbiology, (Bio)Technologies, Health Issues™. <i>Environmental Science and Pollution Research</i> , 2007, 14, 450-451.  | 2.7 | 0         |
| 334 | ESPR subject area 5 –Environmental Microbiology, (Bio)Technologies, Health Issues™. <i>Environmental Science and Pollution Research</i> , 2007, 14, 446-446.  | 2.7 | 1         |
| 335 | Midrotation effects of biosolids application on tree growth and wood properties in a <i>Pinus radiata</i> plantation. <i>Canadian Journal of Forest Research</i> , 2006, 36, 1921-1930.                     | 0.8 | 24        |
| 336 | Chemical properties of two soils irrigated with thermo-mechanical pulp mill effluent. <i>Soil Research</i> , 2005, 43, 929.   | 0.6 | 4         |
| 337 | Using natural <sup>15</sup> N abundances to trace the fate of waste-derived nitrogen in forest ecosystems: New Zealand case studies. <i>Isotopes in Environmental and Health Studies</i> , 2005, 41, 31-38. | 0.5 | 8         |
| 338 | Using <sup>15</sup> N to determine a budget for effluent-derived nitrogen applied to forest. <i>Isotopes in Environmental and Health Studies</i> , 2005, 41, 13-30.   | 0.5 | 5         |
| 339 | Environmental and nutritional responses of a <i>Pinus radiata</i> plantation to biosolids application. <i>Plant and Soil</i> , 2004, 267, 255-262.  | 1.8 | 32        |
| 340 | An overview of the environmental effects of land application of farm effluents. <i>New Zealand Journal of Agricultural Research</i> , 2004, 47, 389-403.  | 0.9 | 63        |
| 341 | Economic analysis of growth response from a pine plantation forest applied with biosolids. <i>Forest Ecology and Management</i> , 2004, 189, 345-351.   | 1.4 | 54        |
| 342 | Application of municipal and industrial residuals in New Zealand forests: an overview. <i>Soil Research</i> , 2003, 41, 557.  | 0.6 | 38        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Biosolidsâ€Derived Nitrogen Mineralization and Transformation in Forest Soils. Journal of Environmental Quality, 2003, 32, 1851-1856.  | 1.0 | 38        |
| 344 | The influence of surface incorporated lime and gypsiferous by-products on surface and subsurface soil acidity. I. Soil solution chemistry. Soil Research, 1999, 37, 165.                               | 0.6 | 13        |
| 345 | The influence of surface incorporated lime and gypsiferous by-products on surface and subsurface soil acidity. II. Root growth and agronomic implications. Soil Research, 1999, 37, 181.               | 0.6 | 11        |
| 346 | Chemical properties of fluidised bed boiler ash relevant to its use as a liming material and fertiliser. New Zealand Journal of Agricultural Research, 1995, 38, 249-256.                              | 0.9 | 10        |
| 347 | A Review of the Role of Natural Clay Minerals as Effective Adsorbents and an Alternative Source of Minerals. , 0, , .  |     | 4         |
| 348 | Flavonoid components and gene expression analysis reveal flower pigmentation difference between Magnolia biondii and its variety M. biondii var. purpurascens. Trees - Structure and Function, 0, , 1. | 0.9 | 2         |
| 349 | Soil silicon fractions along karst hillslopes of southwestern China. Journal of Soils and Sediments, 0, , 1.   | 1.5 | 1         |