

Vladimir Tolmachev

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5325707/publications.pdf>

Version: 2024-02-01

308
papers

11,350
citations

30047

54
h-index

49868

87
g-index

313
all docs

313
docs citations

313
times ranked

6253
citing authors

#	ARTICLE	IF	CITATIONS
1	Phase I Trial of ^{99m} Tc-(HE) ₃ -G3, a DARPIn-Based Probe for Imaging of HER2 Expression in Breast Cancer. <i>Journal of Nuclear Medicine</i> , 2022, 63, 528-535.	2.8	29
2	Affibody-Mediated PNA-Based Pretargeted Cotreatment Improves Survival of Trastuzumab-Treated Mice Bearing HER2-Expressing Xenografts. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1046-1051.	2.8	9
3	Radionuclides in Diagnostics and Therapy of Malignant Tumors: New Development. <i>Cancers</i> , 2022, 14, 297.	1.7	4
4	Targeted nuclear medicine. Seek and destroy. <i>Russian Chemical Reviews</i> , 2022, 91, .	2.5	19
5	Effect of Inter-Domain Linker Composition on Biodistribution of ABD-Fused Affibody-Drug Conjugates Targeting HER2. <i>Pharmaceutics</i> , 2022, 14, 522.	2.0	2
6	Epithelial cell adhesion molecule-targeting designed ankyrin repeat protein-toxin fusion Ecl-LoPE exhibits potent cytotoxic action in prostate cancer cells. <i>Oncology Reports</i> , 2022, 47, .	1.2	4
7	Experimental Therapy of HER2-Expressing Xenografts Using the Second-Generation HER2-Targeting Affibody Molecule ¹⁸⁸ Re-ZHER2:41071. <i>Pharmaceutics</i> , 2022, 14, 1092.	2.0	5
8	Phase I Clinical Trial Using [^{99m} Tc]Tc-1-thio-D-glucose for Diagnosis of Lymphoma Patients. <i>Pharmaceutics</i> , 2022, 14, 1274.	2.0	1
9	Theranostic pairing: ABY-025/251 targeting HER2 with ⁶⁸ Ga and ¹⁸⁸ Re-Minimized radioligands using Affibody peptide scaffold technology.. <i>Journal of Clinical Oncology</i> , 2022, 40, 3093-3093.	0.8	1
10	Preclinical Evaluation of a New Format of ⁶⁸ Ga- and ¹¹¹ In-Labeled Affibody Molecule ZIGF-1R:4551 for the Visualization of IGF-1R Expression in Malignant Tumors Using PET and SPECT. <i>Pharmaceutics</i> , 2022, 14, 1475.	2.0	4
11	Radionuclide therapy using ABD-fused ADAPT scaffold protein: Proof of Principle. <i>Biomaterials</i> , 2021, 266, 120381.	5.7	11
12	Phase I Study of ^{99m} Tc-ADAPT6, a Scaffold Protein-Based Probe for Visualization of HER2 Expression in Breast Cancer. <i>Journal of Nuclear Medicine</i> , 2021, 62, 493-499.	2.8	41
13	Single-photon emission computerized tomography with ^{99m} Tc-DARPIN9_29 in diagnostics of breast cancer with Her2/neu overexpression: first clinical experience. <i>Molekulyarnaya Meditsina (Molecular Medicine)</i> , 2021, 19, 41-46.	0.0	0
14	Preclinical Evaluation of ^{99m} Tc-Labeled GRPR Antagonists maSSS/SES-PEG2-RM26 for Imaging of Prostate Cancer. <i>Pharmaceutics</i> , 2021, 13, 182.	2.0	7
15	Comparative Evaluation of Novel ¹⁷⁷ Lu-Labeled PNA Probes for Affibody-Mediated PNA-Based Pretargeting. <i>Cancers</i> , 2021, 13, 500.	1.7	12
16	Phase I clinical study of a new radiopharmaceutical based on recombinant target molecules DARPIn9_29 labeled with technetium-99m for radionuclide diagnosis of the Her2/neu-positive breast cancer. <i>Molekulyarnaya Meditsina (Molecular Medicine)</i> , 2021, 19, 41-48.	0.0	0
17	⁶⁶ Ga-PET-imaging of GRPR-expression in prostate cancer: production and characterization of [⁶⁶ Ga]Ga-NOTA-PEG2-RM26. <i>Scientific Reports</i> , 2021, 11, 3631.	1.6	10
18	The Use of a Non-Conventional Long-Lived Gallium Radioisotope ⁶⁶ Ga Improves Imaging Contrast of EGFR Expression in Malignant Tumours Using DFO-ZEGFR:2377 Affibody Molecule. <i>Pharmaceutics</i> , 2021, 13, 292.	2.0	10

#	ARTICLE	IF	CITATIONS
19	Preclinical Evaluation of ^{99m} Tc-ZHER2:41071, a Second-Generation Affibody-Based HER2-Visualizing Imaging Probe with a Low Renal Uptake. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2770.	1.8	14
20	Affibody-Derived Drug Conjugates Targeting HER2: Effect of Drug Load on Cytotoxicity and Biodistribution. <i>Pharmaceutics</i> , 2021, 13, 430.	2.0	8
21	Possibilities of radionuclide diagnostics of Her2-positive breast cancer using technetium-99m-labeled target molecules: the first experience of clinical use. <i>Bulletin of Siberian Medicine</i> , 2021, 20, 23-30.	0.1	6
22	PET and SPECT Imaging of the EGFR Family (RTK Class I) in Oncology. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3663.	1.8	18
23	Comparative Analysis of the Clinical Use of ^{99m} Technetium-Labeled Recombinant Target Molecules in Different Dosages for the Radionuclide Diagnosis of Her2-Positive Breast Cancer. <i>Vestnik Rentgenologii I Radiologii</i> , 2021, 102, 89-97.	0.1	0
24	Comparative Preclinical Evaluation of HER2-Targeting ABD-Fused Affibody [®] Molecules ¹⁷⁷ Lu-ABY-271 and ¹⁷⁷ Lu-ABY-027: Impact of DOTA Position on ABD Domain. <i>Pharmaceutics</i> , 2021, 13, 839.	2.0	5
25	Influence of the Position and Composition of Radiometals and Radioiodine Labels on Imaging of Epcam Expression in Prostate Cancer Model Using the DARPIn Ec1. <i>Cancers</i> , 2021, 13, 3589.	1.7	7
26	The emerging role of radionuclide molecular imaging of HER2 expression in breast cancer. <i>Seminars in Cancer Biology</i> , 2021, 72, 185-197.	4.3	27
27	Imaging-Guided Therapy Simultaneously Targeting HER2 and EpCAM with Trastuzumab and EpCAM-Directed Toxin Provides Additive Effect in Ovarian Cancer Model. <i>Cancers</i> , 2021, 13, 3939.	1.7	8
28	HER3 PET Imaging: ⁶⁸ Ga-Labeled Affibody Molecules Provide Superior HER3 Contrast to ⁸⁹ Zr-Labeled Antibody and Antibody-Fragment-Based Tracers. <i>Cancers</i> , 2021, 13, 4791.	1.7	6
29	Drug Conjugates Based on a Monovalent Affibody Targeting Vector Can Efficiently Eradicate HER2 Positive Human Tumors in an Experimental Mouse Model. <i>Cancers</i> , 2021, 13, 85.	1.7	16
30	A method of drug delivery to tumors based on rapidly biodegradable drug-loaded containers. <i>Applied Materials Today</i> , 2021, 25, 101199.	2.3	17
31	EVALUATION OF EXTENT OF BREAST CANCER IN A PATIENT WITH HER2/NEU OVEREXPRESSION USING A RADIOPHARMACEUTICAL BASED ON TECHNETIUM-99M-LABELED TARGET MOLECULES (CASE REPORT). <i>Siberian Journal of Oncology</i> , 2021, 20, 170-178.	0.1	1
32	Targeting HER2 Expressing Tumors with a Potent Drug Conjugate Based on an Albumin Binding Domain-Derived Affinity Protein. <i>Pharmaceutics</i> , 2021, 13, 1847.	2.0	4
33	The Influence of Domain Permutations of an Albumin-Binding Domain-Fused HER2-Targeting Affibody-Based Drug Conjugate on Tumor Cell Proliferation and Therapy Efficacy. <i>Pharmaceutics</i> , 2021, 13, 1974.	2.0	6
34	Effect of a radiolabel biochemical nature on tumor-targeting properties of EpCAM-binding engineered scaffold protein DARPIn Ec1. <i>International Journal of Biological Macromolecules</i> , 2020, 145, 216-225.	3.6	20
35	Radionuclide Molecular Imaging of EpCAM Expression in Triple-Negative Breast Cancer Using the Scaffold Protein DARPIn Ec1. <i>Molecules</i> , 2020, 25, 4719.	1.7	11
36	Efficient Synthesis of ¹⁸ F-Fluoroaliphatic Carboxylic Esters and Acids for Positron Emission Tomography. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 6375-6381.	1.2	1

#	ARTICLE	IF	CITATIONS
37	Preclinical Evaluation of the GRPR-Targeting Antagonist RM26 Conjugated to the Albumin-Binding Domain for GRPR-Targeting Therapy of Cancer. <i>Pharmaceutics</i> , 2020, 12, 977.	2.0	8
38	Heterodimeric Radiotracer Targeting PSMA and GRPR for Imaging of Prostate Cancer – Optimization of the Affinity towards PSMA by Linker Modification in Murine Model. <i>Pharmaceutics</i> , 2020, 12, 614.	2.0	19
39	Evaluation of an antibody-PNA conjugate as a clearing agent for antibody-based PNA-mediated radionuclide pretargeting. <i>Scientific Reports</i> , 2020, 10, 20777.	1.6	12
40	Preclinical Evaluation of the Copper-64 Labeled GRPR-Antagonist RM26 in Comparison with the Cobalt-55 Labeled Counterpart for PET-Imaging of Prostate Cancer. <i>Molecules</i> , 2020, 25, 5993.	1.7	6
41	Feasibility of Imaging EpCAM Expression in Ovarian Cancer Using Radiolabeled DARPIn Ec1. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3310.	1.8	17
42	Evaluating the Therapeutic Efficacy of Mono- and Bivalent Affibody-Based Fusion Proteins Targeting HER3 in a Pancreatic Cancer Xenograft Model. <i>Pharmaceutics</i> , 2020, 12, 551.	2.0	9
43	Benefit of Later-Time-Point PET Imaging of HER3 Expression Using Optimized Radiocobalt-Labeled Affibody Molecules. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1972.	1.8	9
44	Affibody Molecules as Targeting Vectors for PET Imaging. <i>Cancers</i> , 2020, 12, 651.	1.7	56
45	Influence of Residualizing Properties of the Radiolabel on Radionuclide Molecular Imaging of HER3 Using Affibody Molecules. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1312.	1.8	7
46	HER2-Specific Pseudomonas Exotoxin A PE25 Based Fusions: Influence of Targeting Domain on Target Binding, Toxicity, and In Vivo Biodistribution. <i>Pharmaceutics</i> , 2020, 12, 391.	2.0	7
47	Preparation of Conjugates for Affibody-Based PNA-Mediated Pretargeting. <i>Methods in Molecular Biology</i> , 2020, 2105, 283-304.	0.4	3
48	Kinetic analysis of HER2-binding ABY-025 Affibody molecule using dynamic PET in patients with metastatic breast cancer. <i>EJNMMI Research</i> , 2020, 10, 21.	1.1	11
49	Imaging using radiolabelled targeted proteins: radioimmunodetection and beyond. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2020, 5, 16.	1.8	38
50	Radiolabeled GRPR Antagonists for Imaging of Disseminated Prostate Cancer - Influence of Labeling Chemistry on Targeting Properties. <i>Current Medicinal Chemistry</i> , 2020, 27, 7090-7111.	1.2	9
51	Evaluation of Tumor-Targeting Properties of an Antagonistic Bombesin Analogue RM26 Conjugated with a Non-Residualizing Radioiodine Label Comparison with a Radiometal-Labelled Counterpart. <i>Pharmaceutics</i> , 2019, 11, 380.	2.0	6
52	Incorporation of a Hydrophilic Spacer Reduces Hepatic Uptake of HER2-Targeting Affibody-DM1 Drug Conjugates. <i>Cancers</i> , 2019, 11, 1168.	1.7	12
53	Synthesis and Preclinical Evaluation of Radio-Iodinated GRPR/PSMA Bispecific Heterodimers for the Theranostics Application in Prostate Cancer. <i>Pharmaceutics</i> , 2019, 11, 358.	2.0	17
54	Optimal composition and position of histidine-containing tags improves biodistribution of ^{99m} Tc-labeled DARPIn G3. <i>Scientific Reports</i> , 2019, 9, 9405.	1.6	34

#	ARTICLE	IF	CITATIONS
55	Potent and specific fusion toxins consisting of a HER2-binding, ABD-derived affinity protein, fused to truncated versions of Pseudomonas exotoxin _{1/2A} . International Journal of Oncology, 2019, 55, 309-319.	1.4	10
56	Bispecific GRPR-Antagonistic Anti-PSMA/GRPR Heterodimer for PET and SPECT Diagnostic Imaging of Prostate Cancer. Cancers, 2019, 11, 1371.	1.7	26
57	Optimization of HER3 expression imaging using affibody molecules: Influence of chelator for labeling with indium-111. Scientific Reports, 2019, 9, 655.	1.6	18
58	Indirect Radioiodination of DARPIn G3 Using N-succinimidyl-Para-Iodobenzoate Improves the Contrast of HER2 Molecular Imaging. International Journal of Molecular Sciences, 2019, 20, 3047.	1.8	18
59	Selection of the optimal macrocyclic chelators for labeling with ¹¹¹ In and ⁶⁸ Ga improves contrast of HER2 imaging using engineered scaffold protein ADAPT6. European Journal of Pharmaceutics and Biopharmaceutics, 2019, 140, 109-120.	2.0	21
60	Trastuzumab cotreatment improves survival of mice with PC prostate cancer xenografts treated with the GRPR antagonist ¹⁷⁷ Lu-DOTAGA-PEG ₂ -RM26. International Journal of Cancer, 2019, 145, 3347-3358.	2.3	30
61	Improved contrast of affibody-mediated imaging of HER3 expression in mouse xenograft model through co-injection of a trivalent affibody for in vivo blocking of hepatic uptake. Scientific Reports, 2019, 9, 6779.	1.6	8
62	Site-specific conjugation of recognition tags to trastuzumab for peptide nucleic acid-mediated radionuclide HER2 pretargeting. Biomaterials, 2019, 203, 73-85.	5.7	19
63	Comparison of tumor-targeting properties of directly and indirectly radioiodinated designed ankyrin repeat protein (DARPIn) G3 variants for molecular imaging of HER2. International Journal of Oncology, 2019, 54, 1209-1220.	1.4	19
64	Molecular Design of HER3-Targeting Affibody Molecules: Influence of Chelator and Presence of HEHEHE-Tag on Biodistribution of ⁶⁸ Ga-Labeled Tracers. International Journal of Molecular Sciences, 2019, 20, 1080.	1.8	21
65	Selection of an optimal macrocyclic chelator improves the imaging of prostate cancer using cobalt-labeled GRPR antagonist RM26. Scientific Reports, 2019, 9, 17086.	1.6	14
66	Comparative evaluation of affibody- and antibody fragments-based CAIX imaging probes in mice bearing renal cell carcinoma xenografts. Scientific Reports, 2019, 9, 14907.	1.6	14
67	Increase in negative charge of ⁶⁸ Ga/chelator complex reduces unspecific hepatic uptake but does not improve imaging properties of HER3-targeting affibody molecules. Scientific Reports, 2019, 9, 17710.	1.6	14
68	CAIX-targeting radiotracers for hypoxia imaging in head and neck cancer models. Scientific Reports, 2019, 9, 18898.	1.6	22
69	Comparative evaluation of dimeric and monomeric forms of ADAPT scaffold protein for targeting of HER2-expressing tumours. European Journal of Pharmaceutics and Biopharmaceutics, 2019, 134, 37-48.	2.0	21
70	Comparative Evaluation of Two DARPIn Variants: Effect of Affinity, Size, and Label on Tumor Targeting Properties. Molecular Pharmaceutics, 2019, 16, 995-1008.	2.3	35
71	Basic and practical concepts of radiopharmaceutical purification methods. Drug Discovery Today, 2019, 24, 315-324.	3.2	10
72	Enhanced protection of the renal vascular endothelium improves early outcome in kidney transplantation: Preclinical investigations in pig and mouse. Scientific Reports, 2018, 8, 5220.	1.6	21

#	ARTICLE	IF	CITATIONS
73	Evaluation of HER2-specific peptide ligand for its employment as radiolabeled imaging probe. <i>Scientific Reports</i> , 2018, 8, 2998.	1.6	22
74	Radionuclide Therapy of HER2-Expressing Human Xenografts Using Affibody-Based Peptide Nucleic Acid-Mediated Pretargeting: In Vivo Proof of Principle. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1092-1098.	2.8	48
75	Influence of composition of cysteine-containing peptide-based chelators on biodistribution of ^{99m} Tc-labeled anti-EGFR affibody molecules. <i>Amino Acids</i> , 2018, 50, 981-994.	1.2	16
76	Molecular design of radiocopper-labelled Affibody molecules. <i>Scientific Reports</i> , 2018, 8, 6542.	1.6	13
77	Same-Day Imaging Using Small Proteins: Clinical Experience and Translational Prospects in Oncology. <i>Journal of Nuclear Medicine</i> , 2018, 59, 885-891.	2.8	101
78	Radionuclide Tumor Targeting Using ADAPT Scaffold Proteins: Aspects of Label Positioning and Residualizing Properties of the Label. <i>Journal of Nuclear Medicine</i> , 2018, 59, 93-99.	2.8	29
79	Cyclic versus Noncyclic Chelating Scaffold for ⁸⁹ Zr-Labeled ZEGFR:2377 Affibody Bioconjugates Targeting Epidermal Growth Factor Receptor Overexpression. <i>Molecular Pharmaceutics</i> , 2018, 15, 175-185.	2.3	31
80	Affibody-mediated imaging of EGFR expression in prostate cancer using radiocobalt-labeled DOTA-ZEGFR:2377. <i>Oncology Reports</i> , 2018, 41, 534-542.	1.2	4
81	Preclinical Evaluation of [⁶⁸ Ga]Ga-DFO-ZEGFR:2377: A Promising Affibody-Based Probe for Noninvasive PET Imaging of EGFR Expression in Tumors. <i>Cells</i> , 2018, 7, 141.	1.8	21
82	Radionuclide imaging of VEGFR2 in glioma vasculature using biparatopic affibody conjugate: proof-of-principle in a murine model. <i>Theranostics</i> , 2018, 8, 4462-4476.	4.6	25
83	Influence of Molecular Design on the Targeting Properties of ABD-Fused Mono- and Bi-Valent Anti-HER3 Affibody Therapeutic Constructs. <i>Cells</i> , 2018, 7, 164.	1.8	19
84	Affibody-derived drug conjugates: Potent cytotoxic molecules for treatment of HER2 over-expressing tumors. <i>Journal of Controlled Release</i> , 2018, 288, 84-95.	4.8	40
85	Development of an optimal imaging strategy for selection of patients for affibody-based PNA-mediated radionuclide therapy. <i>Scientific Reports</i> , 2018, 8, 9643.	1.6	11
86	Comparative Evaluation of Radioiodine and Technetium-Labeled DARPIn 9_29 for Radionuclide Molecular Imaging of HER2 Expression in Malignant Tumors. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-11.	0.4	30
87	Evaluation of the Therapeutic Potential of a HER3-Binding Affibody Construct TAM-HER3 in Comparison with a Monoclonal Antibody, Seribantumab. <i>Molecular Pharmaceutics</i> , 2018, 15, 3394-3403.	2.3	19
88	Optimized Molecular Design of ADAPT-Based HER2-Imaging Probes Labeled with ¹¹¹ In and ⁶⁸ Ga. <i>Molecular Pharmaceutics</i> , 2018, 15, 2674-2683.	2.3	15
89	In vivo evaluation of a novel format of a bivalent HER3-targeting and albumin-binding therapeutic affibody construct. <i>Scientific Reports</i> , 2017, 7, 43118.	1.6	20
90	Intra-image referencing for simplified assessment of HER2-expression in breast cancer metastases using the Affibody molecule ABY-025 with PET and SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1337-1346.	3.3	39

#	ARTICLE	IF	CITATIONS
91	The use of radiocobalt as a label improves imaging of EGFR using DOTA-conjugated Affibody molecule. <i>Scientific Reports</i> , 2017, 7, 5961.	1.6	29
92	Comparative evaluation of tumor targeting using the anti-HER2 ADAPT scaffold protein labeled at the C-terminus with indium-111 or technetium-99m. <i>Scientific Reports</i> , 2017, 7, 14780.	1.6	17
93	Pretargeted Imaging and Therapy. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1553-1559.	2.8	143
94	Evaluation of the first ⁴⁴ Sc-labeled Affibody molecule for imaging of HER2-expressing tumors. <i>Nuclear Medicine and Biology</i> , 2017, 45, 15-21.	0.3	26
95	Comparative Evaluation of Anti-HER2 Affibody Molecules Labeled with ⁶⁴ Cu Using NOTA and NODAGA. <i>Contrast Media and Molecular Imaging</i> , 2017, 2017, 1-12.	0.4	14
96	High Contrast PET Imaging of GRPR Expression in Prostate Cancer Using Cobalt-Labeled Bombesin Antagonist RM26. <i>Contrast Media and Molecular Imaging</i> , 2017, 2017, 1-10.	0.4	27
97	Evaluation of a radiocobalt-labelled affibody molecule for imaging of human epidermal growth factor receptor 3 expression. <i>International Journal of Oncology</i> , 2017, 51, 1765-1774.	1.4	10
98	Feasibility of Affibody Molecule-Based PNA-Mediated Radionuclide Pretargeting of Malignant Tumors. <i>Theranostics</i> , 2016, 6, 93-103.	4.6	53
99	Measuring HER2-Receptor Expression In Metastatic Breast Cancer Using [⁶⁸ Ga]ABY-025 Affibody PET/CT. <i>Theranostics</i> , 2016, 6, 262-271.	4.6	204
100	Evaluation of a novel type of imaging probe based on a recombinant bivalent mini-antibody construct for detection of CD44v6-expressing squamous cell carcinoma. <i>International Journal of Oncology</i> , 2016, 48, 461-470.	1.4	13
101	VEGFR2 pY949 signalling regulates adherens junction integrity and metastatic spread. <i>Nature Communications</i> , 2016, 7, 11017.	5.8	111
102	Novel chemoselective ¹⁸ F-radiolabeling of thiol-containing biomolecules under mild aqueous conditions. <i>Chemical Communications</i> , 2016, 52, 6083-6086.	2.2	35
103	PET imaging of epidermal growth factor receptor expression in tumours using ⁸⁹ Zr-labelled ZEGFR:2377 affibody molecules. <i>International Journal of Oncology</i> , 2016, 48, 1325-1332.	1.4	50
104	Biodistribution and Radiation Dosimetry of the Anti-HER2 Affibody Molecule ⁶⁸ Ga-ABY-025 in Breast Cancer Patients. <i>Journal of Nuclear Medicine</i> , 2016, 57, 867-871.	2.8	88
105	Influence of molecular design on biodistribution and targeting properties of an Affibody-fused HER2-recognising anticancer toxin. <i>International Journal of Oncology</i> , 2016, 49, 1185-1194.	1.4	24
106	Comparative Evaluation of Affibody Molecules for Radionuclide Imaging of in Vivo Expression of Carbonic Anhydrase IX. <i>Molecular Pharmaceutics</i> , 2016, 13, 3676-3687.	2.3	30
107	Feasibility of imaging of epidermal growth factor receptor expression with ZEGFR:2377 affibody molecule labeled with ^{99m} Tc using a peptide-based cysteine-containing chelator. <i>International Journal of Oncology</i> , 2016, 49, 2285-2293.	1.4	27
108	Influence of the N-Terminal Composition on Targeting Properties of Radiometal-Labeled Anti-HER2 Scaffold Protein ADAPT6. <i>Bioconjugate Chemistry</i> , 2016, 27, 2678-2688.	1.8	13

#	ARTICLE	IF	CITATIONS
109	Influence of Histidine-Containing Tags on the Biodistribution of ADAPT Scaffold Proteins. <i>Bioconjugate Chemistry</i> , 2016, 27, 716-726.	1.8	38
110	Feasibility of Affibody-Based Bioorthogonal Chemistry-Mediated Radionuclide Pretargeting. <i>Journal of Nuclear Medicine</i> , 2016, 57, 431-436.	2.8	46
111	Control of growth factor binding and release in bisphosphonate functionalized hydrogels guides rapid differentiation of precursor cells in vitro. <i>Biomaterials Science</i> , 2016, 4, 250-254.	2.6	12
112	Selection of optimal chelator improves the contrast of GRPR imaging using bombesin analogue RM26. <i>International Journal of Oncology</i> , 2016, 48, 2124-2134.	1.4	29
113	Increasing the Net Negative Charge by Replacement of DOTA Chelator with DOTAGA Improves the Biodistribution of Radiolabeled Second-Generation Synthetic Affibody Molecules. <i>Molecular Pharmaceutics</i> , 2016, 13, 1668-1678.	2.3	33
114	Imaging of CAIX-expressing xenografts in vivo using ^{99m} Tc-HEHEHE-ZCAIX:1 Affibody molecule. <i>International Journal of Oncology</i> , 2015, 46, 513-520.	1.4	31
115	Affibody-mediated PET imaging of HER3 expression in malignant tumours. <i>Scientific Reports</i> , 2015, 5, 15226.	1.6	56
116	Site-Specific Radioiodination of HER2-Targeting Affibody Molecules using ⁴ I-iodophenethylmaleimide Decreases Renal Uptake of Radioactivity. <i>ChemistryOpen</i> , 2015, 4, 174-182.	0.9	12
117	Target-specific cytotoxic effects on HER2-expressing cells by the tripartite fusion toxin ZHER2:2891-ABD-PE38X8, including a targeting affibody molecule and a half-life extension domain. <i>International Journal of Oncology</i> , 2015, 47, 601-609.	1.4	21
118	Comparative evaluation of ¹¹¹ In-labeled NOTA-conjugated affibody molecules for visualization of HER3 expression in malignant tumors. <i>Oncology Reports</i> , 2015, 34, 1042-1048.	1.2	30
119	Evaluation of ^{99m} Tc-ZIGF1R:4551-GGGC affibody molecule, a new probe for imaging of insulin-like growth factor type 1 receptor expression. <i>Amino Acids</i> , 2015, 47, 303-315.	1.2	22
120	The effect of macrocyclic chelators on the targeting properties of the ⁶⁸ Ga-labeled gastrin releasing peptide receptor antagonist PEG 2 -RM26. <i>Nuclear Medicine and Biology</i> , 2015, 42, 446-454.	0.3	46
121	Design, Preparation, and Characterization of PNA-Based Hybridization Probes for Affibody-Molecule-Mediated Pretargeting. <i>Bioconjugate Chemistry</i> , 2015, 26, 1724-1736.	1.8	31
122	ADAPT, a Novel Scaffold Protein-Based Probe for Radionuclide Imaging of Molecular Targets That Are Expressed in Disseminated Cancers. <i>Cancer Research</i> , 2015, 75, 4364-4371.	0.4	55
123	Non-invasive determination of HER2-expression in metastatic breast cancer by using ⁶⁸ Ga-ABY025 PET/CT.. <i>Journal of Clinical Oncology</i> , 2015, 33, 11067-11067.	0.8	0
124	The Effect of Mini-PEG-Based Spacer Length on Binding and Pharmacokinetic Properties of a ⁶⁸ Ga-Labeled NOTA-Conjugated Antagonistic Analog of Bombesin. <i>Molecules</i> , 2014, 19, 10455-10472.	1.7	55
125	Development of a ¹²⁴ I-labeled version of the anti-PSMA monoclonal antibody capromab for immunoPET staging of prostate cancer: Aspects of labeling chemistry and biodistribution. <i>International Journal of Oncology</i> , 2014, 44, 1998-2008.	1.4	14
126	¹⁸⁸ Re-Z _{HER2:V2} , a Promising Affibody-Based Targeting Agent Against HER2-Expressing Tumors: Preclinical Assessment. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1842-1848.	2.8	23

#	ARTICLE	IF	CITATIONS
127	Methods for Radiolabelling of Monoclonal Antibodies. <i>Methods in Molecular Biology</i> , 2014, 1060, 309-330.	0.4	40
128	Incorporation of a Triglutamyl Spacer Improves the Biodistribution of Synthetic Affibody Molecules Radiofluorinated at the N-Terminus via Oxime Formation with ^{18}F -4-Fluorobenzaldehyde. <i>Bioconjugate Chemistry</i> , 2014, 25, 82-92.	1.8	25
129	First-in-Human Molecular Imaging of HER2 Expression in Breast Cancer Metastases Using the ^{111}In -ABY-025 Affibody Molecule. <i>Journal of Nuclear Medicine</i> , 2014, 55, 730-735.	2.8	211
130	Locally Delivered CD40 Agonist Antibody Accumulates in Secondary Lymphoid Organs and Eradicates Experimental Disseminated Bladder Cancer. <i>Cancer Immunology Research</i> , 2014, 2, 80-90.	1.6	78
131	Gallium-68-Labeled Affibody Molecule for PET Imaging of PDGFR $^{\beta}$ Expression in Vivo. <i>Molecular Pharmaceutics</i> , 2014, 11, 3957-3964.	2.3	45
132	Selection of an optimal cysteine-containing peptide-based chelator for labeling of affibody molecules with ^{188}Re . <i>European Journal of Medicinal Chemistry</i> , 2014, 87, 519-528.	2.6	19
133	Imaging of HER3-expressing xenografts in mice using a $^{99\text{mTc}}(\text{CO})_3\text{-HEHEHE-ZHER3:08699}$ affibody molecule. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1450-1459.	3.3	40
134	Imaging of Platelet-Derived Growth Factor Receptor β Expression in Glioblastoma Xenografts Using Affibody Molecule ^{111}In -DOTA-Z09591. <i>Journal of Nuclear Medicine</i> , 2014, 55, 294-300.	2.8	50
135	Position for Site-Specific Attachment of a DOTA Chelator to Synthetic Affibody Molecules Has a Different Influence on the Targeting Properties of ^{68}Ga -Compared to ^{111}In -Labeled Conjugates. <i>Molecular Imaging</i> , 2014, 13, 7290.2014.00034.	0.7	12
136	Histidine-Rich Glycoprotein Uptake and Turnover Is Mediated by Mononuclear Phagocytes. <i>PLoS ONE</i> , 2014, 9, e107483.	1.1	17
137	Radiolabeled Probes Targeting Tyrosine-Kinase Receptors For Personalized Medicine. <i>Current Pharmaceutical Design</i> , 2014, 20, 2275-2292.	0.9	14
138	Site-Specific Radiometal Labeling and Improved Biodistribution Using ABY-027, A Novel HER2-Targeting Affibody Molecule-Albumin-Binding Domain Fusion Protein. <i>Journal of Nuclear Medicine</i> , 2013, 54, 961-968.	2.8	75
139	Evaluation of backbone-cyclized HER2-binding 2-helix Affibody molecule for In Vivo molecular imaging. <i>Nuclear Medicine and Biology</i> , 2013, 40, 378-386.	0.3	15
140	$^{99\text{mTc}}(\text{CO})_3\text{-(HE)}_3\text{-ZIGF1R:4551}$, a new Affibody conjugate for visualization of insulin-like growth factor-1 receptor expression in malignant tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 439-449.	3.3	38
141	HAHAHA, HEHEHE, HIHIHI, or HKHKHK: Influence of Position and Composition of Histidine Containing Tags on Biodistribution of $^{99\text{mTc}}(\text{CO})_3\text{-}$ Labeled Affibody Molecules. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 4966-4974.	2.9	54
142	Influence of Nuclides and Chelators on Imaging Using Affibody Molecules: Comparative Evaluation of Recombinant Affibody Molecules Site-Specifically Labeled with ^{68}Ga and ^{111}In via Maleimido Derivatives of DOTA and NODAGA. <i>Bioconjugate Chemistry</i> , 2013, 24, 1102-1109.	1.8	43
143	Synthesis and Characterization of a High-Affinity NOTA-Conjugated Bombesin Antagonist for GRPR-Targeted Tumor Imaging. <i>Bioconjugate Chemistry</i> , 2013, 24, 1144-1153.	1.8	62
144	Specific Uptake of an Amyloid- β Protofibril-Binding Antibody-Tracer in $\text{A}\beta$ PP Transgenic Mouse Brain. <i>Journal of Alzheimer's Disease</i> , 2013, 37, 29-40.	1.2	65

#	ARTICLE	IF	CITATIONS
145	Influence of Macrocyclic Chelators on the Targeting Properties of ⁶⁸ Ga-Labeled Synthetic Affibody Molecules: Comparison with ¹¹¹ In-Labeled Counterparts. PLoS ONE, 2013, 8, e70028.	1.1	50
146	In Vitro and In Vivo Evaluation of a ¹⁸ F-Labeled High Affinity NOTA Conjugated Bombesin Antagonist as a PET Ligand for GRPR-Targeted Tumor Imaging. PLoS ONE, 2013, 8, e81932.	1.1	44
147	Inhibiting HER3-Mediated Tumor Cell Growth with Affibody Molecules Engineered to Low Picomolar Affinity by Position-Directed Error-Prone PCR-Like Diversification. PLoS ONE, 2013, 8, e62791.	1.1	61
148	Imaging of Human Epidermal Growth Factor Receptor Type 2 Expression with ¹⁸ F-Labeled Affibody Molecule ZHER2:2395 in a Mouse Model for Ovarian Cancer. Journal of Nuclear Medicine, 2012, 53, 146-153.	2.8	66
149	Imaging of Insulinlike Growth Factor Type 1 Receptor in Prostate Cancer Xenografts Using the Affibody Molecule ¹¹¹ In-DOTA-Z ^{IGF1R:4551} . Journal of Nuclear Medicine, 2012, 53, 90-97.	2.8	44
150	Tumor Targeting Using Affibody Molecules: Interplay of Affinity, Target Expression Level, and Binding Site Composition. Journal of Nuclear Medicine, 2012, 53, 953-960.	2.8	72
151	Influence of DOTA Chelator Position on Biodistribution and Targeting Properties of ¹¹¹ In-Labeled Synthetic Anti-HER2 Affibody Molecules. Bioconjugate Chemistry, 2012, 23, 1661-1670.	1.8	34
152	Preclinical evaluation of anti-HER2 Affibody molecules site-specifically labeled with ¹¹¹ In using a maleimido derivative of NODAGA. Nuclear Medicine and Biology, 2012, 39, 518-529.	0.3	15
153	Engineering of Affibody Molecules for Therapy and Diagnostics. Methods in Molecular Biology, 2012, 899, 103-126.	0.4	72
154	Targeting Free Prostate-Specific Antigen for <i>In Vivo</i> Imaging of Prostate Cancer Using a Monoclonal Antibody Specific for Unique Epitopes Accessible on Free Prostate-Specific Antigen Alone. Cancer Biotherapy and Radiopharmaceuticals, 2012, 27, 243-251.	0.7	12
155	Liver uptake of radiolabeled targeting proteins and peptides: considerations for targeting peptide conjugate design. Drug Discovery Today, 2012, 17, 1224-1232.	3.2	64
156	Evaluation of a HER2-targeting affibody molecule combining an N-terminal HEHEHE-tag with a GGGC chelator for ^{99m} Tc-labelling at the C terminus. Tumor Biology, 2012, 33, 641-651.	0.8	21
157	Direct comparison of ¹¹¹ In-labelled two-helix and three-helix Affibody molecules for in vivo molecular imaging. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 693-702.	3.3	11
158	Order of amino acids in C-terminal cysteine-containing peptide-based chelators influences cellular processing and biodistribution of ^{99m} Tc-labeled recombinant Affibody molecules. Amino Acids, 2012, 42, 1975-1985.	1.2	16
159	Comparative evaluation of synthetic anti-HER2 Affibody molecules site-specifically labelled with ¹¹¹ In using N-terminal DOTA, NOTA and NODAGA chelators in mice bearing prostate cancer xenografts. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 481-492.	3.3	40
160	Extending Half-life by Indirect Targeting of the Neonatal Fc Receptor (FcRn) Using a Minimal Albumin Binding Domain. Journal of Biological Chemistry, 2011, 286, 5234-5241.	1.6	147
161	Evaluation of a Maleimido Derivative of NOTA for Site-Specific Labeling of Affibody Molecules. Bioconjugate Chemistry, 2011, 22, 894-902.	1.8	25
162	Use of a HEHEHE Purification Tag Instead of a Hexahistidine Tag Improves Biodistribution of Affibody Molecules Site-Specifically Labeled with ^{99m} Tc, ¹¹¹ In, and ¹²⁵ I. Journal of Medicinal Chemistry, 2011, 54, 3817-3826.	2.9	53

#	ARTICLE	IF	CITATIONS
163	Affinity recovery of eight HER2-binding affibody variants using an anti-idiotypic affibody molecule as capture ligand. <i>Protein Expression and Purification</i> , 2011, 76, 127-135.	0.6	32
164	Effect of cetuximab in combination with alpha-radioimmunotherapy in cultured squamous cell carcinomas. <i>Nuclear Medicine and Biology</i> , 2011, 38, 103-112.	0.3	16
165	Influence of an aliphatic linker between DOTA and synthetic ZHER2:342 Affibody molecule on targeting properties of the ¹¹¹ In-labeled conjugate. <i>Nuclear Medicine and Biology</i> , 2011, 38, 697-706.	0.3	8
166	Comparative biodistribution of imaging agents for in vivo molecular profiling of disseminated prostate cancer in mice bearing prostate cancer xenografts: focus on ¹¹¹ In- and ¹²⁵ I-labeled anti-HER2 humanized monoclonal trastuzumab and ABY-025 Affibody. <i>Nuclear Medicine and Biology</i> , 2011, 38, 1093-1102.	0.3	28
167	Imaging agents for in vivo molecular profiling of disseminated prostate cancer: Cellular processing of [¹¹¹ In]-labeled CHX- ³ DTPA-trastuzumab and anti-HER2 ABY-025 Affibody in prostate cancer cell lines. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 523-528.	0.8	22
168	Imaging agents for in vivo molecular profiling of disseminated prostate cancer - targeting EGFR receptors in prostate cancer: Comparison of cellular processing of [¹¹¹ In]-labeled affibody molecule ZEGFR:2377 and cetuximab. <i>International Journal of Oncology</i> , 2011, 38, 1137-43.	1.4	13
169	Protein interactions with HER-family receptors can have different characteristics depending on the hosting cell line. <i>International Journal of Oncology</i> , 2011, 40, 1677-82.	1.4	20
170	Improved Tumor-to-Organ Ratios of a Novel ⁶⁷ Ga-Human Epidermal Growth Factor Radionuclide Conjugate with Preadministered Antiepidermal Growth Factor Receptor Affibody Molecules. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2011, 26, 593-601.	0.7	6
171	Optimal specific radioactivity of anti-HER2 Affibody molecules enables discrimination between xenografts with high and low HER2 expression levels. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 531-539.	3.3	46
172	¹²⁵ I-Labeled Quercetin as a Novel DNA-Targeted Radiotracer. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2011, 26, 469-475.	0.7	6
173	Molecular Design and Optimization of ^{99m} Tc-Labeled Recombinant Affibody Molecules Improves Their Biodistribution and Imaging Properties. <i>Journal of Nuclear Medicine</i> , 2011, 52, 461-469.	2.8	80
174	Radiobromine-Labelled Tracers for Positron Emission Tomography: Possibilities and Pitfalls. <i>Current Radiopharmaceuticals</i> , 2011, 4, 76-89.	0.3	12
175	Radionuclide Molecular Imaging Using Affibody Molecules. <i>Current Pharmaceutical Biotechnology</i> , 2010, 11, 581-589.	0.9	52
176	¹⁸⁶ Re-maSGS-ZHER2:342, a potential Affibody conjugate for systemic therapy of HER2-expressing tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 260-269.	3.3	41
177	Imaging of EGFR expression in murine xenografts using site-specifically labelled anti-EGFR ¹¹¹ In-DOTA-ZEGFR:2377 Affibody molecule: aspect of the injected tracer amount. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 613-622.	3.3	103
178	A HER2-binding Affibody molecule labelled with ⁶⁸ Ga for PET imaging: direct in vivo comparison with the ¹¹¹ In-labelled analogue. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1356-1367.	3.3	75
179	Affibody molecules: Engineered proteins for therapeutic, diagnostic and biotechnological applications. <i>FEBS Letters</i> , 2010, 584, 2670-2680.	1.3	521
180	Molecular Imaging of <i>HER2</i> -Expressing Malignant Tumors in Breast Cancer Patients Using Synthetic ¹¹¹ In- or ⁶⁸ Ga-Labeled Affibody Molecules. <i>Journal of Nuclear Medicine</i> , 2010, 51, 892-897.	2.8	271

#	ARTICLE	IF	CITATIONS
181	Preparation and in vitro evaluation of ¹¹¹ In-CHX-A ³ -DTPA-labeled anti-VEGF monoclonal antibody bevacizumab. <i>Human Antibodies</i> , 2010, 19, 107-111.	0.6	10
182	Influence of Labelling Methods on Biodistribution and Imaging Properties of Radiolabelled Peptides for Visualisation of Molecular Therapeutic Targets. <i>Current Medicinal Chemistry</i> , 2010, 17, 2636-2655.	1.2	63
183	HEHEHE-Tagged Affibody Molecule May Be Purified by IMAC, Is Conveniently Labeled with [^{99m} Tc(CO) ₃] ⁺ , and Shows Improved Biodistribution with Reduced Hepatic Radioactivity Accumulation. <i>Bioconjugate Chemistry</i> , 2010, 21, 2013-2022.	1.8	72
184	Design of an Optimized Scaffold for Affibody Molecules. <i>Journal of Molecular Biology</i> , 2010, 398, 232-247.	2.0	137
185	Radiolabelled proteins for positron emission tomography: Pros and cons of labelling methods. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2010, 1800, 487-510.	1.1	74
186	Kit formulation for ^{99m} Tc-labeling of recombinant anti-HER2 Affibody molecules with a C-terminally engineered cysteine. <i>Nuclear Medicine and Biology</i> , 2010, 37, 539-546.	0.3	29
187	Radiolabelled receptor-tyrosine-kinase targeting drugs for patient stratification and monitoring of therapy response: prospects and pitfalls. <i>Lancet Oncology</i> , The, 2010, 11, 992-1000.	5.1	91
188	Targeting of HER2-Expressing Tumors Using ¹¹¹ In-ABY-025, a Second-Generation Affibody Molecule with a Fundamentally Reengineered Scaffold. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1131-1138.	2.8	81
189	Affibody Molecules for Epidermal Growth Factor Receptor Targeting In Vivo: Aspects of Dimerization and Labeling Chemistry. <i>Journal of Nuclear Medicine</i> , 2009, 50, 274-283.	2.8	98
190	Reply: Molecular Imaging of EGFR: It's Time to Go Beyond Receptor Expression. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1196-1196.	2.8	2
191	Synthesis and chemoselective intramolecular crosslinking of a HER2-binding affibody. <i>Biopolymers</i> , 2009, 92, 116-123.	1.2	14
192	Influence of valency and labelling chemistry on in vivo targeting using radioiodinated HER2-binding Affibody molecules. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 692-701.	3.3	54
193	The influence of Bz-DOTA and CHX-A ³ -DTPA on the biodistribution of ABD-fused anti-HER2 Affibody molecules: implications for ¹¹⁴ mIn-mediated targeting therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1460-1468.	3.3	27
194	Design, synthesis and biological evaluation of a multifunctional HER2-specific Affibody molecule for molecular imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1864-1873.	3.3	43
195	Positioning of ^{99m} Tc-chelators influences radiolabeling, stability and biodistribution of Affibody molecules. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3912-3914.	1.0	17
196	On the Selection of a Tracer for PET Imaging of HER2-Expressing Tumors: Direct Comparison of a ¹²⁴ I-Labeled Affibody Molecule and Trastuzumab in a Murine Xenograft Model. <i>Journal of Nuclear Medicine</i> , 2009, 50, 417-425.	2.8	131
197	Targeting of HER2-Expressing Tumors with a Site-Specifically ^{99m} Tc-Labeled Recombinant Affibody Molecule, Z _{HER2:2395} , with C-Terminally Engineered Cysteine. <i>Journal of Nuclear Medicine</i> , 2009, 50, 781-789.	2.8	97
198	The use of closo-dodecaborate-containing linker improves targeting of HNSCC xenografts with radioiodinated chimeric monoclonal antibody U36. <i>Molecular Medicine Reports</i> , 2009, 3, 155-60.	1.1	0

#	ARTICLE	IF	CITATIONS
199	Differences in radiosensitivity between three HER2 overexpressing cell lines. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 1179-1191.	3.3	19
200	Development and preclinical characterisation of ^{99m} Tc-labelled Affibody molecules with reduced renal uptake. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2245-2255.	3.3	69
201	Directed Evolution to Low Nanomolar Affinity of a Tumor-Targeting Epidermal Growth Factor Receptor-Binding Affibody Molecule. <i>Journal of Molecular Biology</i> , 2008, 376, 1388-1402.	2.0	138
202	Effects of Lysine-Containing Mercaptoacetyl-Based Chelators on the Biodistribution of ^{99m} Tc-Labeled Anti-HER2 Affibody Molecules. <i>Bioconjugate Chemistry</i> , 2008, 19, 2568-2576.	1.8	44
203	Evaluation of Maleimide Derivative of DOTA for Site-Specific Labeling of Recombinant Affibody Molecules. <i>Bioconjugate Chemistry</i> , 2008, 19, 235-243.	1.8	83
204	Evaluation of a Maleimido Derivative of CHX-A ϵ 2 DTPA for Site-Specific Labeling of Affibody Molecules. <i>Bioconjugate Chemistry</i> , 2008, 19, 1579-1587.	1.8	35
205	Influence of Cell Proportions and Proliferation Rates on FDG Uptake in Squamous-Cell Esophageal Carcinoma: A PET Study. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2008, 23, 172-180.	0.7	10
206	Imaging of HER-2 Overexpression in Tumors for Guiding Therapy. <i>Current Pharmaceutical Design</i> , 2008, 14, 2999-3019.	0.9	108
207	Choice of Radionuclides and Radiolabelling Techniques. , 2008, , 145-174.		8
208	[¹⁷⁷ Lu]Pertuzumab: Experimental Therapy of HER-2 ϵ Expressing Xenografts. <i>Cancer Research</i> , 2007, 67, 326-331.	0.4	52
209	Biodistribution of ²¹¹ At-Labeled Humanized Monoclonal Antibody A33. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2007, 22, 480-487.	0.7	12
210	Synthetic Affibody Molecules: A Novel Class of Affinity Ligands for Molecular Imaging of HER2-Expressing Malignant Tumors. <i>Cancer Research</i> , 2007, 67, 2178-2186.	0.4	176
211	Labelling chemistry and characterization of [⁹⁰ Y/ ¹⁷⁷ Lu]-DOTA-ZHER2:342-3 Affibody molecule, a candidate agent for locoregional treatment of urinary bladder carcinoma. <i>International Journal of Molecular Medicine</i> , 2007, 19, 285.	1.8	14
212	<i>In Vitro</i> Evaluation of Two Polyhedral Boron Anion Derivatives as Linkers for Attachment of Radioiodine to the Anti-HER2 Monoclonal Antibody Trastuzumab. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2007, 22, 585-596.	0.7	4
213	Radionuclide Therapy of HER2-Positive Microxenografts Using a ¹⁷⁷ Lu-Labeled HER2-Specific Affibody Molecule. <i>Cancer Research</i> , 2007, 67, 2773-2782.	0.4	203
214	Quantification of CD44v6 and EGFR Expression in Head and Neck Squamous Cell Carcinomas Using a Single-Dose Radioimmunoassay. <i>Tumor Biology</i> , 2007, 28, 253-263.	0.8	15
215	<i>In Vivo</i> Evaluation of Cysteine-Based Chelators for Attachment of ^{99m} Tc to Tumor-Targeting Affibody Molecules. <i>Bioconjugate Chemistry</i> , 2007, 18, 549-558.	1.8	53
216	^{99m} Tc-maEEE-Z _{HER2:342} , an Affibody Molecule-Based Tracer for the Detection of HER2 Expression in Malignant Tumors. <i>Bioconjugate Chemistry</i> , 2007, 18, 1956-1964.	1.8	98

#	ARTICLE	IF	CITATIONS
217	Radioimmunotherapy With Astatine-211 Using Chimeric Monoclonal Antibody U36 in Head and Neck Squamous Cell Carcinoma. <i>Laryngoscope</i> , 2007, 117, 1013-1018.	1.1	14
218	Update: Affibody Molecules for Molecular Imaging and Therapy for Cancer. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2007, 22, 573-584.	0.7	58
219	Affibody molecules: potential for in vivo imaging of molecular targets for cancer therapy. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 555-568.	1.4	117
220	Biodistribution of ²¹¹ At labeled HER-2 binding affibody molecules in mice. <i>Oncology Reports</i> , 2007, , .	1.2	13
221	Imaging of HER2-expressing tumours using a synthetic Affibody molecule containing the ^{99m} Tc-chelating mercaptoacetyl-glycyl-glycyl-glycyl (MAG3) sequence. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 722-733.	3.3	84
222	^{99m} Tc-chelator engineering to improve tumour targeting properties of a HER2-specific Affibody molecule. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1843-1853.	3.3	79
223	Labelling chemistry and characterization of [⁹⁰ Y/ ¹⁷⁷ Lu]-DOTA-ZHER2:342-3 Affibody molecule, a candidate agent for locoregional treatment of urinary bladder carcinoma. <i>International Journal of Molecular Medicine</i> , 2007, 19, 285-91.	1.8	26
224	Comparison of benzoate- and dodecaborate-based linkers for attachment of radioiodine to HER2-targeting Affibody ligand. <i>International Journal of Molecular Medicine</i> , 2007, 19, 485-93.	1.8	8
225	Biodistribution of ²¹¹ At labeled HER-2 binding affibody molecules in mice. <i>Oncology Reports</i> , 2007, 17, 1141-7.	1.2	25
226	Affibody molecules: new protein domains for molecular imaging and targeted tumor therapy. <i>Current Opinion in Drug Discovery & Development</i> , 2007, 10, 167-75.	1.9	55
227	Pre-clinical evaluation of [¹¹¹ In]-benzyl-DOTA-Z(HER2:342), a potential agent for imaging of HER2 expression in malignant tumors. <i>International Journal of Molecular Medicine</i> , 2007, 20, 397-404.	1.8	21
228	In vitro and in vivo characterization of ¹⁷⁷ Lu-huA33. <i>Nuclear Medicine and Biology</i> , 2006, 33, 991-998.	0.3	21
229	Planning for Intracavitary Anti-EGFR Radionuclide Therapy of Gliomas. Literature Review and Data on EGFR Expression. <i>Journal of Neuro-Oncology</i> , 2006, 77, 33-45.	1.4	19
230	Affibody-mediated tumour targeting of HER-2 expressing xenografts in mice. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 631-638.	3.3	64
231	Tumor Imaging Using a Picomolar Affinity HER2 Binding Affibody Molecule. <i>Cancer Research</i> , 2006, 66, 4339-4348.	0.4	462
232	Comparative in vivo evaluation of technetium and iodine labels on an anti-HER2 affibody for single-photon imaging of HER2 expression in tumors. <i>Journal of Nuclear Medicine</i> , 2006, 47, 512-9.	2.8	65
233	Radio-iodination of monoclonal antibody using potassium [¹²⁵ I]-(4-isothiocyanatobenzylammonio)-iodo-decahydro-closo-dodecaborate (iodo-DABI). <i>Anticancer Research</i> , 2006, 26, 1217-23.	0.5	10
234	¹¹¹ In-benzyl-DTPA-ZHER2:342, an affibody-based conjugate for in vivo imaging of HER2 expression in malignant tumors. <i>Journal of Nuclear Medicine</i> , 2006, 47, 846-53.	2.8	72

#	ARTICLE	IF	CITATIONS
235	Synthesis and radioiodination of some daunorubicin and doxorubicin derivatives. Carbohydrate Research, 2005, 340, 15-24.	1.1	21
236	Radiobromination of closo-carboranes using palladium-catalyzed halogen exchange. Journal of Labelled Compounds and Radiopharmaceuticals, 2005, 48, 195-202.	0.5	12
237	Synthesis and radioiodination of some 9-aminoacridine derivatives for potential use in radionuclide therapy. Journal of Labelled Compounds and Radiopharmaceuticals, 2005, 48, 855-871.	0.5	8
238	In vitro evaluation of the astatinated chimeric monoclonal antibody U36, a potential candidate for treatment of head and neck squamous cell carcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2005, 32, 1296-1304.	3.3	23
239	[¹⁷⁷ Lu]pertuzumab: experimental studies on targeting of HER-2 positive tumour cells. European Journal of Nuclear Medicine and Molecular Imaging, 2005, 32, 1457-1462.	3.3	61
240	Evaluation of ((4-Hydroxyphenyl)ethyl)maleimide for Site-Specific Radiobromination of Anti-HER2 Affibody. Bioconjugate Chemistry, 2005, 16, 1547-1555.	1.8	49
241	In Vitro Characterization of ²¹¹ At-Labeled Antibody A33 as a Potential Therapeutic Agent Against Metastatic Colorectal Carcinoma. Cancer Biotherapy and Radiopharmaceuticals, 2005, 20, 514-523.	0.7	11
242	An aminoacridine derivative for radionuclide therapy: DNA binding properties studied in a novel cell-free in vitro assay. International Journal of Oncology, 2005, 27, 1355.	1.4	0
243	In Vitro Characterization of a Bivalent Anti-HER-2 Affibody with Potential for Radionuclide-Based Diagnostics. Cancer Biotherapy and Radiopharmaceuticals, 2005, 20, 239-248.	0.7	87
244	Radiobromination of humanized anti-HER2 monoclonal antibody trastuzumab using N-succinimidyl 5-bromo-3-pyridinecarboxylate, a potential label for immunoPET. Nuclear Medicine and Biology, 2005, 32, 613-622.	0.3	24
245	[^{99m} Tc] HYNIC-hEGF, a potential agent for imaging of EGF receptors in vivo: preparation and pre-clinical evaluation. Oncology Reports, 2005, 13, 1169-75.	1.2	10
246	Preparation and evaluation of (⁶⁸ Ga)-DOTA-hEGF for visualization of EGFR expression in malignant tumors. Journal of Nuclear Medicine, 2005, 46, 1881-8.	2.8	90
247	Performance of coincidence imaging with long-lived positron emitters as an alternative to dedicated PET and SPECT. Physics in Medicine and Biology, 2004, 49, 5419-5432.	1.6	9
248	Targeting of a Head and Neck Squamous Cell Carcinoma Xenograft Model Using the Chimeric Monoclonal Antibody U36 Radioiodinated with a closo-Dodecaborate-containing Linker. Acta Oto-Laryngologica, 2004, 124, 1078-1085.	0.3	6
249	Selection and characterization of HER2/neu-binding affibody ligands. Protein Engineering, Design and Selection, 2004, 17, 455-462.	1.0	168
250	[¹⁷⁷ Lu]Bz-DTPA-EGF: Preclinical Characterization of a Potential Radionuclide Targeting Agent Against Glioma. Cancer Biotherapy and Radiopharmaceuticals, 2004, 19, 195-204.	0.7	12
251	Comparative Biodistribution of Potential Anti- Glioblastoma Conjugates [¹¹¹ In]DTPA-hEGF and [¹¹¹ In]Bz-DTPA-hEGF in Normal Mice. Cancer Biotherapy and Radiopharmaceuticals, 2004, 19, 491-502.	0.7	12
252	Radioiodination of ammonio-closo-monocarborane, 1-H3N-1-CB11H11. Aspects of labelling chemistry in aqueous solution using Chloramine-T. Radiochimica Acta, 2004, 92, 311-315.	0.5	2

#	ARTICLE	IF	CITATIONS
253	A limiting factor for the progress of radionuclide-based cancer diagnostics and therapy Availability of suitable radionuclides. <i>Acta Oncologica</i> , 2004, 43, 264-275.	0.8	30
254	Copper-mediated isotopic exchange between [¹²⁵ I]iodide and bis(triethylammonium) undecahydro-12-iodo-closo-dodecaborate in aqueous media. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2004, 260, 295-299.	0.7	5
255	Preparation, radioiodination and in vitro evaluation of a nido-carborane-dextran conjugate, a potential residualizing label for tumor targeting proteins and peptides. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2004, 261, 107-112.	0.7	9
256	Synthesis and Radioiodination of Some 9-Aminoacridine Derivatives. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 3719-3725.	1.2	5
257	Synthesis and radioiodination of 7-(3- ² -ammoniopropyl)-7,8-dicarba-nido-undecaborate(-1),(ANC). <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004, 47, 557-569.	0.5	13
258	Radiobromination of monoclonal antibody using potassium [⁷⁶ Br] (4) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (isothiocyanatobenzene). <i>Medicine and Biology</i> , 2004, 31, 205-211.	0.3	38
259	Radiobromination of anti-HER2/neu/ErbB-2 monoclonal antibody using the p-isothiocyanatobenzene derivative of the [⁷⁶ Br]undecahydro-bromo-7,8-dicarba-nido-undecaborate(1-) ion. <i>Nuclear Medicine and Biology</i> , 2004, 31, 425-433.	0.3	51
260	Comparative Biodistribution of Potential Anti-Glioblastoma Conjugates [¹¹¹ In]DTPA-hEGF and [¹¹¹ In]Bz-DTPA-hEGF in Normal Mice. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2004, 19, 491-501.	0.7	13
261	Targeting against epidermal growth factor receptors. Cellular processing of astatinated EGF after binding to cultured carcinoma cells. <i>Anticancer Research</i> , 2004, 24, 4035-41.	0.5	8
262	Title is missing!. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2003, 256, 67-71.	0.7	5
263	Title is missing!. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2003, 256, 191-197.	0.7	22
264	Treatment of cultured glioma cells with the EGFR-TKI gefitinib ("Iressa", ZD1839) increases the uptake of astatinated EGF despite the absence of gefitinib-mediated growth inhibition. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 727-729.	3.3	14
265	Combined effect of gefitinib ('Iressa', ZD1839) and targeted radiotherapy with ²¹¹ At-EGF. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1348-1356.	3.3	26
266	Feasibility of palladium-catalyzed isotopic exchange between sodium [¹²⁵ I] and 2-iodo-para-carborane. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2003, 46, 623-631.	0.5	11
267	High yield [¹²⁵ I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange. <i>Journal of Organometallic Chemistry</i> , 2003, 680, 188-192.	0.8	30
268	Pharmacokinetics and red cell utilization of ⁵² Fe/ ⁵⁹ Fe-labelled iron polymaltose in anaemic patients using positron emission tomography. <i>British Journal of Haematology</i> , 2003, 120, 853-859.	1.2	59
269	Biodistribution of the Chimeric Monoclonal Antibody U36 Radioiodinated with a closo-Dodecaborate-Containing Linker. Comparison with Other Radioiodination Methods. <i>Bioconjugate Chemistry</i> , 2003, 14, 805-810.	1.8	19
270	[¹¹¹ In]Bz-DTPA-hEGF: Preparation and In Vitro Characterization of a Potential Anti-Glioblastoma Targeting Agent. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2003, 18, 643-654.	0.7	16

#	ARTICLE	IF	CITATIONS
271	Approaches to Improve Cellular Retention of Radiohalogen Labels Delivered by Internalising Tumour-Targeting Proteins and Peptides. <i>Current Medicinal Chemistry</i> , 2003, 10, 2447-2460.	1.2	40
272	Comparative Biodistribution of the Radiohalogenated (Br, I and At) Antibody A33. Implications for In Vivo Dosimetry.. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2002, 17, 385-396.	0.7	14
273	Radiobromination of closo-dodecaborate anion. Aspects of labelling chemistry in aqueous solution using Chloramine-T. <i>Radiochimica Acta</i> , 2002, 90, 229-235.	0.5	41
274	Polyhedral Boron Compounds as Potential Linkers for Attachment of Radiohalogens to Targeting Proteins and Peptides. A Review. <i>Collection of Czechoslovak Chemical Communications</i> , 2002, 67, 913-935.	1.0	44
275	Production, PET performance and dosimetric considerations of $^{134}\text{Ce}/^{134}\text{La}$, an Auger electron and positron-emitting generator for radionuclide therapy. <i>Physics in Medicine and Biology</i> , 2002, 47, 615-629.	1.6	20
276	Elimination of Stabilised Hyaluronan from the Knee Joint in Healthy Men. <i>Clinical Pharmacokinetics</i> , 2002, 41, 603-613.	1.6	57
277	Targeting peptides and positron emission tomography. <i>Biopolymers</i> , 2002, 66, 381-392.	1.2	40
278	Preparation of ^{76}Br 5-bromo-2-thiouracil, a positron-emitting melanoma localizing agent. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2002, 251, 409-412.	0.7	2
279	^{110}mIn -DTPA-D-Phe ¹ -octreotide for imaging of neuroendocrine tumors with PET. <i>Journal of Nuclear Medicine</i> , 2002, 43, 1391-7.	2.8	36
280	Separation of arsenic from germanium oxide targets by dry distillation. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2001, 247, 61-66.	0.7	16
281	Separation of two labeled components of ^{111}In -OctreoScan by HPLC. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2001, 247, 95-99.	0.7	1
282	Closo-dodecaborate (2-) anion as a potential prosthetic group for attachment of astatine to proteins. Aspects of the labelling chemistry with chloramine-T. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2000, 43, 251-260.	0.5	18
283	Title is missing!. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2000, 246, 207-213.	0.7	5
284	Positron emission tomography of experimental melanoma with ^{76}Br 5-bromo-2-thiouracil. <i>Nuclear Medicine and Biology</i> , 2000, 27, 845-849.	0.3	3
285	Cellular processing of ^{125}I - and ^{111}In -labeled epidermal growth factor (EGF) bound to cultured A431 tumor cells. <i>Nuclear Medicine and Biology</i> , 2000, 27, 827-835.	0.3	36
286	Optimized indirect ^{76}Br -bromination of antibodies using n-succinimidyl para- ^{76}Br bromobenzoate for radioimmuno PET. <i>Nuclear Medicine and Biology</i> , 2000, 27, 837-843.	0.3	22
287	^{114}mIn , a candidate for radionuclide therapy: low-energy cyclotron production and labeling of DTPA-D-Phe-octreotide. <i>Nuclear Medicine and Biology</i> , 2000, 27, 183-188.	0.3	28
288	Positron Emission Tomography and Radioimmunotargeting: Aspects of Quantification and Dosimetry. <i>Acta Oncol³gica</i> , 1999, 38, 343-349.	0.8	16

#	ARTICLE	IF	CITATIONS
289	Positron Emission Tomography and Radioimmunotargeting: General Aspects. <i>Acta Oncol</i> 38, 335-341.	0.8	22
290	Kinetics of ⁷⁶ Br-labeled anti-CEA antibodies in pigs; Aspects of dosimetry and PET imaging properties. <i>Medical Physics</i> , 1999, 26, 249-258.	1.6	15
291	Quantification aspects of patient studies with ⁵² Fe in positron emission tomography. <i>Applied Radiation and Isotopes</i> , 1999, 51, 707-715.	0.7	11
292	Kinetic analysis of ⁵² Fe-labelled iron(III) hydroxide-sucrose complex following bolus administration using positron emission tomography. <i>British Journal of Haematology</i> , 1999, 104, 288-295.	1.2	26
293	Pharmacokinetics and red cell utilization of iron(III) hydroxide-sucrose complex in anaemic patients: a study using positron emission tomography. <i>British Journal of Haematology</i> , 1999, 104, 296-302.	1.2	71
294	Conjugate Chemistry and Cellular Processing of EGF-Dextran. <i>Acta Oncol</i> 38, 313-321.	0.8	20
295	High yield direct ⁷⁶ Br-bromination of monoclonal antibodies using chloramine-T. <i>Nuclear Medicine and Biology</i> , 1999, 26, 923-929.	0.3	29
296	Binding of tellurium to hepatocellular selenoproteins during incubation with inorganic tellurite: consequences for the activity of selenium-dependent glutathione peroxidase. <i>International Journal of Biochemistry and Cell Biology</i> , 1999, 31, 291-301.	1.2	55
297	Closo-Dodecaborate(2-) as a Linker for Iodination of Macromolecules. <i>Aspects on Conjugation Chemistry and Biodistribution. Bioconjugate Chemistry</i> , 1999, 10, 338-345.	1.8	34
298	Effects of Dextranation on the Pharmacokinetics of Short Peptides. A PET Study on mEGF. <i>Bioconjugate Chemistry</i> , 1999, 10, 938-946.	1.8	16
299	Synthesis of N-Succinimidyl 4-[⁷⁶ Br]Bromobenzoate and its Use in Conjugation Labelling of Macromolecules.. <i>Acta Chemica Scandinavica</i> , 1999, 53, 508-512.	0.7	20
300	Production of ⁶¹ Cu from a natural nickel target. <i>Applied Radiation and Isotopes</i> , 1998, 49, 79-81.	0.7	19
301	Production of ⁷⁶ Br by a low-energy cyclotron. <i>Applied Radiation and Isotopes</i> , 1998, 49, 1537-1540.	0.7	75
302	Diffusion-based separation methods: Dry distillation of zinc, cadmium and mercury isotopes from irradiated targets. <i>Applied Radiation and Isotopes</i> , 1997, 48, 565-569.	0.7	3
303	Rapid separation of gallium from zinc targets by thermal diffusion. <i>Applied Radiation and Isotopes</i> , 1996, 47, 297-299.	0.7	25
304	Rapid separation of ¹¹⁰ In from enriched Cd targets by thermal diffusion. <i>Applied Radiation and Isotopes</i> , 1995, 46, 859-863.	0.7	16
305	Pre-clinical evaluation of [¹¹¹ In]-benzyl-DOTA-ZHER2:342, a potential agent for imaging of HER2 expression in malignant tumors. <i>International Journal of Molecular Medicine</i> , 0, , .	1.8	4
306	[^{99m} Tc] HYNIC-hEGF, a potential agent for imaging of EGF receptors in vivo: Preparation and pre-clinical evaluation. <i>Oncology Reports</i> , 0, , .	1.2	2

#	ARTICLE	IF	CITATIONS
307	Cellular processing in the SW1222 cell line of mAb A33 directly and indirectly radiohalogenated. <i>Oncology Reports</i> , 0, , .	1.2	2
308	Comparison of benzoate- and dodecaborate-based linkers for attachment of radioiodine to HER2-targeting Affibody ligand. <i>International Journal of Molecular Medicine</i> , 0, , .	1.8	6