

Seok Won Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5329832/publications.pdf>

Version: 2024-02-01

121
papers

2,382
citations

279798

23
h-index

289244

40
g-index

131
all docs

131
docs citations

131
times ranked

4190
citing authors

#	ARTICLE	IF	CITATIONS
1	Poor Outcome of Hormone Receptor-Positive Breast Cancer at Very Young Age Is Due to Tamoxifen Resistance: Nationwide Survival Data in Korea—A Report From the Korean Breast Cancer Society. <i>Journal of Clinical Oncology</i> , 2007, 25, 2360-2368.	1.6	217
2	Multi-omics profiling of younger Asian breast cancers reveals distinctive molecular signatures. <i>Nature Communications</i> , 2018, 9, 1725.	12.8	122
3	Poor prognosis of single hormone receptor- positive breast cancer: similar outcome as triple-negative breast cancer. <i>BMC Cancer</i> , 2015, 15, 138.	2.6	119
4	A nomogram to predict pathologic complete response (pCR) and the value of tumor-infiltrating lymphocytes (TILs) for prediction of response to neoadjuvant chemotherapy (NAC) in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 255-266.	2.5	96
5	Chemotherapy induces dynamic immune responses in breast cancers that impact treatment outcome. <i>Nature Communications</i> , 2020, 11, 6175.	12.8	92
6	Mutational profiling of brain metastasis from breast cancer: matched pair analysis of targeted sequencing between brain metastasis and primary breast cancer. <i>Oncotarget</i> , 2015, 6, 43731-43742.	1.8	63
7	Comparison of Sentinel Lymph Node Biopsy Guided by the Multimodal Method of Indocyanine Green Fluorescence, Radioisotope, and Blue Dye Versus the Radioisotope Method in Breast Cancer: A Randomized Controlled Trial. <i>Annals of Surgical Oncology</i> , 2014, 21, 1254-1259.	1.5	62
8	Association between Mutation and Expression of TP53 as a Potential Prognostic Marker of Triple-Negative Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 1338-1350.	3.0	56
9	Berberine down-regulates IL-8 expression through inhibition of the EGFR/MEK/ERK pathway in triple-negative breast cancer cells. <i>Phytomedicine</i> , 2018, 50, 43-49.	5.3	56
10	Berberine Suppresses Cell Motility Through Downregulation of TGF- β 1 in Triple Negative Breast Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2018, 45, 795-807.	1.6	47
11	Serum Trace Elements and Their Associations with Breast Cancer Subgroups in Korean Breast Cancer Patients. <i>Nutrients</i> , 2019, 11, 37.	4.1	46
12	The relationship between nuclear factor (NF)- κ B family gene expression and prognosis in triple-negative breast cancer (TNBC) patients receiving adjuvant doxorubicin treatment. <i>Scientific Reports</i> , 2016, 6, 31804.	3.3	44
13	Prognostic value of ERBB4 expression in patients with triple negative breast cancer. <i>BMC Cancer</i> , 2016, 16, 138.	2.6	39
14	Dimerization of EGFR and HER2 induces breast cancer cell motility through STAT1-dependent ACTA2 induction. <i>Oncotarget</i> , 2017, 8, 50570-50581.	1.8	33
15	Comparison of Core Needle Biopsy and Surgical Specimens in Determining Intrinsic Biological Subtypes of Breast Cancer with Immunohistochemistry. <i>Journal of Breast Cancer</i> , 2017, 20, 297.	1.9	31
16	Clinical Characteristics and Prognosis of Pregnancy-Associated Breast Cancer: Poor Survival of Luminal B Subtype. <i>Oncology</i> , 2018, 95, 163-169.	1.9	31
17	Frequency of pathogenic germline mutation in CHEK2, PALB2, MRE11, and RAD50 in patients at high risk for hereditary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 161, 95-102.	2.5	28
18	Prognostic Validation of the American Joint Committee on Cancer 8th Staging System in 24,014 Korean Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 173.	1.9	28

#	ARTICLE	IF	CITATIONS
19	Tubular Carcinoma of the Breast: Clinicopathologic Features and Survival Outcome Compared with Ductal Carcinoma <i>In Situ</i> . <i>Journal of Breast Cancer</i> , 2013, 16, 404.	1.9	27
20	Distinguishing Low-Risk Luminal A Breast Cancer Subtypes with Ki-67 and p53 Is More Predictive of Long-Term Survival. <i>PLoS ONE</i> , 2015, 10, e0124658.	2.5	27
21	Validation of the new AJCC eighth edition of the TNM classification for breast cancer with a single-center breast cancer cohort. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 737-745.	2.5	27
22	Is the high proportion of young age at breast cancer onset a unique feature of Asian breast cancer?. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 189-199.	2.5	27
23	Association of the Implant Surface Texture Used in Reconstruction With Breast Cancer Recurrence. <i>JAMA Surgery</i> , 2020, 155, 1132.	4.3	27
24	Genetic and Clinical Characteristics of Phyllodes Tumors of the Breast. <i>Translational Oncology</i> , 2018, 11, 18-23.	3.7	26
25	EGFR is a Therapeutic Target in Hormone Receptor-Positive Breast Cancer. <i>Cellular Physiology and Biochemistry</i> , 2019, 53, 805-819.	1.6	26
26	Zerumbone suppresses EGF-induced CD44 expression through the inhibition of STAT3 in breast cancer cells. <i>Oncology Reports</i> , 2014, 32, 2666-2672.	2.6	25
27	Prediction of axillary pathologic response with breast pathologic complete response after neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 591-596.	2.5	25
28	Variations in plasma concentrations of tamoxifen metabolites and the effects of genetic polymorphisms on tamoxifen metabolism in Korean patients with breast cancer. <i>Oncotarget</i> , 2017, 8, 100296-100311.	1.8	25
29	Frequency of MED12 mutations in phyllodes tumors: Inverse correlation with histologic grade. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 495-504.	2.8	24
30	Oncologic Safety of Immediate Breast Reconstruction in Breast Cancer Patients Who Underwent Neoadjuvant Chemotherapy: Short-Term Outcomes of a Matched Case-Control Study. <i>Clinical Breast Cancer</i> , 2017, 17, 204-210.	2.4	24
31	Effect of Body Mass Index on Survival in Breast Cancer Patients According to Subtype, Metabolic Syndrome, and Treatment. <i>Clinical Breast Cancer</i> , 2018, 18, e1141-e1147.	2.4	24
32	Sentinel Lymph Node Biopsy Alone after Neoadjuvant Chemotherapy in Patients with Initial Cytology-Proven Axillary Node Metastasis. <i>Journal of Breast Cancer</i> , 2015, 18, 22.	1.9	23
33	Impact of Serum Lipid on Breast Cancer Recurrence. <i>Journal of Clinical Medicine</i> , 2020, 9, 2846.	2.4	23
34	Invasive Paget disease of the breast: 20 years of experience at a single institution. <i>Human Pathology</i> , 2014, 45, 2480-2487.	2.0	22
35	Nomogram for accurate prediction of breast and axillary pathologic response after neoadjuvant chemotherapy in node positive patients with breast cancer. <i>Annals of Surgical Treatment and Research</i> , 2019, 96, 169.	1.0	22
36	Feasibility of Nipple-Sparing Mastectomy with Immediate Breast Reconstruction in Breast Cancer Patients with Tumor-Nipple Distance Less Than 2.0 cm. <i>World Journal of Surgery</i> , 2016, 40, 2028-2035.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Different prognosis of young breast cancer patients in their 20s and 30s depending on subtype: a nationwide study from the Korean Breast Cancer Society. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 833-842.	2.5	20
38	Use of Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Patients with Axillary Node-Positive Breast Cancer in Diagnosis. <i>Journal of Breast Cancer</i> , 2018, 21, 433.	1.9	19
39	Berberine Suppresses Fibronectin Expression through Inhibition of c-Jun Phosphorylation in Breast Cancer Cells. <i>Journal of Breast Cancer</i> , 2018, 21, 21.	1.9	19
40	Relation Between Tumor Size and Lymph Node Metastasis According to Subtypes of Breast Cancer. <i>Journal of Breast Cancer</i> , 2021, 24, 75.	1.9	19
41	Clinicopathologic characteristics of HER2-positive pure mucinous carcinoma of the breast. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 95-102.	1.1	19
42	Predictive Factors for Nonsentinel Lymph Node Metastasis in Patients With Positive Sentinel Lymph Nodes After Neoadjuvant Chemotherapy: Nomogram for Predicting Nonsentinel Lymph Node Metastasis. <i>Clinical Breast Cancer</i> , 2017, 17, 550-558.	2.4	18
43	Risk Factors Affecting Breast Cancer-related Lymphedema: Serial Body Weight Change During Neoadjuvant Anthracycline Plus Cyclophosphamide Followed by Taxane. <i>Clinical Breast Cancer</i> , 2018, 18, e49-e54.	2.4	18
44	Practical approaches to automated digital image analysis of Ki-67 labeling index in 997 breast carcinomas and causes of discordance with visual assessment. <i>PLoS ONE</i> , 2019, 14, e0212309.	2.5	18
45	Prognostication of a 13-immune-related-gene signature in patients with early triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 325-334.	2.5	18
46	Oncologic Outcomes of Nipple-Sparing Mastectomy with Immediate Breast Reconstruction in Patients with Tumor-Nipple Distance Less than 2.0 cm. <i>Journal of Breast Cancer</i> , 2019, 22, 613.	1.9	18
47	Lateral neck sentinel lymph node biopsy in papillary thyroid carcinoma, is it really necessary? A randomized, controlled study. <i>Surgery</i> , 2015, 157, 518-525.	1.9	17
48	A predictive model for high/low risk group according to oncotype DX recurrence score using machine learning. <i>European Journal of Surgical Oncology</i> , 2019, 45, 134-140.	1.0	17
49	Celastrol attenuates the inflammatory response by inhibiting IL-1 β expression in triple-negative breast cancer cells. <i>Oncology Reports</i> , 2021, 45, .	2.6	17
50	Suggestion of BRCA1 c.5339T>C (p.L1780P) variant confer from "unknown significance" to "Likely pathogenic" based on clinical evidence in Korea. <i>Breast</i> , 2017, 33, 109-116.	2.2	16
51	Oncologic Outcomes after Immediate Breast Reconstruction Following Total Mastectomy in Patients with Breast Cancer: A Matched Case-Control Study. <i>Journal of Breast Cancer</i> , 2017, 20, 74.	1.9	15
52	Prevalence and oncologic outcomes of BRCA 1/2 mutations in unselected triple-negative breast cancer patients in Korea. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 385-395.	2.5	15
53	Feasibility and Prognostic Effect of Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy in Cytology-Proven, Node-Positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2017, 17, e19-e29.	2.4	14
54	Deep Learning-Based Prediction Model for Breast Cancer Recurrence Using Adjuvant Breast Cancer Cohort in Tertiary Cancer Center Registry. <i>Frontiers in Oncology</i> , 2021, 11, 596364.	2.8	14

#	ARTICLE	IF	CITATIONS
55	Circulating tumor DNA shows variable clonal response of breast cancer during neoadjuvant chemotherapy. <i>Oncotarget</i> , 2017, 8, 86423-86434.	1.8	14
56	Independent Prognostic Factors for Overall Survival after Salvage Operation for Ipsilateral Breast Tumor Recurrence Following Breast-Conserving Surgery. <i>Journal of Breast Cancer</i> , 2015, 18, 386.	1.9	13
57	Clinical Features and Outcomes of Invasive Breast Cancer: Age-Specific Analysis of a Modern Hospital-Based Registry. <i>Journal of Global Oncology</i> , 2019, 5, 1-9.	0.5	13
58	The association between non-breast and ovary cancers and BRCA mutation in first- and second-degree relatives of high-risk breast cancer patients: a large-scale study of Koreans. <i>Hereditary Cancer in Clinical Practice</i> , 2019, 17, 1.	1.5	13
59	Ovarian function preservation with GnRH agonist in young breast cancer patients: Does it impede the effect of adjuvant chemotherapy?. <i>Breast</i> , 2014, 23, 670-675.	2.2	12
60	Clinical outcomes according to molecular subtypes in stage II-III breast cancer patients treated with neoadjuvant chemotherapy followed by surgery and radiotherapy. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, 329-336.	1.1	12
61	Development of a Nomogram to Predict N2 or N3 Stage in T1-2 Invasive Breast Cancer Patients with No Palpable Lymphadenopathy. <i>Journal of Breast Cancer</i> , 2017, 20, 270.	1.9	12
62	Lymph Node Ratio as a Risk Factor for Locoregional Recurrence in Breast Cancer Patients with 10 or More Axillary Nodes. <i>Journal of Breast Cancer</i> , 2016, 19, 169.	1.9	11
63	ANK2 Hypermethylation in Canine Mammary Tumors and Human Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8697.	4.1	11
64	Elevated Level of Nerve Growth Factor (NGF) in Serum-Derived Exosomes Predicts Poor Survival in Patients with Breast Cancer Undergoing Neoadjuvant Chemotherapy. <i>Cancers</i> , 2021, 13, 5260.	3.7	11
65	Clinicopathologic Features and Long-Term Outcomes of Elderly Breast Cancer Patients: Experiences at a Single Institution in Korea. <i>Cancer Research and Treatment</i> , 2016, 48, 1382-1388.	3.0	10
66	Only estrogen receptor -positive is not enough to predict the prognosis of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018, 172, 627-636.	2.5	10
67	Breast Cancer Epidemiology of the Working-Age Female Population Reveals Significant Implications for the South Korean Economy. <i>Journal of Breast Cancer</i> , 2018, 21, 91.	1.9	10
68	Prevalence, treatment patterns, and prognosis of low estrogen receptor-positive (1% to 10%) breast cancer: a single institution's experience in Korea. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 653-663.	2.5	10
69	Clinical Outcomes and Prognostic Factors of Pathologic N3 Breast Cancer Treated With Modern Standard Treatments. <i>Clinical Breast Cancer</i> , 2015, 15, 512-518.	2.4	9
70	Genetic Diagnosis before Surgery has an Impact on Surgical Decision in BRCA Mutation Carriers with Breast Cancer. <i>World Journal of Surgery</i> , 2018, 42, 1384-1390.	1.6	9
71	WNT5A augments cell invasiveness by inducing CXCL8 in HER2-positive breast cancer cells. <i>Cytokine</i> , 2020, 135, 155213.	3.2	9
72	Prediction of Successful Ovarian Protection Using Gonadotropin-Releasing Hormone Agonists During Chemotherapy in Young Estrogen Receptor-Negative Breast Cancer Patients. <i>Frontiers in Oncology</i> , 2020, 10, 863.	2.8	9

#	ARTICLE	IF	CITATIONS
73	Validation of Korean Version of the COmprehensive Score for financial Toxicity (COST) Among Breast Cancer Survivors. <i>Cancer Research and Treatment</i> , 2022, 54, 834-841.	3.0	9
74	Protein kinase C- δ downregulates estrogen receptor- α by suppressing c-Jun phosphorylation in estrogen receptor-positive breast cancer cells. <i>Oncology Reports</i> , 2014, 31, 1423-1428.	2.6	8
75	Prognostic value of ABO blood types in young patients with breast cancer; a nationwide study in Korean Breast Cancer Society. <i>Medical Oncology</i> , 2017, 34, 118.	2.5	8
76	Prognostic value of immunohistochemically detected p53 in adjuvant chemotherapy-treated triple negative breast cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2018, 34, 663-672.	1.9	8
77	Which Patients with Left Breast Cancer Should be Candidates for Heart-Sparing Radiotherapy?. <i>Journal of Breast Cancer</i> , 2018, 21, 206.	1.9	8
78	Clinical Characteristics and Exploratory Genomic Analyses of Germline BRCA1 or BRCA2 Mutations in Breast Cancer. <i>Molecular Cancer Research</i> , 2020, 18, 1315-1325.	3.4	8
79	Does chemotherapy or radiotherapy affect the postoperative complication in breast cancer patients who underwent immediate breast reconstruction with tissue expander?. <i>BMC Cancer</i> , 2021, 21, 88.	2.6	8
80	Analysis of BRIP1 Variants among Korean Patients with BRCA1/2 Mutation-Negative High-Risk Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 955-961.	3.0	8
81	Surgical impact on anxiety of patients with breast cancer: 12-month follow-up prospective longitudinal study. <i>Annals of Surgical Treatment and Research</i> , 2020, 98, 215.	1.0	8
82	Real World Evidence of Neoadjuvant Docetaxel/Carboplatin/Trastuzumab/Pertuzumab (TCHP) in Patients with HER2-Positive Early or Locally Advanced Breast Cancer: A Single-Institutional Clinical Experience. <i>Cancer Research and Treatment</i> , 2022, , .	3.0	8
83	Molecular characterization of patients with pathologic complete response or early failure after neoadjuvant chemotherapy for locally advanced breast cancer using next generation sequencing and nCounter assay. <i>Oncotarget</i> , 2015, 6, 24499-24510.	1.8	7
84	TP53 upregulates α -smooth muscle actin expression in tamoxifen-resistant breast cancer cells. <i>Oncology Reports</i> , 2019, 41, 1075-1082.	2.6	7
85	Breast radiologic complete response is associated with favorable survival outcomes after neoadjuvant chemotherapy in breast cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 232-239.	1.0	7
86	Entelon [®] (Vitis vinifera Seed Extract) Prevents Cancer Metastasis via the Downregulation of Interleukin-1 Alpha in Triple-Negative Breast Cancer Cells. <i>Molecules</i> , 2021, 26, 3644.	3.8	7
87	Prognostic Modeling in Pathologic N1 Breast Cancer Without Elective Nodal Irradiation After Current Standard Systemic Management. <i>Clinical Breast Cancer</i> , 2015, 15, e197-e204.	2.4	6
88	Clinicopathological Features and Prognostic Factors Affecting Survival Outcomes in Isolated Locoregional Recurrence of Breast Cancer: Single-Institutional Series. <i>PLoS ONE</i> , 2016, 11, e0163254.	2.5	6
89	Breast cancer-specific mortality in small-sized tumor with node-positive breast cancer: a nation-wide study in Korean breast cancer society. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 489-498.	2.5	6
90	Fertility Rates in Young Korean Breast Cancer Patients Treated with Gonadotropin-Releasing Hormone and Chemotherapy. <i>Journal of Breast Cancer</i> , 2017, 20, 91.	1.9	6

#	ARTICLE	IF	CITATIONS
91	Serum Vitamin Levels and Their Relationships with Other Biomarkers in Korean Breast Cancer Patients. <i>Nutrients</i> , 2020, 12, 2831.	4.1	6
92	Polyostotic Fibrous Dysplasia Mimicking Multiple Bone Metastases in a Patient with Ductal Carcinoma In Situ. <i>Journal of Breast Cancer</i> , 2014, 17, 83.	1.9	5
93	Proportion and Clinical Outcomes of Postoperative Radiotherapy Omission after Breast-Conserving Surgery in Women with Breast Cancer. <i>Journal of Breast Cancer</i> , 2015, 18, 50.	1.9	5
94	Distribution of tumor subtypes in bilateral breast cancer: Comparison between synchronous and metachronous cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, , .	1.1	5
95	The efficacy and safety of indocyanine green-hyaluronic acid mixture (LuminoMark [®] , [®]) for localization in patients with non-palpable breast lesions: a multi-center open-label parallel phase-2 clinical trial. <i>BMC Surgery</i> , 2021, 21, 134.	1.3	5
96	Is the intraoperative frozen section analysis of sentinel lymph nodes necessary in clinically negative node breast cancer?. <i>Annals of Surgical Treatment and Research</i> , 2020, 99, 251.	1.0	5
97	Goserelin plus tamoxifen compared to chemotherapy followed by tamoxifen in premenopausal patients with early stage-, lymph node-negative breast cancer of luminal A subtype. <i>Breast</i> , 2016, 30, 111-117.	2.2	4
98	Verification of a Western Nomogram for Predicting Oncotype DX [®] , [®] Recurrence Scores in Korean Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 222.	1.9	4
99	Validation of the Clinical Treatment Score Post [®] Five Years in Breast Cancer Patients for Predicting Late Distant Recurrence: A Single-Center Investigation in Korea. <i>Frontiers in Oncology</i> , 2021, 11, 691277.	2.8	4
100	Impact on Survival of Regular Postoperative Surveillance for Patients with Early Breast Cancer. <i>Cancer Research and Treatment</i> , 2015, 47, 765-773.	3.0	4
101	Impact of Skeletal Muscle Loss and Visceral Obesity Measured Using Serial CT on the Prognosis of Operable Breast Cancers in Asian Patients. <i>Korean Journal of Radiology</i> , 2022, 23, 159.	3.4	4
102	Relationship Between Breast and Axillary Pathologic Complete Response According to Clinical Nodal Stage: A Nationwide Study From Korean Breast Cancer Society. <i>Journal of Breast Cancer</i> , 2022, 25, 94.	1.9	4
103	Effect of Poloxamer-Based Thermo-Sensitive Sol-Gel Agent on Upper Limb Dysfunction after Axillary Lymph Node Dissection: A Double-Blind Randomized Clinical Trial. <i>Journal of Breast Cancer</i> , 2021, 24, 367.	1.9	3
104	Comparison of prognosis and specific features according to tumor size in small-sized breast cancer with extensive lymph node involvement.. <i>Journal of Clinical Oncology</i> , 2015, 33, 81-81.	1.6	3
105	Patterns of Axillary Lymph Node Metastasis in Breast Cancer: A Prospective Single-Center Study. <i>Journal of Breast Cancer</i> , 2018, 21, 447.	1.9	2
106	Prognosis of BRCA1/2-negative breast cancer patients with HBOC risk factors compared with sporadic breast cancer patients without HBOC risk factors. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 104-113.	1.3	2
107	Changes in Korean National Healthcare Insurance Policy and Breast Cancer Surgery Trend in Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e194.	2.5	2
108	Validation of the GenesWell BCT Score in Young Asian Women With HR+/HER2 [®] Early Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 588728.	2.8	2

#	ARTICLE	IF	CITATIONS
109	Clinicopathological Characterization of Double Heterozygosity for BRCA1 and BRCA2 Variants in Korean Breast Cancer Patients. <i>Cancer Research and Treatment</i> , 2022, 54, 827-833.	3.0	2
110	Histologic analysis according to HER2 gene status in HER2 positive invasive breast cancer: a study of 280 cases comparing ASCO/CAP 2013 and 2018 guideline recommendations. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 749-758.	2.8	2
111	Limited Supraclavicular Radiation Field in Breast Cancer With 10 Positive Axillary Lymph Nodes. <i>Clinical Breast Cancer</i> , 2016, 16, e15-e21.	2.4	1
112	Preoperative diagnosis of BRCA1/2 mutation impacts decision-making for risk-reducing mastectomy in breast cancer patients. <i>Scientific Reports</i> , 2021, 11, 14747.	3.3	1
113	Immediate breast reconstruction has no impact on the oncologic outcomes of patients treated with post-mastectomy radiation therapy: a comparative analysis based on propensity score matching. <i>Breast Cancer Research and Treatment</i> , 2022, 192, 101-112.	2.5	1
114	Aberrant Lymphatic Drainage in the Contralateral Axilla in Patients with Isolated Ipsilateral Breast Tumor Recurrence. <i>Journal of Clinical Medicine</i> , 2020, 9, 1192.	2.4	0
115	Abstract PS10-38: Real World Evidence (RWE) of neoadjuvant docetaxel/carboplatin/trastuzumab/pertuzumab (TCHP) in patients with HER2 positive early or locally advanced breast cancer treated Single institutional experience. , 2021, , .		0
116	Is Sentinel Lymph Node Biopsy for Breast Cancer with Cytology-Proven Axillary Metastasis Safe? A Prospective Single-Arm Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4754.	2.4	0
117	Importance of surgical role on anxiety of patients with breast cancer: Twelve-month follow-up prospective study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 195-195.	1.6	0
118	Use of sentinel lymph node biopsy after neoadjuvant chemotherapy in patients with cytology proven axillary node-positive breast cancer at diagnosis.. <i>Journal of Clinical Oncology</i> , 2018, 36, e12640-e12640.	1.6	0
119	Abstract P1-08-07: Prediction model of the response of neoadjuvant chemotherapy and long term survival according to multi-omic profiling in cooperation with clinicopathologic features in patients with breast cancer. <i>Cancer Research</i> , 2022, 82, P1-08-07-P1-08-07.	0.9	0
120	Abstract P3-13-08: Fusion analysis including NTRK fusion in breast cancers (BC): From RNASeq data analysis from 629 BC tissue samples. <i>Cancer Research</i> , 2022, 82, P3-13-08-P3-13-08.	0.9	0
121	Surgical Approach of the Rare Benign Adrenal Tumor. <i>The Korean Journal of Endocrine Surgery</i> , 2014, 14, 228.	0.1	0