
## Yu-Mei Hsueh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/533055/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The combined effects of nucleotide-binding domain-like receptor protein 3 polymorphisms and levels of blood lead on developmental delays in preschool children. Journal of Hazardous Materials, 2022, 424, 127317.	12.4	0
2	Associations between Plasma Folate and Vitamin B12, Blood Lead, and Bone Mineral Density among Adults and Elderly Who Received a Health Examination. Nutrients, 2022, 14, 911.	4.1	8
3	Combined effects of nucleotide-binding domain-like receptor protein 3 polymorphisms and environmental metals exposure on chronic kidney disease. Scientific Reports, 2022, 12, 6307.	3.3	0
4	Effect of plasma selenium, red blood cell cadmium, total urinary arsenic levels, and eGFR on renal cell carcinoma. Science of the Total Environment, 2021, 750, 141547.	8.0	8
5	Genetic variants in MAPK10 modify renal cell carcinoma susceptibility and clinical outcomes. Life Sciences, 2021, 275, 119396.	4.3	5
6	Plasma Vitamin B12 and Folate Alter the Association of Blood Lead and Cadmium and Total Urinary Arsenic Levels with Chronic Kidney Disease in a Taiwanese Population. Nutrients, 2021, 13, 3841.	4.1	3
7	Alcohol Consumption Moderated the Association Between Levels of High Blood Lead or Total Urinary Arsenic and Bone Loss. Frontiers in Endocrinology, 2021, 12, 782174.	3.5	5
8	Genetic Analysis Identifies the Role of <i>HLF</i> in Renal Cell Carcinoma. Cancer Genomics and Proteomics, 2020, 17, 827-833.	2.0	5
9	Polymorphism of nucleotide binding domain-like receptor protein 3 (NLRP3) increases susceptibility of total urinary arsenic to renal cell carcinoma. Scientific Reports, 2020, 10, 6640.	3.3	12
10	Combined effect of polymorphisms of MTHFR and MTR and arsenic methylation capacity on developmental delay in preschool children in Taiwan. Archives of Toxicology, 2020, 94, 2027-2038.	4.2	12
11	Measurement of urinary arsenic profiles and DNA hypomethylation in a case–control study of urothelial carcinoma. Archives of Toxicology, 2019, 93, 2155-2164.	4.2	17
12	Association of plasma folate, vitamin B12 levels, and arsenic methylation capacity with developmental delay in preschool children in Taiwan. Archives of Toxicology, 2019, 93, 2535-2544.	4.2	15
13	Gene-environment interaction and maternal arsenic methylation efficiency during pregnancy. Environment International, 2019, 125, 43-50.	10.0	21
14	The association between plasma selenium and chronic kidney disease related to lead, cadmium and arsenic exposure in a Taiwanese population. Journal of Hazardous Materials, 2019, 375, 224-232.	12.4	72
15	Determinants of arsenic methylation efficiency and urinary arsenic level in pregnant women in Bangladesh. Environmental Health, 2019, 18, 94.	4.0	26
16	Plasma selenium influences arsenic methylation capacity and developmental delays in preschool children in Taiwan. Environmental Research, 2019, 171, 52-59.	7.5	15
17	Adiponectin gene polymorphisms and obesity increase the susceptibility to arsenic-related renal cell carcinoma. Toxicology and Applied Pharmacology, 2018, 350, 11-20.	2.8	16
18	Clinical significance of glutamate metabotropic receptors in renal cell carcinoma risk and survival. Cancer Medicine, 2018, 7, 6104-6111.	2.8	11

Yu-Mei Hsueh

#	Article	IF	CITATIONS
19	Comparison of arsenic methylation capacity and polymorphisms of arsenic methylation genes between bladder cancer and upper tract urothelial carcinoma. Toxicology Letters, 2018, 295, 64-73.	0.8	26
20	Polymorphisms of TNF- <i>α</i> -308 G/A and IL-8 -251 T/A Genes Associated with Urothelial Carcinoma: A Case-Control Study. BioMed Research International, 2018, 2018, 1-8.	1.9	8
21	Risk of Alzheimer's disease with metal concentrations in whole blood and urine: A case–control study using propensity score matching. Toxicology and Applied Pharmacology, 2018, 356, 8-14.	2.8	50
22	Relation of polymorphism of arsenic metabolism genes to arsenic methylation capacity and developmental delay in preschool children in Taiwan. Toxicology and Applied Pharmacology, 2017, 321, 37-47.	2.8	18
23	Levels of plasma selenium and urinary total arsenic interact to affect the risk for prostate cancer. Food and Chemical Toxicology, 2017, 107, 167-175.	3.6	24
24	The polymorphism XRCC1 Arg194Trp and 8-hydroxydeoxyguanosine increased susceptibility to arsenic-related renal cell carcinoma. Toxicology and Applied Pharmacology, 2017, 332, 1-7.	2.8	9
25	Polymorphisms of human 8-oxoguanine DNA glycosylase 1 and 8-hydroxydeoxyguanosine increase susceptibility to arsenic methylation capacity-related urothelial carcinoma. Archives of Toxicology, 2016, 90, 1917-1927.	4.2	8
26	Combined effects of DNA methyltransferase 1 and 3A polymorphisms and urinary total arsenic levels on the risk for clear cell renal cell carcinoma. Toxicology and Applied Pharmacology, 2016, 305, 103-110.	2.8	13
27	The joint effects of arsenic and risk diplotypes of insulin-like growth factor binding protein-3 in renal cell carcinoma. Chemosphere, 2016, 154, 90-98.	8.2	4
28	XRCC1 Polymorphisms and Urinary 8-Hydroxydeoxyguanine Levels Are Associated with Urothelial Carcinoma. PLoS ONE, 2015, 10, e0124066.	2.5	2
29	Joint Effect of Urinary Total Arsenic Level and VEGF-A Genetic Polymorphisms on the Recurrence of Renal Cell Carcinoma. PLoS ONE, 2015, 10, e0145410.	2.5	10
30	Risk factors and their interaction on chronic kidney disease: A multi-centre case control study in Taiwan. BMC Nephrology, 2015, 16, 83.	1.8	28
31	Oncogenic human papillomavirus is not helpful for cytology screening of the precursor lesions of anal cancers in Taiwanese men who are infected with human immunodeficiency virus. International Journal of Clinical Oncology, 2015, 20, 943-951.	2.2	18
32	Arsenic methylation capacity and developmental delay in preschool children in Taiwan. International Journal of Hygiene and Environmental Health, 2014, 217, 678-686.	4.3	53
33	Arsenic methylation capacity and obesity are associated with insulin resistance in obese children and adolescents. Food and Chemical Toxicology, 2014, 74, 60-67.	3.6	29
34	XRCC1 Arg194Trp and Arg399Gln polymorphisms and arsenic methylation capacity are associated with urothelial carcinoma. Toxicology and Applied Pharmacology, 2014, 279, 373-379.	2.8	16
35	Renin–angiotensin–aldosterone system related gene polymorphisms and urinary total arsenic is related to chronic kidney disease. Toxicology and Applied Pharmacology, 2014, 279, 95-102.	2.8	21
36	Polymorphism of inflammatory genes and arsenic methylation capacity are associated with urothelial carcinoma. Toxicology and Applied Pharmacology, 2013, 272, 30-36.	2.8	28

Yu-Mei Hsueh

#	Article	IF	CITATIONS
37	Influence of CSTT1 Genetic Polymorphisms on Arsenic Metabolism. Journal of the Indian Society of Agricultural Statistics, 2013, 67, 197-207.	1.0	5
38	Association between Ingested Arsenic and Cataracts. , 2011, , 161-178.		0
39	Blackfoot Disease and Microcirculation Abnormality. , 2011, , 95-108.		Ο
40	Urinary Arsenic Species and CKD in a Taiwanese Population: A Case-Control Study. American Journal of Kidney Diseases, 2009, 54, 859-870.	1.9	93
41	Genetic Polymorphisms of Oxidative and Antioxidant Enzymes and Arsenic-Related Hypertension. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2005, 68, 1471-1484.	2.3	44
42	Determinants of inorganic arsenic methylation capability among residents of the Lanyang Basin, Taiwan: arsenic and selenium exposure and alcohol consumption. Toxicology Letters, 2003, 137, 49-63.	0.8	89