Graham F Moore

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5332552/publications.pdf

Version: 2024-02-01

		109321	5	53230
105	7,972	35		85
papers	citations	h-index		g-index
107	107	107		13054
all docs	docs citations	times ranked		citing authors

#	Article	IF	CITATIONS
1	Process evaluation of complex interventions: Medical Research Council guidance. BMJ, The, 2015, 350, h1258-h1258.	6.0	3,602
2	From complex social interventions to interventions in complex social systems: Future directions and unresolved questions for intervention development and evaluation. Evaluation, 2019, 25, 23-45.	1.8	280
3	Maximising the impact of qualitative research in feasibility studies for randomised controlled trials: guidance for researchers. Pilot and Feasibility Studies, $2015, 1, 32$.	1.2	240
4	Process evaluation in complex public health intervention studies: the need for guidance. Journal of Epidemiology and Community Health, 2014, 68, 101-102.	3.7	228
5	Synthesising quantitative and qualitative evidence to inform guidelines on complex interventions: clarifying the purposes, designs and outlining some methods. BMJ Global Health, 2019, 4, e000893.	4.7	221
6	Realist complex intervention science: Applying realist principles across all phases of the Medical Research Council framework for developing and evaluating complex interventions. Evaluation, 2016, 22, 286-303.	1.8	176
7	Exploratory studies to decide whether and how to proceed with full-scale evaluations of public health interventions: a systematic review of guidance. Pilot and Feasibility Studies, 2018, 4, 104.	1.2	150
8	Adapting evidence-informed complex population health interventions for new contexts: a systematic review of guidance. Implementation Science, 2019, 14, 105.	6.9	146
9	What theory, for whom and in which context? Reflections on the application of theory in the development and evaluation of complex population health interventions. SSM - Population Health, 2017, 3, 132-135.	2.7	144
10	School, Peer and Family Relationships and Adolescent Substance Use, Subjective Wellbeing and Mental Health Symptoms in Wales: a Cross Sectional Study. Child Indicators Research, 2018, 11, 1951-1965.	2.3	131
11	Adapting interventions to new contextsâ€"the ADAPT guidance. BMJ, The, 2021, 374, n1679.	6.0	130
12	An evaluation of the effectiveness and cost effectiveness of the National Exercise Referral Scheme in Wales, UK: a randomised controlled trial of a public health policy initiative. Journal of Epidemiology and Community Health, 2012, 66, 745-753.	3.7	123
13	Formulating questions to explore complex interventions within qualitative evidence synthesis. BMJ Global Health, 2019, 4, e001107.	4.7	104
14	Young People's Use of E-Cigarettes across the United Kingdom: Findings from Five Surveys 2015–2017. International Journal of Environmental Research and Public Health, 2017, 14, 973.	2.6	100
15	Challenges, solutions and future directions in the evaluation of service innovations in health care and public health. Health Services and Delivery Research, 2016, 4, 1-136.	1.4	83
16	Population health intervention research: the place of theories. Trials, 2019, 20, 285.	1.6	76
17	Cancer symptom experience and help-seeking behaviour during the COVID-19 pandemic in the UK: a cross-sectional population survey. BMJ Open, 2021, 11, e053095.	1.9	72
18	Socioeconomic inequalities in childhood exposure to secondhand smoke before and after smoke-free legislation in three UK countries. Journal of Public Health, 2012, 34, 599-608.	1.8	71

#	Article	IF	CITATIONS
19	School―and Family‣evel Socioeconomic Status and Health Behaviors: Multilevel Analysis of a National Survey in Wales, <scp>United Kingdom</scp> . Journal of School Health, 2015, 85, 267-275.	1.6	69
20	Changes in child exposure to secondhand smoke after implementation of smoke-free legislation in Wales: a repeated cross-sectional study. BMC Public Health, 2009, 9, 430.	2.9	64
21	An exploratory study of the relationship between parental attitudes and behaviour and young people's consumption of alcohol. Substance Abuse Treatment, Prevention, and Policy, 2010, 5, 6.	2.2	64
22	Electronic-cigarette use among young people in Wales: evidence from two cross-sectional surveys. BMJ Open, 2015, 5, e007072-e007072.	1.9	62
23	Exploratory studies to inform full-scale evaluations of complex public health interventions: the need for guidance. Journal of Epidemiology and Community Health, 2018, 72, 865-866.	3.7	60
24	When and how do â€~effective' interventions need to be adapted and/or re-evaluated in new contexts? The need for guidance. Journal of Epidemiology and Community Health, 2019, 73, 481-482.	3.7	59
25	Taking account of context in systematic reviews and guidelines considering a complexity perspective. BMJ Clobal Health, 2019, 4, e000840.	4.7	58
26	Socioeconomic gradients in the effects of universal school-based health behaviour interventions: a systematic review of intervention studies. BMC Public Health, 2015, 15, 907.	2.9	55
27	Associations between deprivation, attitudes towards eating breakfast and breakfast eating behaviours in $9\hat{a}\in 11$ -year-olds. Public Health Nutrition, 2007, 10, 582-589.	2.2	54
28	Health professionals' perspectives on exercise referral and physical activity promotion in primary care: Findings from a process evaluation of the National Exercise Referral Scheme in Wales. Health Education Journal, 2015, 74, 743-757.	1.2	53
29	Cluster randomised trial of a school-community child health promotion and obesity prevention intervention: findings from the evaluation of fun †n healthy in Moreland!. BMC Public Health, 2018, 18, 92.	2.9	51
30	Mixed-method process evaluation of the Welsh National Exercise Referral Scheme. Health Education, 2013, 113, 476-501.	0.9	46
31	Cross-sectional study examining the prevalence, correlates and sequencing of electronic cigarette and tobacco use among 11–16-year olds in schools in Wales. BMJ Open, 2017, 7, e012784.	1.9	46
32	E-cigarette use and intentions to smoke among 10-11-year-old never-smokers in Wales. Tobacco Control, 2016, 25, 147-152.	3.2	42
33	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. BMJ Open, 2019, 9, e032081.	1.9	42
34	Impacts of the Primary School Free Breakfast Initiative on socio-economic inequalities in breakfast consumption among 9–11-year-old schoolchildren in Wales. Public Health Nutrition, 2014, 17, 1280-1289.	2.2	41
35	Gender, Relationship Breakdown, and Suicide Risk. Journal of Family Issues, 2016, 37, 2239-2264.	1.6	41
36	Facilitating adherence to physical activity: exercise professionals' experiences of the National Exercise Referral Scheme in Wales. a qualitative study. BMC Public Health, 2011, 11, 935.	2.9	40

#	Article	IF	Citations
37	Comparison of substance use, subjective well-being and interpersonal relationships among young people in foster care and private households: a cross sectional analysis of the School Health Research Network survey in Wales. BMJ Open, 2017, 7, e014198.	1.9	38
38	Socioeconomic Patterning in Changes in Child Exposure to Secondhand Smoke After Implementation of Smoke-Free Legislation in Wales. Nicotine and Tobacco Research, 2011, 13, 903-910.	2.6	35
39	Have e-cigarettes renormalised or displaced youth smoking? Results of a segmented regression analysis of repeated cross sectional survey data in England, Scotland and Wales. Tobacco Control, 2020, 29, tobaccocontrol-2018-054584.	3.2	34
40	A pragmatic randomised controlled trial of the Welsh National Exercise Referral Scheme: protocol for trial and integrated economic and process evaluation. BMC Public Health, 2010, 10, 352.	2.9	33
41	School composition, school culture and socioeconomic inequalities in young people's health: Multiâ€level analysis of the Health Behaviour in Schoolâ€aged Children (<scp>HBSC</scp>) survey in Wales. British Educational Research Journal, 2017, 43, 310-329.	2.5	32
42	Measurement invariance properties and external construct validity of the short Warwick-Edinburgh mental wellbeing scale in a large national sample of secondary school students in Wales. Health and Quality of Life Outcomes, 2019, 17, 139.	2.4	32
43	Socio-Economic Inequalities in Adolescent Summer Holiday Experiences, and Mental Wellbeing on Return to School: Analysis of the School Health Research Network/Health Behaviour in School-Aged Children Survey in Wales. International Journal of Environmental Research and Public Health, 2019, 16. 1107.	2.6	32
44	Prevalence of smoking restrictions and child exposure to secondhand smoke in cars and homes: a repeated cross-sectional survey of children aged 10-11 years in Wales. BMJ Open, 2015, 5, e006914-e006914.	1.9	31
45	Association between breakfast consumption and educational outcomes in 9–11-year-old children. Public Health Nutrition, 2016, 19, 1575-1582.	2.2	31
46	Psychosocial mediators of change in physical activity in the Welsh national exercise referral scheme: secondary analysis of a randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 109.	4.6	29
47	A Transdisciplinary Complex Adaptive Systems (T-CAS) Approach to Developing a National School-Based Culture of Prevention for Health Improvement: the School Health Research Network (SHRN) in Wales. Prevention Science, 2021, 22, 50-61.	2.6	26
48	Predictors of physical activity and sedentary behaviours among 11-16 year olds: Multilevel analysis of the 2013 Health Behaviour in School-aged Children (HBSC) study in Wales. BMC Public Health, 2016, 16, 569.	2.9	25
49	A qualitative study of e-cigarette emergence and the potential for renormalisation of smoking in UK youth. International Journal of Drug Policy, 2020, 75, 102598.	3.3	25
50	Cognitive, Behavioral, and Social Factors Are Associated with Bias in Dietary Questionnaire Self-Reports by Schoolchildren Aged 9 to 11 Years. Journal of the American Dietetic Association, 2008, 108, 1865-1873.	1.1	24
51	Adapting evidence-informed population health interventions for new contexts: a scoping review of current practice. Health Research Policy and Systems, 2021, 19, 13.	2.8	24
52	Socioeconomic status, mental wellbeing and transition to secondary school: Analysis of the School Health Research Network/Health Behaviour in Schoolâ€aged Children survey in Wales. British Educational Research Journal, 2020, 46, 1111-1130.	2,5	22
53	Integration of Motivational Interviewing into Practice in the National Exercise Referral Scheme in Wales: A Mixed Methods Study. Behavioural and Cognitive Psychotherapy, 2012, 40, 313-330.	1.2	21
54	How can we adapt complex population health interventions for new contexts? Progressing debates and research priorities. Journal of Epidemiology and Community Health, 2021, 75, jech-2020-214468.	3.7	21

#	Article	IF	Citations
55	Protocol for expansion of an existing national monthly survey of smoking behaviour and alcohol use in England to Scotland and Wales: The Smoking and Alcohol Toolkit Study. Wellcome Open Research, 2021, 6, 67.	1.8	21
56	Acceptability and Feasibility of Implementing Accelorometry-Based Activity Monitors and a Linked Web Portal in an Exercise Referral Scheme: Feasibility Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e12374.	4.3	21
57	Are randomised controlled trials positivist? Reviewing the social science and philosophy literature to assess positivist tendencies of trials of social interventions in public health and health services. Trials, 2018, 19, 238.	1.6	20
58	Intentions to participate in cervical and colorectal cancer screening during the COVID-19 pandemic: A mixed-methods study. Preventive Medicine, 2021, 153, 106826.	3.4	18
59	Normative and cognitive correlates of breakfast skipping in 9–11-year-old schoolchildren in Wales. Appetite, 2009, 53, 332-337.	3.7	16
60	Patterning in Patient Referral to and Uptake of a National Exercise Referral Scheme (NERS) in Wales from 2008 to 2017: A Data Linkage Study. International Journal of Environmental Research and Public Health, 2020, 17, 3942.	2.6	16
61	An exploratory cluster randomised trial of a university halls of residence based social norms marketing campaign to reduce alcohol consumption among 1st year students. Substance Abuse Treatment, Prevention, and Policy, 2013, 8, 15.	2.2	14
62	Variations in schools' commitment to health and implementation of health improvement activities: a cross-sectional study of secondary schools in Wales. BMC Public Health, 2016, 16, 138.	2.9	13
63	An exploratory cluster randomised trial of a university halls of residence based social norms intervention in Wales, UK. BMC Public Health, 2012, 12, 186.	2.9	12
64	Young people's use of e-cigarettes in Wales, England and Scotland before and after introduction of EU Tobacco Products Directive regulations: a mixed-method natural experimental evaluation. International Journal of Drug Policy, 2020, 85, 102795.	3.3	12
65	ADAPT study: adaptation of evidence-informed complex population health interventions for implementation and/or re-evaluation in new contexts: protocol for a Delphi consensus exercise to develop guidance. BMJ Open, 2020, 10, e038965.	1.9	12
66	Dating and relationship violence victimization and perpetration among 11–16 year olds in Wales: a cross-sectional analysis of the School Health Research Network (SHRN) survey. Journal of Public Health, 2021, 43, 111-122.	1.8	12
67	Sugar-sweetened beverage consumption from 1998–2017: Findings from the health behaviour in school-aged children/school health research network in Wales. PLoS ONE, 2021, 16, e0248847.	2.5	12
68	Measurement invariance of the short Warwick-Edinburgh Mental Wellbeing Scale and latent mean differences (SWEMWBS) in young people by current care status. Quality of Life Research, 2022, 31, 205-213.	3.1	12
69	Sources of potential bias when combining routine data linkage and a national survey of secondary school-aged children: a record linkage study. BMC Medical Research Methodology, 2020, 20, 178.	3.1	11
70	Associations of Socioeconomic Status, Parental Smoking and Parental E-Cigarette Use with 10–11-Year-Old Children's Perceptions of Tobacco Cigarettes and E-Cigarettes: Cross Sectional Analysis of the CHETS Wales 3 Survey. International Journal of Environmental Research and Public Health, 2020, 17, 683.	2.6	11
71	All interventions are complex, but some are more complex than others: using iCAT_SR to assess complexity. The Cochrane Library, 2017, 7, ED000122.	2.8	11
72	From Complex Interventions to Complex Systems: Using Social Network Analysis to Understand School Engagement with Health and Wellbeing. International Journal of Environmental Research and Public Health, 2019, 16, 1694.	2.6	10

#	Article	IF	CITATIONS
73	Systematic review of behavioural smoking cessation interventions for older smokers from deprived backgrounds. BMJ Open, 2019, 9, e032727.	1.9	10
74	Testing the "Zeroâ€Sum Game―Hypothesis: An Examination of School Health Policies and Practices and Inequalities in Educational Outcomes. Journal of School Health, 2020, 90, 415-424.	1.6	10
75	Pupil Mental Health, Concerns and Expectations About Secondary School as Predictors of Adjustment Across the Transition to Secondary School: A Longitudinal Multi-informant Study. School Mental Health, 2021, 13, 279-298.	2.1	10
76	Mental health and life satisfaction among 10–11-year-olds in Wales, before and one year after onset of the COVID-19 pandemic. BMC Public Health, 2022, 22, 379.	2.9	10
77	Improving young people's health and well-being through a school health research network: Reflections on school–researcher engagement at the national level. Research for All, 0, 2, .	0.4	9
78	Change over time in adolescent smoking, cannabis use and their association: findings from the School Health Research Network in Wales. Journal of Public Health, 2021, 43, e620-e628.	1.8	9
79	The what, why and when of adapting interventions for new contexts: A qualitative study of researchers, funders, journal editors and practitioners' understandings. PLoS ONE, 2021, 16, e0254020.	2.5	9
80	Using Latent Class Analysis to Explore Complex Associations Between Socioeconomic Status and Adolescent Health and Well-Being. Journal of Adolescent Health, 2021, 69, 774-781.	2.5	9
81	Health Improvement and Educational Attainment in Secondary Schools: Complementary or Competing Priorities? Exploratory Analyses From the School Health Research Network in Wales. Health Education and Behavior, 2018, 45, 635-644.	2.5	8
82	A Latent Class Analysis of Parental Alcohol and Drug Use: Findings from the Avon Longitudinal Study of Parents and Children. Addictive Behaviors, 2020, 104, 106281.	3.0	8
83	The Impact of COVID-19 on Cancer Symptom Experience and Help-Seeking Behaviour in the United Kingdom: A Cross-Sectional Population Survey. SSRN Electronic Journal, 0, , .	0.4	7
84	The SPECTRUM Consortium: a new UK Prevention Research Partnership consortium focussed on the commercial determinants of health, the prevention of non-communicable diseases, and the reduction of health inequalities. Wellcome Open Research, 2021, 6, 6.	1.8	7
85	Prevalence of gambling behaviours and their associations with socioemotional harm among 11–16 year olds in Wales: findings from the School Health Research Network survey. European Journal of Public Health, 2020, 30, 451-457.	0.3	6
86	Risk Behaviours Associated with Dating and Relationship Violence among 11–16 Year Olds in Wales: Results from the 2019 Student Health and Wellbeing Survey. International Journal of Environmental Research and Public Health, 2021, 18, 1192.	2.6	6
87	Socio-Economic Status, Mental Health Difficulties and Feelings about Transition to Secondary School among 10–11ÂYear Olds in Wales: Multi-Level Analysis of a Cross Sectional Survey. Child Indicators Research, 2021, 14, 1597-1615.	2.3	6
88	Tobacco use, smoking identities and pathways into and out of smoking among young adults: a meta-ethnography. Substance Abuse Treatment, Prevention, and Policy, 2022, 17, 24.	2.2	6
89	Ecological Exploration of Knowledge and Attitudes Towards Tobacco and E-Cigarettes Among Primary School Children, Teachers, and Parents in Wales: A Qualitative Study. Tobacco Use Insights, 2020, 13, 1179173X2093877.	1.6	5
90	Police referrals for domestic abuse before and during the first COVID-19 lockdown: An analysis of routine data from one specialist service in South Wales. Journal of Public Health, 2022, 44, e252-e259.	1.8	5

#	Article	IF	CITATIONS
91	Protocol for a feasibility randomised controlled trial of the use of Physical ACtivity monitors in an Exercise Referral Setting: the PACERS study. Pilot and Feasibility Studies, 2017, 3, 51.	1.2	4
92	Associations between school-based peer networks and smoking according to socioeconomic status and tobacco control context: protocol for a mixed method systematic review. Systematic Reviews, 2019, 8, 313.	5. 3	4
93	Multilevel population-based cross-sectional study examining school substance-misuse policy and the use of cannabis, mephedrone and novel psychoactive substances among students aged 11–16 years in schools in Wales. BMJ Open, 2018, 8, e020737.	1.9	3
94	Implementation of e-cigarette regulation through the EU Tobacco Products Directive (2016) in Wales, Scotland and England from the perspectives of stakeholders involved in policy introduction and enforcement. Tobacco Prevention and Cessation, 2021, 7, 1-10.	0.4	3
95	Psychosocial determinants of quit motivation in older smokers from deprived backgrounds: a cross-sectional survey. BMJ Open, 2021, 11, e044815.	1.9	3
96	Process evaluation of complex interventions in chronic and neglected tropical diseases in low- and middle-income countries—a scoping review protocol. Systematic Reviews, 2021, 10, 244.	5. 3	3
97	Changes in childhood experimentation with, and exposure to, tobacco and e-cigarettes and perceived smoking norms: a repeated cross-sectional study of 10–11 year olds' in Wales. BMC Public Health, 202 21, 1924.	12.9	3
98	From a research trial to routine practice: stakeholders' perceptions and experiences of referrals to the National Exercise Referral Scheme (NERS) in Wales. BMC Health Services Research, 2021, 21, 1232.	2.2	3
99	CHoosing Active Role Models to INspire Girls (CHARMING): protocol for a cluster randomised feasibility trial of a school-based, community-linked programme to increase physical activity levels in 9–10-year-old girls. Pilot and Feasibility Studies, 2022, 8, 2.	1.2	3
100	Prevalence of Menthol and Menthol Capsule Cigarette Use Among 11–16 Year Olds in Wales Prior to a Ban on Characterizing Flavors in Cigarettes: Findings From the 2019 Student Health and Wellbeing Survey. Nicotine and Tobacco Research, 2022, 24, 1257-1263.	2.6	3
101	School practices important for students' sexual health: analysis of the school health research network survey in Wales. European Journal of Public Health, 2018, 28, 309-314.	0.3	2
102	Pilot trial and process evaluation of a multilevel smoking prevention intervention in further education settings. Public Health Research, 2017, 5, 1-82.	1.3	2
103	A Sociological Framework to Reduce Aberrant Behaviour of School Students Through Increasing School Connectedness. SAGE Open, 2021, 11, 215824402110318.	1.7	1
104	OP80â€Guidance for adapting evidence-informed population health interventions for new contexts: The ADAPT study. , 2020, , .		0
105	Collecting genetic samples and linked mental health data from adolescents in schools: protocol coproduction and a mixed-methods pilot of feasibility and acceptability. BMJ Open, 2022, 12, e049283.	1.9	0