

# Hai-Yan Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5333061/publications.pdf>

Version: 2024-02-01

670  
papers

29,157  
citations

8755

77  
h-index

13274

135  
g-index

680  
all docs

680  
docs citations

680  
times ranked

21838  
citing authors

#	ARTICLE	IF	CITATIONS
1	High stability of flexible perovskite transparent conductive oxide film via van der Waals heteroepitaxy. <i>Journal of Alloys and Compounds</i> , 2022, 890, 161897.	2.8	10
2	Effects of incubation on microstructure gradient in flash-sintered TiO <sub>2</sub> . <i>Scripta Materialia</i> , 2022, 207, 114270.	2.6	10
3	Achieving strong and stable nanocrystalline Al alloys through compositional design. <i>Journal of Materials Research</i> , 2022, 37, 183-207.	1.2	5
4	Investigation of strengthening mechanisms in an additively manufactured Haynes 230 alloy. <i>Acta Materialia</i> , 2022, 222, 117404.	3.8	43
5	Self-assembled vertically aligned nanocomposite systems integrated on silicon substrate: Progress and future perspectives. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2022, 40, .	0.9	6
6	Printing dynamic color palettes and layered textures through modeling-guided stacking of electrochromic polymers. <i>Materials Horizons</i> , 2022, 9, 425-432.	6.4	18
7	Advances in synthesis and applications of boron nitride nanotubes: A review. <i>Chemical Engineering Journal</i> , 2022, 431, 134118.	6.6	38
8	Thermal Safety Analysis of Disordered Li-Rich Rock salt Li <sub>1.3</sub> Mn <sub>0.4</sub> Nb <sub>0.3</sub> O <sub>2</sub> Cathode. <i>ACS Applied Energy Materials</i> , 2022, 5, 516-523.	2.5	3
9	Enabling coherent BaZrO <sub>3</sub> nanorods/YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> interface through dynamic lattice enlargement in vertical epitaxy of BaZrO <sub>3</sub> /YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> nanocomposites. <i>Superconductor Science and Technology</i> , 2022, 35, 034001.	1.8	8
10	High ionic conductivity in fluorite $\hat{\Gamma}$ -bismuth oxide-based vertically aligned nanocomposite thin films. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3478-3484.	5.2	10
11	Wireless Humidity Sensor for Smart Packaging via One-Step Laser-Induced Patterning and Nanoparticle Formation on Metallized Paper. <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	23
12	Preparation and characterization of multifunctional piezoenergetic polyvinylidene fluoride/aluminum nanocomposite films. <i>Journal of Applied Physics</i> , 2022, 131, .	1.1	8
13	Surface chemistry and porosity engineering through etching reveal ultrafast oxygen reduction kinetics below 400Å°C in B-site exposed (La,Sr)(Co,Fe)O <sub>3</sub> thin-films. <i>Journal of Power Sources</i> , 2022, 523, 230983.	4.0	8
14	Low voltage control of magnetism in BaFe <sub>10.2</sub> Sc <sub>1.8</sub> O <sub>19</sub> /BaTiO <sub>3</sub> bilayer epitaxial thin film at temperatures up to 390ÅK. <i>Applied Physics Letters</i> , 2022, 120, 062401.	1.5	1
15	Scaled indium oxide transistors fabricated using atomic layer deposition. <i>Nature Electronics</i> , 2022, 5, 164-170.	13.1	98
16	Role of Defects and Power Dissipation on Ferroelectric Memristive Switching. <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	10
17	Laser-Assisted Nanotexturing and Silver Immobilization on Titanium Implant Surfaces to Enhance Bone Cell Mineralization and Antimicrobial Properties. <i>Langmuir</i> , 2022, 38, 4014-4027.	1.6	13
18	Epitaxial (110)-oriented La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> film directly on flexible mica substrate. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 224002.	1.3	6

#	ARTICLE	IF	CITATIONS
19	ZnO-AuxCu $1-x$ Alloy and ZnO-AuxAl $1-x$ Alloy Vertically Aligned Nanocomposites for Low-Loss Plasmonic Metamaterials. <i>Molecules</i> , 2022, 27, 1785.	1.7	5
20	Freestanding La $_{0.7}$ Sr $_{0.3}$ MnO $_3$ :NiO vertically aligned nanocomposite thin films for flexible perpendicular interfacial exchange coupling. <i>Materials Research Letters</i> , 2022, 10, 287-294.	4.1	11
21	Reducing Leakage Current and Enhancing Polarization in Multiferroic 3D Super-nanocomposites by Microstructure Engineering. <i>Nanotechnology</i> , 2022, , .	1.3	0
22	A generalized 3D elastic model for nanoscale, self-assembled oxide-metal thin films with pillar-in-matrix configurations. <i>Acta Materialia</i> , 2022, 228, 117779.	3.8	5
23	Deformation mechanism in nanolaminate FeCrAl alloys by in situ micromechanical strain rate jump tests at elevated temperatures. <i>Scripta Materialia</i> , 2022, 215, 114698.	2.6	7
24	Integration of Self-Assembled BaZrO $_3$ -Co Vertically Aligned Nanocomposites on Mica Substrates toward Flexible Spintronics. <i>Crystal Growth and Design</i> , 2022, 22, 718-725.	1.4	4
25	Tunable Three-Phase Co $^{\text{II}}$ CeO $_2$ -BaTiO $_3$ Hybrid Metamaterials with Nano-Mushroom-Like Structure for Tailorable Multifunctionalities. <i>ACS Applied Nano Materials</i> , 2022, 5, 6297-6304.	2.4	7
26	Emergent multiferroism with magnetodielectric coupling in EuTiO $_3$ created by a negative pressure control of strong spin-phonon coupling. <i>Nature Communications</i> , 2022, 13, 2364.	5.8	23
27	Optical dielectric properties of HfO $_2$ -based films. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2022, 40, .	0.9	3
28	Lithium-based vertically aligned nanocomposite films incorporating Li $_x$ La $_{0.32}$ (Nb $_{0.7}$ Ti $_{0.32}$ )O $_3$ electrolyte with high Li $^+$ ion conductivity. <i>APL Materials</i> , 2022, 10, .	2.2	6
29	A Biodegradable Hybrid Micro/Nano Conductive Zinc Paste for Paper-Based Flexible Bioelectronics. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	16
30	Vertically stacked multilayer atomic-layer-deposited sub-1-nm In $_2$ O $_3$ field-effect transistors with back-end-of-line compatibility. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	7
31	Tunable physical properties in Bi-based layered supercell multiferroics embedded with Au nanoparticles. <i>Nanoscale Advances</i> , 2022, 4, 3054-3064.	2.2	7
32	TiN $^{\text{II}}$ -Fe Vertically Aligned Nanocomposites Integrated on Silicon as a Multifunctional Platform toward Device Applications. <i>Crystals</i> , 2022, 12, 849.	1.0	3
33	Effects of electric field on microstructure evolution and defect formation in flash-sintered TiO $_2$ . <i>Journal of the European Ceramic Society</i> , 2022, 42, 6040-6047.	2.8	14
34	Temperature dependent pinning efficiency in multilayer and single layer BZO/YBCO nanocomposite films. <i>IOP Conference Series: Materials Science and Engineering</i> , 2022, 1241, 012021.	0.3	3
35	Interface Engineering for Enhanced Magnetic Vortex Pinning by 1D-BZO APCs in a Wide Angular Range. <i>IOP Conference Series: Materials Science and Engineering</i> , 2022, 1241, 012022.	0.3	0
36	Intrinsic ferroelectricity in Y-doped HfO $_2$ thin films. <i>Nature Materials</i> , 2022, 21, 903-909.	13.3	66

#	ARTICLE	IF	CITATIONS
37	Tribological behaviors of nanotwinned Al alloys. <i>Applied Surface Science</i> , 2022, 600, 154108.	3.1	5
38	Design of 3D Oxideâ€Metal Hybrid Metamaterial for Tailorable Lightâ€Matter Interactions in Visible and Nearâ€Infrared Region. <i>Advanced Optical Materials</i> , 2021, 9, .	3.6	17
39	Tailoring the formation of twins in Al by introducing epitaxial layer interfaces. <i>Scripta Materialia</i> , 2021, 192, 1-6.	2.6	10
40	High-strength and tunable plasticity in sputtered Alâ€Cr alloys with multistage phase transformations. <i>International Journal of Plasticity</i> , 2021, 137, 102915.	4.1	9
41	Epitaxial TiN/MgO multilayers with ultrathin TiN and MgO layers as hyperbolic metamaterials in visible region. <i>Materials Today Physics</i> , 2021, 16, 100316.	2.9	10
42	Ultra-high strength and plasticity mediated by partial dislocations and defect networks: Part II: Layer thickness effect. <i>Acta Materialia</i> , 2021, 204, 116494.	3.8	7
43	Review on the growth, properties and applications of self-assembled oxideâ€metal vertically aligned nanocomposite thin filmsâ€current and future perspectives. <i>Materials Horizons</i> , 2021, 8, 869-884.	6.4	23
44	Microstructural evolution of nanotwinned Al-Zr alloy with significant 9R phase. <i>Materials Research Letters</i> , 2021, 9, 91-98.	4.1	16
45	The influence of stacking faults on mechanical behavior of advanced materials. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 803, 140696.	2.6	38
46	Nitrideâ€Oxideâ€Metal Heterostructure with Selfâ€Assembled Coreâ€Shell Nanopillar Arrays: Effect of Ordering on Magnetoâ€Optical Properties. <i>Small</i> , 2021, 17, e2007222.	5.2	25
47	Self-Assembled BaTiO <sub>3</sub> â€Au <sub>x</sub> Ag <sub>1-x</sub> Low-Loss Hybrid Plasmonic Metamaterials with an Ordered Nano-Domino-like Microstructure. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 5390-5398.	4.0	8
48	Route to High-Performance Micro-solid Oxide Fuel Cells on Metallic Substrates. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 4117-4125.	4.0	9
49	High performance, electroforming-free, thin film memristors using ionic Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> . <i>Journal of Materials Chemistry C</i> , 2021, 9, 4522-4531.	2.7	10
50	Deposition pressure-induced microstructure control and plasmonic property tuning in hybrid ZnOâ€Ag <sub>x</sub> Au <sub>1-x</sub> thin films. <i>Nanoscale Advances</i> , 2021, 3, 2870-2878.	2.2	7
51	Electrical properties and charge compensation mechanisms of Cr-doped rutile, TiO <sub>2</sub> . <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 22133-22146.	1.3	8
52	Tailorable multifunctionalities in ultrathin 2D Bi-based layered supercell structures. <i>Nanoscale</i> , 2021, 13, 16672-16679.	2.8	5
53	Role of ALD Al <sub>2</sub> O <sub>3</sub> Surface Passivation on the Performance of p-Type Cu <sub>2</sub> O Thin Film Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 4156-4164.	4.0	31
54	Multifunctional Metalâ€Oxide Nanocomposite Thin Film with Plasmonic Au Nanopillars Embedded in Magnetic La <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> Matrix. <i>Nano Letters</i> , 2021, 21, 1032-1039.	4.5	26

#	ARTICLE	IF	CITATIONS
55	Defects in flash-sintered ceramics and their effects on mechanical properties. MRS Bulletin, 2021, 46, 44-51.	1.7	24
56	Thermal Stability of Nanocrystalline Gradient Inconel 718 Alloy. Crystals, 2021, 11, 53.	1.0	5
57	Laser-induced atmospheric Cu <sub>x</sub> O formation on copper surface with enhanced electrochemical performance for non-enzymatic glucose sensing. Journal of Materials Chemistry C, 2021, 9, 14997-15010.	2.7	16
58	Carbon Nanotube Supported Amorphous MoS <sub>2</sub> via Microwave Heating Synthesis for Enhanced Performance of Hydrogen Evolution Reaction. Energy Material Advances, 2021, 2021, .	4.7	20
59	Creating Ferromagnetic Insulating La <sub>0.9</sub> Ba <sub>0.1</sub> MnO <sub>3</sub> Thin Films by Tuning Lateral Coherence Length. ACS Applied Materials & Interfaces, 2021, 13, 8863-8870.	4.0	3
60	Strong pinning at high growth rates in rare earth barium cuprate (REBCO) superconductor films grown with liquid-assisted processing (LAP) during pulsed laser deposition. Superconductor Science and Technology, 2021, 34, 045012.	1.8	8
61	Characterization of precipitation in gradient Inconel 718 superalloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2021, 804, 140718.	2.6	30
62	Self-Assembled Metal-Dielectric Hybrid Metamaterials in Vertically Aligned Nanocomposite Form with Tailorable Optical Properties and Coupled Multifunctionalities. Advanced Photonics Research, 2021, 2, 2000174.	1.7	12
63	Nanocomposite-Seeded Epitaxial Growth of Single-Domain Lithium Niobate Thin Films for Surface Acoustic Wave Devices. Advanced Photonics Research, 2021, 2, 2000149.	1.7	8
64	Electrochromic Properties of Perovskite NdNiO <sub>3</sub> Thin Films for Smart Windows. ACS Applied Electronic Materials, 2021, 3, 1719-1731.	2.0	16
65	Ferroelectric/multiferroic self-assembled vertically aligned nanocomposites: Current and future status. APL Materials, 2021, 9, .	2.2	15
66	Thermal stability of immiscible Cu-Ag/Fe triphase multilayers with triple junctions. Acta Materialia, 2021, 208, 116679.	3.8	26
67	Ultrathin epitaxial NbN superconducting films with high upper critical field grown at low temperature. Materials Research Letters, 2021, 9, 336-342.	4.1	10
68	Flash sintering of additively manufactured 3YSZ gears. Journal of the American Ceramic Society, 2021, 104, 3828-3832.	1.9	12
69	Formation of liquid phase and nanostructures in flash sintered ZnO. Scripta Materialia, 2021, 195, 113719.	2.6	13
70	Heavy ion irradiation response of an additively manufactured 316LN stainless steel. Journal of Nuclear Materials, 2021, 546, 152745.	1.3	16
71	Bioinspired Dynamic Camouflage from Colloidal Nanocrystals Embedded Electrochromics. Nano Letters, 2021, 21, 4500-4507.	4.5	40
72	Heteroepitaxy of flexible piezoelectric Pb(Zr <sub>0.53</sub> Ti <sub>0.47</sub> )O <sub>3</sub> sensor on inorganic mica substrate for lamb wave-based structural health monitoring. Ceramics International, 2021, 47, 13156-13163.	2.3	15

#	ARTICLE	IF	CITATIONS
73	Ultra-high heating rate effects on the sintering of ceramic nanoparticles: an <i>in situ</i> TEM study. <i>Materials Research Letters</i> , 2021, 9, 373-381.	4.1	13
74	Stress of misfit dislocation at Fe/MgO interface drives the annihilation of radiation induced defects. <i>Acta Materialia</i> , 2021, 210, 116798.	3.8	7
75	A high-entropy manganite in an ordered nanocomposite for long-term application in solid oxide cells. <i>Nature Communications</i> , 2021, 12, 2660.	5.8	37
76	Self-biased magnetoelectric switching at room temperature in three-phase ferroelectric-antiferromagnetic-ferrimagnetic nanocomposites. <i>Nature Electronics</i> , 2021, 4, 333-341.	13.1	18
77	Ultrathin transparent Copper(I) oxide films grown by plasma-enhanced atomic layer deposition for Back-end-of-line p-Type transistors. <i>Nano Express</i> , 2021, 2, 020023.	1.2	3
78	Ellipsometry-based failure analysis on translucent LiMn <sub>0.5</sub> Ni <sub>0.3</sub> Co <sub>0.2</sub> O <sub>2</sub> in half-cell thin-film lithium-ion battery on glass substrates. <i>Materials Today Advances</i> , 2021, 10, 100142.	2.5	3
79	Recent Advances in Vertically Aligned Nanocomposites with Tunable Optical Anisotropy: Fundamentals and Beyond. <i>Chemosensors</i> , 2021, 9, 145.	1.8	3
80	High-strength nanocrystalline intermetallics with room temperature deformability enabled by nanometer thick grain boundaries. <i>Science Advances</i> , 2021, 7, .	4.7	13
81	High Strength and Low Coercivity of Cobalt with Three-Dimensional Nanoscale Stacking Faults. <i>Nano Letters</i> , 2021, 21, 6480-6486.	4.5	9
82	Ultra-fine-grained and gradient FeCrAl alloys with outstanding work hardening capability. <i>Acta Materialia</i> , 2021, 215, 117049.	3.8	21
83	Highly Conductive Copper-Silver Bimodal Paste for Low-Cost Printed Electronics. <i>ACS Applied Electronic Materials</i> , 2021, 3, 3352-3364.	2.0	27
84	Ramifications of Pulsed Laser Deposition Growth Temperature on BaHfO <sub>3</sub> and Y <sub>2</sub> O <sub>3</sub> Doped Y-Ba-Cu-O Thin Films™ Microstructure and Performance. <i>IEEE Transactions on Applied Superconductivity</i> , 2021, 31, 1-5.	1.1	1
85	Tuning magnetic and optical properties through strain in epitaxial LaCrO <sub>3</sub> thin films. <i>Applied Physics Letters</i> , 2021, 119, .	1.5	4
86	Strong Interfacial Coupling of Tunable Ni-NiO Nanocomposite Thin Films Formed by Self-Decomposition. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 39730-39737.	4.0	7
87	Ultrafast anchored SnO <sub>2</sub> nanoparticles revealed capacity fade and hysteresis abated stable cycling performance for high-rate lithium-ion batteries. <i>Carbon</i> , 2021, 185, 608-618.	5.4	5
88	High-Temperature and Flexible Piezoelectric Sensors for Lamb-Wave-Based Structural Health Monitoring. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 47764-47772.	4.0	17
89	Enhancing magnetic pinning by BaZrO <sub>3</sub> nanorods forming coherent interface by strain-directed Ca-doping in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> nanocomposite films. <i>Superconductor Science and Technology</i> , 2021, 34, 104002.	1.8	12
90	Microstructure and defect gradients in DC and AC flash sintered ZnO. <i>Ceramics International</i> , 2021, 47, 28596-28602.	2.3	12

#	ARTICLE	IF	CITATIONS
91	Electric field-induced grain boundary degradation mechanism in yttria stabilized zirconia. <i>Scripta Materialia</i> , 2021, 204, 114130.	2.6	11
92	Linking far-from-equilibrium defect structures in ceramics to electromagnetic driving forces. <i>Journal of Materials Chemistry A</i> , 2021, 9, 8425-8434.	5.2	2
93	Hybrid Ag <sup>+</sup> /LiNbO <sub>3</sub> nanocomposite thin films with tailorable optical properties. <i>Nanoscale Advances</i> , 2021, 3, 1121-1126.	2.2	2
94	Epitaxial nanotwinned metals and alloys: synthesis-twin structure-property relations. <i>CrystEngComm</i> , 2021, 23, 6637-6649.	1.3	5
95	Modeling of flash sintering of ionic ceramics. <i>MRS Bulletin</i> , 2021, 46, 67-75.	1.7	5
96	Why In <sub>2</sub> O <sub>3</sub> Can Make 0.7 nm Atomic Layer Thin Transistors. <i>Nano Letters</i> , 2021, 21, 500-506.	4.5	99
97	Field-assisted growth of one-dimensional ZnO nanostructures with high defect density. <i>Nanotechnology</i> , 2021, 32, 095603.	1.3	8
98	Double-Exchange Bias Modulation under Horizontal and Perpendicular Field Directions by 3D Nanocomposite Design. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 50141-50148.	4.0	6
99	Electroforming-Free HfO <sub>2</sub> :CeO <sub>2</sub> Vertically Aligned Nanocomposite Memristors with Anisotropic Dielectric Response. <i>ACS Applied Electronic Materials</i> , 2021, 3, 5278-5286.	2.0	8
100	Study of BaCe <sub>0.4</sub> Zr <sub>0.4</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> /BaCe <sub>0.8</sub> Pr <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> (BCZY/BCP) bilayer membrane for Protonic Conductor Solid Oxide Fuel Cells (PC-SOFC). <i>International Journal of Hydrogen Energy</i> , 2020, 45, 5481-5490.	3.8	15
101	Interface Engineered Room-Temperature Ferromagnetic Insulating State in Ultrathin Manganite Films. <i>Advanced Science</i> , 2020, 7, 1901606.	5.6	24
102	Titanium Nitride Modified Photoluminescence from Single Semiconductor Nanoplatelets. <i>Advanced Functional Materials</i> , 2020, 30, 1904179.	7.8	7
103	Tunable physical properties in BiAl <sub>1-x</sub> Mn <sub>x</sub> O <sub>3</sub> thin films with novel layered supercell structures. <i>Nanoscale Advances</i> , 2020, 2, 315-322.	2.2	10
104	Enhancing electrochemical performance of thin film lithium ion battery via introducing tilted metal nanopillars as effective current collectors. <i>Nano Energy</i> , 2020, 69, 104381.	8.2	18
105	Tunable Optical Properties in Self-Assembled Oxide-Metal Hybrid Thin Films via Au-Phase Geometry Control: From Nanopillars to Nanodisks. <i>Advanced Optical Materials</i> , 2020, 8, 1901359.	3.6	27
106	Field-assisted heating of Gd-doped ceria thin film. <i>Journal of the American Ceramic Society</i> , 2020, 103, 2309-2314.	1.9	11
107	Ultra-high strength and plasticity mediated by partial dislocations and defect networks: Part I: Texture effect. <i>Acta Materialia</i> , 2020, 185, 181-192.	3.8	24
108	Ge <sub>2</sub> Sb <sub>2</sub> Se <sub>5</sub> Glass as High-capacity Promising Lithium-ion Battery Anode. <i>Nano Energy</i> , 2020, 68, 104326.	8.2	38

#	ARTICLE	IF	CITATIONS
109	3D Hybrid Trilayer Heterostructure: Tunable Au Nanorods and Optical Properties. ACS Applied Materials & Interfaces, 2020, 12, 45015-45022.	4.0	9
110	Strain Effects on the Growth of $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ (LSMO)–NiO Nanocomposite Thin Films via Substrate Control. ACS Omega, 2020, 5, 23793-23798.	1.6	5
111	Real-time in situ optical tracking of oxygen vacancy migration in memristors. Nature Electronics, 2020, 3, 687-693.	13.1	43
112	Ultrafast, dry microwave superheating for the synthesis of an $\text{SbO}_x$ –GNP hybrid anode to investigate the Na-ion storage compatibility in ester and ether electrolytes. Chemical Communications, 2020, 56, 9663-9666.	2.2	5
113	Thermal stability of self-assembled ordered three-phase $\text{Au}$ – $\text{BaTiO}_3$ – $\text{ZnO}$ nanocomposite thin films via in situ heating in TEM. Nanoscale, 2020, 12, 23673-23681.	2.8	5
114	Effective doping control in Sm-doped $\text{BiFeO}_3$ thin films via deposition temperature. RSC Advances, 2020, 10, 40229-40233.	1.7	5
115	Au-Encapsulated Fe Nanorods in Oxide Matrix with Tunable Magneto-Optic Coupling Properties. ACS Applied Materials & Interfaces, 2020, 12, 51827-51836.	4.0	16
116	In-situ studies on the mechanical properties of He ion irradiated nanotwinned Ag. Journal of Nuclear Materials, 2020, 540, 152392.	1.3	14
117	Morphology Control of Self-Assembled Three-Phase Au– $\text{BaTiO}_3$ – $\text{ZnO}$ Hybrid Metamaterial for Tunable Optical Properties. Crystal Growth and Design, 2020, 20, 6101-6108.	1.4	14
118	Metal-Free Oxide-Nitride Heterostructure as a Tunable Hyperbolic Metamaterial Platform. Nano Letters, 2020, 20, 6614-6622.	4.5	38
119	Atomic-Scale Control of Electronic Structure and Ferromagnetic Insulating State in Perovskite Oxide Superlattices by Long-Range Tuning of $\text{BO}_6$ Octahedra. Advanced Functional Materials, 2020, 30, 2001984.	7.8	12
120	Exchange Bias in a $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3/\text{NiO}$ Heterointerface Integrated on a Flexible Mica Substrate. ACS Applied Materials & Interfaces, 2020, 12, 39920-39925.	4.0	36
121	Couplings of Polarization with Interfacial Deep Trap and Schottky Interface Controlled Ferroelectric Memristive Switching. Advanced Functional Materials, 2020, 30, 2000664.	7.8	50
122	Recent Studies on Void Shrinkage in Metallic Materials Subjected to In Situ Heavy Ion Irradiations. Jom, 2020, 72, 4008-4016.	0.9	8
123	Coupled solute effects enable anomalous high-temperature strength and stability in nanotwinned Al alloys. Acta Materialia, 2020, 200, 378-388.	3.8	19
124	Irradiation induced void spheroidization, shrinkage and migration in Cu at elevated temperatures: An in situ study. Acta Materialia, 2020, 201, 504-516.	3.8	11
125	Multifunctional self-assembled $\text{BaTiO}_3$ -Au nanocomposite thin films on flexible mica substrates with tunable optical properties. Applied Materials Today, 2020, 21, 100856.	2.3	17
126	Anisotropic domains and antiferrodistortive-transition controlled magnetization in epitaxial manganite films on vicinal $\text{SrTiO}_3$ substrates. Applied Physics Letters, 2020, 117, .	1.5	11



#	ARTICLE	IF	CITATIONS
127	Design of super-strong and thermally stable nanotwinned Al alloys <i>via</i> solute synergy. <i>Nanoscale</i> , 2020, 12, 20491-20505.	2.8	12
128	Ceramic Material Processing Towards Future Space Habitat: Electric Current-Assisted Sintering of Lunar Regolith Simulant. <i>Materials</i> , 2020, 13, 4128.	1.3	7
129	Integration of highly anisotropic multiferroic BaTiO <sub>3</sub> ∕Fe nanocomposite thin films on Si towards device applications. <i>Nanoscale Advances</i> , 2020, 2, 4172-4178.	2.2	13
130	Induced ferroelectric phases in SrTiO <sub>3</sub> by a nanocomposite approach. <i>Nanoscale</i> , 2020, 12, 18193-18199.	2.8	15
131	Bidirectional tuning of phase transition properties in Pt∕VO <sub>2</sub> nanocomposite thin films. <i>Nanoscale</i> , 2020, 12, 17886-17894.	2.8	13
132	Flash sintering incubation kinetics. <i>Npj Computational Materials</i> , 2020, 6, .	3.5	24
133	Self-assembled nitride∕metal nanocomposites: recent progress and future prospects. <i>Nanoscale</i> , 2020, 12, 20564-20579.	2.8	12
134	Substrate oxygen sponge effect: A parameter for epitaxial manganite thin film growth. <i>Applied Physics Letters</i> , 2020, 117, .	1.5	10
135	An Electronic Synapse Based on 2D Ferroelectric CuInP <sub>2</sub> S <sub>6</sub> . <i>Advanced Electronic Materials</i> , 2020, 6, 2000760.	2.6	57
136	Origin of unexpected lattice expansion and ferromagnetism in epitaxial EuTiO <sub>3</sub> thin films. <i>Ceramics International</i> , 2020, 46, 19990-19995.	2.3	9
137	Negative-pressure enhanced ferroelectricity and piezoelectricity in lead-free BaTiO <sub>3</sub> ferroelectric nanocomposite films. <i>Journal of Materials Chemistry C</i> , 2020, 8, 8091-8097.	2.7	11
138	Nanoengineering room temperature ferroelectricity into orthorhombic SmMnO <sub>3</sub> films. <i>Nature Communications</i> , 2020, 11, 2207.	5.8	17
139	Spontaneous Ordering of Oxide-Oxide Epitaxial Vertically Aligned Nanocomposite Thin Films. <i>Annual Review of Materials Research</i> , 2020, 50, 229-253.	4.3	22
140	Strong and plastic metallic composites with nanolayered architectures. <i>Acta Materialia</i> , 2020, 195, 240-251.	3.8	31
141	Engineering lithium-ion battery cathodes for high-voltage applications using electromagnetic excitation. <i>Journal of Materials Science</i> , 2020, 55, 12177-12190.	1.7	10
142	Deformation behavior and phase transformation of nanotwinned Al/Ti multilayers. <i>Applied Surface Science</i> , 2020, 527, 146776.	3.1	25
143	Plastic anisotropy and tension-compression asymmetry in nanotwinned Al∕Fe alloys: An in-situ micromechanical investigation. <i>International Journal of Plasticity</i> , 2020, 132, 102760.	4.1	21
144	He ion irradiation response of a gradient T91 steel. <i>Acta Materialia</i> , 2020, 196, 175-190.	3.8	33

#	ARTICLE	IF	CITATIONS
145	3D Hybrid Plasmonic Framework with Au Nanopillars Embedded in Nitride Multilayers Integrated on Si. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000493.	1.9	18
146	Laser-Induced Mesoporous Nickel Oxide as a Highly Sensitive Nonenzymatic Glucose Sensor. <i>ACS Applied Nano Materials</i> , 2020, 3, 5260-5270.	2.4	46
147	Vertically aligned nanocomposite (BaTiO <sub>3</sub> ) <sub>0.8</sub> ∕(La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> ) <sub>0.2</sub> thin films with anisotropic multifunctionalities. <i>Nanoscale Advances</i> , 2020, 2, 3276-3283.		
148	Dynamic tuning of dielectric permittivity in BaTiO <sub>3</sub> via electrical biasing. <i>Materials Research Letters</i> , 2020, 8, 321-327.	4.1	5
149	Tailoring the thermal stability of nanocrystalline Ni alloy by thick grain boundaries. <i>Scripta Materialia</i> , 2020, 182, 21-26.	2.6	20
150	Rapid Upcycling of Waste Polyethylene Terephthalate to Energy Storing Disodium Terephthalate Flowers with DFT Calculations. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 6252-6262.	3.2	43
151	Perovskite Transparent Conducting Oxide for the Design of a Transparent, Flexible, and Self-Powered Perovskite Photodetector. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 16462-16468.	4.0	52
152	Thermal stability and deformability of annealed nanotwinned Al/Ti multilayers. <i>Scripta Materialia</i> , 2020, 186, 219-224.	2.6	24
153	Extrinsic size dependent plastic deformability of ZnS micropillars. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 792, 139706.	2.6	2
154	Dipotassium terephthalate as promising potassium storing anode with DFT calculations. <i>Materials Today Energy</i> , 2020, 17, 100454.	2.5	12
155	Novel layered Bi <sub>3</sub> MoM <sub>T</sub> O <sub>9</sub> (M <sub>T</sub> = Mn, Fe, Co and Ni) thin films with tunable multifunctionalities. <i>Nanoscale</i> , 2020, 12, 5914-5921.	2.8	11
156	Large-scale Plasmonic Hybrid Framework with Built-in Nanohole Array as Multifunctional Optical Sensing Platforms. <i>Small</i> , 2020, 16, 1906459.	5.2	11
157	Raman response and transport properties of tellurium atomic chains encapsulated in nanotubes. <i>Nature Electronics</i> , 2020, 3, 141-147.	13.1	126
158	Strain-Driven In-plane Ordering in Vertically Aligned ZnO∕Au Nanocomposites with Highly Correlated Metamaterial Properties. <i>ACS Omega</i> , 2020, 5, 2234-2241.	1.6	30
159	Vertical Strain-Driven Antiferromagnetic to Ferromagnetic Phase Transition in EuTiO <sub>3</sub> Nanocomposite Thin Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 8513-8521.	4.0	14
160	Thermally Stable Au∕BaTiO <sub>3</sub> Nanoscale Hybrid Metamaterial for High-Temperature Plasmonic Applications. <i>ACS Applied Nano Materials</i> , 2020, 3, 1431-1437.	2.4	15
161	Magnetic signatures of 120 K superconductivity at interfaces in La <sub>2</sub> CuO <sub>4+δ</sub> . <i>Nanoscale</i> , 2020, 12, 3157-3165.	2.8	6
162	Room-Temperature Ferroelectric LiNb <sub>6</sub> Ba <sub>5</sub> Ti <sub>4</sub> O <sub>30</sub> Spinel Phase in a Nanocomposite Thin Film Form for Nonlinear Photonics. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 23076-23083.	4.0	6

#	ARTICLE	IF	CITATIONS
163	Microstructure and tensile behavior of nanostructured gradient TWIP steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 785, 139346.	2.6	17
164	Vertically Aligned Ag <sub>x</sub> Au <sub>1-x</sub> Alloyed Nanopillars Embedded in ZnO as Nanoengineered Low-Loss Hybrid Plasmonic Metamaterials. <i>Nano Letters</i> , 2020, 20, 3778-3785.	4.5	20
165	Role of Interlayer in 3D Vertically Aligned Nanocomposite Frameworks with Tunable Magnetotransport Properties. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901990.	1.9	7
166	Achieving ferromagnetic insulating properties in La <sub>0.9</sub> Ba <sub>0.1</sub> MnO <sub>3</sub> thin films through nanoengineering. <i>Nanoscale</i> , 2020, 12, 9255-9265.	2.8	12
167	Tunable, room-temperature multiferroic Fe-BaTiO <sub>3</sub> vertically aligned nanocomposites with perpendicular magnetic anisotropy. <i>Materials Today Nano</i> , 2020, 11, 100083.	2.3	19
168	Advanced Thin Film Cathodes for Lithium Ion Batteries. <i>Research</i> , 2020, 2020, 2969510.	2.8	22
169	Ultrafast measurements of polarization switching dynamics on ferroelectric and anti-ferroelectric hafnium zirconium oxide. <i>Applied Physics Letters</i> , 2019, 115, .	1.5	77
170	Controllable conduction and hidden phase transitions revealed via vertical strain. <i>Applied Physics Letters</i> , 2019, 114, 252901.	1.5	5
171	Phase transformation induced plasticity in high-strength hexagonal close packed Co with stacking faults. <i>Scripta Materialia</i> , 2019, 173, 32-36.	2.6	23
172	Room-Temperature Electrocaloric Effect in Layered Ferroelectric CuInP <sub>2</sub> S <sub>6</sub> for Solid-State Refrigeration. <i>ACS Nano</i> , 2019, 13, 8760-8765.	7.3	69
173	Ferroelectric thin films and nanostructures: current and future. , 2019, , 19-39.		0
174	Helium irradiation induced ultra-high strength nanotwinned Cu with nanovoids. <i>Acta Materialia</i> , 2019, 177, 107-120.	3.8	38
175	Tunable low-field magnetoresistance properties in (La <sub>0.7</sub> Ca <sub>0.3</sub> MnO <sub>3</sub> ) <sub>1-x</sub> (CeO <sub>2</sub> ) <sub>x</sub> vertically aligned nanocomposite thin films. <i>Applied Physics Letters</i> , 2019, 115, 053103.	1.5	15
176	Broad Range Tuning of Phase Transition Property in VO <sub>2</sub> Through Metal-Ceramic Nanocomposite Design. <i>Advanced Functional Materials</i> , 2019, 29, 1903690.	7.8	26
177	Investigation of KBiFe <sub>2</sub> O <sub>5</sub> as a Photovoltaic Absorber. <i>ACS Applied Energy Materials</i> , 2019, 2, 8039-8044.	2.5	7
178	Staged microstructural study of flash sintered titania. <i>Materialia</i> , 2019, 8, 100451.	1.3	16
179	Dual Beam In Situ Radiation Studies of Nanocrystalline Cu. <i>Materials</i> , 2019, 12, 2721.	1.3	13
180	Interfacial Engineering Enabled Novel Bi-Based Layered Oxide Supercells with Modulated Microstructures and Tunable Physical Properties. <i>Crystal Growth and Design</i> , 2019, 19, 7088-7095.	1.4	6

#	ARTICLE	IF	CITATIONS
181	Defect-Mediated Anisotropic Lattice Expansion in Ceramics as Evidence for Nonthermal Coupling between Electromagnetic Fields and Matter. <i>Advanced Engineering Materials</i> , 2019, 21, 1900762.	1.6	6
182	High strength, deformable nanotwinned Al-Co alloys. <i>Materials Research Letters</i> , 2019, 7, 33-39.	4.1	32
183	Surface Functionalization of Layered Molybdenum Disulfide for the Selective Detection of Volatile Organic Compounds at Room Temperature. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 34135-34143.	4.0	79
184	Plasmonic Cu nanostructures in ZnO as hyperbolic metamaterial thin films. <i>Materials Today Nano</i> , 2019, 8, 100052.	2.3	30
185	Nanoscale stacking fault-assisted room temperature plasticity in flash-sintered TiO <sub>2</sub> . <i>Science Advances</i> , 2019, 5, eaaw5519.	4.7	82
186	Hybrid plasmonic Au-TiN vertically aligned nanocomposites: a nanoscale platform towards tunable optical sensing. <i>Nanoscale Advances</i> , 2019, 1, 1045-1054.	2.2	37
187	Strain and property tuning of the 3D framed epitaxial nanocomposite thin films via interlayer thickness variation. <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	16
188	9R phase enabled superior radiation stability of nanotwinned Cu alloys via in situ radiation at elevated temperature. <i>Acta Materialia</i> , 2019, 167, 248-256.	3.8	27
189	Comparison Study of the Flux Pinning Enhancement of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> Thin Films With BaHfO <sub>3</sub> + Y <sub>2</sub> O <sub>3</sub> Single- and Mixed-Phase Additions. <i>IEEE Transactions on Applied Superconductivity</i> , 2019, 29, 1-5.	1.1	7
190	AlN-based hybrid thin films with self-assembled plasmonic Au and Ag nano-inclusions. <i>Applied Physics Letters</i> , 2019, 114, .	1.5	6
191	Strain-driven nanodumbbell structure and enhanced physical properties in hybrid vertically aligned nanocomposite thin films. <i>Applied Materials Today</i> , 2019, 16, 204-212.	2.3	30
192	Multiferroic vertically aligned nanocomposite with CoFe <sub>2</sub> O <sub>4</sub> nanocones embedded in layered Bi <sub>2</sub> WO <sub>6</sub> matrix. <i>Materials Research Letters</i> , 2019, 7, 418-425.	4.1	14
193	Size dependent strengthening in high strength nanotwinned Al/Ti multilayers. <i>Acta Materialia</i> , 2019, 175, 466-476.	3.8	56
194	Superconducting Iron Chalcogenide Thin Films Integrated on Flexible Mica Substrates. <i>IEEE Transactions on Applied Superconductivity</i> , 2019, 29, 1-4.	1.1	8
195	Self-assembled two-dimensional layered oxide supercells with modulated layer stacking and tunable physical properties. <i>Materials Today Nano</i> , 2019, 6, 100037.	2.3	14
196	Comparison of temperature dependent deformation mechanisms of 8YSZ thermal barrier coatings prepared by air-plasma-spray and D-gun thermal spray: An in situ study. <i>Journal of the European Ceramic Society</i> , 2019, 39, 3120-3128.	2.8	18
197	Li <sub>2</sub> MnO <sub>3</sub> Thin Films with Tilted Domain Structure as Cathode for Li-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2019, 2, 3461-3468.	2.5	11
198	Response of solidification cellular structures in additively manufactured 316 stainless steel to heavy ion irradiation: an in situ study. <i>Materials Research Letters</i> , 2019, 7, 290-297.	4.1	26

#	ARTICLE	IF	CITATIONS
199	3D strain-induced superconductivity in La <sub>2</sub> CuO <sub>4</sub> using a simple vertically aligned nanocomposite approach. <i>Science Advances</i> , 2019, 5, eaav5532.	4.7	31
200	Pinning Efficiency of One-Dimensional Artificial Pinning Centers in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> Thin Films. <i>IEEE Transactions on Applied Superconductivity</i> , 2019, 29, 1-5.	1.1	5
201	An in situ study on Kr ion-irradiated crystalline Cu/amorphous-CuNb nanolaminates. <i>Journal of Materials Research</i> , 2019, 34, 2218-2228.	1.2	14
202	Optical and electrical properties of (111)-oriented epitaxial SrVO <sub>3</sub> thin films. <i>Ceramics International</i> , 2019, 45, 11304-11308.	2.3	7
203	Radiation induced nanovoid shrinkage in Cu at room temperature: An in situ study. <i>Scripta Materialia</i> , 2019, 166, 112-116.	2.6	11
204	Strain Enhanced Functionality in a Bottom-Up Approach Enabled 3D Super-Nanocomposites. <i>Advanced Functional Materials</i> , 2019, 29, 1900442.	7.8	17
205	Study of deformation mechanisms in flash-sintered yttria-stabilized zirconia by <i>in-situ</i> micromechanical testing at elevated temperatures. <i>Materials Research Letters</i> , 2019, 7, 194-202.	4.1	25
206	Breaking Lattice Symmetry in Highly Strained Epitaxial VO <sub>2</sub> Films on Faceted Nanosurface. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 44905-44912.	4.0	8
207	Thick grain boundary induced strengthening in nanocrystalline Ni alloy. <i>Nanoscale</i> , 2019, 11, 23449-23458.	2.8	34
208	Solar-Blind UV Photodetector Based on Atomic Layer-Deposited Cu <sub>2</sub> O and Nanomembrane InGa <sub>2</sub> O <sub>3</sub> pn Oxide Heterojunction. <i>ACS Omega</i> , 2019, 4, 20756-20761.	1.6	35
209	A ferroelectric semiconductor field-effect transistor. <i>Nature Electronics</i> , 2019, 2, 580-586.	13.1	317
210	Tuning magnetic anisotropy in Co/BaZrO <sub>3</sub> vertically aligned nanocomposites for memory device integration. <i>Nanoscale Advances</i> , 2019, 1, 4450-4458.	2.2	15
211	The effects of external fields in ceramic sintering. <i>Journal of the American Ceramic Society</i> , 2019, 102, 5-31.	1.9	44
212	Self-Assembled Ordered Three-Phase Au/BaTiO <sub>3</sub> /ZnO Vertically Aligned Nanocomposites Achieved by a Templating Method. <i>Advanced Materials</i> , 2019, 31, e1806529.	11.1	56
213	High temperature thermal and mechanical stability of high-strength nanotwinned Al alloys. <i>Acta Materialia</i> , 2019, 165, 142-152.	3.8	45
214	Comparison of the grain growth behavior and defect structures of flash sintered ZnO with and without controlled current ramp. <i>Scripta Materialia</i> , 2019, 162, 251-255.	2.6	47
215	Strain tuning of ferroelectric and optical properties of rhombohedral-like BiFeO <sub>3</sub> thin films on SrRuO <sub>3</sub> -buffered substrates. <i>Materials Research Bulletin</i> , 2019, 110, 120-125.	2.7	20
216	Self-Assembled Ag/TiN Hybrid Plasmonic Metamaterial: Tailorable Tilted Nanopillar and Optical Properties. <i>Advanced Optical Materials</i> , 2019, 7, 1801180.	3.6	31

#	ARTICLE	IF	CITATIONS
217	The role of point defects and defect gradients in flash sintering of perovskite oxides. <i>Acta Materialia</i> , 2019, 165, 398-408.	3.8	65
218	Key microstructural characteristics in flash sintered 3YSZ critical for enhanced sintering process. <i>Ceramics International</i> , 2019, 45, 1251-1257.	2.3	24
219	Tailoring strength and plasticity of Ag/Nb nanolaminates via intrinsic microstructure and extrinsic dimension. <i>International Journal of Plasticity</i> , 2019, 113, 145-157.	4.1	32
220	Very high commutation quality factor and dielectric tunability in nanocomposite SrTiO <sub>3</sub> thin films with $\epsilon''$ enhanced to $>300$ Å°C. <i>Nanoscale</i> , 2018, 10, 3460-3468.	2.8	22
221	<i>In situ</i> study on surface roughening in radiation-resistant Ag nanowires. <i>Nanotechnology</i> , 2018, 29, 215708.	1.3	14
222	Superior twin stability and radiation resistance of nanotwinned Ag solid solution alloy. <i>Acta Materialia</i> , 2018, 151, 395-405.	3.8	27
223	Three-dimensional strain engineering in epitaxial vertically aligned nanocomposite thin films with tunable magnetotransport properties. <i>Materials Horizons</i> , 2018, 5, 536-544.	6.4	57
224	Mechanical behavior of structurally gradient nickel alloy. <i>Acta Materialia</i> , 2018, 149, 57-67.	3.8	70
225	Microstructure and mechanical behavior of nanotwinned AlTi alloys with 9R phase. <i>Scripta Materialia</i> , 2018, 148, 5-9.	2.6	48
226	Use of Mesoscopic Host Matrix to Induce Ferrimagnetism in Antiferromagnetic Spinel Oxide. <i>Advanced Functional Materials</i> , 2018, 28, 1706220.	7.8	10
227	Microscopic adaptation of BaHfO <sub>3</sub> and Y <sub>2</sub> O <sub>3</sub> artificial pinning centers for strong and isotropic pinning landscape in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> thin films. <i>Superconductor Science and Technology</i> , 2018, 31, 025008.	1.8	27
228	High-strength Nanotwinned Al Alloys with 9R Phase. <i>Advanced Materials</i> , 2018, 30, 1704629.	11.1	93
229	Microstructure, Magnetic, and Magnetoresistance Properties of La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> :CuO Nanocomposite Thin Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 5779-5784.	4.0	24
230	Tunable magnetic anisotropy of self-assembled Fe nanostructures within a La <sub>0.5</sub> Sr <sub>0.5</sub> FeO <sub>3</sub> matrix. <i>Applied Physics Letters</i> , 2018, 112, .	1.5	16
231	Oxygen-vacancy-mediated dielectric property in perovskite Eu <sub>0.5</sub> Ba <sub>0.5</sub> TiO <sub>3-<math>\delta</math></sub> epitaxial thin films. <i>Applied Physics Letters</i> , 2018, 112, .	1.5	16
232	Nanoscale Artificial Plasmonic Lattice in Self-Assembled Vertically Aligned Nitride-Metal Hybrid Metamaterials. <i>Advanced Science</i> , 2018, 5, 1800416.	5.6	56
233	Radiation damage in nanostructured materials. <i>Progress in Materials Science</i> , 2018, 96, 217-321.	16.0	307
234	In situ studies on irradiation resistance of nanoporous Au through temperature-jump tests. <i>Acta Materialia</i> , 2018, 143, 30-42.	3.8	27

#	ARTICLE	IF	CITATIONS
235	In situ study on enhanced heavy ion irradiation tolerance of porous Mg. Scripta Materialia, 2018, 144, 13-17.	2.6	17
236	Texture-directed twin formation propensity in Al with high stacking fault energy. Acta Materialia, 2018, 144, 226-234.	3.8	36
237	Probing the effect of interface on vortex pinning efficiency of one-dimensional BaZrO <sub>3</sub> and BaHfO <sub>3</sub> artificial pinning centers in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> thin films. Applied Physics Letters, 2018, 113, .	1.5	22
238	Strengthening mechanisms and deformability of nanotwinned AlMg alloys. Journal of Materials Research, 2018, 33, 3739-3749.	1.2	15
239	Multifunctional La <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> (LSMO) Thin Films Integrated on Mica Substrates toward Flexible Spintronics and Electronics. ACS Applied Materials & Interfaces, 2018, 10, 42698-42705.	4.0	62
240	All-Oxide Nanocomposites to Yield Large, Tunable Perpendicular Exchange Bias above Room Temperature. ACS Applied Materials & Interfaces, 2018, 10, 42593-42602.	4.0	16
241	Epitaxial Growth of 1D Atomic Chain Based Se Nanoplates on Monolayer ReS <sub>2</sub> for High-Performance Photodetectors. Advanced Functional Materials, 2018, 28, 1806254.	7.8	52
242	Nanoporous Films and Nanostructure Arrays Created by Selective Dissolution of Water-Soluble Materials. Advanced Science, 2018, 5, 1800851.	5.6	4
243	Tailorable Au Nanoparticles Embedded in Epitaxial TiO <sub>2</sub> Thin Films for Tunable Optical Properties. ACS Applied Materials & Interfaces, 2018, 10, 32895-32902.	4.0	34
244	A Review on the Radiation Response of Nanoporous Metallic Materials. Jom, 2018, 70, 2753-2764.	0.9	14
245	In-situ observation of oxygen mobility and abnormal lattice expansion in ceria during flash sintering. Ceramics International, 2018, 44, 15362-15369.	2.3	75
246	High temperature deformability of ductile flash-sintered ceramics via in-situ compression. Nature Communications, 2018, 9, 2063.	5.8	87
247	Tailorable Optical Response of Au@LiNbO <sub>3</sub> Hybrid Metamaterial Thin Films for Optical Waveguide Applications. Advanced Optical Materials, 2018, 6, 1800510.	3.6	32
248	Superconducting FeSe <sub>0.1</sub> Te <sub>0.9</sub> thin films integrated on Si-based substrates. Journal Physics D: Applied Physics, 2018, 51, 205301.	1.3	6
249	Design of a Vertical Composite Thin Film System with Ultralow Leakage To Yield Large Converse Magnetoelectric Effect. ACS Applied Materials & Interfaces, 2018, 10, 18237-18245.	4.0	24
250	Self-assembled vertically aligned Ni nanopillars in CeO <sub>2</sub> with anisotropic magnetic and transport properties for energy applications. Nanoscale, 2018, 10, 17182-17188.	2.8	34
251	In situ measurement of temperature and reduction of rutile titania using energy dispersive x-ray diffraction. Journal of the European Ceramic Society, 2018, 38, 5503-5511.	2.8	31
252	Strain-induced suppression of the miscibility gap in nanostructured Mg <sub>2</sub> Si@Mg <sub>2</sub> Sn solid solutions. Journal of Materials Chemistry A, 2018, 6, 17559-17570.	5.2	30

#	ARTICLE	IF	CITATIONS
253	Deformation mechanisms in FCC Co dominated by high-density stacking faults. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 736, 12-21.	2.6	27
254	Vertically Aligned Nanocomposite BaTiO <sub>3</sub> :YMnO <sub>3</sub> Thin Films with Room Temperature Multiferroic Properties toward Nanoscale Memory Devices. <i>ACS Applied Nano Materials</i> , 2018, 1, 2509-2514.	2.4	29
255	In-situ high temperature micromechanical testing of ultrafine grained yttria-stabilized zirconia processed by spark plasma sintering. <i>Acta Materialia</i> , 2018, 155, 128-137.	3.8	14
256	Giant optical anisotropy in a quasi-one-dimensional crystal. <i>Nature Photonics</i> , 2018, 12, 392-396.	15.6	269
257	Inhomogeneous reduction and its relation to grain growth of titania during flash sintering. <i>Scripta Materialia</i> , 2018, 155, 37-40.	2.6	60
258	Exchange Bias Effect along Vertical Interfaces in La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> :NiO Vertically Aligned Nanocomposite Thin Films Integrated on Silicon Substrates. <i>Crystal Growth and Design</i> , 2018, 18, 4388-4394.	1.4	33
259	Continuous Tuning of Phase Transition Temperature in VO <sub>2</sub> Thin Films on <i>c</i> -Cut Sapphire Substrates via Strain Variation. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 5319-5327.	4.0	87
260	Enhanced Flux Pinning Properties of YBCO Thin Films With Various Pinning Landscapes. <i>IEEE Transactions on Applied Superconductivity</i> , 2017, 27, 1-5.	1.1	7
261	Self-Organized Epitaxial Vertically Aligned Nanocomposites with Long-Range Ordering Enabled by Substrate Nanotemplating. <i>Advanced Materials</i> , 2017, 29, 1606861.	11.1	36
262	Layer thickness dependent strain rate sensitivity of Cu/amorphous CuNb multilayer. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	25
263	Self-assembled Co-BaZrO <sub>3</sub> nanocomposite thin films with ultra-fine vertically aligned Co nanopillars. <i>Nanoscale</i> , 2017, 9, 7970-7976.	2.8	64
264	Room temperature magnetodielectric effects in epitaxial hexaferrite BaFe <sub>10.2</sub> Sc <sub>1.8</sub> O <sub>19</sub> thin film. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	11
265	Giant Enhancement of Polarization and Strong Improvement of Retention in Epitaxial Ba <sub>0.6</sub> Sr <sub>0.4</sub> TiO <sub>3</sub> -Based Nanocomposites. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700336.	1.9	10
266	Thermal stability from calorimetric measurements of multilayered NiFe specimens with different layer thickness. <i>Scripta Materialia</i> , 2017, 137, 100-103.	2.6	2
267	Study of the Flux Pinning Landscape of YBCO Thin Films With Single and Mixed Phase Additions BaMO <sub>3</sub> + Z: M = Hf, Sn, Zr and Z = Y <sub>2</sub> O <sub>3</sub> , Y <sub>2</sub> 11. <i>IEEE Transactions on Applied Superconductivity</i> , 2017, 27, 1-5.	1.1	31
268	In Situ Studies on the Irradiation-Induced Twin Boundary-Defect Interactions in Cu. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 5172-5180.	1.1	21
269	Novel Layered Supercell Structure from Bi <sub>2</sub> AlMnO <sub>6</sub> for Multifunctionalities. <i>Nano Letters</i> , 2017, 17, 6575-6582.	4.5	25
270	Defect evolution in heavy ion irradiated nanotwinned Cu with nanovoids. <i>Journal of Nuclear Materials</i> , 2017, 496, 293-300.	1.3	12



#	ARTICLE	IF	CITATIONS
271	Effective magnetic pinning schemes for enhanced superconducting property in high temperature superconductor $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ : a review. Superconductor Science and Technology, 2017, 30, 114004.	1.8	19
272	Controlled Growth of a Large-Size 2D Selenium Nanosheet and Its Electronic and Optoelectronic Applications. ACS Nano, 2017, 11, 10222-10229.	7.3	189
273	Roles of strain and domain boundaries on the phase transition stability of VO <sub>2</sub> thin films. Applied Physics Letters, 2017, 111, .	1.5	24
274	Transformational dynamics of BZO and BHO nanorods imposed by Y <sub>2</sub> O <sub>3</sub> nanoparticles for improved isotropic pinning in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films. AIP Advances, 2017, 7, .	0.6	20
275	Manipulating multiple order parameters via oxygen vacancies: The case of $\text{E}_u$ and $\text{B}_g$ modes in $\text{BaTiO}_3$ . Applied Physics Letters, 2017, 111, .	1.1	15
276	Tailoring plasticity of metallic glasses via interfaces in Cu/amorphous CuNb laminates. Journal of Materials Research, 2017, 32, 2680-2689.	1.2	17
277	New epitaxy paradigm in epitaxial self-assembled oxide vertically aligned nanocomposite thin films. Journal of Materials Research, 2017, 32, 4054-4066.	1.2	86
278	Real-Time and Label-Free Chemical Sensor-on-a-chip using Monolithic Si-on-BaTiO <sub>3</sub> Mid-Infrared waveguides. Scientific Reports, 2017, 7, 5836.	1.6	19
279	High-velocity projectile impact induced 9R phase in ultrafine-grained aluminium. Nature Communications, 2017, 8, 1653.	5.8	66
280	In Situ Studies on Twin-Thickness-Dependent Distribution of Defect Clusters in Heavy Ion-Irradiated Nanotwinned Ag. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2017, 48, 1466-1473.	1.1	17
281	Monolithic Mid-Infrared Integrated Photonics Using Silicon-on-Epitaxial Barium Titanate Thin Films. ACS Applied Materials & Interfaces, 2017, 9, 21848-21855.	4.0	23
282	Terahertz transport dynamics in the metal-insulator transition of V <sub>2</sub> O <sub>3</sub> thin film. Optics Communications, 2017, 387, 385-389.	1.0	5
283	Radiation induced detwinning in nanotwinned Cu. Scripta Materialia, 2017, 130, 37-41.	2.6	24
284	In situ heavy ion irradiation studies of nanopore shrinkage and enhanced radiation tolerance of nanoporous Au. Scientific Reports, 2017, 7, 39484.	1.6	37
285	Ultra-smooth glassy graphene thin films for flexible transparent circuits. Science Advances, 2016, 2, e1601574.	4.7	59
286	Measurement of Heavy Ion Irradiation Induced In-Plane Strain in Patterned Face-Centered-Cubic Metal Films: An In Situ Study. Nano Letters, 2016, 16, 7481-7489.	4.5	14
287	Strong perpendicular exchange bias in epitaxial La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> :LaFeO <sub>3</sub> nanocomposite thin films. APL Materials, 2016, 4, .	2.2	22
288	Stabilizing new bismuth compounds in thin film form. Journal of Materials Research, 2016, 31, 3530-3537.	1.2	8

#	ARTICLE	IF	CITATIONS
289	Epitaxial growth and physical properties of ternary nitride thin films by polymer-assisted deposition. <i>Applied Physics Letters</i> , 2016, 109, 081907.	1.5	2
290	In situ study of heavy ion irradiation response of immiscible Cu/Fe multilayers. <i>Journal of Nuclear Materials</i> , 2016, 475, 274-279.	1.3	41
291	Self-Assembled Epitaxial Au-Oxide Vertically Aligned Nanocomposites for Nanoscale Metamaterials. <i>Nano Letters</i> , 2016, 16, 3936-3943.	4.5	91
292	In situ nanomechanical testing of twinned metals in a transmission electron microscope. <i>MRS Bulletin</i> , 2016, 41, 305-313.	1.7	13
293	In Situ TEM Nanoindentation Studies on Stress-Induced Phase Transformations in Metallic Materials. <i>Jom</i> , 2016, 68, 226-234.	0.9	5
294	Self-Assembled Heteroepitaxial Oxide Nanocomposite for Photoelectrochemical Solar Water Oxidation. <i>Chemistry of Materials</i> , 2016, 28, 3017-3023.	3.2	28
295	Comparison of size dependent strengthening mechanisms in Ag/Fe and Ag/Ni multilayers. <i>Acta Materialia</i> , 2016, 114, 154-163.	3.8	56
296	Self-Assembled Magnetic Metallic Nanopillars in Ceramic Matrix with Anisotropic Magnetic and Electrical Transport Properties. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 20283-20291.	4.0	39
297	Unusual size dependent strengthening mechanisms of Cu/amorphous CuNb multilayers. <i>Acta Materialia</i> , 2016, 120, 327-336.	3.8	61
298	Turning antiferromagnetic $\text{Sm}_{0.34}\text{Sr}_{0.66}\text{MnO}_3$ into a 140 K ferromagnet using a nanocomposite strain tuning approach. <i>Nanoscale</i> , 2016, 8, 8083-8090.	2.8	25
299	Enhancement of Low-field Magnetoresistance in Self-Assembled Epitaxial $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3:\text{NiO}$ and $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3:\text{Co}_3\text{O}_4$ Composite Films via Polymer-Assisted Deposition. <i>Scientific Reports</i> , 2016, 6, 26390.	1.6	16
300	Grain growth of nanocrystalline 3C-SiC under Au ion irradiation at elevated temperatures. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 035304.	1.3	3
301	Very High Surface Area Mesoporous Thin Films of $\text{SrTiO}_3$ Grown by Pulsed Laser Deposition and Application to Efficient Photoelectrochemical Water Splitting. <i>Nano Letters</i> , 2016, 16, 7338-7345.	4.5	51
302	Role of scaffold network in controlling strain and functionalities of nanocomposite films. <i>Science Advances</i> , 2016, 2, e1600245.	4.7	80
303	Self-assembled oxide films with tailored nanoscale ionic and electronic channels for controlled resistive switching. <i>Nature Communications</i> , 2016, 7, 12373.	5.8	81
304	Upper Critical Field and Kondo Effects in $\text{Fe}(\text{Te}_{0.9}\text{Se}_{0.1})$ Thin Films by Pulsed Field Measurements. <i>Scientific Reports</i> , 2016, 6, 21469.	1.6	14
305	In situ studies on radiation tolerance of nanotwinned Cu. <i>Acta Materialia</i> , 2016, 111, 148-156.	3.8	63
306	A roadmap for tailoring the strength and ductility of ferritic/martensitic T91 steel via thermo-mechanical treatment. <i>Acta Materialia</i> , 2016, 112, 361-377.	3.8	76

#	ARTICLE	IF	CITATIONS
307	Two-Dimensional Layered Oxide Structures Tailored by Self-Assembled Layer Stacking via Interfacial Strain. ACS Applied Materials & Interfaces, 2016, 8, 16845-16851.	4.0	26
308	Deformation behavior of multilayered NiFe with bimodal grain size distribution at room and elevated temperature. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 656, 174-183.	2.6	10
309	Magnetic (CoFe <sub>2</sub> O <sub>4</sub> ) <sub>0.1</sub> (CeO <sub>2</sub> ) <sub>0.9</sub> nanocomposite as effective pinning centers in FeSe <sub>0.1</sub> Te <sub>0.9</sub> thin films. Journal of Physics Condensed Matter, 2016, 28, 025702.	0.7	9
310	Influence of layer thickness on mechanical properties of multilayered NiFe samples processed by electrodeposition. Materials and Design, 2016, 90, 389-395.	3.3	22
311	Plastic deformation in nanocrystalline TiN at ultra-low stress: An in situ nanoindentation study. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 650, 445-453.	2.6	16
312	In Situ Nanoindentation Studies on Detwinning and Work Hardening in Nanotwinned Monolithic Metals. Jom, 2016, 68, 127-135.	0.9	14
313	Composite epitaxial thin films: A new platform for tuning, probing, and exploiting mesoscale oxides. MRS Bulletin, 2015, 40, 933-942.	1.7	52
314	Multifunctional, self-assembled oxide nanocomposite thin films and devices. MRS Bulletin, 2015, 40, 736-745.	1.7	70
315	Heterointerface design and strain tuning in epitaxial BiFeO <sub>3</sub> :CoFe <sub>2</sub> O <sub>4</sub> nanocomposite films. Applied Physics Letters, 2015, 107, .	1.5	27
316	Vertical Interface Induced Dielectric Relaxation in Nanocomposite (BaTiO <sub>3</sub> ) <sub>1-x</sub> :(Sm <sub>2</sub> O <sub>3</sub> ) <sub>x</sub> Thin Films. Scientific Reports, 2015, 5, 11335.	1.6	21
317	Enhanced tunable magnetoresistance properties over a wide temperature range in epitaxial (La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> ) <sub>1-x</sub> :(CeO <sub>2</sub> ) <sub>x</sub> nanocomposites. Journal of Applied Physics, 2015, 118, .	1.1	26
318	Atomic-scale EDS Mapping for Chemical Imaging and Quantification of Interdiffusion in Self-assembled Vertically Aligned Nanocomposite Thin Films. Microscopy and Microanalysis, 2015, 21, 2249-2250.	0.2	0
319	Strain Tuning and Strong Enhancement of Ionic Conductivity in SrZrO <sub>3</sub> -RE <sub>2</sub> O <sub>3</sub> (RE = Sm, Eu, Gd, Dy, and Er) Nanocomposite Films. Advanced Functional Materials, 2015, 25, 4328-4333.	7.8	54
320	New strain states and radical property tuning of metal oxides using a nanocomposite thin film approach. APL Materials, 2015, 3, 062507.	2.2	37
321	Damage-tolerant nanotwinned metals with nanovoids under radiation environments. Nature Communications, 2015, 6, 7036.	5.8	97
322	Thermal stability of amorphous SiOC/crystalline Fe composite. Philosophical Magazine, 2015, 95, 3876-3887.	0.7	11
323	Tunable flux pinning landscapes achieved by functional ferromagnetic Fe <sub>2</sub> O <sub>3</sub> :CeO <sub>2</sub> vertically aligned nanocomposites in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> thin films. Physica C: Superconductivity and Its Applications, 2015, 510, 13-20.	0.6	15
324	Superior radiation-resistant nanoengineered austenitic 304L stainless steel for applications in extreme radiation environments. Scientific Reports, 2015, 5, 7801.	1.6	82

#	ARTICLE	IF	CITATIONS
325	Electrochemical and Structural Effects of In Situ Li <sub>2</sub> O Extraction from Li <sub>2</sub> MnO <sub>3</sub> for Li-Ion Batteries. ACS Applied Materials & Interfaces, 2015, 7, 2433-2438.	4.0	31
326	<i>In situ</i> Observation of Defect Annihilation in Kr Ion-Irradiated Bulk Fe/Amorphous-Fe <sub>2</sub> Zr Nanocomposite Alloy. Materials Research Letters, 2015, 3, 35-42.	4.1	20
327	Strain and Interface Effects in a Novel Bismuth-Based Self-Assembled Supercell Structure. ACS Applied Materials & Interfaces, 2015, 7, 11631-11636.	4.0	22
328	Strong perpendicular exchange bias in epitaxial La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> :BiFeO <sub>3</sub> nanocomposite films through vertical interfacial coupling. Nanoscale, 2015, 7, 13808-13815.	2.8	43
329	Resilient ZnO nanowires in an irradiation environment: An in situ study. Acta Materialia, 2015, 95, 156-163.	3.8	22
330	Highly anisotropic and robust excitons in monolayer black phosphorus. Nature Nanotechnology, 2015, 10, 517-521.	15.6	1,204
331	In Situ Study of Defect Migration Kinetics and Self-Healing of Twin Boundaries in Heavy Ion Irradiated Nanotwinned Metals. Nano Letters, 2015, 15, 2922-2927.	4.5	90
332	Strongly Bias-Dependent Tunnel Magnetoresistance in Manganite Spin Filter Tunnel Junctions. Advanced Materials, 2015, 27, 3079-3084.	11.1	15
333	Enhanced Flux Pinning Properties in $\text{YBa}_{2}\text{Cu}_{3}\text{O}_{7-\delta}/\text{CoFe}_{2}\text{O}_{4}/\text{CeO}_{2}$ Multilayer Thin Films. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4.	1.1	2
334	Enhanced radiation tolerance in immiscible Cu/Fe multilayers with coherent and incoherent layer interfaces. Journal of Materials Research, 2015, 30, 1300-1309.	1.2	34
335	Perpendicular Exchange-Biased Magnetotransport at the Vertical Heterointerfaces in La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> :NiO Nanocomposites. ACS Applied Materials & Interfaces, 2015, 7, 21646-21651.	4.0	40
336	A simplified superconducting coated conductor design with Fe-based superconductors on glass and flexible metallic substrates. Journal of Alloys and Compounds, 2015, 647, 380-385.	2.8	25
337	Radiation tolerant nanocrystalline ZrN films under high dose heavy-ion irradiations. Journal of Applied Physics, 2015, 117, .	1.1	21
338	Photoluminescence study of p-type vs. n-type Ag-doped ZnO films. Journal of Applied Physics, 2015, 118, .	1.1	12
339	In situ studies on superior thermal stability of bulk FeZr nanocomposites. Acta Materialia, 2015, 101, 125-135.	3.8	14
340	Strongly enhanced oxygen ion transport through samarium-doped CeO <sub>2</sub> nanopillars in nanocomposite films. Nature Communications, 2015, 6, 8588.	5.8	145
341	Single-Crystalline Thin Films for Studying Intrinsic Properties of BiFeO <sub>3</sub> –SrTiO <sub>3</sub> Solid Solution Photoelectrodes in Solar Energy Conversion. Chemistry of Materials, 2015, 27, 6635-6641.	3.2	44
342	Ionic Conductivity Increased by Two Orders of Magnitude in Micrometer-Thick Vertical Yttria-Stabilized ZrO <sub>2</sub> Nanocomposite Films. Nano Letters, 2015, 15, 7362-7369.	4.5	90

#	ARTICLE	IF	CITATIONS
343	The formation mechanisms of growth twins in polycrystalline Al with high stacking fault energy. Acta Materialia, 2015, 101, 62-70.	3.8	48
344	Aqueous Solution-Deposited Molybdenum Oxide Films as an Anode Interfacial Layer for Organic Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 18218-18224.	4.0	26
345	Optimizing Flux Pinning of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin Films With Unique Large Nanoparticle Size and High Concentration of $\text{Y}_2\text{BaCuO}_5$ Additions. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5.	1.1	1
346	Unusual size-dependent strengthening mechanisms in helium ion-irradiated immiscible coherent Cu/Co nanolayers. Acta Materialia, 2015, 84, 393-404.	3.8	75
347	Influences of Ag nanoparticles on the microstructure and texture of CeO <sub>2</sub> films prepared by chemical solution deposition. Ceramics International, 2015, 41, 3197-3201.	2.3	2
348	Strain relaxation and enhanced perpendicular magnetic anisotropy in BiFeO <sub>3</sub> :CoFe <sub>2</sub> O <sub>4</sub> vertically aligned nanocomposite thin films. Applied Physics Letters, 2014, 104, .	1.5	45
349	Room temperature mechanical behaviour of a Ni-Fe multilayered material with modulated grain size distribution. Philosophical Magazine, 2014, 94, 3549-3559.	0.7	17
350	Room Temperature Ferrimagnetism and Ferroelectricity in Strained, Thin Films of BiFe <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>3</sub> . Advanced Functional Materials, 2014, 24, 7478-7487.	7.8	38
351	In situ studies of radiation induced crystallization in Fe/a-Y <sub>2</sub> O <sub>3</sub> nanolayers. Journal of Nuclear Materials, 2014, 452, 321-327.	1.3	26
352	Magnetic properties of (CoFe <sub>2</sub> O <sub>4</sub> ) <sub>x</sub> :(CeO <sub>2</sub> ) <sub>1-x</sub> vertically aligned nanocomposites and their pinning properties in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-δ</sub> thin films. Journal of Applied Physics, 2014, 115, 123902.	1.1	25
353	Plasticity and ultra-low stress induced twin boundary migration in nanotwinned Cu by <i>in situ</i> nanoindentation studies. Applied Physics Letters, 2014, 104, .	1.5	47
354	Manipulating leakage behavior via distribution of interfaces in oxide thin films. Applied Physics Letters, 2014, 105, 072907.	1.5	15
355	Strong pinning in very fast grown reactive co-evaporated GdBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> coated conductors. APL Materials, 2014, 2, .	2.2	34
356	Textured metastable VO <sub>2</sub> (B) thin films on SrTiO <sub>3</sub> substrates with significantly enhanced conductivity. Applied Physics Letters, 2014, 104, .	1.5	41
357	Strain dependent ultrafast carrier dynamics in EuTiO <sub>3</sub> films. Applied Physics Letters, 2014, 105, .	1.5	12
358	Repetitive Ultra-low Stress Induced Nanocrystallization in Amorphous Cu-Zr-Al Alloy Evidenced by <i>in situ</i> Nanoindentation. Materials Research Letters, 2014, 2, 209-216.	4.1	10
359	Size and stress dependent hydrogen desorption in metastable Mg hydride films. International Journal of Hydrogen Energy, 2014, 39, 2597-2607.	3.8	32
360	Interfacial coupling in heteroepitaxial vertically aligned nanocomposite thin films: From lateral to vertical control. Current Opinion in Solid State and Materials Science, 2014, 18, 6-18.	5.6	98

#	ARTICLE	IF	CITATIONS
361	In situ neutron diffraction study on temperature dependent deformation mechanisms of ultrafine grained austenitic Fe-14Cr-16Ni alloy. <i>International Journal of Plasticity</i> , 2014, 53, 125-134.	4.1	10
362	Temperature and grain size dependent plastic instability and strain rate sensitivity of ultrafine grained austenitic Fe-14Cr-16Ni alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 597, 415-421.	2.6	20
363	Strong correlated pinning at high growth rates in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> thin films with Ba <sub>2</sub> YNbO <sub>6</sub> additions. <i>Journal of Applied Physics</i> , 2014, 116, .	1.1	15
364	Four-fold Raman enhancement of 2D band in twisted bilayer graphene: evidence for a doubly degenerate Dirac band and quantum interference. <i>Nanotechnology</i> , 2014, 25, 335201.	1.3	18
365	Interlayer Effects on Oxygen Reduction Kinetics in Porous Electrodes of La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3-<math>\delta</math></sub> . <i>Journal of the Electrochemical Society</i> , 2014, 161, F398-F404.	1.3	3
366	Transparent p-type epitaxial thin films of nickel oxide. <i>Chemical Communications</i> , 2014, 50, 1854.	2.2	43
367	A new approach to investigate Li <sub>2</sub> MnO <sub>3</sub> and Li(Ni <sub>0.5</sub> Mn <sub>0.3</sub> Co <sub>0.2</sub> )O <sub>2</sub> mixed phase cathode materials. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2283-2289.	5.2	24
368	Nanostructured pinning centers in FeSe <sub>0.1</sub> Te <sub>0.9</sub> thin films for enhanced superconducting properties. <i>Superconductor Science and Technology</i> , 2014, 27, 105006.	1.8	10
369	Ferroelectric Sm-Doped BiMnO <sub>3</sub> Thin Films with Ferromagnetic Transition Temperature Enhanced to 140 K. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 14836-14843.	4.0	18
370	Vertical-Interface-Manipulated Conduction Behavior in Nanocomposite Oxide Thin Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 5356-5361.	4.0	43
371	Induced Magnetization in $\text{La}_{0.7}\text{Mn}_{0.3}\text{O}_2$ . <i>Physical Review Letters</i> , 2014, 113, 047204.	2.9	59
372	Novel Electroforming-Free Nanoscaffold Memristor with Very High Uniformity, Tunability, and Density. <i>Advanced Materials</i> , 2014, 26, 6284-6289.	11.1	75
373	In situ nanoindentation study on plasticity and work hardening in aluminium with incoherent twin boundaries. <i>Nature Communications</i> , 2014, 5, 4864.	5.8	107
374	Nanopillar Spin Filter Tunnel Junctions with Manganite Barriers. <i>Nano Letters</i> , 2014, 14, 2789-2793.	4.5	20
375	A new method for reliable determination of strain-rate sensitivity of low-dimensional metallic materials by using nanoindentation. <i>Scripta Materialia</i> , 2014, 77, 5-8.	2.6	39
376	Precise Tuning of (YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> ) <sub>1-x</sub> : (BaZrO <sub>3</sub> ) <sub>x</sub> Thin Film Nanocomposite Structures. <i>Advanced Functional Materials</i> , 2014, 24, 5240-5245.	7.8	49
377	Two Types of Martensitic Phase Transformations in Magnetic Shape Memory Alloys by In-Situ Nanoindentation Studies. <i>Advanced Materials</i> , 2014, 26, 3893-3898.	11.1	28
378	Superior corrosion resistance properties of TiN-based coatings on Zircaloy tubes in supercritical water. <i>Journal of Nuclear Materials</i> , 2014, 451, 346-351.	1.3	71

#	ARTICLE	IF	CITATIONS
379	In situ Nanoindentation Study of Plastic Co-deformation in Al-TiN Nanocomposites. Scientific Reports, 2014, 4, 6633.	1.6	80
380	In situ study of defect migration kinetics in nanoporous Ag with enhanced radiation tolerance. Scientific Reports, 2014, 4, 3737.	1.6	67
381	Evolution of microstructure, strain and physical properties in oxide nanocomposite films. Scientific Reports, 2014, 4, 5426.	1.6	33
382	Cs-Corrected Scanning Transmission Electron Microscopy Investigation of Dislocation Core Configurations at a SrTiO <sub>3</sub> /MgO Heterogeneous Interface. Microscopy and Microanalysis, 2013, 19, 706-715.	0.2	29
383	High-speed atmospheric atomic layer deposition of ultra thin amorphous TiO <sub>2</sub> blocking layers at 100 °C for inverted bulk heterojunction solar cells. Progress in Photovoltaics: Research and Applications, 2013, 21, 393-400.	4.4	52
384	Optimizing Flux Pinning of YBCO Superconductor With $\text{BaSnO}_3 + \text{Y}_2\text{O}_3$ Dual Mixed Phase Additions. IEEE Transactions on Applied Superconductivity, 2013, 23, 8002104-8002104.	1.1	20
385	Highly stable non-polar p-type Ag-doped ZnO thin films grown on r-cut sapphire. Materials Letters, 2013, 100, 78-81.	1.3	10
386	In situ Evidence of Defect Cluster Absorption by Grain Boundaries in Kr Ion Irradiated Nanocrystalline Ni. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 1966-1974.	1.1	103
387	Oxygen-Vacancy-Induced Antiferromagnetism to Ferromagnetism Transformation in Eu <sub>0.5</sub> Ba <sub>0.5</sub> TiO <sub>3</sub> Multiferroic Thin Films. Scientific Reports, 2013, 3, 2618.	1.6	42
388	In situ studies of irradiation-induced twin boundary migration in nanotwinned Ag. Scripta Materialia, 2013, 69, 385-388.	2.6	72
389	Stacking fault and partial dislocation dominated strengthening mechanisms in highly textured Cu/Co multilayers. International Journal of Plasticity, 2013, 49, 152-163.	4.1	109
390	Magnetic field induced phase transformation in polycrystalline NiCoMnAl thin films. Applied Physics Letters, 2013, 103, 132404.	1.5	12
391	Vertically aligned nanocomposite electrolytes with superior out-of-plane ionic conductivity for solid oxide fuel cells. Journal of Power Sources, 2013, 242, 455-463.	4.0	52
392	Superior power density solid oxide fuel cells by enlarging the three-phase boundary region of a NiO-Ce <sub>0.8</sub> Gd <sub>0.2</sub> O <sub>1.9</sub> composite anode through optimized surface structure. Physical Chemistry Chemical Physics, 2013, 15, 14966.	1.3	16
393	Vertically aligned nanocomposite La <sub>0.8</sub> Sr <sub>0.2</sub> MnO <sub>3</sub> /Zr <sub>0.92</sub> Y <sub>0.08</sub> O <sub>1.96</sub> thin films as electrode/electrolyte interfacial layer for solid oxide reversible fuel cells. International Journal of Hydrogen Energy, 2013, 38, 16320-16327.	3.8	29
394	Microstructure, vertical strain control and tunable functionalities in self-assembled, vertically aligned nanocomposite thin films. Acta Materialia, 2013, 61, 2783-2792.	3.8	153
395	Thermal stability of twins and strengthening mechanisms in differently oriented epitaxial nanotwinned Ag films. Journal of Materials Research, 2013, 28, 1729-1739.	1.2	51
396	Comparisons of radiation damage in He ion and proton irradiated immiscible Ag/Ni nanolayers. Journal of Nuclear Materials, 2013, 440, 310-318.	1.3	68

#	ARTICLE	IF	CITATIONS
397	Strengthening mechanisms of Ag/Ni immiscible multilayers with fcc/fcc interface. Surface and Coatings Technology, 2013, 237, 269-275.	2.2	33
398	Electric-Field Control of Ferromagnetism in a Nanocomposite via a ZnO Phase. Nano Letters, 2013, 13, 5886-5890.	4.5	33
399	Strong oxygen pressure dependence of ferroelectricity in BaTiO <sub>3</sub> /SrRuO <sub>3</sub> /SrTiO <sub>3</sub> epitaxial heterostructures. Journal of Applied Physics, 2013, 114, .	1.1	88
400	Growth and Pinning Properties of Superconducting Nanostructured $\text{Fe}_{0.5}\text{Te}_{0.5}$ Thin Films on Amorphous Substrates. IEEE Transactions on Applied Superconductivity, 2013, 23, 7500904-7500904.	1.1	6
401	Strong room temperature exchange bias in self-assembled BiFeO <sub>3</sub> /Fe <sub>3</sub> O <sub>4</sub> nanocomposite heteroepitaxial films. Applied Physics Letters, 2013, 102, .	1.5	46
402	Atomic interface sequence, misfit strain relaxation and intrinsic flux-pinning defects in different YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> heterogeneous systems. Superconductor Science and Technology, 2013, 26, 025009.	1.8	11
403	Enhanced Flux Pinning Properties in Self-Assembled Magnetic $\text{CoFe}_2\text{O}_4$ Nanoparticles Doped $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin Films. IEEE Transactions on Applied Superconductivity, 2013, 23, 8001204-8001204.	1.1	16
404	Diffusion barrier properties of nitride-based coatings on fuel cladding. Journal of Alloys and Compounds, 2013, 580, 442-448.	2.8	32
405	Highly textured Li(Ni <sub>0.5</sub> Mn <sub>0.3</sub> Co <sub>0.2</sub> )O <sub>2</sub> thin films on stainless steel as cathode for Lithium-ion battery. Journal of Power Sources, 2013, 241, 410-414.	4.0	25
406	Enhanced ion irradiation tolerance properties in TiN/MgO nanolayer films. Journal of Nuclear Materials, 2013, 434, 217-222.	1.3	21
407	Tailoring radiation damage in ZnO by surface modification. Applied Surface Science, 2013, 276, 129-132.	3.1	2
408	Interface lattice displacement measurement to 1pm by geometric phase analysis on aberration-corrected HAADF STEM images. Acta Materialia, 2013, 61, 5646-5663.	3.8	91
409	Size-dependent radiation tolerance in ion irradiated TiN/AlN nanolayer films. Journal of Nuclear Materials, 2013, 441, 47-53.	1.3	52
410	A New Class of Room-Temperature Multiferroic Thin Films with Bismuth-Based Supercell Structure. Advanced Materials, 2013, 25, 1028-1032.	11.1	78
411	Atomic-Scale Investigations of Intrinsic Chemical Inhomogeneity in Superconducting $\text{Fe}_{1+y}\text{Se}_{1-x}\text{Te}_x$ Epitaxial Films. Journal of Physical Chemistry C, 2013, 117, 7170-7177.	1.5	11
412	Removal of stacking-fault tetrahedra by twin boundaries in nanotwinned metals. Nature Communications, 2013, 4, 1377.	5.8	155
413	A New Material for High-Temperature Lead-Free Actuators. Advanced Functional Materials, 2013, 23, 5881-5886.	7.8	30
414	Integration of Self-Assembled Vertically Aligned Nanocomposite $(\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3)_{1-x}(\text{ZnO})_x$ Thin Films on Silicon Substrates. ACS Applied Materials & Interfaces, 2013, 5, 3995-3999.	4.0	58



#	ARTICLE	IF	CITATIONS
415	Hydrogen sorption in orthorhombic Mg hydride at ultra-low temperature. International Journal of Hydrogen Energy, 2013, 38, 8328-8341.	3.8	36
416	Optical limiting properties in copper oxide thin films under a high-repetition-rate femtosecond laser. Materials Letters, 2013, 91, 319-322.	1.3	35
417	Ferroelectric Properties of Vertically Aligned Nanostructured BaTiO <sub>3</sub> ∕CeO <sub>2</sub> Thin Films and Their Integration on Silicon. ACS Applied Materials & Interfaces, 2013, 5, 12541-12547.	4.0	47
418	Radiation damage in heteroepitaxial BaTiO <sub>3</sub> thin films on SrTiO <sub>3</sub> under Ne ion irradiation. Journal of Applied Physics, 2013, 113, .	1.1	21
419	Direct observation of Lomer-Cottrell Locks during strain hardening in nanocrystalline nickel by in situ TEM. Scientific Reports, 2013, 3, 1061.	1.6	66
420	Basic criteria for formation of growth twins in high stacking fault energy metals. Applied Physics Letters, 2013, 103, .	1.5	26
421	Highly Textured Superconducting FeSe <sub>0.5</sub> Te <sub>0.5</sub> Thin Films on Glass Substrates. Japanese Journal of Applied Physics, 2013, 52, 020201.	0.8	8
422	Role of boundaries on low-field magnetotransport properties of La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> -based nanocomposite thin films. Journal of Materials Research, 2013, 28, 1707-1714.	1.2	22
423	Superconducting properties of FeSe <sub>1-x</sub> Te <sub>x</sub> thin film with a composition close to antiferromagnetic ordering. Superconductor Science and Technology, 2013, 26, 112001.	1.8	6
424	Magnetotransport properties of quasi-one-dimensionally channeled vertically aligned heteroepitaxial nanomazes. Applied Physics Letters, 2013, 102, .	1.5	34
425	Sharp semiconductor-to-metal transition of VO <sub>2</sub> thin films on glass substrates. Journal of Applied Physics, 2013, 114, .	1.1	52
426	Fluence-dependent radiation damage in helium (He) ion-irradiated Cu/V multilayers. Philosophical Magazine, 2013, 93, 883-898.	0.7	45
427	Superior tolerance of Ag/Ni multilayers against Kr ion irradiation: an <i>in situ</i> study. Philosophical Magazine, 2013, 93, 3547-3562.	0.7	47
428	Research Updates: Epitaxial strain relaxation and associated interfacial reconstructions: The driving force for creating new structures with integrated functionality. APL Materials, 2013, 1, .	2.2	29
429	Resonance Raman spectroscopy of G-line and folded phonons in twisted bilayer graphene with large rotation angles. Applied Physics Letters, 2013, 103, .	1.5	46
430	Formation Mechanisms of High-density Growth Twins in Aluminum with High Stacking-Fault Energy. Materials Research Letters, 2013, 1, 51-60.	4.1	80
431	Conduction mechanisms of epitaxial EuTiO <sub>3</sub> thin films. Applied Physics Letters, 2012, 101, .	1.5	19
432	Enhanced flux pinning properties in superconducting FeSe <sub>0.5</sub> Te <sub>0.5</sub> thin films with secondary phases. Superconductor Science and Technology, 2012, 25, 025020.	1.8	16

#	ARTICLE	IF	CITATIONS
433	Growth of $\mu = 15 \text{ cm}^2 \text{V}^{-1} \text{s}^{-1}$ mobility, p-type Copper(I) oxide (Cu <sub>2</sub> O) films by fast atmospheric atomic layer deposition (AALD) at 225 Å°C and below. AIP Advances, 2012, 2, .	0.6	69
434	P-type ZnO thin films achieved by N <sup>+</sup> ion implantation through dynamic annealing process. Applied Physics Letters, 2012, 101, .	1.5	54
435	Interfacial defects distribution and strain coupling in the vertically aligned nanocomposite YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> /BaSnO <sub>3</sub> thin films. Journal of Materials Research, 2012, 27, 1763-1769.	1.2	14
436	Nanotwins and stacking faults in high-strength epitaxial Ag/Al multilayer films. Applied Physics Letters, 2012, 101, .	1.5	97
437	Growth of Al-doped ZnO films with tilted nano-columns on r-cut sapphire substrates by pulsed laser deposition. Thin Solid Films, 2012, 524, 320-327.	0.8	7
438	Aligned carbon nanotubes sandwiched in epitaxial NbC film for enhanced superconductivity. Nanoscale, 2012, 4, 2268.	2.8	11
439	Biopolymer mediated synthesis of plate-like YBCO with enhanced grain connectivity and intragranular critical current. CrystEngComm, 2012, 14, 5765.	1.3	12
440	A formation mechanism for ultra-thin nanotwins in highly textured Cu/Ni multilayers. Journal of Applied Physics, 2012, 111, .	1.1	36
441	Extremely High Tunability and Low Loss in Nanoscaffold Ferroelectric Films. Nano Letters, 2012, 12, 4311-4317.	4.5	69
442	Design of Radiation Tolerant Nanostructured Metallic Multilayers. Journal of Engineering Materials and Technology, Transactions of the ASME, 2012, 134, .	0.8	51
443	Effects of interlayer thickness on the electrochemical and mechanical properties of bi-layer cathodes for solid oxide fuel cells. Journal of Power Sources, 2012, 218, 261-267.	4.0	12
444	Structure and magnetotransport properties of epitaxial nanocomposite La <sub>0.67</sub> Ca <sub>0.33</sub> MnO <sub>3</sub> :SrTiO <sub>3</sub> thin films grown by a chemical solution approach. Applied Physics Letters, 2012, 100, 082403.	1.5	19
445	High quality p-type Ag-doped ZnO thin films achieved under elevated growth temperatures. Journal of Physics Condensed Matter, 2012, 24, 145802.	0.7	19
446	Microstructure and strengthening mechanisms in Cu/Fe multilayers. Acta Materialia, 2012, 60, 6312-6321.	3.8	104
447	Orientation-dependent hardness and strain rate sensitivity in nanotwin copper. Applied Physics Letters, 2012, 100, .	1.5	42
448	Structural, electrical, and terahertz transmission properties of VO <sub>2</sub> thin films grown on c-, r-, and m-plane sapphire substrates. Journal of Applied Physics, 2012, 111, .	1.1	172
449	Controlling factors in tensile deformation of nanocrystalline cobalt and nickel. Physical Review B, 2012, 85, .	1.1	43
450	Microstructure and superconducting properties of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> thin films incorporated with a self-assembled magnetic vertically aligned nanocomposite. Superconductor Science and Technology, 2012, 25, 075016.	1.8	14

#	ARTICLE	IF	CITATIONS
451	Microstructure and electrochemical properties of PrBaCo <sub>2</sub> O <sub>5+δ</sub> /Ce <sub>0.9</sub> Gd <sub>0.1</sub> O <sub>1.95</sub> vertically aligned nanocomposite thin film as interlayer for thin film solid oxide fuel cells. <i>Electrochimica Acta</i> , 2012, 62, 147-152.	2.6	15
452	Significant enhancement in the thermal stability of nanocrystalline metals via immiscible tri-phases. <i>Scripta Materialia</i> , 2012, 67, 177-180.	2.6	16
453	Enhanced radiation tolerance of ultrafine grained Fe-Cr-Ni alloy. <i>Journal of Nuclear Materials</i> , 2012, 420, 235-240.	1.3	78
454	Radiation damage in helium ion irradiated nanocrystalline Fe. <i>Journal of Nuclear Materials</i> , 2012, 425, 140-146.	1.3	154
455	TiN-based coatings on fuel cladding tubes for advanced nuclear reactors. <i>Journal of Nuclear Materials</i> , 2012, 429, 143-148.	1.3	35
456	Thermal stability of ultrafine grained Fe-Cr-Ni alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 542, 64-70.	2.6	32
457	Strong room temperature magnetism in highly resistive strained thin films of BiFe <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>3</sub> . <i>Applied Physics Letters</i> , 2011, 98, .	1.5	39
458	Epitaxial Superconducting $\hat{\Gamma}$ -MoN Films Grown by a Chemical Solution Method. <i>Journal of the American Chemical Society</i> , 2011, 133, 20735-20737.	6.6	48
459	Controlling Crystal Structure and Oxidation State in Molybdenum Nitrides through Epitaxial Stabilization. <i>Journal of Physical Chemistry C</i> , 2011, 115, 17880-17883.	1.5	37
460	Magnetic Properties of Self-Assembled Epitaxial Nanocomposite CoFe <sub>2</sub> O <sub>4</sub> :SrTiO <sub>3</sub> and CoFe <sub>2</sub> O <sub>4</sub> :MgO Films. <i>Journal of Physical Chemistry C</i> , 2011, 115, 25338-25342.	1.5	23
461	Tilted Aligned Epitaxial La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> Nanocolumnar Films with Enhanced Low-Field Magnetoresistance by Pulsed Laser Oblique-Angle Deposition. <i>Crystal Growth and Design</i> , 2011, 11, 5405-5409.	1.4	26
462	Microstructure, magnetic, and low-field magnetotransport properties of self-assembled (La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> ) <sub>0.5</sub> :(CeO <sub>2</sub> ) <sub>0.5</sub> vertically aligned nanocomposite thin films. <i>Nanotechnology</i> , 2011, 22, 315712.	1.3	70
463	Flux Pinning Properties in YBCO Thin Films With Self-Aligned Magnetic Nanoparticles. <i>IEEE Transactions on Applied Superconductivity</i> , 2011, 21, 2749-2752.	1.1	14
464	Self-separated PZT thick films with bulk-like piezoelectric and electromechanical properties. <i>Journal of Materials Research</i> , 2011, 26, 1431-1435.	1.2	13
465	Correlation Between Flux Pinning Properties and Interfacial Defects in $\{m \text{ YBa}_{2-x} \text{Cu}_{3-x} \text{O}_{7-\delta}\} / \{m \text{ CeO}_2\}$ Multilayer Thin Films. <i>IEEE Transactions on Applied Superconductivity</i> , 2011, 21, 2758-2761.	1.1	9
466	Microstructural and magnetic properties of (La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> ) <sub>0.7</sub> :(Mn <sub>3</sub> O <sub>4</sub> ) <sub>0.3</sub> nanocomposite thin films. <i>Journal of Applied Physics</i> , 2011, 109, .	1.1	44
467	The influence of interfaces on the formation of bubbles in He-ion-irradiated Cu/Mo nanolayers. <i>Philosophical Magazine Letters</i> , 2011, 91, 18-28.	0.5	68
468	State-of-the-art flux pinning in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> by the creation of highly linear, segmented nanorods of Ba <sub>2</sub> (Y/Gd)(Nb/Ta)O <sub>6</sub> together with nanoparticles of (Y/Gd) <sub>2</sub> O <sub>3</sub> and (Y) Tj ETQq0 0 0 rgt /Overlock 10 Tf 50 57 Td (/Gd)Ba <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> . <i>Journal of Applied Physics</i> , 2011, 109, 095012.		

#	ARTICLE	IF	CITATIONS
469	Microstructural and electrical properties of Ce <sub>0.9</sub> Gd <sub>0.1</sub> O <sub>1.95</sub> thin film electrolyte in solid oxide fuel cells – CORRIGENDUM. Journal of Materials Research, 2011, 26, 1.	1.2	5
470	Thick lead-free ferroelectric films with high Curie temperatures through nanocomposite-induced strain. Nature Nanotechnology, 2011, 6, 491-495.	15.6	220
471	Direct observation of twin deformation in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> thin films by <i>in situ</i> nanoindentation in TEM. Journal of Applied Physics, 2011, 109, .	1.1	5
472	Transition from Irradiation-Induced Amorphization to Crystallization in Nanocrystalline Silicon Carbide. Journal of the American Ceramic Society, 2011, 94, 4127-4130.	1.9	25
473	Ferroelectric properties of epitaxial Bi <sub>3.15</sub> Nd <sub>0.85</sub> Ti <sub>3</sub> O <sub>12</sub> films on SiO <sub>2</sub> /Si using biaxially oriented MgO as templates. Thin Solid Films, 2011, 519, 8023-8026.	0.8	2
474	Enhanced superconducting properties in epitaxial FeSe thin films with self-assembled Fe <sub>3</sub> O <sub>4</sub> nanoparticles. Physica C: Superconductivity and Its Applications, 2011, 471, 515-519.	0.6	18
475	Tunable Low-Field Magnetoresistance in (La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> ) <sub>0.5</sub> :(ZnO) <sub>0.5</sub> Self-Assembled Vertically Aligned Nanocomposite Thin Films. Advanced Functional Materials, 2011, 21, 2423-2429.	7.8	174
476	High strength, epitaxial nanotwinned Ag films. Acta Materialia, 2011, 59, 93-101.	3.8	144
477	Mechanical properties of highly textured Cu/Ni multilayers. Acta Materialia, 2011, 59, 1924-1933.	3.8	202
478	Enhanced electrochemical properties of Bi-layer La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3</sub> cathode prepared by a hybrid method. Electrochimica Acta, 2011, 56, 3969-3974.	2.6	11
479	High power density thin film SOFCs with YSZ/GDC bilayer electrolyte. Electrochimica Acta, 2011, 56, 5472-5477.	2.6	92
480	Enhanced low-field magnetoresistance in La <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> :MgO composite films. Journal of Applied Physics, 2011, 110, .	1.1	36
481	Influence of SrTiO <sub>3</sub> substrate miscut angle on the transport properties of LaAlO <sub>3</sub> /SrTiO <sub>3</sub> interfaces. Applied Physics Letters, 2011, 99, .	1.5	11
482	Electrical and microstructural properties of N <sup>+</sup> ion-implanted ZnO and ZnO:Ag thin films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2011, 29, 03A108.	0.9	2
483	Microstructural and electrical properties of Ce <sub>0.9</sub> Gd <sub>0.1</sub> O <sub>1.95</sub> thin-film electrolyte in solid-oxide fuel cells. Journal of Materials Research, 2011, 26, 854-859.	1.2	17
484	Magnetotransport properties of Pr <sub>0.5</sub> Ca <sub>0.5</sub> MnO <sub>3</sub> thin films grown by a solution route. Journal of Applied Physics, 2011, 110, 013921.	1.1	10
485	Strongly enhanced current densities in superconducting coated conductors of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> + BaZrO <sub>3</sub> . , 2010, , 327-331.		0
486	Materials science challenges for high-temperature superconducting wire. , 2010, , 299-310.		1

#	ARTICLE	IF	CITATIONS
487	An experimental and modeling study on the role of damage cascade formation in nanocrystallization of ion-irradiated Ni <sub>52.5</sub> Nb <sub>10</sub> Zr <sub>15</sub> Ti <sub>15</sub> Pt <sub>7.5</sub> metallic glass. Scripta Materialia, 2010, 63, 1045-1048.	2.6	32
488	Reviewing Metallic PEMFC Bipolar Plates. Fuel Cells, 2010, 10, 510-519.	1.5	176
489	Thermal diffusivity measurement of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> thin film with a picosecond thermoreflectance technique. Physica C: Superconductivity and Its Applications, 2010, 470, 365-368.	0.6	7
490	Magnetotransport properties of epitaxial Pr <sub>0.5</sub> Ca <sub>0.5</sub> MnO <sub>3</sub> films grown by a solution technique. Journal of Magnetism and Magnetic Materials, 2010, 322, 2708-2711.	1.0	2
491	Interface enabled defects reduction in helium ion irradiated Cu/V nanolayers. Journal of Nuclear Materials, 2010, 407, 178-188.	1.3	189
492	Elevated temperature deformation behavior of spark plasma sintered nanometric nickel with varied grain size distributions. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 528, 663-671.	2.6	23
493	Grain and grain boundary activities observed in alumina-zirconia-magnesia spinel nanocomposites by in situ nanoindentation using transmission electron microscopy. Acta Materialia, 2010, 58, 4891-4899.	3.8	28
494	Growth of high-quality carbon nanotubes on free-standing diamond substrates. Carbon, 2010, 48, 2442-2446.	5.4	16
495	Electrochemical characterization of YBaCo <sub>3</sub> ZnO <sub>7</sub> +Gd <sub>0.2</sub> Ce <sub>0.8</sub> O <sub>1.9</sub> composite cathodes for intermediate temperature solid oxide fuel cells. Electrochimica Acta, 2010, 55, 5312-5317.	2.6	32
496	Amorphization of nanocrystalline 3C-SiC irradiated with Si <sup>+</sup> ions. Journal of Materials Research, 2010, 25, 2341-2348.	1.2	40
497	Enhanced flux pinning in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> thin films using Nb-based double perovskite additions. Superconductor Science and Technology, 2010, 23, 022003.	1.8	35
498	High current, low cost YBCO conductors—what's next?. Superconductor Science and Technology, 2010, 23, 034009.	1.8	11
499	Much simplified ion-beam assisted deposition-TiN template for high-performance coated conductors. Journal of Applied Physics, 2010, 108, .	1.1	27
500	Size dependent strengthening mechanisms in sputtered Fe/W multilayers. Journal of Applied Physics, 2010, 107, 093503.	1.1	24
501	MICROSTRUCTURE AND CRITICAL CURRENT DENSITY OF YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> +BaSnO <sub>3</sub> THICK FILMS GROWN WITH PRE-MIXED PULSED LASER ABLATION TARGET. , 2010, , .		0
502	SECOND PHASE (BaGeO <sub>3</sub> , BaSiO <sub>3</sub> ) NANOCOLUMNS IN YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> FILMS. , 2010, , .		0
503	Understanding nanoparticle self-assembly for a strong improvement in functionality in thin film nanocomposites. Nanotechnology, 2010, 21, 095604.	1.3	17
504	Oxygen concentration and its effect on the leakage current in BiFeO <sub>3</sub> thin films. Applied Physics Letters, 2010, 96, .	1.5	124

#	ARTICLE	IF	CITATIONS
505	Electrochemical Properties of Nanocrystalline $\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_{3-x}$ Thin Films. Chemistry of Materials, 2010, 22, 776-782.	3.2	52
506	Coexistence of strong ferromagnetism and polar switching at room temperature in $\text{Fe}_3\text{O}_4/\text{BiFeO}_3$ nanocomposite thin films. Applied Physics Letters, 2010, 97, 153121.	1.5	26
507	A chemical solution approach for superconducting and hard epitaxial NbC film. Chemical Communications, 2010, 46, 7837.	2.2	24
508	Chemical Solution Deposition of Epitaxial Carbide Films. Journal of the American Chemical Society, 2010, 132, 2516-2517.	6.6	44
509	Nanoporous thin films with controllable nanopores processed from vertically aligned nanocomposites. Nanotechnology, 2010, 21, 285606.	1.3	12
510	Pre-oxidized and nitrided stainless steel alloy foil for proton exchange membrane fuel cell bipolar plates: Part 1. Corrosion, interfacial contact resistance, and surface structure. Journal of Power Sources, 2010, 195, 5610-5618.	4.0	41
511	VO <sub>2</sub> multidomain heteroepitaxial growth and terahertz transmission modulation. Applied Physics Letters, 2010, 97, .	1.5	75
512	Enhanced critical current in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films through pinning by ferromagnetic $\text{YFeO}_3$ nanoparticles. Superconductor Science and Technology, 2010, 23, 045019.	1.8	35
513	Response of nanocrystalline $\text{C}_3\text{Si}$ silicon carbide to heavy-ion irradiation. Physical Review B, 2009, 80, .	1.1	66
514	Temperature and Magnetic Field Dependence of Critical Current Density of YBCO With Varying Flux Pinning Additions. IEEE Transactions on Applied Superconductivity, 2009, 19, 3270-3274.	1.1	11
515	Interfacial Defects and Flux-Pinning Effects in Nanostructured $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin Films. IEEE Transactions on Applied Superconductivity, 2009, 19, 3395-3398.	1.1	6
516	Self-assembled multilayers and enhanced superconductivity in $(\text{YBa}_2\text{Cu}_3\text{O}_{7-x})_{0.5}:(\text{BaZrO}_3)_{0.5}$ nanocomposite films. Journal of Applied Physics, 2009, 106, .	1.1	31
517	The role of stacking faults in the critical current density of MOD films through a thickness dependence study. Superconductor Science and Technology, 2009, 22, 015022.	1.8	21
518	The role of interfacial defects in enhancing the critical current density of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ coatings. Superconductor Science and Technology, 2009, 22, 125002.	1.8	28
519	He ion irradiation damage in $\text{Al}/\text{Nb}$ multilayers. Journal of Applied Physics, 2009, 105, .	1.1	77
520	High $I_c$ , $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films grown at very high rates by liquid assisted growth incorporating lightly Au-doped $\text{SrTiO}_3$ buffers. Superconductor Science and Technology, 2009, 22, 015009.	1.8	6
521	Significant enhancement of the strength-to-resistivity ratio by nanotwins in epitaxial Cu films. Journal of Applied Physics, 2009, 106, .	1.1	55
522	Vertically Aligned Nanocomposite Thin Films as a Cathode/Electrolyte Interface Layer for Thin-Film Solid Oxide Fuel Cells. Advanced Functional Materials, 2009, 19, 3868-3873.	7.8	101

#	ARTICLE	IF	CITATIONS
523	A Chemical Solution Approach to Epitaxial Metal Nitride Thin Films. <i>Advanced Materials</i> , 2009, 21, 193-197.	11.1	32
524	Vertical Interface Effect on the Physical Properties of Self-Assembled Nanocomposite Epitaxial Films. <i>Advanced Materials</i> , 2009, 21, 3794-3798.	11.1	87
525	Highly Conductive Films of Layered Ternary Transition-Metal Nitrides. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 1490-1493.	7.2	26
526	He ion irradiation damage in Fe/W nanolayer films. <i>Journal of Nuclear Materials</i> , 2009, 389, 233-238.	1.3	179
527	Attenuation of interfacial pinning enhancement in YBCO using a PrBCO buffer layer. <i>Physica C: Superconductivity and Its Applications</i> , 2009, 469, 2033-2036.	0.6	8
528	Size dependent enhancement of helium ion irradiation tolerance in sputtered Cu/V nanolaminates. <i>Journal of Nuclear Materials</i> , 2009, 385, 629-632.	1.3	104
529	Comparative Study Between Similarly Processed $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ Films With $\text{YBaCuO}_5$ or $\text{BaSnO}_3$ Additions. <i>IEEE Transactions on Applied Superconductivity</i> , 2009, 19, 3152-3155.	1.1	3
530	Tunable lattice strain in vertically aligned nanocomposite $(\text{BiFeO}_3)_x(\text{Sm}_2\text{O}_3)_{1-x}$ thin films. <i>Journal of Applied Physics</i> , 2009, 106, .	1.1	36
531	Practical Magnetic Pinning in YBCO. <i>IEEE Transactions on Applied Superconductivity</i> , 2009, 19, 3148-3151.	1.1	27
532	Self-assembled, rare earth tantalate pyrochlore nanoparticles for superior flux pinning in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films. <i>Superconductor Science and Technology</i> , 2009, 22, 022001.	1.8	109
533	Growth-controlled surface roughness in Al-doped ZnO as transparent conducting oxide. <i>Nanotechnology</i> , 2009, 20, 395704.	1.3	40
534	Spontaneous Ordering, Strain Control, and Multifunctionality in Vertical Nanocomposite Heteroepitaxial Films. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2009, 56, 1534-1538.	1.7	14
535	High $J_c$ in YBCO Films Grown at Very High Rates by Liquid Mediated Growth. <i>IEEE Transactions on Applied Superconductivity</i> , 2009, 19, 3180-3183.	1.1	5
536	Microstructural and Pinning Properties of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin Films Doped With Magnetic Nanoparticles. <i>IEEE Transactions on Applied Superconductivity</i> , 2009, 19, 3503-3506.	1.1	17
537	Mechanical properties of sputtered Cu/V and Al/Nb multilayer films. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 493, 283-287.	2.6	145
538	Cubic TaN diffusion barrier for Cu interconnects using an ultra-thin TiN seed layer. <i>Thin Solid Films</i> , 2008, 516, 5103-5106.	0.8	13
539	Cubic HfN Thin Films with Low Resistivity on Si (001) and MgO (001) Substrates. <i>Journal of Electronic Materials</i> , 2008, 37, 1828-1831.	1.0	9
540	Amorphous Silica Nanoparticles Embedded in Epitaxial $\text{SrTiO}_3$ and $\text{CoFe}_2\text{O}_4$ Matrices. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 5768-5771.	7.2	17

#	ARTICLE	IF	CITATIONS
541	Mixed-Valence Perovskite Thin Films by Polymer-Assisted Deposition. Journal of the American Ceramic Society, 2008, 91, 1858-1863.	1.9	20
542	Strain control and spontaneous phase ordering in vertical nanocomposite heteroepitaxial thin films. Nature Materials, 2008, 7, 314-320.	13.3	334
543	Epitaxial GaN Thin Films Prepared by Polymer-Assisted Deposition. Journal of Physical Chemistry C, 2008, 112, 20535-20538.	1.5	15
544	Epitaxial Ternary Nitride Thin Films Prepared by a Chemical Solution Method. Journal of the American Chemical Society, 2008, 130, 15224-15225.	6.6	26
545	Rectifying current-voltage characteristics of BiFeO <sub>3</sub> •Nb-doped SrTiO <sub>3</sub> heterojunction. Applied Physics Letters, 2008, 92, .	1.5	176
546	Structural and dielectric properties of epitaxial Sm <sub>2</sub> O <sub>3</sub> thin films. Applied Physics Letters, 2008, 92, 062905.	1.5	50
547	Thermal stability of sputtered Cu films with nanoscale growth twins. Journal of Applied Physics, 2008, 103, .	1.1	231
548	Tunable dielectric properties of lead strontium titanate thin films by sol-gel technique. , 2008, , .		0
549	Leakage mechanisms of self-assembled (BiFeO <sub>3</sub> ) <sub>0.5</sub> :(Sm <sub>2</sub> O <sub>3</sub> ) <sub>0.5</sub> nanocomposite films. Applied Physics Letters, 2008, 93, .	1.5	64
550	Spontaneous ordering, strain control and multifunctionality in vertical nanocomposite heteroepitaxial films. , 2008, , .		0
551	Critical current density and microstructure variations in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> + BaSnO <sub>3</sub> films with different concentrations of BaSnO <sub>3</sub> . Journal of Materials Research, 2008, 23, 3363-3369.	1.2	28
552	BaTiO <sub>3</sub> -RELATED FERROELECTRIC THIN FILMS BY POLYMER ASSISTED DEPOSITION. Integrated Ferroelectrics, 2008, 100, 132-139.	0.3	7
553	Improved microstructure and enhanced low-field $J_c$ in (Y <sub>0.67</sub> Eu <sub>0.33</sub> )Ba <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> films. Superconductor Science and Technology, 2008, 21, 025001.	1.8	20
554	A magnetic field sensitive interfacial metallic state in a crystalline insulator. Nanotechnology, 2008, 19, 305401.	1.3	7
555	Epitaxial cubic HfN diffusion barriers deposited on Si (001) by using a TiN buffer layer. Journal of Vacuum Science & Technology B, 2008, 26, 1871-1874.	1.3	7
556	Epitaxial nanotwinned Cu films with high strength and high conductivity. Applied Physics Letters, 2008, 93, .	1.5	192
557	Thick YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> +BaSnO <sub>3</sub> films with enhanced critical current density at high magnetic fields. Applied Physics Letters, 2008, 93, .	1.5	86
558	Flux pinning in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> thin film samples linked to stacking fault density. Applied Physics Letters, 2008, 92, 082507.	1.5	33



#	ARTICLE	IF	CITATIONS
559	Study of $\text{Sm}_{1-x}\text{Zr}_x\text{O}_y$ Buffer Layer and Its Effects on YBCO Properties. IEEE Transactions on Applied Superconductivity, 2007, 17, 3409-3412.	1.1	9
560	Vortex pinning landscape in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films grown by hybrid liquid phase epitaxy. Superconductor Science and Technology, 2007, 20, S223-S229.	1.8	27
561	Effects of the Variable Lorentz Force on the Critical Current in Anisotropic Superconducting Thin Films. IEEE Transactions on Applied Superconductivity, 2007, 17, 3697-3700.	1.1	17
562	Enhancement and angular dependence of transport critical current density in pulsed laser deposited $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films in applied magnetic fields. Journal of Applied Physics, 2007, 102, .	1.1	67
563	Application of weak ferromagnetic $\text{BiFeO}_3$ films as the photoelectrode material under visible-light irradiation. Applied Physics Letters, 2007, 91, .	1.5	61
564	High tunability of lead strontium titanate thin films using a conductive $\text{LaNiO}_3$ as electrodes. Applied Physics Letters, 2007, 91, 072908.	1.5	22
565	Influence of deposition rate on the formation of growth twins in sputter-deposited 330 austenitic stainless steel films. Applied Physics Letters, 2007, 90, 153101.	1.5	20
566	Engineered reactive cosputtered $\text{Sm}_x\text{Zr}_{1-x}\text{O}_y$ thin films as buffer layers for $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ coated conductors. Journal of Materials Research, 2007, 22, 1082-1086.	1.2	2
567	$\text{YBa}_2\text{Cu}_3\text{O}_7$ Coated Conductor Grown by Hybrid Liquid Phase Epitaxy. IEEE Transactions on Applied Superconductivity, 2007, 17, 2537-2541.	1.1	6
568	Microstructural Evolution With the Change in Thickness of Superconducting Films. IEEE Transactions on Applied Superconductivity, 2007, 17, 3243-3246.	1.1	14
569	Thermal stability of sputtered $\text{Cu}_{304}$ stainless steel multilayer films. Journal of Applied Physics, 2007, 101, 124311.	1.1	8
570	Hysteretic Vortex Pinning in Superconductor-Ferromagnet Nanocomposites. Physical Review Letters, 2007, 98, 117003.	2.9	45
571	Low resistivity hafnium nitride thin films as diffusion barriers for Cu interconnects. , 2007, , .		0
572	How $(\text{Ba}_{0.5}\text{Sr}_{0.5})(\text{Fe}_{0.8}\text{Zn}_{0.2})\text{O}_3$ and $(\text{Ba}_{0.5}\text{Sr}_{0.5})(\text{Co}_{0.8}\text{Fe}_{0.2})\text{O}_3$ Perovskites Form via an EDTA/Citric Acid Complexing Method. Advanced Materials, 2007, 19, 2134-2140.	11.1	67
573	Controlling Oxidation States in Uranium Oxides through Epitaxial Stabilization. Advanced Materials, 2007, 19, 3559-3563.	11.1	53
574	Ferroic metal-oxide films grown by polymer assisted deposition. Thin Solid Films, 2007, 515, 6411-6415.	0.8	15
575	Nanostructured cathode thin films with vertically-aligned nanopores for thin film SOFC and their characteristics. Applied Surface Science, 2007, 254, 266-269.	3.1	50
576	Nanostructured Cu/Nb multilayers subjected to helium ion-irradiation. Nuclear Instruments & Methods in Physics Research B, 2007, 261, 1129-1132.	0.6	125

#	ARTICLE	IF	CITATIONS
577	Ion irradiation effects in nanocrystalline TiN coatings. Nuclear Instruments & Methods in Physics Research B, 2007, 261, 1162-1166.	0.6	69
578	Protective nitride formation on stainless steel alloys for proton exchange membrane fuel cell bipolar plates. Journal of Power Sources, 2007, 174, 228-236.	4.0	45
579	Materials science challenges for high-temperature superconducting wire. Nature Materials, 2007, 6, 631-642.	13.3	670
580	Mechanical behavior of nanostructured materials symposium honoring Carl Koch. Jom, 2007, 59, 49-49.	0.9	23
581	High-strength sputter-deposited Cu foils with preferred orientation of nanoscale growth twins. Applied Physics Letters, 2006, 88, 173116.	1.5	209
582	Influence of naturally grown nanoparticles at the buffer layer in the flux pinning in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> coated conductors. Superconductor Science and Technology, 2006, 19, 891-895.	1.8	54
583	Comparison of Different Routes for Improving Vortex Pinning in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> Thin Films and Coated Conductors. AIP Conference Proceedings, 2006, , .	0.3	0
584	Identification of the misfit dislocations at YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /SrTiO <sub>3</sub> interface using moiré fringe contrast. Physica C: Superconductivity and Its Applications, 2006, 444, 1-4.	0.6	25
585	The role of a ZnO buffer layer in the growth of ZnO thin film on Al <sub>2</sub> O <sub>3</sub> substrate. Superlattices and Microstructures, 2006, 40, 501-506.	1.4	18
586	Synthesis and ferroelectric properties of SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> /Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> /p-Si multilayer thin films by Sol-Gel. Journal of Materials Science: Materials in Electronics, 2006, 17, 165-169.	1.1	5
587	The formation of protective nitride surfaces for PEM fuel cell metallic bipolar plates. Jom, 2006, 58, 50-57.	0.9	62
588	Manipulating Magnetoresistance Near Room Temperature in La <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> /La <sub>0.67</sub> Ca <sub>0.33</sub> MnO <sub>3</sub> Films Prepared by Polymer Assisted Deposition. Advanced Materials, 2006, 18, 2695-2698.	11.1	31
589	Guidelines for optimizing random and correlated pinning in rare-earth-based superconducting films. Superconductor Science and Technology, 2006, 19, S55-S59.	1.8	19
590	Microstructure and transport properties of Y-rich YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> thin films. Journal of Applied Physics, 2006, 100, 053904.	1.1	36
591	Low field magnetotransport properties of (La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> ) <sub>0.5</sub> :(ZnO) <sub>0.5</sub> nanocomposite films. Applied Physics Letters, 2006, 88, 192514.	1.5	64
592	Thickness effects of SrTiO <sub>3</sub> buffer layers on superconducting properties of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> coated conductors. Physica C: Superconductivity and Its Applications, 2005, 433, 43-49.	0.6	24
593	Green luminescent zinc oxide films prepared by polymer-assisted deposition with rapid thermal process. Thin Solid Films, 2005, 492, 101-104.	0.8	66
594	Role of columnar grain size in magnetization of La <sub>0.8</sub> MnO <sub>3</sub> thin films grown by pulsed laser deposition. Applied Physics A: Materials Science and Processing, 2005, 81, 1423-1426.	1.1	4

#	ARTICLE	IF	CITATIONS
595	Microstructural Study of $\text{EuBa}_2\text{Cu}_3\text{O}_7$ Films by High Resolution X-ray Diffraction. IEEE Transactions on Applied Superconductivity, 2005, 15, 2731-2734.	1.1	1
596	$J_c(H)$ Crossover in YBCO Thick Films and Bi2223/Ag Tapes With Columnar Defects. IEEE Transactions on Applied Superconductivity, 2005, 15, 2787-2789.	1.1	6
597	Benefits of current percolation in superconducting coated conductors. Applied Physics Letters, 2005, 87, 162507.	1.5	18
598	Effects of Eu interfacial mobility on the growth of epitaxial $\text{EuBa}_2\text{Cu}_3\text{O}_7$ films. Applied Physics Letters, 2005, 86, 101912.	1.5	0
599	Thermal stability of sputter-deposited 330 austenitic stainless-steel thin films with nanoscale growth twins. Applied Physics Letters, 2005, 87, 233116.	1.5	38
600	Comparative Study of $\text{REBa}_2\text{Cu}_3\text{O}_7$ Films for Coated Conductors. IEEE Transactions on Applied Superconductivity, 2005, 15, 2723-2726.	1.1	30
601	High critical current densities in $\text{YBa}_2\text{Cu}_3\text{O}_7-x$ films grown at high rates by hybrid liquid phase epitaxy. Applied Physics Letters, 2005, 87, 252507.	1.5	15
602	Comparative Study of Microstructural Properties for $\text{YBa}_2\text{Cu}_3\text{O}_7$ Films on Single-crystal and Ni-based Metal Substrates. Journal of Materials Research, 2005, 20, 2055-2060.	1.2	6
603	Identification of Intrinsic ab-Plane Pinning in $\text{YBa}_2\text{Cu}_3\text{O}_7$ Thin Films and Coated Conductors. IEEE Transactions on Applied Superconductivity, 2005, 15, 2808-2811.	1.1	103
604	Synthesis and Characterization of Cu-Doped $\text{SrTiO}_3$ Powders and Sol-Gel Processed Buffer Layers on IBAD MgO Templates. IEEE Transactions on Applied Superconductivity, 2005, 15, 2703-2706.	1.1	8
605	Overcoming the barrier to 1000 $\mu\text{m}$ width superconducting coatings. Applied Physics Letters, 2005, 87, 162505.	1.5	182
606	The effect of growth rates on the microstructures of $\text{EuBa}_2\text{Cu}_3\text{O}_7-x$ films on $\text{SrTiO}_3$ substrates. Applied Physics Letters, 2005, 86, 192508.	1.5	3
607	Rare earth ion size effects and enhanced critical current densities in $\text{Y}_2\text{Sm}_3\text{Ba}_2\text{Cu}_3\text{O}_7-x$ coated conductors. Applied Physics Letters, 2005, 86, 032505.	1.5	65
608	Effects of deposition parameters on residual stresses, hardness and electrical resistivity of nanoscale twinned 330 stainless steel thin films. Journal of Applied Physics, 2005, 97, 094302.	1.1	66
609	Critical factors that determine face-centered cubic to body-centered cubic phase transformation in sputter-deposited austenitic stainless steel films. Journal of Materials Research, 2004, 19, 1696-1702.	1.2	16
610	Microstructure and electronic properties of Cu/Mo multilayers and three-dimensional arrays of nanocrystalline Cu precipitates embedded in a Mo matrix. Journal of Applied Physics, 2004, 95, 3644-3648.	1.1	7
611	Strain hardening and large tensile elongation in ultrahigh-strength nano-twinned copper. Applied Physics Letters, 2004, 85, 4932-4934.	1.5	304
612	Thickness dependence of ac losses in circular disks of $\text{YBa}_2\text{Cu}_3\text{O}_7$ films in perpendicular magnetic fields. Journal of Applied Physics, 2004, 95, 208-213.	1.1	12

#	ARTICLE	IF	CITATIONS
613	Effect of crystallinity on the transport properties of Nd <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> thin films. Applied Physics Letters, 2004, 84, 1147-1149.	1.5	20
614	Epitaxial growth of Eu <sub>2</sub> O <sub>3</sub> thin films on LaAlO <sub>3</sub> substrates by polymer-assisted deposition. Applied Physics Letters, 2004, 85, 3426-3428.	1.5	35
615	Nanoscale-twinning-induced strengthening in austenitic stainless steel thin films. Applied Physics Letters, 2004, 84, 1096-1098.	1.5	217
616	Structural and dielectric properties of epitaxial Ba <sub>1-x</sub> Sr <sub>x</sub> TiO <sub>3</sub> films grown on LaAlO <sub>3</sub> substrates by polymer-assisted deposition. Applied Physics Letters, 2004, 85, 5007-5009.	1.5	63
617	Characteristics of Alumina Diffusion Barrier Films on Hastelloy. Journal of Materials Research, 2004, 19, 1175-1180.	1.2	16
618	Microstructure of SrTiO <sub>3</sub> buffer layers and its effects on superconducting properties of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> coated conductors. Journal of Materials Research, 2004, 19, 1869-1875.	1.2	40
619	Strongly enhanced current densities in superconducting coated conductors of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> + BaZrO <sub>3</sub> . Nature Materials, 2004, 3, 439-443.	13.3	1,118
620	Polymer-assisted deposition of metal-oxide films. Nature Materials, 2004, 3, 529-532.	13.3	308
621	Preferential thermal nitridation to form pin-hole free Cr-nitrides to protect proton exchange membrane fuel cell metallic bipolar plates. Scripta Materialia, 2004, 50, 1017-1022.	2.6	168
622	Understanding High Critical Currents in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> Thin Films and Coated Conductors. Journal of Low Temperature Physics, 2004, 135, 87-98.	0.6	84
623	TaN-TiN binary alloys and superlattices as diffusion barriers for copper interconnections. Journal of Electronic Materials, 2004, 33, L5-L5.	1.0	4
624	High critical current YBCO coated conductors based on IBAD MgO. Physica C: Superconductivity and Its Applications, 2004, 412-414, 795-800.	0.6	61
625	Influence of crystalline texture on vortex pinning near the ab-plane in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> thin films and coated conductors. Physica C: Superconductivity and Its Applications, 2004, 412-414, 976-982.	0.6	76
626	Thermally nitrided stainless steels for polymer electrolyte membrane fuel cell bipolar plates. Journal of Power Sources, 2004, 138, 79-85.	4.0	142
627	Thermally nitrided stainless steels for polymer electrolyte membrane fuel cell bipolar plates. Journal of Power Sources, 2004, 138, 86-93.	4.0	120
628	Enhanced hardening in Cu/330 stainless steel multilayers by nanoscale twinning. Acta Materialia, 2004, 52, 995-1002.	3.8	263
629	Crossover of thickness dependence of critical current density J <sub>c</sub> (T,H) in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> thick films. Applied Physics Letters, 2004, 84, 3528-3530.	1.5	23
630	Angular-dependent vortex pinning mechanisms in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> coated conductors and thin films. Applied Physics Letters, 2004, 84, 2121-2123.	1.5	254

#	ARTICLE	IF	CITATIONS
631	Systematic enhancement of in-field critical current density with rare-earth ion size variance in superconducting rare-earth barium cuprate films. <i>Applied Physics Letters</i> , 2004, 84, 5329-5331.	1.5	127
632	On the origin of ultrahigh cryogenic strength of nanocrystalline metals. <i>Applied Physics Letters</i> , 2004, 85, 2750-2752.	1.5	136
633	TaN-TiN binary alloys and superlattices as diffusion barriers for copper interconnects. <i>Journal of Electronic Materials</i> , 2003, 32, 994-999.	1.0	10
634	Synthesis of bulk nanostructured Zn by combinations of cryomilling and powder consolidation by room temperature milling: optimizing mechanical properties. <i>Scripta Materialia</i> , 2003, 49, 429-433.	2.6	27
635	Stainless steel as bipolar plate material for polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , 2003, 115, 243-251.	4.0	606
636	Evolution of microstructure and mechanical properties of in situ consolidated bulk ultra-fine-grained and nanocrystalline Zn prepared by ball milling. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 344, 175-181.	2.6	33
637	Temperature and strain rate effects on the strength and ductility of nanostructured copper. <i>Applied Physics Letters</i> , 2003, 83, 3165-3167.	1.5	176
638	Strongly coupled critical current density values achieved in Y1Ba2Cu3O7 $\delta$ coated conductors with near-single-crystal texture. <i>Applied Physics Letters</i> , 2003, 82, 4519-4521.	1.5	115
639	Growth of thick Yba <sub>2</sub> Cu <sub>3</sub> O <sub>7<math>\delta</math></sub> films carrying a critical current of over 230 A/cm on single LaMnO <sub>3</sub> -buffered ion-beam assisted deposition MgO substrates. <i>Journal of Materials Research</i> , 2003, 18, 2055-2059.	1.2	41
640	Formation of misfit dislocations in strained-layer GaAs/In <sub>x</sub> Ga <sub>1-x</sub> As/GaAs heterostructures during postfabrication thermal processing. <i>Journal of Applied Physics</i> , 2003, 94, 7496.	1.1	10
641	Lateral epitaxial growth of (Ba,Sr)TiO <sub>3</sub> thin films. <i>Applied Physics Letters</i> , 2003, 83, 5494-5496.	1.5	15
642	The role of a superconducting seed layer in the structural and transport properties of EuBa <sub>2</sub> Cu <sub>3</sub> O <sub>7<math>\delta</math></sub> -x films. <i>Applied Physics Letters</i> , 2003, 83, 1388-1390.	1.5	37
643	Growth and characteristics of TaN/TiN superlattice structures. <i>Applied Physics Letters</i> , 2003, 83, 3072-3074.	1.5	13
644	Effect of microstructure on diffusion of copper in TiN films. <i>Journal of Applied Physics</i> , 2003, 93, 5210-5214.	1.1	32
645	Role of silver addition in the synthesis of high critical current density MgB <sub>2</sub> bulk superconductors. <i>Superconductor Science and Technology</i> , 2003, 16, 455-458.	1.8	39
646	Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers. <i>Journal of Materials Research</i> , 2003, 18, 1600-1606.	1.2	37
647	Formation of epitaxial Au/Ni/Au ohmic contacts to p-GaN. <i>Applied Physics Letters</i> , 2002, 81, 3978-3980.	1.5	43
648	Epitaxial growth of TaN thin films on Si(100) and Si(111) using a TiN buffer layer. <i>Applied Physics Letters</i> , 2002, 80, 2323-2325.	1.5	35

#	ARTICLE	IF	CITATIONS
649	Tensile elongation (110%) observed in ultrafine-grained Zn at room temperature. Applied Physics Letters, 2002, 81, 823-825.	1.5	72
650	Effect of thickness variation in high-efficiency InGaN/GaN light-emitting diodes. Applied Physics Letters, 2002, 81, 841-843.	1.5	28
651	Copper diffusion characteristics in single-crystal and polycrystalline TaN. Applied Physics Letters, 2002, 81, 1453-1455.	1.5	40
652	Epitaxial growth of ZnO films on Si(111). Journal of Materials Research, 2002, 17, 2480-2483.	1.2	48
653	WEAK-LOCALIZATION EFFECT IN SINGLE CRYSTAL TaN(001) FILMS. Modern Physics Letters B, 2002, 16, 1143-1149.	1.0	5
654	Single Crystal TaN Thin Films on TiN/Si Heterostructure. Materials Research Society Symposia Proceedings, 2002, 716, 881.	0.1	0
655	Microstructures and Mechanical Properties of Nanostructured Copper-304 Stainless Steel Multilayers Synthesized by Magnetron Sputtering. Materials Research Society Symposia Proceedings, 2002, 740, 1.	0.1	1
656	Studies on Epitaxial Relationship and Interface Structure of AlN/Si(111) and GaN/Si(111) Heterostructures. Materials Research Society Symposia Proceedings, 2002, 743, L3.24.1.	0.1	1
657	Copper Diffusion Characteristics in Single Crystal and Polycrystalline TaN. Materials Research Society Symposia Proceedings, 2002, 745, 6111.	0.1	0
658	Growth of TiN/AlN Superlattice by Pulsed Laser Deposition. Materials Research Society Symposia Proceedings, 2002, 750, 1.	0.1	1
659	Nanostructured DLC-Ag Composites for Biomedical Applications. Materials Research Society Symposia Proceedings, 2002, 750, 1.	0.1	3
660	Enhanced tensile ductility and toughness in nanostructured Cu. Applied Physics Letters, 2002, 80, 2395-2397.	1.5	254
661	Preparation of bulk ultrafine-grained and nanostructured Zn, Al and their alloys by in situ consolidation of powders during mechanical attrition. Scripta Materialia, 2002, 46, 661-665.	2.6	50
662	Mechanical properties of cryomilled nanocrystalline Zn studied by the miniaturized disk bend test. Acta Materialia, 2002, 50, 3527-3533.	3.8	20
663	Modulated oscillatory hardening and dynamic recrystallization in cryomilled nanocrystalline Zn. Acta Materialia, 2002, 50, 3995-4004.	3.8	36
664	Studies of deformation mechanisms in ultra-fine-grained and nanostructured Zn. Acta Materialia, 2002, 50, 4823-4830.	3.8	113
665	Deformation behavior and plastic instabilities of ultrafine-grained titanium. Applied Physics Letters, 2001, 79, 611-613.	1.5	413
666	Mechanical and Electrical Properties of Nanocrystalline and Epitaxial TiN Films. Materials Research Society Symposia Proceedings, 2001, 697, 841.	0.1	1

#	ARTICLE	IF	CITATIONS
667	Evidence for the formation mechanism of nanoscale microstructures in cryomilled Zn powder. Acta Materialia, 2001, 49, 1319-1326.	3.8	85
668	Mechanical properties of nanocrystalline and epitaxial TiN films on (100) silicon. Journal of Materials Research, 2001, 16, 2733-2738.	1.2	36
669	Origins of stored enthalpy in cryomilled nanocrystalline Zn. Journal of Materials Research, 2001, 16, 3485-3495.	1.2	16
670	Novel vertically aligned nanocomposite of Bi <sub>2</sub> WO <sub>6</sub> -Co <sub>3</sub> O <sub>4</sub> with room-temperature multiferroic and anisotropic optical response. Nano Research, 0, , 1.	5.8	9