

Morten Meldal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/533506/publications.pdf>

Version: 2024-02-01

273
papers

21,439
citations

34016

52
h-index

10127

140
g-index

339
all docs

339
docs citations

339
times ranked

17346
citing authors

#	ARTICLE	IF	CITATIONS
1	C-Terminal lactamization of peptides. <i>Chemical Communications</i> , 2021, 57, 895-898.	2.2	4
2	Attachment of cyclodextrin acids to PEGA resin and study of binding with fluorescence microscopy. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 43, 128060.	1.0	2
3	Dihydroquinazolinones via A 3 α -Type Reactions of N α -Carbamoyliminium Ions. <i>Chemistry - A European Journal</i> , 2020, 26, 15825-15829.	1.7	2
4	Design and Combinatorial Development of Shield-1 Peptide Mimetics Binding to Destabilized FKBP12. <i>ACS Combinatorial Science</i> , 2020, 22, 156-164.	3.8	4
5	Recent Fascinating Aspects of the CuAAC Click Reaction. <i>Trends in Chemistry</i> , 2020, 2, 569-584.	4.4	140
6	MC4R as a Target for Pharmacotherapeutic Treatment of Obesity and Type 2 Diabetes. , 2020, , 935-946.		0
7	Computational Evolution of Threonine-Rich β -Hairpin Peptides Mimicking Specificity and Affinity of Antibodies. <i>ACS Central Science</i> , 2019, 5, 259-269.	5.3	9
8	Synthesis of Shld Derivatives, Their Binding to the Destabilizing Domain, and Influence on Protein Accumulation in Transgenic Plants. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 5191-5216.	2.9	5
9	Azotides as Modular Peptide-Based Ligands for Asymmetric Lewis Acid Catalysis. <i>Journal of Organic Chemistry</i> , 2019, 84, 6940-6945.	1.7	4
10	Semisynthesis of an Active Enzyme by Quantitative Click Ligation. <i>Bioconjugate Chemistry</i> , 2019, 30, 1169-1174.	1.8	7
11	Rational Tuning of Fluorobenzene Probes for Cysteine-Selective Protein Modification. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8022-8026.	7.2	58
12	MC4R Agonists: Structural Overview on Antiobesity Therapeutics. <i>Trends in Pharmacological Sciences</i> , 2018, 39, 402-423.	4.0	43
13	Rational Tuning of Fluorobenzene Probes for Cysteine-Selective Protein Modification. <i>Angewandte Chemie</i> , 2018, 130, 8154-8158.	1.6	14
14	Metallo-Organozymes with Specific Proteolytic Activity. <i>Chemistry - A European Journal</i> , 2018, 24, 17424-17428.	1.7	2
15	InnenrÅ¼cktitelbild: Rational Tuning of Fluorobenzene Probes for Cysteine-Selective Protein Modification (<i>Angew. Chem.</i> 27/2018). <i>Angewandte Chemie</i> , 2018, 130, 8463-8463.	1.6	1
16	Sustainable Flow Synthesis of Encoded Beads for Combinatorial Chemistry and Chemical Biology. <i>ACS Combinatorial Science</i> , 2018, 20, 492-498.	3.8	7
17	Click-Chemistry-Mediated Synthesis of Selective Melanocortin Receptor 4 Agonists. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 8716-8730.	2.9	17
18	Diversity-Oriented Syntheses by Combining CuAAC and Stereoselective INCIC Reactions with Peptides. <i>Chemistry - A European Journal</i> , 2017, 23, 13869-13874.	1.7	7

#	ARTICLE	IF	CITATIONS
19	Mechanism and Scope of Base-Controlled Catalyst-Free N-Arylation of Amines with Unactivated Fluorobenzenes. <i>Chemistry - A European Journal</i> , 2017, 23, 846-851.	1.7	40
20	Recent advances in covalent, site-specific protein immobilization. <i>F1000Research</i> , 2016, 5, 2303.	0.8	48
21	Specific Electrostatic Molecular Recognition in Water. <i>Chemistry - A European Journal</i> , 2016, 22, 7206-7214.	1.7	8
22	Click-chemistry of polymersomes on nanoporous polymeric surfaces. <i>Journal of Polymer Science Part A</i> , 2016, 54, 2032-2039.	2.5	11
23	Click Chemistry Mediated Functionalization of Vertical Nanowires for Biological Applications. <i>Chemistry - A European Journal</i> , 2016, 22, 496-500.	1.7	13
24	Intramolecular N-Acyliminium Cascade (INAC) Reactions in Cyclization of Peptide-Like Molecules. <i>Topics in Heterocyclic Chemistry</i> , 2016, , 65-94.	0.2	2
25	Comparative studies of adhesion peptides based on L- and D-amino acids. <i>Journal of Peptide Science</i> , 2016, 22, 642-646.	0.8	0
26	C-Terminally modified peptides via cleavage of the HMBA linker by O-, N- or S-nucleophiles. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 3238-3245.	1.5	25
27	Heterologous expression of peptidyl-Lys metallopeptidase of <i>Armillaria mellea</i> and mutagenic analysis of the recombinant peptidase. <i>Journal of Biochemistry</i> , 2016, 159, 461-470.	0.9	2
28	Novel Application of Peptidyl-Lys Metallopeptidase as a C-Terminal Processing Protease. <i>Protein and Peptide Letters</i> , 2016, 23, 396-403.	0.4	0
29	Advances in Merging Triazoles with Peptides and Proteins. <i>Topics in Heterocyclic Chemistry</i> , 2015, , 267-304.	0.2	2
30	Covalent and Stable CuAAC Modification of Silicon Surfaces for Control of Cell Adhesion. <i>ChemBioChem</i> , 2015, 16, 782-791.	1.3	13
31	A single-vector EYFP reporter gene assay for G protein-coupled receptors. <i>Analytical Biochemistry</i> , 2015, 476, 40-44.	1.1	2
32	Fmoc: A Base-Labile Aldehyde Protecting Group. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 1433-1436.	1.2	8
33	Substrate Specificity Profiling of Peptidyl-Lys Metallopeptidase of <i>Armillaria mellea</i> by FRET Based Peptide Library. <i>Protein and Peptide Letters</i> , 2015, 22, 514-524.	0.4	2
34	In Vivo Imaging of Matrix Metalloproteinase 12 and Matrix Metalloproteinase 13 Activities in the Mouse Model of Collagen-Induced Arthritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 589-598.	2.9	29
35	In vivo imaging of MMP-13 activity in the murine destabilised medial meniscus surgical model of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 862-868.	0.6	29
36	A comparative study of the physicochemical properties of iron isomaltoside 1000 (Monofer®), a new intravenous iron preparation and its clinical implications. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2011, 78, 480-491.	2.0	220

#	ARTICLE	IF	CITATIONS
37	Methods for the preparation of chlorophyllide a: An intermediate of the chlorophyll biosynthetic pathway. <i>Analytical Biochemistry</i> , 2011, 419, 271-276.	1.1	18
38	Maintaining Biological Activity by Using Triazoles as Disulfide Bond Mimetics. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 5204-5206.	7.2	94
39	Metabolically Stable Cellular Adhesion to Inert Surfaces. <i>ChemBioChem</i> , 2011, 12, 2463-2470.	1.3	5
40	Simultaneous ω -One Pot ω -Expressed Protein Ligation and Cu ^I -Catalyzed Azide/Alkyne Cycloaddition for Protein Immobilization. <i>ChemBioChem</i> , 2011, 12, 2426-2430.	1.3	16
41	Lectin Domains of Polypeptide GalNAc Transferases Exhibit Glycopeptide Binding Specificity. <i>Journal of Biological Chemistry</i> , 2011, 286, 32684-32696.	1.6	50
42	Microparticle Matrix Encoding of Beads. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 3473-3476.	7.2	17
43	Small ω Molecule Affinity Ligands for Protein Purification: Combined Computational Enrichment and Automated In ω line Screening of an Optically Encoded Library. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 3477-3480.	7.2	6
44	Ralph F. Hirschmann award address 2009: Merger of organic chemistry with peptide diversity. <i>Biopolymers</i> , 2010, 94, 161-182.	1.2	20
45	ω Cycliminium intermediates in solid ω phase synthesis. <i>Biopolymers</i> , 2010, 94, 242-256.	1.2	31
46	Amino acid derived 1,4 ω dialkyl substituted imidazolones. <i>Biopolymers</i> , 2010, 94, 236-241.	1.2	8
47	Imidazolones in Diastereoselective Cyclization Reactions and Cu ^{II} -Catalysed Cross ω Coupling Reactions. <i>Chemistry - A European Journal</i> , 2009, 15, 7044-7047.	1.7	14
48	Polymer ω Clicking ω by CuAAC Reactions. <i>Macromolecular Rapid Communications</i> , 2008, 29, 1016-1051.	2.0	320
49	Optically Active (Peptido ω carbene)palladium Complexes: Towards True Solid ω Phase Combinatorial Libraries of Transition Metal Catalysts. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 3785-3797.	1.2	12
50	Green Catalysts: Solid ω Phase Peptide Carbene Ligands in Aqueous Transition ω Metal Catalysis. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 5244-5253.	1.2	52
51	Expression and substrate specificity of a recombinant cysteine proteinase B of <i>Leishmania braziliensis</i> . <i>Molecular and Biochemical Parasitology</i> , 2008, 161, 91-100.	0.5	9
52	Solid-Phase Synthesis of Aryl-Substituted Thienoindolizines: Sequential Pictet ω Spengler, Bromination and Suzuki Cross-Coupling Reactions of Thiophenes. <i>ACS Combinatorial Science</i> , 2008, 10, 447-455.	3.3	28
53	Divergent Pathway for the Solid-Phase Conversion of Aromatic Acetylenes to Carboxylic Acids, ω -Ketocarboxylic Acids, and Methyl Ketones. <i>ACS Combinatorial Science</i> , 2008, 10, 546-556.	3.3	13
54	Cu-Catalyzed Azide ω Alkyne Cycloaddition. <i>Chemical Reviews</i> , 2008, 108, 2952-3015.	23.0	4,049

#	ARTICLE	IF	CITATIONS
55	Solid-Phase Synthesis of Carboxylic and Oxamic Acids via OsO ₄ /NaIO ₄ /HMTA-Mediated Oxidative Cleavage of Acetylenic Peptides. <i>Organic Letters</i> , 2007, 9, 2469-2472.	2.4	16
56	Solid-Phase Synthesis of a Peptide-Based P,S-Ligand System Designed for Generation of Combinatorial Catalyst Libraries. <i>ACS Combinatorial Science</i> , 2007, 9, 79-85.	3.3	34
57	Controlled Peptide Solvation in Portion-Mixing Libraries of FRET Peptides: Improved Specificity Determination for Dengue 2 Virus NS2B-NS3 Protease and Human Cathepsin S. <i>ACS Combinatorial Science</i> , 2007, 9, 627-634.	3.3	18
58	Specific Recognition of Disaccharides in Water by an Artificial Bicyclic Carbohydrate Receptor. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 5003-5009.	1.2	34
59	Scaffold Diversity through Intramolecular Cascade Reactions of Solid-Supported Cyclic N-Acyliminium Intermediates. <i>ACS Combinatorial Science</i> , 2007, 9, 1060-1072.	3.3	44
60	Solid-Phase Synthesis of Tetrahydro- β -carboline and Tetrahydroisoquinolines by Stereoselective Intramolecular N-Carbonyliminium Pictet-Spengler Reactions. <i>Chemistry - A European Journal</i> , 2006, 12, 8056-8066.	1.7	49
61	Solid-phase synthesis of biarylalanines via Suzuki cross-coupling and intramolecular N-acyliminium Pictet-Spengler reactions. <i>Tetrahedron Letters</i> , 2005, 46, 7959-7962.	0.7	25
62	Efficient Solid-Phase Synthesis of Peptide-Based Phosphine Ligands: Towards Combinatorial Libraries of Selective Transition Metal Catalysts. <i>Chemistry - A European Journal</i> , 2005, 11, 4121-4131.	1.7	47
63	One Bead Two Compound Libraries for Detecting Chemical and Biochemical Conversions. <i>ChemInform</i> , 2005, 36, no.	0.1	0
64	Application of a Photolabile Backbone Amide Linker for Cleavage of Internal Amides in the Synthesis towards Melanocortin Subtype-4 Agonists. <i>QSAR and Combinatorial Science</i> , 2005, 24, 343-353.	1.5	11
65	GAG Mimetic Libraries: Sulphated Peptide as Heparin-like Glycosaminoglycan Mimics in Their Interaction with FGF-1. <i>QSAR and Combinatorial Science</i> , 2005, 24, 923-942.	1.5	13
66	Smart Combinatorial Assays for the Determination of Protease Activity and Inhibition. <i>QSAR and Combinatorial Science</i> , 2005, 24, 1141-1148.	1.5	14
67	Smart Assays in Combinatorial Chemistry. <i>QSAR and Combinatorial Science</i> , 2005, 24, 1125-1126.	1.5	2
68	Highly Efficient Solid-Phase Oxidative Cleavage of Olefins by OsO ₄ /NaIO ₄ in the Intramolecular N-Acyliminium Pictet-Spengler Reaction. <i>Organic Letters</i> , 2005, 7, 2695-2698.	2.4	44
69	Reversible Dimerization of Acid-Denatured ACBP Controlled by Helix A4. <i>Biochemistry</i> , 2005, 44, 1375-1384.	1.2	17
70	Versatile Solid-Phase Synthesis of Peptide-Derived 2-Oxazolines. Application in the Synthesis of Ligands for Asymmetric Catalysis. <i>Organic Letters</i> , 2005, 7, 581-584.	2.4	30
71	Solid-Phase Synthesis of Pyrroloisoquinolines via the Intramolecular N-Acyliminium Pictet-Spengler Reaction. <i>ACS Combinatorial Science</i> , 2005, 7, 599-610.	3.3	59
72	Solid-Phase Synthesis of Bicyclic Dipeptide Mimetics by Intramolecular Cyclization of Alcohols, Thiols, Amines, and Amides with N-Acyliminium Intermediates. <i>Organic Letters</i> , 2005, 7, 3601-3604.	2.4	58

#	ARTICLE	IF	CITATIONS
73	Differences in substrate specificities between cysteine protease CPB isoforms of <i>Leishmania mexicana</i> are mediated by a few amino acid changes. <i>FEBS Journal</i> , 2004, 271, 3704-3714.	0.2	19
74	Pyrazines on Solid Support from Peptides by Periodinane Oxidation of Threonine Side-Chains. A Quantitative Chemical Transformation (QCT) for Combinatorial Chemistry. <i>QSAR and Combinatorial Science</i> , 2004, 23, 109-116.	1.5	6
75	Bicyclic Organo-Peptides as Selective Carbohydrate Receptors: Design, Solid-phase Synthesis, and on-bead Binding Capability. <i>QSAR and Combinatorial Science</i> , 2004, 23, 117-129.	1.5	27
76	Synthesis of 3-Boc-(1,3)-oxazinane-Protected Amino Aldehydes from Amino Acids and Their Conversion into Urea Precursors. Novel Building Blocks for Combinatorial Synthesis. <i>QSAR and Combinatorial Science</i> , 2004, 23, 130-144.	1.5	19
77	High Capacity Poly(ethylene glycol) Based Amino Polymers for Peptide and Organic Synthesis. <i>QSAR and Combinatorial Science</i> , 2004, 23, 662-673.	1.5	89
78	ULTRAMINE: A High-Capacity Polyethylene-Imine-Based Polymer and Its Application as a Scavenger Resin. <i>Chemistry - A European Journal</i> , 2004, 10, 4407-4415.	1.7	21
79	“One bead two compound libraries”™ for detecting chemical and biochemical conversions. <i>Current Opinion in Chemical Biology</i> , 2004, 8, 238-244.	2.8	27
80	Complex of sialoadhesin with a glycopeptide ligand. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2004, 1702, 173-179.	1.1	16
81	Combinatorial Library of Peptidotriazoles: Identification of [1,2,3]-Triazole Inhibitors against a Recombinant <i>Leishmania mexicana</i> Cysteine Protease. <i>ACS Combinatorial Science</i> , 2004, 6, 312-324.	3.3	147
82	Î±-Keto Amide Peptides: A Synthetic Strategy to Resin-Bound Peptide Isosteres for Protease Inhibitor Screening on Solid Support. <i>ACS Combinatorial Science</i> , 2004, 6, 181-195.	3.3	27
83	Solid-Phase Intramolecular N-Acyliminium Pictet-Spengler Reactions as Crossroads to Scaffold Diversity. <i>Journal of Organic Chemistry</i> , 2004, 69, 3765-3773.	1.7	75
84	MUC1-derived glycopeptide libraries with improved MHC anchors are strong antigens and prime mouse T _H 1 cells for proliferative responses to lysates of human breast cancer tissue. <i>European Journal of Immunology</i> , 2003, 33, 1624-1632.	1.6	18
85	Solid-Phase Synthesis and Biological Activity of a Thioether Analogue of Conotoxin G1. <i>ChemBioChem</i> , 2003, 4, 186-194.	1.3	46
86	Automated Sorting of Beads from “One-Bead-Two-Compounds” Combinatorial Library of Metalloproteinase Inhibitors. <i>QSAR and Combinatorial Science</i> , 2003, 22, 737-744.	1.5	22
87	Solid Phase Combinatorial Library of 1,3-Azole Containing Peptides for the Discovery of Matrix Metallo Proteinase Inhibitors. <i>QSAR and Combinatorial Science</i> , 2003, 22, 754-766.	1.5	16
88	Solid-Phase Combinatorial Library of Norstatine-Type Isosteres by the Nitroaldol Reaction. <i>ACS Combinatorial Science</i> , 2003, 5, 91-101.	3.3	9
89	Glycopeptides as Oligosaccharide Mimics: High Affinity Sialopeptide Ligands for Sialoadhesin from Combinatorial Libraries. <i>ACS Combinatorial Science</i> , 2003, 5, 18-27.	3.3	28
90	Processing of glycans on glycoprotein and glycopeptide antigens in antigen-presenting cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 9611-9613.	3.3	47

#	ARTICLE	IF	CITATIONS
91	Palladium on Carbon Encapsulated in POEPOP1500: A Resin-Supported Catalyst for Hydrogenation Reactions. <i>Organic Letters</i> , 2002, 4, 27-30.	2.4	25
92	Solid-Phase Library Synthesis, Screening, and Selection of Tight-Binding Reduced Peptide Bond Inhibitors of a Recombinant <i>Leishmania mexicana</i> Cysteine Protease B. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 1971-1982.	2.9	46
93	SPOCC-194, a New High Functional Group Density PEG-Based Resin for Solid-Phase Organic Synthesis. <i>ACS Combinatorial Science</i> , 2002, 4, 523-529.	3.3	33
94	Peptidotriazoles on Solid Phase: [1,2,3]-Triazoles by Regiospecific Copper(I)-Catalyzed 1,3-Dipolar Cycloadditions of Terminal Alkynes to Azides. <i>Journal of Organic Chemistry</i> , 2002, 67, 3057-3064.	1.7	7,594
95	A Solid-Phase Approach to Mouse Melanocortin Receptor Agonists Derived from a Novel Thioether Cyclized Peptidomimetic Scaffold. <i>Journal of the American Chemical Society</i> , 2002, 124, 11046-11055.	6.6	48
96	Preparation of novel O-sulfated amino acid building blocks with improved acid stability for Fmoc-based solid-phase peptide synthesis. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002, , 682-686.	1.3	15
97	Backbone amide protection in solid-phase synthesis of peptide isosters derived from N-terminal β^3 -aldehydes. , 2002, , 146-147.		0
98	The one-bead two-compound assay for solid phase screening of combinatorial libraries. <i>Biopolymers</i> , 2002, 66, 93-100.	1.2	75
99	Optimizing Delays in the MBOB, Broadband HMBC, and Broadband XLOC NMR Pulse Sequences. <i>Journal of Magnetic Resonance</i> , 2002, 156, 282-294.	1.2	27
100	EXPO3000 a new expandable polymer for synthesis and enzymatic assays. <i>Tetrahedron Letters</i> , 2002, 43, 6409-6411.	0.7	11
101	Characterization of T cell hybridomas raised against a glycopeptide containing the tumor-associated T antigen, (betaGal (1-3) alphaGalNAc-O/Ser). <i>Glycoconjugate Journal</i> , 2002, 19, 59-65.	1.4	6
102	Combinatorial library of phosphinic peptides for discovery of MMP inhibitors on solid-phase. , 2002, , 443-444.		1
103	Analysis of O- and N-linked glycopeptide libraries by MALDI-TOF MS: Application in solid phase assays of carbohydrate-binding-proteins. , 2002, , 45-46.		0
104	Investigation of enzyme activity and inhibition in the interior of novel solid supports. , 2002, , 14-20.		0
105	A combinatorial approach to the identification of cysteine protease substrates and inhibitors by application of a solid-phase fluorescence quenching assay. , 2002, , 456-458.		0
106	SPOCC resins: Polar and chemically inert resins for organic synthesis and library enzyme assays. , 2002, , 176-178.		0
107	β -Ketocarbonyl Peptides: A General Approach to Reactive Resin-Bound Intermediates in the Synthesis of Peptide Isosteres for Protease Inhibitor Screening on Solid Support. <i>Journal of the American Chemical Society</i> , 2001, 123, 2176-2181.	6.6	65
108	Synthesis of Aldehyde Building Blocks Protected as Acid Labile N-Boc N,O-Acetals: Toward Combinatorial Solid Phase Synthesis of Novel Peptide Isosteres. <i>ACS Combinatorial Science</i> , 2001, 3, 34-44.	3.3	37

#	ARTICLE	IF	CITATIONS
109	N-Terminal Peptide Aldehydes as Electrophiles in Combinatorial Solid Phase Synthesis of Novel Peptide Isosteres. <i>ACS Combinatorial Science</i> , 2001, 3, 45-63.	3.3	40
110	Peptido-organic Diels-Alder reactions on hydrophilic resin: scope for combinatorial chemistry. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001, , 3198-3203.	1.3	8
111	Surfactant Mediated Cationic and Anionic Suspension Polymerization of PEG-Based Resins in Silicon Oil: Beaded SPOCC 1500 and POEPOP 1500. <i>ACS Combinatorial Science</i> , 2001, 3, 28-33.	3.3	18
112	Combinatorial Library of Peptide Isomers Based on Diels-Alder Reactions: Identification of Novel Inhibitors against a Recombinant Cysteine Protease from <i>Leishmania mexicana</i> . <i>ACS Combinatorial Science</i> , 2001, 3, 441-452.	3.3	42
113	Diffusion of Reagents in Macrobeads. <i>ACS Combinatorial Science</i> , 2001, 3, 461-468.	3.3	27
114	Solid-Phase Glycosylation of Peptide Templates and On-Bead MAS-NMR Analysis: Perspectives for Glycopeptide Libraries. <i>Chemistry - A European Journal</i> , 2001, 7, 3584.	1.7	32
115	Unichemo Protection: A Concept for Chemical Synthesis This work was supported by the Danish National Research Foundation. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 3655.	7.2	10
116	Radically altered T cell receptor signaling in glycopeptide-specific T cell hybridoma induced by antigen with minimal differences in the glycan group. <i>European Journal of Immunology</i> , 2001, 31, 3197-3206.	1.6	12
117	Identification of peptides inhibitory to recombinant cysteine proteinase, CPB, of <i>Leishmania mexicana</i> . <i>Molecular and Biochemical Parasitology</i> , 2001, 114, 81-88.	0.5	22
118	Substrate specificity of recombinant cysteine proteinase, CPB, of <i>Leishmania mexicana</i> . <i>Molecular and Biochemical Parasitology</i> , 2001, 116, 1-9.	0.5	20
119	Peptidotriazoles: Copper(I)-Catalyzed 1,3-Dipolar Cycloadditions on Solid-Phase. , 2001, , 263-264.		74
120	Oxidation of Threonine and Serine Residues on Solid-Phase: Pyrazine Formation by Dess-Martin Periodinane Oxidation. , 2001, , 269-270.		0
121	Expression and characterization of a recombinant cysteine proteinase of <i>Leishmania mexicana</i> . <i>Biochemical Journal</i> , 2000, 347, 383.	1.7	43
122	Internally quenched fluorescent peptide substrates disclose the subsite preferences of human caspases 1, 3, 6, 7 and 8. <i>Biochemical Journal</i> , 2000, 350, 563.	1.7	88
123	Internally quenched fluorescent peptide substrates disclose the subsite preferences of human caspases 1, 3, 6, 7 and 8. <i>Biochemical Journal</i> , 2000, 350, 563-568.	1.7	283
124	Expression and characterization of a recombinant cysteine proteinase of <i>Leishmania mexicana</i> . <i>Biochemical Journal</i> , 2000, 347, 383-388.	1.7	66
125	Glycopeptide and Oligosaccharide Libraries. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1162-1179.	7.2	84
126	Solid-phase Synthesis of Chemotactic Peptides Using α -Azido Acids. <i>Journal of Peptide Science</i> , 2000, 6, 314-320.	0.8	12

#	ARTICLE	IF	CITATIONS
127	Synthesis of tumor associated sialyl-T-glycopeptides and their immunogenicity. <i>Journal of Peptide Science</i> , 2000, 6, 585-593.	0.8	14
128	?-Azido acids for direct use in solid-phase peptide synthesis. <i>Journal of Peptide Science</i> , 2000, 6, 594-602.	0.8	28
129	The Substrate Specificity of a Recombinant Cysteine Protease from <i>Leishmania mexicana</i> : Application of a Combinatorial Peptide Library Approach. <i>ChemBioChem</i> , 2000, 1, 115-122.	1.3	41
130	Enzymatic and chiral HPLC resolution of $\hat{\pm}$ -azido acids and amides. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 1239-1248.	1.8	9
131	Epitope affinity for MHC class I determines helper requirement for CTL priming. <i>Nature Immunology</i> , 2000, 1, 145-150.	7.0	76
132	Hydrolysis by Cathepsin B of Fluorescent Peptides Derived From Human Prorenin. <i>Hypertension</i> , 2000, 35, 1278-1283.	1.3	12
133	Solid Phase Combinatorial Library of Phosphinic Peptides for Discovery of Matrix Metalloproteinase Inhibitors. <i>ACS Combinatorial Science</i> , 2000, 2, 624-638.	3.3	72
134	HYDRA: A novel hydroxy and amine functionalised resin synthesised by reductive amination of PEG aldehyde and a polyamine. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 4258-4264.	1.3	12
135	Physical Properties of Poly(ethylene glycol) (PEG)-Based Resins for Combinatorial Solid Phase Organic Chemistry: A Comparison of PEG-Cross-Linked and PEG-Grafted Resins. <i>ACS Combinatorial Science</i> , 2000, 2, 108-119.	3.3	86
136	Towards peptide isostere libraries: aqueous aldol reactions on hydrophilic solid supports. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 955-962.	1.3	16
137	Novel methodology for the solid-phase synthesis of phosphinic peptides. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 3306-3310.	1.3	21
138	Single-bead structure elucidation. Requirements for analysis of combinatorial solid-phase libraries by Nanoprobe MAS-NMR spectroscopy. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 1167-1171.	1.3	17
139	Synthesis and application of sialic acid-containing building blocks for glycopeptide libraries. Establishing glycosylation conditions. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 2127-2133.	1.3	19
140	Solid-phase Synthesis of Chemotactic Peptides Using $\hat{\pm}$ -Azido Acids. , 2000, 6, 314.		1
141	Title is missing!. <i>International Journal of Peptide Research and Therapeutics</i> , 1999, 6, 193-197.	0.1	0
142	Preparation of an unprotected phosphotyrosine building block and its application in solid-phase synthesis of phosphopeptides. <i>International Journal of Peptide Research and Therapeutics</i> , 1999, 6, 193-197.	0.1	1
143	Shared structural motifs in TCR of glycopeptide-recognizing T cell hybridomas. <i>European Journal of Immunology</i> , 1999, 29, 2759-2768.	1.6	9
144	Solid-Phase Synthesis of Peptide Isosters by Nucleophilic Reactions with N-Terminal Peptide Aldehydes on a Polar Support Tailored for Solid-Phase Organic Chemistry. <i>Chemistry - A European Journal</i> , 1999, 5, 1218-1225.	1.7	30

#	ARTICLE	IF	CITATIONS
145	Phosphinic Peptide Matrix Metalloproteinase-9 Inhibitors by Solid-Phase Synthesis Using a Building Block Approach. <i>Chemistry - A European Journal</i> , 1999, 5, 2877-2884.	1.7	43
146	SPOCC: A Resin for Solid-Phase Organic Chemistry and Enzymatic Reactions on Solid Phase. <i>Journal of the American Chemical Society</i> , 1999, 121, 5459-5466.	6.6	142
147	Evaluation of the effect of glycosylation on the enzymic hydrolysis of peptides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 1445-1452.	0.9	9
148	Convenient synthesis of Thr and Ser carrying the tumor associated sialyl-(2â†'3)-T antigen as building blocks for solid-phase glycopeptide synthesis. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 415-420.	0.9	24
149	Synthesis of T-antigen-containing glycopeptides as potential cancer vaccines. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 3559-3564.	0.9	19
150	Fluorescence-Quenched Solid Phase Combinatorial Libraries in the Characterization of Cysteine Protease Substrate Specificity. <i>ACS Combinatorial Science</i> , 1999, 1, 509-523.	3.3	92
151	Carbohydrate chemistry: synthetic and structural challenges towards the end of the 20th century. <i>Pure and Applied Chemistry</i> , 1999, 71, 755-765.	0.9	22
152	Identification of Protease Inhibitors Using Biocompatible Resins and Library Synthesis. , 1999, , 77-83.		0
153	Introduction to Combinatorial Solid-Phase Assays for Enzyme Activity and Inhibition. , 1998, 87, 51-58.		0
154	The Solid-Phase Enzyme Inhibitor Library Assay. , 1998, 87, 75-82.		2
155	The extracellular polysaccharide of <i>Pichia (Hansenula) holstii</i> NRRL Y-2448: the phosphorylated side chains. <i>Carbohydrate Research</i> , 1998, 309, 77-87.	1.1	41
156	C-Linked glycosyl azido acid in novel solid-phase C-glycopeptide synthesis. <i>Tetrahedron Letters</i> , 1998, 39, 1815-1818.	0.7	20
157	Analysis of organic reactions by thin layer chromatography combined with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1998, 12, 1475-1484.	0.7	23
158	Preparation of fluorescence quenched libraries containing interchain disulphide bonds for studies of protein disulphide isomerases. <i>Journal of Peptide Science</i> , 1998, 4, 128-137.	0.8	15
159	Inhibition of cruzipain visualized in a fluorescence quenched solid-phase inhibitor library assay. D-Amino Acid Inhibitors for cruzipain, cathepsin B and cathepsin L. , 1998, 4, 83-91.		46
160	PEGA supports for combinatorial peptide synthesis and solid-phase enzymatic library assays. <i>Journal of Peptide Science</i> , 1998, 4, 195-210.	0.8	69
161	Fluorescent properties of amino acids labeled with ortho-aminobenzoic acid. , 1998, 4, 395-402.		41
162	A chemically inert hydrophilic resin for solid phase organic synthesis. <i>Tetrahedron Letters</i> , 1998, 39, 8695-8698.	0.7	43

#	ARTICLE	IF	CITATIONS
163	Novel acylation catalysts in peptide synthesis: derivatives of N-hydroxytriazoles and N-hydroxytetrazoles. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1998, , 1727-1732.	0.9	23
164	Oligosaccharide Mimetics Obtained by Novel, Rapid Screening of Carboxylic Acid Encoded Glycopeptide Libraries. <i>Journal of the American Chemical Society</i> , 1998, 120, 13312-13320.	6.6	76
165	Novel Type of Rigid C-Linked Glycosylacetylene- α -Phenylalanine Building Blocks for Combinatorial Synthesis of C-linked Glycopeptides. <i>Journal of Organic Chemistry</i> , 1998, 63, 9657-9668.	1.7	56
166	Novel sequential solid-phase synthesis of N-linked glycopeptides from natural sources. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1998, , 549-560.	0.9	89
167	Fluorescence Energy-Transfer Probes of Conformation in Peptides: The 2-Aminobenzamide/Nitrotyrosine Pair. <i>Journal of Physical Chemistry B</i> , 1998, 102, 6413-6418.	1.2	22
168	Substrate Specificity of Barley Cysteine Endoproteases EP-A and EP-B1. <i>Plant Physiology</i> , 1998, 117, 255-261.	2.3	50
169	Kinetic Analysis of the Mechanism and Specificity of Protein-disulfide Isomerase Using Fluorescence-quenched Peptides. <i>Journal of Biological Chemistry</i> , 1998, 273, 24992-24999.	1.6	22
170	Characterization of the substrate specificity of the major cysteine protease (cruzipain) from <i>Trypanosoma cruzi</i> using a portion-mixing combinatorial library and fluorogenic peptides. <i>Biochemical Journal</i> , 1997, 323, 427-433.	1.7	90
171	Stereoselective synthesis of the C-analogue of β -D-glucopyranosyl serine. <i>Chemical Communications</i> , 1997, , 1469-1470.	2.2	40
172	Internally quenched fluorogenic, α -helical dimeric peptides and glycopeptides for the evaluation of the effect of glycosylation on the conformation of peptides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997, , 1365-1374.	0.9	16
173	New solid-phase oligosaccharide synthesis on glycopeptides bound to a solid phase. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997, , 281-294.	0.9	34
174	Synthesis of glycopeptide sequences of repeating units of the mucins MUC 2 and MUC 3 containing oligosaccharide side-chains with core 1, core 2, core 3, core 4 and core 6 structure. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997, , 2359-2368.	0.9	68
175	[6] Properties of solid supports. <i>Methods in Enzymology</i> , 1997, 289, 83-104.	0.4	60
176	Versatile solid-phase thiolytic reduction of azido and N-Dts groups in the synthesis of haemoglobin (67-76) O-glycopeptides and photoaffinity labelled analogues to study glycan T-cell specificity. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997, , 871-884.	0.9	37
177	Constrained glycopeptide ligands for MPRs. Limitations of unprotected phosphorylated building blocks. <i>Bioorganic and Medicinal Chemistry</i> , 1997, 5, 21-40.	1.4	43
178	Synthetic methods of glycopeptide assembly, and biological analysis of glycopeptide products. <i>Current Opinion in Chemical Biology</i> , 1997, 1, 552-563.	2.8	51
179	Evaluation of strategies for 'one-pot' deprotection, cleavage and disulfide bond formation in the preparation of cystine-containing peptides. <i>International Journal of Peptide Research and Therapeutics</i> , 1997, 3, 327-332.	0.1	3
180	Azido Acids in a Novel Method of Solid-Phase Peptide Synthesis.. <i>Tetrahedron Letters</i> , 1997, 38, 2531-2534.	0.7	78

#	ARTICLE	IF	CITATIONS
181	Direct Solid-Phase Glycosylations of Peptide Templates on a Novel PEG-Based Resin. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 1976-1978.	4.4	44
182	Direkte Festphasen-Glycosylierung von Peptiden an einem neuartigen Polyethylenglycol-Harz. <i>Angewandte Chemie</i> , 1997, 109, 2064-2067.	1.6	15
183	Synthetic hFSH peptide constructs in the evaluation of previous studies on the hFSH receptor interaction. , 1997, 3, 397-414.		3
184	Synthesis and characterisation of highly glycosylated glycopeptides with Tn-antigenic structures corresponding to human glycoporphin AN. <i>Carbohydrate Research</i> , 1997, 299, 33-48.	1.1	32
185	Spectroscopic and Protein Chemical Analyses Demonstrate the Presence of C-Mannosylated Tryptophan in Intact Human RNase 2 and Its Isoforms. <i>Biochemistry</i> , 1996, 35, 12005-12014.	1.2	77
186	Efficient syntheses of core 1, core 2, and core 3 and core 4 building blocks for SPS of mucin O-glycopeptides based on the N-Dts-method. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1996, , 985.	0.9	54
187	Solid-phase glycopeptide synthesis of tyrosine-glycosylated glycogenin fragments as substrates for glucosylation by glycogenin. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1996, , 1001.	0.9	17
188	T cell recognition of Tn-glycosylated peptide antigens. <i>European Journal of Immunology</i> , 1996, 26, 1342-1349.	1.6	63
189	The extracellular polysaccharide of <i>Pichia (Hansenula) holstii</i> NRRL Y-2448: The structure of the phosphomannan backbone. <i>Carbohydrate Research</i> , 1996, 293, 101-117.	1.1	34
190	POEPOP and POEPS: Inert polyethylene glycol crosslinked polymeric supports for solid synthesis. <i>Tetrahedron Letters</i> , 1996, 37, 6185-6188.	0.7	122
191	Glycopeptide mimics of mammalian Man9GlcNAc2. Ligand binding to mannan-binding proteins (MBPs). <i>Bioorganic and Medicinal Chemistry</i> , 1996, 4, 1881-1899.	1.4	9
192	Specificity of O-glycosylation by bovine colostrum UDP-GalNAc: polypeptide N-acetylgalactosaminyltransferase using synthetic glycopeptide substrates. <i>Glycoconjugate Journal</i> , 1996, 13, 849-856.	1.4	50
193	Multiple Column Synthesis of a Library of T-Cell Stimulating Tn-Antigenic Glycopeptide Analogues for the Molecular Characterization of T-Cell Glycan Specificity. <i>Journal of Peptide Science</i> , 1996, 2, 212-222.	0.8	10
194	Studies of Binding Sites in the Subtilisin from <i>Bacillus Lentus</i> by Means of Site Directed Mutagenesis and Kinetic Investigations. <i>Advances in Experimental Medicine and Biology</i> , 1996, 379, 105-112.	0.8	4
195	Multiple Column Synthesis of a Library of T-Cell Stimulating Tn-Antigenic Glycopeptide Analogues for the Molecular Characterization of T-Cell Glycan Specificity. <i>Journal of Peptide Science</i> , 1996, 2, 212-222.	0.8	8
196	Synthesis of the glycosyl amino acids N-Fmoc-Ser[Ac4-Î²-d-Gal p-(1 → 3)-Ac2-Î±-d-GalN3 p]-OPfp and N-Fmoc-Thr[Ac4-Î²-d-Gal p-(1 → 3)-Ac2-Î±-d-GalN3 p]-OPfp and the application in the solid-phase peptide synthesis of multiply glycosylated mucin peptides with Tn and T antigenic structures. <i>Carbohydrate Research</i> , 1995, 268, 17-34.	1.1	51
197	Synthesis, characterization and biocompatibility of PEGA resins. <i>Journal of Peptide Science</i> , 1995, 1, 31-44.	0.8	105
198	Synthesis and application of a PEGA polymeric support for high capacity continuous flow solid-phase peptide synthesis. <i>Tetrahedron Letters</i> , 1995, 36, 4647-4650.	0.7	38

#	ARTICLE	IF	CITATIONS
199	Efficient synthesis of O-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-ser/thr building blocks for spps of o-glcnaC glycopeptides. <i>Tetrahedron Letters</i> , 1995, 36, 9205-9208.	0.7	30
200	Synthesis of Unsymmetrical Trehalose Analogues by Silver Trifluoromethanesulphonate Promoted Glycosylations. <i>Journal of Carbohydrate Chemistry</i> , 1995, 14, 197-211.	0.4	7
201	Comparison of N-Dts and N-Aloc in the solid-phase syntheses of O-GlcNAc glycopeptide fragments of RNA-polymerase II and mammalian neurofilaments. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995, , 2165.	0.9	30
202	Synthesis of the building blocks N-Fmoc-O-β-D-Ac3GalN3p-(1→3)-β-D-Ac2GalN3p]-Thr-OPfp and N-Fmoc-O-β-D-Ac3GalN3p-(1→6)-β-D-Ac2GalN3p]-Thr-OPfp and their application in the solid phase glycopeptide synthesis of core 5 and core 7 mucin O-glycopeptides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995, , 1071-1080.	0.9	22
203	Solid-phase synthesis of a fucosylated glycopeptide of human factor IX with a fucose β-(1→O)-serine linkage. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995, , 3017-3022.	0.9	28
204	Direct visualization of enzyme inhibitors using a portion mixing inhibitor library containing a quenched fluorogenic peptide substrate. Part 1. Inhibitors for subtilisin Carlsberg. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995, , 1591.	0.9	51
205	Synthesis of aliphatic O-dimannosyl amino acid building blocks for solid-phase assembly of glycopeptide libraries. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995, , 2883.	0.9	21
206	Dithiasuccinoyl (Dts) amino-protecting group used in syntheses of 1,2-trans-amino sugar glycosides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995, , 405.	0.9	45
207	Glycopeptide Synthesis. , 1994, , 145-198.		40
208	The use of O-glycosyl trichloroacetimidates in the synthesis of unsymmetrical trehalose analogues. <i>Tetrahedron: Asymmetry</i> , 1994, 5, 2109-2122.	1.8	22
209	A general approach to the synthesis of O- and N-linked glycopeptides. <i>Glycoconjugate Journal</i> , 1994, 11, 59-63.	1.4	76
210	Eine neue Strategie zur Festphasensynthese von O-Glycopeptiden über Azidoglycopeptide. <i>Liebigs Annalen Der Chemie</i> , 1994, 1994, 369-379.	0.8	41
211	Anwendung des Azid-Glycopeptidsynthese- Verfahrens in der multiplen Festphasensynthese zur Gewinnung von O-Glycopeptiden des Mucin-Typs. <i>Liebigs Annalen Der Chemie</i> , 1994, 1994, 381-387.	0.8	14
212	Gram-scale synthesis of β-trehalose 6-monophosphate and β-trehalose 6,6-diphosphate. <i>Carbohydrate Research</i> , 1994, 260, 323-328.	1.1	20
213	Attachment of oligosaccharides to peptide antigen profoundly affects binding to major histocompatibility complex class II molecules and peptide immunogenicity. <i>European Journal of Immunology</i> , 1994, 24, 1066-1072.	1.6	51
214	Silyl protection in the solid-phase synthesis of N-linked glycopeptides. Preparation of glycosylated fluorogenic substrates for subtilisins. <i>Bioorganic and Medicinal Chemistry</i> , 1994, 2, 1153-1167.	1.4	18
215	UDPgalactose:glycoprotein-N-acetyl-d-galactosamine 3-beta-d-galactosyltransferase activity synthesizing O-glycan core 1 is controlled by the amino acid sequence and glycosylation of glycopeptide substrates. <i>FEBS Journal</i> , 1994, 221, 1039-1046.	0.2	64
216	Recent developments in glycopeptide and oligosaccharide synthesis. <i>Current Opinion in Structural Biology</i> , 1994, 4, 710-718.	2.6	52

#	ARTICLE	IF	CITATIONS
217	Multiple Column Synthesis of Quenched Solid-Phase Bound Fluorogenic Substrates for Characterization of Endoprotease Specificity. <i>Methods</i> , 1994, 6, 417-424.	1.9	29
218	Synthesis of 2- and 3-O-acylated maltotriosides as potential fluorescence-quenched substrates for α -amylase. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 2169-2176.	0.9	10
219	Synthesis of glycosyltyrosine building blocks for solid-phase glycopeptide assembly: use of aryl tert-butyl ethers as glycosyl acceptors in aromatic glycosylations. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 3287.	0.9	25
220	Convenient synthesis of O-(2-acit-amido-2-deoxy- β -D-glucopyranosyl)-serine and -threonine building blocks for solid-phase glycopeptide assembly. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 2615-2619.	0.9	29
221	A PEGA resin for use in the solid-phase chemical enzymatic synthesis of glycopeptides. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, .	2.0	97
222	Synthesis of glycosylated peptide templates containing 6-O-phosphorylated mannose disaccharides and their binding to the cation-independent mannose 6-phosphate receptor. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 1299-1310.	0.9	35
223	Molecular Recognition of a Salmonella Trisaccharide Epitope by Monoclonal Antibody Se155-4. <i>Biochemistry</i> , 1994, 33, 5172-5182.	1.2	99
224	Susceptibility of glycans to β -elimination in Fmoc-based glycopeptide synthesis. <i>International Journal of Peptide and Protein Research</i> , 1994, 43, 529-536.	0.1	31
225	Silyl protection in the solid-phase synthesis of N-linked neoglycopeptides. One-step deprotection of fully protected neoglycopeptides.. <i>Tetrahedron Letters</i> , 1993, 34, 3315-3318.	0.7	9
226	Glycosylation of phenols: preparation of 1,2-cis and 1,2-trans glycosylated tyrosine derivatives to be used in solid-phase glycopeptide synthesis. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 2119.	0.9	50
227	Protected-mode synthesis of N-linked glycopeptides: single-step preparation of building blocks as peracetyl glycosylated N-Fmoc asparagine OPfp esters. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 1461-1471.	0.9	47
228	Small-scale solid-phase O-glycopeptide synthesis of linear and cyclized hexapeptides from blood-clotting factor IX containing O-(1-D-Xyl-1 \rightarrow 3-1-D-Xyl-1 \rightarrow 3- β -D-Glc)-L-ser. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 925-932.	0.9	52
229	Mutational replacements of the amino acid residues forming the hydrophobic S4 binding pocket of subtilisin 309 from <i>Bacillus lentus</i> . <i>Biochemistry</i> , 1993, 32, 8994-8999.	1.2	35
230	Synthesis of mannose 6-phosphate-containing disaccharide threonine building blocks and their use in solid-phase glycopeptide synthesis. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 1453.	0.9	28
231	Synthesis and Immunological Properties of Glycopeptide T-Cell Determinants. <i>ACS Symposium Series</i> , 1993, , 19-33.	0.5	12
232	Multiple column peptide synthesis, Part 2 (1, 2). <i>International Journal of Peptide and Protein Research</i> , 1993, 41, 250-260.	0.1	55
233	Solid phase peptide synthesis of a di-N-glycosylated RGD analog. , 1993, , 365-366.		1
234	Solid-phase synthesis and characterization of O-dimannosylated heptadecapeptide analogues of human insulin-like growth factor 1 (IGF-1). <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 1699.	0.9	28

#	ARTICLE	IF	CITATIONS
235	Multiple-column solid-phase glycopeptide synthesis. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 1163.	0.9	59
236	Synthesis of the 1-Amino-Alditols Derived from Cellobiose, Lactose and Maltose. A Comprehensive NMR Study of Some Alditols and Amino-Alditols. <i>Journal of Carbohydrate Chemistry</i> , 1992, 11, 813-835.	0.4	18
237	Extensive comparison of the substrate preferences of two subtilisins as determined with peptide substrates which are based on the principle of intramolecular quenching. <i>Biochemistry</i> , 1992, 31, 6011-6018.	1.2	161
238	Solid phase peptide synthesis of mucin glycopeptides. <i>Tetrahedron Letters</i> , 1992, 33, 6445-6448.	0.7	23
239	Pega: a flow stable polyethylene glycol dimethyl acrylamide copolymer for solid phase synthesis.. <i>Tetrahedron Letters</i> , 1992, 33, 3077-3080.	0.7	331
240	Substrate preferences of glutamic-acid-specific endopeptidases assessed by synthetic Peptide Substrates based on intramolecular fluorescence quenching. <i>FEBS Journal</i> , 1992, 206, 103-107.	0.2	97
241	A New Strategy for Solid-Phase Synthesis of O-Glycopeptides. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 857-859.	4.4	57
242	Large-scale synthesis of d-mannose 6-phosphate and other hexose 6-phosphates. <i>Carbohydrate Research</i> , 1992, 235, 115-127.	1.1	29
243	Eine neue Strategie zur Festphasensynthese von <i>O</i> -Glycopeptiden. <i>Angewandte Chemie</i> , 1992, 104, 881-883.	1.6	16
244	Anthranilamide and nitrotyrosine as a donor-acceptor pair in internally quenched fluorescent substrates for endopeptidases: Multicolumn peptide synthesis of enzyme substrates for subtilisin carlsberg and pepsin. <i>Analytical Biochemistry</i> , 1991, 195, 141-147.	1.1	159
245	Controlled reduction of acarbose: conformational analysis of acarbose and the resulting saturated products. <i>Carbohydrate Research</i> , 1991, 221, 1-16.	1.1	23
246	Multiple column solid phase glycopeptide synthesis. <i>Tetrahedron Letters</i> , 1991, 32, 5067-5070.	0.7	38
247	Amidation of growth hormone releasing factor (1â€“29) by serine carboxypeptidase catalysed transpeptidation. <i>International Journal of Peptide and Protein Research</i> , 1991, 37, 153-160.	0.1	34
248	Solid phase synthesis of internally quenched protease substrates. , 1991, , 208-209.		0
249	New self-indicating, activated esters for solid phase peptide synthesis. , 1991, , 192-193.		0
250	Pentafluorophenyl esters for temporary carboxyl group protection in solid phase synthesis of N-linked glycopeptides.. <i>Tetrahedron Letters</i> , 1990, 31, 6987-6990.	0.7	65
251	The active ester N-fmoc-3-O-[Ac4-Î±-D-Manp-(1â†’2)-Ac3-Î±-D-Manp-1-]=thre-O-Pfp as a building block in solid-phase synthesis of an o-linked dimannosyl glycopeptide.. <i>Tetrahedron Letters</i> , 1990, 31, 6991-6994.	0.7	56
252	A Facile One-Pot Synthesis of 3,4-Dihydro-3-hydroxy-4-oxo-1,2,3-benzotriazine and Derivatives. <i>Synthesis</i> , 1990, 1990, 1008-1010.	1.2	19

#	ARTICLE	IF	CITATIONS
253	Pentafluorophenyl esters for the temporary protection of the α -carboxy group in solid phase glycopeptide synthesis. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 483-485.	2.0	66
254	The T-Lymphocyte Proliferative Response to Synthetic Peptide Antigens of Defined Secondary Structure. <i>Scandinavian Journal of Immunology</i> , 1989, 30, 723-730.	1.3	21
255	Photonucleases. , 1989, , 209-218.		3
256	Peptide synthesis. Part 13. Feedback control in solid phase synthesis. Use of fluorenylmethoxycarbonyl amino acid 3,4-dihydro-4-oxo-1,2,3-benzotriazin-3-yl esters in a fully automated system. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1988, , 2895.	0.9	59
257	Peptide synthesis. Part 12. 3,4-Dihydro-4-oxo-1,2,3-benzotriazin-3-yl esters of fluorenylmethoxycarbonyl amino acids as self-indicating reagents for solid phase peptide synthesis. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1988, , 2887.	0.9	68
258	9- α -Acridinylpeptides and 9- α -acridinyl-4- α -nitrophenylsulfonylpeptides. <i>International Journal of Peptide and Protein Research</i> , 1988, 32, 331-343.	0.1	6
259	K88 fimbrial antigens: identification of antigenic determinants by the use of synthetic peptides. <i>Microbial Pathogenesis</i> , 1987, 2, 465-472.	1.3	14
260	Feedback control in organic synthesis. A system for solid phase peptide synthesis with true automation. <i>Journal of the Chemical Society Chemical Communications</i> , 1987, , 270.	2.0	40
261	Self-indicating activated esters for use in solid phase peptide synthesis. Fluorenylmethoxycarbonylamino acid derivatives of 3-hydroxy-4-oxodihydrobenzotriazine. <i>Journal of the Chemical Society Chemical Communications</i> , 1986, , 1763.	2.0	46
262	Synthesis of a Proposed Antigenic Hexapeptide from Escherichia Coli K88 Protein Fimbriae.. <i>Acta Chemica Scandinavica</i> , 1986, 40b, 235-241.	0.7	17
263	Synthesis of a Putative Subtype Specific Antigenic Heptapeptide from Escherichia Coli K88 ad Protein Fimbriae.. <i>Acta Chemica Scandinavica</i> , 1986, 40b, 242-249.	0.7	11
264	Synthesis of a Putative Antigenic Heptapeptide from Escherichia Coli K88 ab Protein Fimbriae.. <i>Acta Chemica Scandinavica</i> , 1986, 40b, 250-256.	0.7	7
265	The conformation of Salmonella O-antigenic oligosaccharides of serogroups A, B, and D1 inferred from ^1H - and ^{13}C -nuclear magnetic resonance spectroscopy. <i>Carbohydrate Research</i> , 1984, 130, 35-53.	1.1	48
266	The conformation of Salmonella O-antigenic polysaccharide chains of serogroups A, B, and D1 predicted by semi-empirical, hard-sphere (HSEA) calculations. <i>Carbohydrate Research</i> , 1984, 130, 23-34.	1.1	48
267	Synthesis of the Branchpoint Tetrasaccharide of the O-Specific Determinant of Salmonella Serogroup B.. <i>Acta Chemica Scandinavica</i> , 1984, 38b, 71-77.	0.7	13
268	Synthesis of Tetrasaccharides Related to the O-Specific Determinants of Salmonella Serogroups A, B and D1.. <i>Acta Chemica Scandinavica</i> , 1984, 38b, 255-266.	0.7	13
269	Isomerization of D-Glucose with Glucose-isomerase. A Mechanistic Study.. <i>Acta Chemica Scandinavica</i> , 1983, 37b, 101-108.	0.7	60
270	Synthesis of Disaccharides Related to the O-Specific Polysaccharide of Salmonella typhimurium.. <i>Acta Chemica Scandinavica</i> , 1983, 37b, 629-638.	0.7	8

#	ARTICLE	IF	CITATIONS
271	Mercury Iodide as a Catalyst in Oligosaccharide Synthesis.. Acta Chemica Scandinavica, 1983, 37b, 775-783.	0.7	21
272	Preparation and Screening of Glycopeptide Libraries. , 0, , 283-304.		2
273	Dipolar Cycloaddition Reactions in Peptide Chemistry. , 0, , 285-310.		1