

Satoko Arai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5337002/publications.pdf>

Version: 2024-02-01

47
papers

1,947
citations

257450

24
h-index

254184

43
g-index

49
all docs

49
docs citations

49
times ranked

2744
citing authors

#	ARTICLE	IF	CITATIONS
1	A role for the apoptosis inhibitory factor AIM/Sp1/Ap1 in atherosclerosis development. <i>Cell Metabolism</i> , 2005, 1, 201-213.	16.2	257
2	Apoptosis inhibitor of macrophage protein enhances intraluminal debris clearance and ameliorates acute kidney injury in mice. <i>Nature Medicine</i> , 2016, 22, 183-193.	30.7	161
3	The nuclear receptor LXR controls the functional specialization of splenic macrophages. <i>Nature Immunology</i> , 2013, 14, 831-839.	14.5	147
4	Macrophage-Derived AIM Is Endocytosed into Adipocytes and Decreases Lipid Droplets via Inhibition of Fatty Acid Synthase Activity. <i>Cell Metabolism</i> , 2010, 11, 479-492.	16.2	127
5	MafB promotes atherosclerosis by inhibiting foam-cell apoptosis. <i>Nature Communications</i> , 2014, 5, 3147.	12.8	92
6	Obesity-Associated Autoantibody Production Requires AIM to Retain the Immunoglobulin M Immune Complex on Follicular Dendritic Cells. <i>Cell Reports</i> , 2013, 3, 1187-1198.	6.4	88
7	The IgM pentamer is an asymmetric pentagon with an open groove that binds the AIM protein. <i>Science Advances</i> , 2018, 4, eaau1199.	10.3	85
8	Apoptosis inhibitor of macrophage (AIM) is required for obesity-associated recruitment of inflammatory macrophages into adipose tissue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 12072-12077.	7.1	83
9	PAD4 regulates proliferation of multipotent haematopoietic cells by controlling c-myc expression. <i>Nature Communications</i> , 2013, 4, 1836.	12.8	63
10	Circulating AIM Prevents Hepatocellular Carcinoma through Complement Activation. <i>Cell Reports</i> , 2014, 9, 61-74.	6.4	60
11	Two Distinct Controls of Mitotic Cdk1/Cyclin B1 Activity Requisite for Cell Growth Prior to Cell Division. <i>Cell Cycle</i> , 2007, 6, 1418-1424.	2.6	59
12	Death effector domain-containing protein (DEDD) is required for uterine decidualization during early pregnancy in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 318-327.	8.2	48
13	Impaired maturation of myeloid progenitors in mice lacking novel Polycomb group protein MBT-1. <i>EMBO Journal</i> , 2005, 24, 1863-1873.	7.8	45
14	The macrophage soluble receptor AIM/Ap1/CD5L displays a broad pathogen recognition spectrum and is involved in early response to microbial aggression. <i>Cellular and Molecular Immunology</i> , 2014, 11, 343-354.	10.5	39
15	Circulating AIM as an Indicator of Liver Damage and Hepatocellular Carcinoma in Humans. <i>PLoS ONE</i> , 2014, 9, e109123.	2.5	37
16	AIMing at Metabolic Syndrome - Towards the Development of Novel Therapies for Metabolic Diseases via Apoptosis Inhibitor of Macrophage (AIM) -. <i>Circulation Journal</i> , 2011, 75, 2522-2531.	1.6	35
17	Apoptosis inhibitor of macrophage (AIM) diminishes lipid droplet-coating proteins leading to lipolysis in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2012, 422, 476-481.	2.1	35
18	Two distinct controls of mitotic cdk1/cyclin B1 activity requisite for cell growth prior to cell division. <i>Cell Cycle</i> , 2007, 6, 1419-25.	2.6	31

#	ARTICLE	IF	CITATIONS
19	Impacts of the apoptosis inhibitor of macrophage (AIM) on obesity-associated inflammatory diseases. <i>Seminars in Immunopathology</i> , 2014, 36, 3-12.	6.1	30
20	Dietary fructose-induced hepatocellular carcinoma development manifested in mice lacking apoptosis inhibitor of macrophage (<sc>AIM</sc>). <i>Genes To Cells</i> , 2016, 21, 1320-1332.	1.2	29
21	Crucial Role of AIM/CD5L in the Development of Glomerular Inflammation in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2013-2024.	6.1	29
22	Apoptosis inhibitor of macrophage ameliorates fungus-induced peritoneal injury model in mice. <i>Scientific Reports</i> , 2017, 7, 6450.	3.3	28
23	Death-effector domain-containing protein DEDD is an inhibitor of mitotic Cdk1/cyclin B1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2289-2294.	7.1	27
24	Stabilization and Augmentation of Circulating AIM in Mice by Synthesized IgM-Fc. <i>PLoS ONE</i> , 2014, 9, e97037.	2.5	27
25	AIM associated with the IgM pentamer: attackers on stand-by at aircraft carrier. <i>Cellular and Molecular Immunology</i> , 2018, 15, 563-574.	10.5	27
26	Rituximab was effective on refractory thrombotic thrombocytopenic purpura but induced a flare of hemophagocytic syndrome in a patient with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2010, 20, 81-85.	1.8	24
27	AIM/CD5L attenuates DAMPs in the injured brain and thereby ameliorates ischemic stroke. <i>Cell Reports</i> , 2021, 36, 109693.	6.4	24
28	Apoptosis inhibitor of macrophage (AIM) expression in alveolar macrophages in COPD. <i>Respiratory Research</i> , 2013, 14, 30.	3.6	23
29	A scavenging system against internal pathogens promoted by the circulating protein apoptosis inhibitor of macrophage (AIM). <i>Seminars in Immunopathology</i> , 2018, 40, 567-575.	6.1	23
30	Activation of apoptosis inhibitor of macrophage is a sensitive diagnostic marker for NASH-associated hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2018, 53, 770-779.	5.1	22
31	Autoantibodies against platelet-derived growth factor receptor alpha in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2010, 20, 458-465.	1.8	18
32	Impact of feline AIM on the susceptibility of cats to renal disease. <i>Scientific Reports</i> , 2016, 6, 35251.	3.3	18
33	Modification of N-glycosylation modulates the secretion and lipolytic function of apoptosis inhibitor of macrophage (AIM). <i>FEBS Letters</i> , 2012, 586, 3569-3574.	2.8	15
34	The Death Effector Domain-containing DEDD Supports S6K1 Activity via Preventing Cdk1-dependent Inhibitory Phosphorylation. <i>Journal of Biological Chemistry</i> , 2009, 284, 5050-5055.	3.4	12
35	Improved Experimental Procedures for Achieving Efficient Germ Line Transmission of Nonobese Diabetic (NOD)-Derived Embryonic Stem Cells. <i>Experimental Diabetes Research</i> , 2004, 5, 219-226.	1.0	11
36	Independent modes of disease repair by AIM protein distinguished in AIM-felinated mice. <i>Scientific Reports</i> , 2018, 8, 13157.	3.3	10

#	ARTICLE	IF	CITATIONS
37	The death effector domain-containing DEDD forms a complex with Akt and Hsp90, and supports their stability. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 1708-1713.	2.1	9
38	A proteolytic modification of AIM promotes its renal excretion. <i>Scientific Reports</i> , 2016, 6, 38762.	3.3	9
39	AIM-deficient mouse fed a high-trans fat, high-cholesterol diet: a new animal model for nonalcoholic fatty liver disease. <i>Experimental Animals</i> , 2019, 68, 147-158.	1.1	8
40	Tricking an ancient immune function to eradicate hepatocellular carcinoma. <i>Molecular and Cellular Oncology</i> , 2015, 2, e985915.	0.7	6
41	Inflammatory and anti-inflammatory states of adipose tissue in transgenic mice bearing a single TCR. <i>International Immunology</i> , 2017, 29, 21-30.	4.0	6
42	Molecular Cloning and Gene Expression of Canine Apoptosis Inhibitor of Macrophage. <i>Journal of Veterinary Medical Science</i> , 2014, 76, 1641-1645.	0.9	5
43	Association of apoptosis inhibitor of macrophage (AIM) expression with urinary protein and kidney dysfunction. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 35-42.	1.6	5
44	High salt exacerbates acute kidney injury by disturbing the activation of CD5L/apoptosis inhibitor of macrophage (AIM) protein. <i>PLoS ONE</i> , 2021, 16, e0260449.	2.5	5
45	Positive Selection by the Pre-TCR Yields Mature CD8+ T Cells. <i>Journal of Immunology</i> , 2002, 169, 4913-4919.	0.8	4
46	A defense system against multiple diseases via biological garbage clearance mediated by soluble scavenger proteins. <i>Inflammation and Regeneration</i> , 2015, 35, 203-209.	3.7	1
47	AIMing at Metabolic Syndrome: Towards development of novel therapies for modern metabolic diseases via macrophage-derived AIM. <i>FASEB Journal</i> , 2012, 26, 570.9.	0.5	0