
## Atsushi Kuno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5337852/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	O-glycosylated HBsAg peptide can induce specific antibody neutralizing HBV infection. Biochimica Et Biophysica Acta - General Subjects, 2022, 1866, 130020.	2.4	4
2	Tissue Glycome Mapping: Lectin Microarray-Based Differential Glycomic Analysis of Formalin-Fixed Paraffin-Embedded Tissue Sections. Methods in Molecular Biology, 2022, 2460, 161-180.	0.9	1
3	Application of Glycan-Related Microarrays. , 2021, , 134-148.		1
4	LM-GlycomeAtlas Ver. 2.0: An Integrated Visualization for Lectin Microarray-based Mouse Tissue Glycome Mapping Data with Lectin Histochemistry. Journal of Proteome Research, 2021, 20, 2069-2075.	3.7	3
5	Glycans unique to the relapse-prone subset within triple-negative breast cancer as revealed by lectin array-based analysis of surgical specimens. PLoS ONE, 2021, 16, e0250747.	2.5	5
6	<i>N</i> -glycan structures of <i>Wisteria floribunda</i> agglutinin-positive Mac2 binding protein in the serum of patients with liver fibrosis. Glycobiology, 2021, 31, 1268-1278.	2.5	7
7	Glycomic Signatures of Plasma IgG Improve Preoperative Prediction of the Invasiveness of Small Lung Nodules. Molecules, 2020, 25, 28.	3.8	11
8	Screening siRNAs against host glycosylation pathways to develop novel antiviral agents against hepatitis B virus. Hepatology Research, 2020, 50, 1128-1140.	3.4	6
9	Multi-serum glycobiomarkers improves the diagnosis and prognostic prediction of cholangiocarcinoma. Clinica Chimica Acta, 2020, 510, 142-149.	1.1	12
10	O-Glycan-Altered Extracellular Vesicles: A Specific Serum Marker Elevated in Pancreatic Cancer. Cancers, 2020, 12, 2469.	3.7	26
11	C-Terminally tagged NA in replication-competent influenza A viruses reveals differences in glycan profiles between NA and HA. Analyst, The, 2020, 145, 5845-5853.	3.5	2
12	GlycoBIST: A System for Automatic Glycan Profiling of a Target Protein Using Milliâ€Bead Array in a Tip. Current Protocols in Protein Science, 2020, 99, e103.	2.8	2
13	Comparative Glycomic Analysis of Exosome Subpopulations Derived from Pancreatic Cancer Cell Lines. Journal of Proteome Research, 2020, 19, 2516-2524.	3.7	20
14	Discovery of Pancreatic Ductal Adenocarcinoma-Related Aberrant Glycosylations: A Multilateral Approach of Lectin Microarray-Based Tissue Glycomic Profiling With Public Transcriptomic Datasets. Frontiers in Oncology, 2020, 10, 338.	2.8	19
15	Lectin Bead Array in a Single Tip Facilitates Fully Automatic Glycoprotein Profiling. Analytical Chemistry, 2019, 91, 11162-11169.	6.5	6
16	Wisteria floribunda agglutinin staining for the quantitative assessment of cardiac fibrogenic activity in a mouse model of dilated cardiomyopathy. Laboratory Investigation, 2019, 99, 1749-1765.	3.7	10
17	LM-GlycomeAtlas Ver. 1.0: A Novel Visualization Tool for Lectin Microarray-Based Glycomic Profiles of Mouse Tissue Sections. Molecules, 2019, 24, 2962.	3.8	11
18	An Improved Method for Cell Type-Selective Glycomic Analysis of Tissue Sections Assisted by Fluorescence Laser Microdissection. International Journal of Molecular Sciences, 2019, 20, 700.	4.1	10

#	Article	IF	CITATIONS
19	Response to the letter by Dr. Naoya Yamada, and Dr. Koichi Mizuta regarding our manuscript: "Mac-2 binding protein glycan isomer (M2BPGi) is a new serum biomarker for assessing liver fibrosis: more than a biomarker of liver fibrosis― Journal of Gastroenterology, 2019, 54, 206-207.	5.1	0
20	Lectin microarray analyses reveal host cell-specific glycan profiles of the hemagglutinins of influenza A viruses. Virology, 2019, 527, 132-140.	2.4	16
21	Glycan Biomarkers for Cancer and Various Disease. , 2019, , 297-309.		0
22	Mac-2 binding protein glycan isomer (M2BPGi) is a new serum biomarker for assessing liver fibrosis: more than a biomarker of liver fibrosis. Journal of Gastroenterology, 2018, 53, 819-826.	5.1	125
23	Enhanced Azidolysis by the Formation of Stable Ser–His Catalytic Dyad in a Glycoside Hydrolase Family 10 Xylanase Mutant. Journal of Applied Glycoscience (1999), 2018, 65, 1-8.	0.7	4
24	Current Technologies for Complex Glycoproteomics and Their Applications to Biology/Disease-Driven Glycoproteomics. Journal of Proteome Research, 2018, 17, 4097-4112.	3.7	60
25	Highly Sensitive Glycan Profiling of Hepatitis B Viral Particles and a Simple Method for Dane Particle Enrichment. Analytical Chemistry, 2018, 90, 10196-10203.	6.5	15
26	Serum <scp>WFA</scp> <sup>+</sup> â€M2 <scp>BP</scp> levels for evaluation of early stages of liver fibrosis in patients with chronic hepatitis B virus infection. Liver International, 2017, 37, 35-44.	3.9	61
27	Wisteria floribunda agglutinin-sialylated mucin core polypeptide 1 is a sensitive biomarker for biliary tract carcinoma and intrahepatic cholangiocarcinoma: a multicenter study. Journal of Gastroenterology, 2017, 52, 218-228.	5.1	12
28	Serum Wisteria Floribunda Agglutinin-Positive Sialylated Mucin 1 as a Marker of Progenitor/Biliary Features in Hepatocellular Carcinoma. Scientific Reports, 2017, 7, 244.	3.3	14
29	A standardized method for lectin microarray-based tissue glycome mapping. Scientific Reports, 2017, 7, 43560.	3.3	48
30	Hepatic stellate cells secreting WFA <sup>+</sup> â€M2BP: Its role in biological interactions with Kupffer cells. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 1387-1393.	2.8	71
31	Glycobiomarker, Fucosylated Short-Form Secretogranin III Levels Are Increased in Serum of Patients with Small Cell Lung Carcinoma. Journal of Proteome Research, 2017, 16, 4495-4505.	3.7	16
32	Serum Wisteria Floribunda agglutinin-positive sialylated mucin 1 as a biomarker of hepatic progenitor cell/biliary features in hepatocellular carcinoma and of recurrence after curative therapy. Journal of Hepatology, 2017, 66, S617.	3.7	0
33	Assessment of tumor characteristics based on glycoform analysis of membrane-tethered MUC1. Laboratory Investigation, 2017, 97, 1103-1113.	3.7	20
34	Alteration of matrix metalloproteinase-3 O-glycan structure as a biomarker for disease activity of rheumatoid arthritis. Arthritis Research and Therapy, 2016, 18, 112.	3.5	19
35	A novel glycobiomarker, <scp> <i>W</i> </scp> <i>isteria floribunda</i> agglutinin macrophage colonyâ€stimulating factor receptor, for predicting carcinogenesis of liver cirrhosis. International Journal of Cancer, 2016, 138, 1462-1471.	5.1	13
36	<scp>NMR</scp> analysis on the sialic acidâ€binding mechanism of an Râ€ŧype lectin mutant by natural evolutionâ€mimicry. FEBS Letters, 2016, 590, 1720-1728.	2.8	1

#	Article	IF	CITATIONS
37	Influenza A Virus-Induced Expression of a GalNAc Transferase, GALNT3, via MicroRNAs Is Required for Enhanced Viral Replication. Journal of Virology, 2016, 90, 1788-1801.	3.4	48
38	Verification of WFA-Sialylated MUC1 as a Sensitive Biliary Biomarker for Human Biliary Tract Cancer. Annals of Surgical Oncology, 2016, 23, 671-677.	1.5	10
39	Lectin microarray technology identifies specific lectins related to lymph node metastasis of advanced gastric cancer. Gastric Cancer, 2016, 19, 531-542.	5.3	33
40	<i>Wisteria floribunda</i> agglutinin positive human Macâ€2â€binding protein as a predictor of hepatocellular carcinoma development in chronic hepatitis C patients. Hepatology Research, 2015, 45, E82-8.	3.4	55
41	Serum Wisteria Floribunda Agglutinin-Positive Mac-2 Binding Protein Values Predict the Development of Hepatocellular Carcinoma among Patients with Chronic Hepatitis C after Sustained Virological Response. PLoS ONE, 2015, 10, e0129053.	2.5	67
42	Development of fluorescent probes for "On-Off―switching based detection of lectin–saccharide interactions. Sensors and Actuators B: Chemical, 2015, 220, 389-397.	7.8	9
43	Association between Wisteria floribunda agglutinin-positive Mac-2 binding protein and the fibrosis stage of non-alcoholic fatty liver disease. Journal of Gastroenterology, 2015, 50, 776-784.	5.1	141
44	Clinicopathological characteristics and diagnostic performance of Wisteria floribunda agglutinin positive Mac-2-binding protein as a preoperative serum marker of liver fibrosis in hepatocellular carcinoma. Journal of Gastroenterology, 2015, 50, 1134-1144.	5.1	53
45	Lectin Microarray-Based Sero-Biomarker Verification Targeting Aberrant <i>O</i> -Linked Glycosylation on Mucin 1. Analytical Chemistry, 2015, 87, 7274-7281.	6.5	46
46	A novel serum marker, glycosylated Wisteria floribunda agglutinin-positive Mac-2 binding protein (WFA+-M2BP), for assessing liver fibrosis. Journal of Gastroenterology, 2015, 50, 76-84.	5.1	148
47	LecT-Hepa facilitates estimating treatment outcome during interferon therapy in chronic hepatitis C patients. Clinical Proteomics, 2014, 11, 44.	2.1	1
48	Development and Applications of the Lectin Microarray. Topics in Current Chemistry, 2014, 367, 105-124.	4.0	42
49	Glycoproteomics Approach for Identifying Glycobiomarker Candidate Molecules for Tissue Type Classification of Non-small Cell Lung Carcinoma. Journal of Proteome Research, 2014, 13, 4705-4716.	3.7	32
50	Elevated serum levels of <i>Wisteria floribunda</i> agglutininâ€positive human Macâ€2 binding protein predict the development of hepatocellular carcinoma in hepatitis C patients. Hepatology, 2014, 60, 1563-1570.	7.3	202
51	Multilectin-assisted fractionation for improved single-dot tissue glycome profiling in clinical glycoproteomics. Molecular BioSystems, 2014, 10, 201-205.	2.9	10
52	Novel Glycobiomarker for Ovarian Cancer That Detects Clear Cell Carcinoma. Journal of Proteome Research, 2014, 13, 1624-1635.	3.7	34
53	Application of a Glycoproteomics-Based Biomarker Development Method: Alteration in Glycan Structure on Colony Stimulating Factor 1 Receptor as a Possible Glycobiomarker Candidate for Evaluation of Liver Cirrhosis. Journal of Proteome Research, 2014, 13, 1428-1437.	3.7	31
54	Differential Glycan Analysis of an Endogenous Glycoprotein: Toward Clinical Implementation—From Sample Pretreatment to Data Standardization. Methods in Molecular Biology, 2014, 1200, 265-285.	0.9	8

#	Article	IF	CITATIONS
55	lgA Nephropathy Caused by Unusual Polymerization of IgA1 with Aberrant N-Glycosylation in a Patient with Monoclonal Immunoglobulin Deposition Disease. PLoS ONE, 2014, 9, e91079.	2.5	16
56	Glycoproteomics-based cancer marker discovery adopting dual enrichment with Wisteria floribunda agglutinin for high specific glyco-diagnosis of cholangiocarcinoma. Journal of Proteomics, 2013, 85, 1-11.	2.4	46
57	Glycoproteomic Discovery of Serological Biomarker Candidates for HCV/HBV Infection-Associated Liver Fibrosis and Hepatocellular Carcinoma. Journal of Proteome Research, 2013, 12, 2630-2640.	3.7	52
58	<scp>NMR</scp> structure and dynamics of the <scp>C</scp> â€ŧerminal domain of <scp>R</scp> â€ŧype lectin from the earthworm <i><scp>L</scp>umbricusÂterrestris</i> . FEBS Journal, 2013, 280, 70-82.	4.7	7
59	Lectin microarrays: concept, principle and applications. Chemical Society Reviews, 2013, 42, 4443.	38.1	254
60	Lectin-dependent inhibition of antigen-antibody reaction: application for measuring Â2,6-sialylated glycoforms of transferrin. Journal of Biochemistry, 2013, 154, 229-232.	1.7	8
61	Reconstruction of a robust glycodiagnostic agent supported by multiple lectinâ€assisted glycan profiling. Proteomics - Clinical Applications, 2013, 7, 642-647.	1.6	80
62	A serum "sweet-doughnut―protein facilitates fibrosis evaluation and therapy assessment in patients with viral hepatitis. Scientific Reports, 2013, 3, 1065.	3.3	292
63	Studies on crenarchaeal tyrosylation accuracy with mutational analyses of tyrosyl-tRNA synthetase and tyrosine tRNA from Aeropyrum pernix. Journal of Biochemistry, 2012, 152, 539-548.	1.7	2
64	Directed Evolution of Lectins with Sugar-binding Specificity for 6-Sulfo-galactose. Journal of Biological Chemistry, 2012, 287, 20313-20320.	3.4	45
65	A unique N-glycan on human transferrin in CSF: a possible biomarker for iNPH. Neurobiology of Aging, 2012, 33, 1807-1815.	3.1	62
66	Comparison of LecT-Hepa and FibroScan for assessment of liver fibrosis in hepatitis B virus infected patients with different ALT levels. Clinica Chimica Acta, 2012, 413, 1796-1799.	1.1	9
67	LecT-hepa, a glyco-marker derived from multiple lectins, as a predictor of liver fibrosis in chronic hepatitis C patients. Hepatology, 2012, 56, 1448-1456.	7.3	35
68	Structure-based engineering of glucose specificity in a family 10 xylanase from Streptomyces olivaceoviridis E-86. Process Biochemistry, 2012, 47, 358-365.	3.7	12
69	Abstract 4155: Comprehensive glucan profile exploration of mutated K-ras knockdown in colorectal cancer. , 2012, , .		0
70	LecT-Hepa: A triplex lectin–antibody sandwich immunoassay for estimating the progression dynamics of liver fibrosis assisted by a bedside clinical chemistry analyzer and an automated pretreatment machine. Clinica Chimica Acta, 2011, 412, 1767-1772.	1.1	30
71	High Throughput ELISAs to Measure a Unique Glycan on Transferrin in Cerebrospinal Fluid: A Possible Extension toward Alzheimer's Disease Biomarker Development. International Journal of Alzheimer's Disease, 2011, 2011, 1-5.	2.0	16
72	Lectin microarray analysis of pluripotent and multipotent stem cells. Genes To Cells, 2011, 16, 1-11.	1.2	77

#	Article	IF	CITATIONS
73	Lectinâ€based structural glycomics: A practical approach to complex glycans. Electrophoresis, 2011, 32, 1118-1128.	2.4	71
74	Multilectin Assay for Detecting Fibrosis-Specific Glyco-Alteration by Means of Lectin Microarray. Clinical Chemistry, 2011, 57, 48-56.	3.2	68
75	Wisteria floribunda agglutinin-positive mucin 1 is a sensitive biliary marker for human cholangiocarcinoma. Hepatology, 2010, 52, 174-182.	7.3	92
76	Regulation of adult neural progenitor cells by Galectinâ€1/β1 Integrin interaction. Journal of Neurochemistry, 2010, 113, 1516-1524.	3.9	26
77	A strategy for discovery of cancer glycoâ€biomarkers in serum using newly developed technologies for glycoproteomics. FEBS Journal, 2010, 277, 95-105.	4.7	158
78	β3GnT2 (B3GNT2), a Major Polylactosamine Synthase: Analysis of B3gnt2-Deficient Mice. Methods in Enzymology, 2010, 479, 185-204.	1.0	50
79	Differential Glycan Profiling by Lectin Microarray Targeting Tissue Specimens. Methods in Enzymology, 2010, 478, 165-179.	1.0	25
80	A Versatile Technology for Cellular Glycomics Using Lectin Microarray. Methods in Enzymology, 2010, 478, 181-195.	1.0	43
81	Mechanism by which the lectin actinohivin blocks HIV infection of target cells. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 15633-15638.	7.1	67
82	Focused Differential Glycan Analysis with the Platform Antibody-assisted Lectin Profiling for Glycan-related Biomarker Verification. Molecular and Cellular Proteomics, 2009, 8, 99-108.	3.8	102
83	Crystallographic Snapshots of an Entire Reaction Cycle for a Retaining Xylanase from Streptomyces olivaceoviridis E-86. Journal of Biochemistry, 2009, 146, 61-70.	1.7	16
84	Sugar-complex structures of the C-half domain of the galactose-binding lectin EW29 from the earthworm <i>Lumbricus terrestris</i> . Acta Crystallographica Section D: Biological Crystallography, 2009, 65, 49-57.	2.5	25
85	NMR studies on the interaction of sugars with the Câ€ŧerminal domain of an Râ€ŧype lectin from the earthworm <i>Lumbricusâ€∫terrestris</i> . FEBS Journal, 2009, 276, 2095-2105.	4.7	10
86	Strategy for Glycoproteomics: Identification of Glyco-Alteration Using Multiple Glycan Profiling Tools. Journal of Proteome Research, 2009, 8, 1358-1367.	3.7	70
87	Engineering a versatile tandem repeat-type α2-6sialic acid-binding lectin. Biochemical and Biophysical Research Communications, 2009, 384, 204-209.	2.1	26
88	Importance of Interactions of the .ALPHAHelices in the Catalytic Domain N- and C-Terminals of the Family 10 Xylanase from Streptomyces olivaceoviridis E-86 to the Stability of the Enzyme. Journal of Applied Glycoscience (1999), 2009, 56, 165-171.	0.7	7
89	Optimization of evanescentâ€field fluorescenceâ€assisted lectin microarray for highâ€sensitivity detection of monovalent oligosaccharides and glycoproteins. Proteomics, 2008, 8, 3042-3050.	2.2	53
90	Development of an all-in-one technology for glycan profiling targeting formalin-embedded tissue sections. Biochemical and Biophysical Research Communications, 2008, 370, 259-263.	2.1	66

#	Article	IF	CITATIONS
91	Engineering of mucin-type human glycoproteins in yeast cells. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 3232-3237.	7.1	86
92	Infarct limitation by a protein kinase G activator at reperfusion in rabbit hearts is dependent on sensitizing the heart to A2b agonists by protein kinase C. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 295, H1288-H1295.	3.2	47
93	Lectin Microarray. , 2008, , 451-454.		1
94	Development of a Data-mining System for Differential Profiling of Cell Glycoproteins Based on Lectin Microarray. Journal of Proteomics and Bioinformatics, 2008, 01, 068-072.	0.4	35
95	Polylactosamine on glycoproteins influences basal levels of lymphocyte and macrophage activation. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 15829-15834.	7.1	101
96	Visualization of Galectin-3 Oligomerization on the Surface of Neutrophils and Endothelial Cells Using Fluorescence Resonance Energy Transfer. Journal of Biological Chemistry, 2007, 282, 1374-1383.	3.4	198
97	A novel strategy for mammalian cell surface glycome profiling using lectin microarray. Glycobiology, 2007, 17, 1138-1146.	2.5	165
98	Protein kinase C protects preconditioned rabbit hearts by increasing sensitivity of adenosine A2b-dependent signaling during early reperfusion. Journal of Molecular and Cellular Cardiology, 2007, 43, 262-271.	1.9	113
99	Functional glycosylation of human podoplanin: Glycan structure of platelet aggregation-inducing factor. FEBS Letters, 2007, 581, 331-336.	2.8	96
100	Evidence that Agaricus bisporus agglutinin (ABA) has dual sugar-binding specificity. Biochemical and Biophysical Research Communications, 2006, 347, 215-220.	2.1	49
101	Inhibition of tumor cell-induced platelet aggregation using a novel anti-podoplanin antibody reacting with its platelet-aggregation-stimulating domain. Biochemical and Biophysical Research Communications, 2006, 349, 1301-1307.	2.1	195
102	The family 42 carbohydrate-binding module of family 54 α-L-arabinofuranosidase specifically binds the arabinofuranose side chain of hemicellulose. Biochemical Journal, 2006, 399, 503-511.	3.7	44
103	Tailoring a Novel Sialic Acid-Binding Lectin from a Ricin-B Chain-like Galactose-Binding Protein by Natural Evolution-Mimicry. Journal of Biochemistry, 2006, 141, 389-399.	1.7	60
104	Leucyl/Phenylalanyl-tRNA-Protein Transferase-Mediated Chemoenzymatic Coupling of N-Terminal Arg/Lys Units in Post-translationally Processed Proteins with Non-natural Amino Acids. ChemBioChem, 2006, 7, 1676-1679.	2.6	19
105	Development of a Lectin Microarray Based on an Evanescentâ€Field Fluorescence Principle. Methods in Enzymology, 2006, 415, 341-351.	1.0	40
106	Application of Lectin Microarray to Crude Samples: Differential Glycan Profiling of Lec Mutants. Journal of Biochemistry, 2006, 139, 323-327.	1.7	64
107	A Combined Strategy for Glycan Profiling: a Model Study with Pyridylaminated Oligosaccharides. Journal of Biochemistry, 2006, 140, 337-347.	1.7	10
108	Characterization of an Exo-î²-1,3-Galactanase from Clostridium thermocellum. Applied and Environmental Microbiology, 2006, 72, 3515-3523.	3.1	43

#	Article	IF	CITATIONS
109	Evanescent-field fluorescence-assisted lectin microarray: a new strategy for glycan profiling. Nature Methods, 2005, 2, 851-856.	19.0	481
110	Overexpression, purification and crystallization of tyrosyl-tRNA synthetase from the hyperthermophilic archaeonAeropyrum pernixK1. Acta Crystallographica Section F: Structural Biology Communications, 2005, 61, 1003-1005.	0.7	3
111	An Exo-β-1,3-galactanase Having a Novel β-1,3-Galactan-bindingModule from Phanerochaetechrysosporium. Journal of Biological Chemistry, 2005, 280, 25820-25829.	3.4	79
112	A hepatitis C virus (HCV) internal ribosome entry site (IRES) domain III-IV-targeted aptamer inhibits translation by binding to an apical loop of domain IIId. Nucleic Acids Research, 2005, 33, 683-692.	14.5	77
113	Structure and Function of a Family 10 β-Xylanase Chimera of Streptomyces olivaceoviridis E-86 FXYN and Cellulomonas fimi Cex. Journal of Biological Chemistry, 2004, 279, 26619-26626.	3.4	30
114	Crystal Structures of Decorated Xylooligosaccharides Bound to a Family 10 Xylanase from Streptomyces olivaceoviridis E-86. Journal of Biological Chemistry, 2004, 279, 9606-9614.	3.4	80
115	Letter to the editor: 1H, 13C, and 15N chemical shift assignment of the C-terminal 15 kDa domain of a novel galactose-binding protein from the earthworm Lumbricus terrestris. Journal of Biomolecular NMR, 2004, 30, 377-378.	2.8	8
116	Crystallization and preliminary X-ray crystallographic studies of the C-terminal domain of galactose-binding lectin EW29 from the earthwormLumbricus terrestris. Acta Crystallographica Section D: Biological Crystallography, 2004, 60, 1895-1896.	2.5	6
117	Rational affinity purification of native Streptomyces family 10 xylanase. Journal of Biotechnology, 2004, 110, 137-142.	3.8	18
118	1H, 13C and 15N chemical shift assignment of xylan-binding domain from Streptomyces olivaceoviridis E-86 beta-xylanase. Journal of Biomolecular NMR, 2003, 27, 91-92.	2.8	0
119	Synthesis of a novel histidine analogue and its efficient incorporation into a protein in vivo. Protein Engineering, Design and Selection, 2003, 16, 699-706.	2.1	36
120	Leucyl/Phenylalanyl (L/F)-tRNA-protein transferase-mediated N-terminal specific labelling of a protein in vitro. Nucleic Acids Symposium Series, 2003, 3, 259-260.	0.3	5
121	RNA Aptamers Targeted to Domain II of Hepatitis C Virus IRES That Bind to Its Apical Loop Region. Journal of Biochemistry, 2003, 133, 263-270.	1.7	56
122	Crystal structures of the sugar complexes of Streptomyces olivaceoviridis E-86 xylanase: sugar binding structure of the family 13 carbohydrate binding module. Journal of Molecular Biology, 2002, 316, 65-78.	4.2	81
123	Title is missing!. Biotechnology Letters, 2002, 24, 1125-1129.	2.2	2
124	Purification and Characterization of the Recombinant Thermus sp. Strain T2 α-Galactosidase Expressed in Escherichia coli. Applied and Environmental Microbiology, 2001, 67, 1601-1606.	3.1	40
125	Structural Comparison of the Ricin-type Lectin in the Plant Toxin Ricin and Xylanase. Biochemical Society Transactions, 2000, 28, A417-A417.	3.4	Ο
126	Purification, characterization and gene cloning of two α-l-arabinofuranosidases from Streptomyces chartreusis GS901. Biochemical Journal, 2000, 346, 9-15.	3.7	82

#	Article	IF	CITATIONS
127	Purification and Characterization of a Family G/11 β-Xylanase fromStreptomyces olivaceoviridisE-86. Bioscience, Biotechnology and Biochemistry, 2000, 64, 447-451.	1.3	44
128	Module shuffling of a family F/10 xylanase: replacement of modules M4 and M5 of the FXYN of Streptomyces olivaceoviridis E-86 with those of the Cex of Cellulomonas fimi. Protein Engineering, Design and Selection, 2000, 13, 873-879.	2.1	23
129	Crystal structure of Streptomyces olivaceoviridis E-86 β-xylanase containing xylan-binding domain. Journal of Molecular Biology, 2000, 300, 575-585.	4.2	106
130	Novel sugar-binding specificity of the type XIII xylan-binding domain of a family F/10 xylanase fromStreptomyces olivaceoviridisE-86. FEBS Letters, 2000, 482, 231-236.	2.8	27
131	Syntheses of 4-Methylumbelliferyl-β-D-Xylobioside and 5-Bromo-3-Indolyl-β-D-Xylobioside for Sensitive Detection of Xylanase Activity on Agar Plates. Bioscience, Biotechnology and Biochemistry, 2000, 64, 741-745.	1.3	15
132	Purification, characterization and gene cloning of two α-L-arabinofuranosidases from Streptomyces chartreusis GS901. Biochemical Journal, 2000, 346, 9.	3.7	30
133	Purification, characterization and gene cloning of two alpha-L-arabinofuranosidases from streptomyces chartreusis GS901. Biochemical Journal, 2000, 346 Pt 1, 9-15.	3.7	29
134	Significant enhancement in the binding ofp-nitrophenyl-β-d-xylobioside by the E128H mutant F/10 xylanase fromStreptomyces olivaceoviridisE-86. FEBS Letters, 1999, 450, 299-305.	2.8	24
135	An investigation of the nature and function of module 10 in a family F/10 xylanase FXYN ofStreptomyces olivaceoviridisE-86 by module shuffling with the Cex ofCellulomonas fimiand by site-directed mutagenesis. FEBS Letters, 1999, 460, 61-66.	2.8	31
136	PCR cloning and expression of the family xylanase gene from Streptomyces olivaceoviridis E-86. Journal of Bioscience and Bioengineering, 1998, 86, 434-439.	0.9	42
137	Structure of xylan from culms of bamboo grass (Sasa senanensis Rehd.). Journal of Wood Science, 1998, 44, 457-462.	1.9	18
138	Substrate Specificity of the α-L-Arabinofuranosidase fromTrichoderma reesei. Bioscience, Biotechnology and Biochemistry, 1998, 62, 2205-2210.	1.3	20
139	Crystallization and Preliminary X-Ray Crystallographic Study of Streptomyces olivaceoviridis E-86 Â-Xylanase. Journal of Biochemistry, 1997, 121, 826-828.	1.7	14
140	Substrate Specificity ofα-Glucuronidase Isolated from Snail Acetone Powder. Bioscience, Biotechnology and Biochemistry, 1996, 60, 524-525.	1.3	6
141	Structure of the catalytic module and the family 13 carbohydrate binding module of a family 10 xylanase from <i>Strepromyces olivaceoviridis</i> in complex with xylose and galactose. Special Publication - Royal Society of Chemistry, 0, , 106-112.	0.0	0