

Fengwangdong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5342979/publications.pdf>

Version: 2024-02-01

464
papers

23,291
citations

8732

75
h-index

17546

121
g-index

484
all docs

484
docs citations

484
times ranked

9574
citing authors

#	ARTICLE	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \sqrt{s} TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
4	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	1.4	453
5	Particle-flow reconstruction and global event description with the CMS detector. Journal of Instrumentation, 2017, 12, P10003-P10003.	0.5	348
6	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
7	The CMS trigger system. Journal of Instrumentation, 2017, 12, P01020-P01020.	0.5	307
8	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
9	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
10	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
11	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. Journal of Instrumentation, 2018, 13, P05011-P05011.	0.5	241
12	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
13	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
14	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. Journal of Instrumentation, 2017, 12, P02014-P02014.	0.5	216
15	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
16	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
17	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
18	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181

#	ARTICLE	IF	CITATIONS
19	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of Instrumentation, 2018, 13, P06015-P06015.	0.5	180
20	Evidence for Collective Multiparticle Correlations in pp collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2015, 115, 012301.	2.9	177
21	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
22	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
23	Measurement of the transverse momentum and $\phi^*_{\ell\ell}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
24	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
25	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
26	Precision measurement and interpretation of inclusive W^+W^- production. European Physical Journal C, 2017, 77, 367.	1.4	145
27	Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b -tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
28	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
29	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
30	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
31	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
32	ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
33	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
34	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
35	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
36	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123

#	ARTICLE	IF	CITATIONS
37	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13, 8$ TeV in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
38	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
39	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
40	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8, 13$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
41	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
42	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
43	Search for heavy resonances decaying into WW in the $e^+e^- \mu^+\mu^-$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
44	Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
45	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
46	Search for heavy ZZ resonances in the $e^+e^- \mu^+\mu^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
47	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
48	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
49	Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7, 8, \text{ and } 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95
50	Measurement of the top quark mass using proton-proton data at $\sqrt{s} = 13, 8$ TeV. Physical Review D, 2016, 93, .	1.6	92
51	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
52	Measurements of the WW production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
53	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
54	Search for the $b\bar{b}H$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89

#	ARTICLE	IF	CITATIONS
55	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
56	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
57	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
58	Observation of Electroweak Production of Same-Sign W^+W^- Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	2.9	86
59	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
60	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
61	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84
62	Measurement of prompt and nonprompt charmonium suppression in $\sqrt{s} = 5.02$ TeV pp collisions at $\sqrt{s} = 5.02$ TeV. European Physical Journal C, 2018, 78, 509.	1.4	83
63	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
64	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
65	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
66	Search for production of W^+W^- resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
67	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
68	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
69	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
70	Search for new physics in final states with an energetic jet or a hadronically decaying W^+W^- boson and transverse momentum imbalance at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	78
71	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 75.	1.4	78
72	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77

#	ARTICLE	IF	CITATIONS
73	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
74	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
75	Angular analysis of $B_0 \rightarrow K^* \ell^+ \ell^-$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
76	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
77	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
78	Search for resonant diboson production in the pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
79	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
80	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
81	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
82	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
83	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
84	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
85	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
86	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
87	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
88	Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 3.	1.4	70
89	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
90	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68

#	ARTICLE	IF	CITATIONS
91	Measurement of the $\overline{t}t$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
92	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
93	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
94	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
95	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
96	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
97	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
98	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
99	Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
100	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
101	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
102	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
103	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
104	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
105	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
106	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
107	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
108	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61

#	ARTICLE	IF	CITATIONS
109	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
110	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
111	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
112	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
113	Measurement of χ_{ch}^2 distributions in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 142.	2.9	60
114	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
115	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} / d\bar{d} / b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
116	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
117	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
118	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
119	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
120	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ and 5.0 TeV. European Physical Journal C, 2018, 78, 142.	1.4	59
121	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$, in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
122	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
123	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
124	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
125	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
126	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55

#	ARTICLE	IF	CITATIONS
127	Limits on the Higgs boson lifetime and width from its decay to four charged leptons. Physical Review D, 2015, 92, .	1.6	55
128	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
129	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
130	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
131	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
132	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
133	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2017, 119, 141802.	2.9	54
134	Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
135	Search for lepton-flavour-violating $H \rightarrow \tau\mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
136	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
137	Measurements of the $p\bar{p} \rightarrow Z\gamma$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
138	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
139	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z^{\prime} boson in the $\tau\mu$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
140	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
141	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
142	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
143	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
144	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50

#	ARTICLE	IF	CITATIONS
145	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
146	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
147	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
148	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
149	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
150	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
151	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
152	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
153	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	1.4	47
154	Search for the X particle in $pp \rightarrow X + \text{jets}$ at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1000.	1.4	47
155	Measurement of the top quark mass in the $t \rightarrow t \bar{t} \bar{t}$ decay channel. European Physical Journal C, 2019, 79, 1.	1.4	47
156	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
157	Study of the rare decays of B_s^0 and B^0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
158	Measurement of the Higgs boson coupling properties in the $H \rightarrow Z \bar{t} t$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
159	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
160	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
161	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
162	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
163	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
164	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 143-163.	1.5	45
165	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
166	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
167	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
168	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
169	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
170	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
171	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
172	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
173	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
174	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
175	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
176	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
177	Measurement of the $t \bar{t}$ production cross section in the $e\bar{\nu}_\tau$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
178	Measurement of the $t \bar{t} Z$ and $t \bar{t} W$ production cross sections in multilepton final states using 3.2 fb of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
179	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
180	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41

#	ARTICLE	IF	CITATIONS
181	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3117.	1.4	40
182	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	40
183	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s}=7$ TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	40
184	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c + \hat{t}^* J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ \hat{t}^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	1.4	40
185	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 1-24.	1.5	40
186	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	40
187	Measurements of b-jet tagging efficiency with the ATLAS detector using \overline{t} events at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	40
188	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 378.	1.4	40
189	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 12.	1.4	39
190	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 87.	1.4	39
191	Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 965.	1.4	39
192	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	39
193	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	38
194	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	38
195	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	38
196	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 636.	1.4	38
197	Search for Higgs boson pair production in the $pp \rightarrow \gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	38
198	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying t , leptons at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	38

#	ARTICLE	IF	CITATIONS
199	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
200	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
201	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
202	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
203	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
204	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
205	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
206	Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	36
207	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
208	Search for $W' \rightarrow t\bar{t} + q\bar{q} + b\bar{b}$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
209	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
210	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
211	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
212	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 488.	1.4	35
213	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
214	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
215	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
216	Measurements of $\tilde{\chi}(2S)$ and $\tilde{\chi}(3872) \rightarrow J/\psi + \tilde{\chi}^0$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33

#	ARTICLE	IF	CITATIONS
217	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
218	Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 13.	1.4	33
219	Search for top squark pair production using dilepton final states in pp collision data collected at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 3.	1.4	33
220	Searches for pair production of third-generation squarks in $\sqrt{s}=13$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
221	Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s}=8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
222	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s}=2.9$ TeV Using Isolated Photon-Tagged Jets. Physical Review Letters, 2018, 121, 242301.	2.9	32
223	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
224	A search for prompt lepton-jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
225	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
226	Search for top squark pair production in pp collisions at $\sqrt{s}=13$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
227	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
228	Search for W resonance production in $\gamma\gamma$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
229	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
230	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
231	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
232	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
233	Charged-particle distributions in pp interactions at $\sqrt{s}=8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
234	Searches for the Z^0 decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30

#	ARTICLE	IF	CITATIONS
235	Study of $WW\gamma$ and WZ . European Physical Journal C, 2017, 77, 646.	1.4	30
236	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
237	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
238	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
239	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
240	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
241	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
242	Search for lepton flavour violating decays of the Higgs boson to $\tau\mu$, and $e\tau$, in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
243	Searches for heavy ZZ and ZW resonances in the $\tau\tau$, $\tau\mu$ and $\tau\tau$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
244	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 280.	1.4	29
245	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
246	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	1.4	28
247	Measurement of $WW/WZ \rightarrow \ell\ell uq$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
248	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
249	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
250	Search for long-lived neutral particles in pp collisions at $\sqrt{s}=13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
251	Search for $t\bar{t} \rightarrow \tau\tau$ production in the $H \rightarrow b\bar{b}$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
252	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28

#	ARTICLE	IF	CITATIONS
253	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
254	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
255	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
256	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
257	Measurements of top-quark pair differential cross-sections in the e^+e^- channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
258	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
259	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
260	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
261	Measurement of the top-quark mass in $t + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
262	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
263	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
264	Measurements of electroweak W^+W^-jj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
265	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
266	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
267	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
268	Search for triboson $W^+W^-W^+W^-W^\pm W^\pm$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
269	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
270	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25

#	ARTICLE	IF	CITATIONS
271	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	25
272	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	1.4	24
273	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. <i>European Physical Journal C</i> , 2016, 76, 517.	1.4	24
274	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	24
275	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	24
276	Measurements of $\text{pp} \rightarrow \text{ZZ} + \text{pp}$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 200.	1.4	24
277	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	1.4	23
278	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	1.4	23
279	A search for high-mass resonances decaying to l, l, γ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	23
280	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	1.4	23
281	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	1.4	23
282	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017, 119, 242001.	2.9	23
283	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
284	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
285	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018, 97, .	1.6	23
286	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
287	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	1.4	22
288	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	22

#	ARTICLE	IF	CITATIONS
289	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
290	Study of (W/Z)H production and Higgs boson couplings using $H\rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
291	Measurement of the ZZ production cross section and $Z\rightarrow\tau\tau$, $Z\rightarrow\mu\mu$, $Z\rightarrow ee$ branching fraction in pp collisions at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 280-303.	1.5	22
292	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
293	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \tilde{l} , leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
294	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
295	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s}=13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
296	Measurement of the production cross-section of $\tilde{t}(2S)\rightarrow J/\psi(\psi(2S)+\psi(1S))\bar{t}t$ in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21
297	Determination of spin and parity of the Higgs boson in the $WW\rightarrow e\mu u\bar{u}W\rightarrow\tau\tau e\tau$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
298	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
299	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
300	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
301	Search for Higgs boson pair production in the $WW(\rightarrow ZZ)WW(\rightarrow ZZ)$ decay channel using ATLAS data recorded at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
302	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
303	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
304	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s}=13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
305	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
306	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
307	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
308	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
309	Search for $t\bar{t}\overline{\text{H}}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
310	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
311	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
312	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
313	Search for flavour-changing neutral current top quark decays $t\rightarrow Hq$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
314	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
315	Addendum to "Measurement of the $t\bar{t}\overline{\text{H}}$ production cross-section using e^+e^- events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
316	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
317	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu}\rightarrow 3\mu$, $\nu\bar{\nu}\rightarrow 3\tau$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
318	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $l\bar{l}$, leptons in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
319	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.6	19
320	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
321	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
322	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 778, 263-291.	1.5	19
323	Search for top-quark decays $t\rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
324	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 723.	1.4	19

#	ARTICLE	IF	CITATIONS
325	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18
326	Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s} = 13$ TeV using the \cancel{E}_T variable. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 767, 403-430.	1.6	18
327	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tau\tau$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
328	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
329	MUSIC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 629.	1.4	18
330	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 970.	1.4	18
331	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2022, 82, 290.	1.4	18
332	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
333	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
334	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
335	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
336	Probing the Wtb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
337	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
338	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
339	Direct top-quark decay width measurement in the $t \rightarrow \tau \bar{\nu}_\tau$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
340	Search for $Z\tau^3$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
341	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
342	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
343	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
344	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
345	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
346	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
347	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
348	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
349	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
350	Search for exclusive Higgs and Z boson decays to $\tilde{l}\tilde{l}^*$ and $\tilde{l}\tilde{l}^*$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
351	Measurement of differential cross sections and W^+/\bar{W}^+ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
352	Measurement of event-shape observables in $Z \rightarrow e^+e^- Z \rightarrow e^+e^- + \gamma$ - events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
353	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \mu^+\mu^-$ with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
354	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
355	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
356	Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
357	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
358	Search for scalar resonances decaying into $\tilde{l}\tilde{l}^*$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
359	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
360	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14

#	ARTICLE	IF	CITATIONS
361	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
362	Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\tau^+\tau^-$ at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
363	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
364	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
365	Studies of $Z\tau^3$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
366	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
367	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
368	Measurement of VH production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
369	Measurements of the pp τ^+WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $s = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
370	Measurements of inclusive and differential fiducial cross-sections of $\gamma^* \rightarrow \tau^+\tau^-$ production in leptonic final states at $s = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
371	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
372	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
373	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $s = 13$ TeV. European Physical Journal C, 2022, 82, 153.	1.4	14
374	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
375	Measurement of the CP-violating phase $\arg(\lambda_{cb})$ and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \tau^+\tau^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
376	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
377	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
378	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
379	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at \sqrt{s} . European Physical Journal C, 2018, 78, 102.	1.4	13
380	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
381	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
382	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
383	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
384	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $s \sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
385	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
386	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
387	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s}=13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
388	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
389	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{\chi}_1^0 \tilde{\chi}_1^0$ or $\tilde{\chi}_1^0, \tilde{\chi}_1^\pm, \tilde{a}^0$ at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
390	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
391	Development and validation of HERWIG7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
392	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
393	Measurement of four-jet differential cross sections in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
394	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
395	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
396	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11

#	ARTICLE	IF	CITATIONS
397	Measurement of the semileptonic $t \bar{t} \rightarrow \tau^+ \tau^- \gamma \gamma$ production cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
398	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
399	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
400	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
401	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
402	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
403	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
404	Measurement of the $Z \gamma \rightarrow u \bar{u} \gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
405	Measurement of the $Z/\gamma \rightarrow \mu^+ \mu^- \gamma$ cross section in pp collisions at $\sqrt{s} = 13$ TeV and validation of $Z/\gamma \rightarrow \mu^+ \mu^- \gamma$. European Physical Journal C, 2018, 78, 708.	1.4	10
406	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u \bar{u} \rightarrow q \bar{q}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
407	Measurement of the inclusive and fiducial $t \bar{t} \rightarrow t \bar{t} \gamma$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
408	Measurement of J/ψ production in association with a $W \Delta$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
409	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
410	Measurement of the $t \bar{t} \rightarrow \tau^+ \tau^- \gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
411	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
412	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ZZ $\rightarrow \tau^+ \tau^- \gamma$, $\tau^+ \tau^- \gamma \gamma$, $\tau^+ \tau^- \gamma \gamma \gamma$ and ZZ $\rightarrow \tau^+ \tau^- \gamma$, $\tau^+ \tau^- \gamma \gamma$, $\tau^+ \tau^- \gamma \gamma \gamma$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
413	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
414	Search for a heavy vector resonance decaying to a $Z \gamma$ boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 688.	1.4	9

#	ARTICLE	IF	CITATIONS
415	Measurement of the relative width difference of the $B^0 \rightarrow B^0 \gamma$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
416	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
417	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
418	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
419	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2q \rightarrow q\bar{q}$ final states at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
420	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
421	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
422	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
423	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
424	Search for high-mass $Z\tilde{\chi}^0_1$ resonances in $e^+e^- \rightarrow \tilde{\chi}^0_1 \tilde{\chi}^0_1$ and $\tilde{\chi}^0_1 + \tilde{\chi}^{\pm 1/2}$ final states in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	7
425	Measurement of $\sigma_{\text{au}} \tilde{\chi}^0_1$, polarisation in $Z/\gamma \rightarrow \text{au au} Z/\tilde{\chi}^0_1$. European Physical Journal C, 2018, 78, 163.	1.4	7
426	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6
427	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
428	Measurement of ZZ production in the $\tilde{\chi}^0_1 \tilde{\chi}^0_1$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
429	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
430	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
431	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
432	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5

#	ARTICLE	IF	CITATIONS
433	Search for the pair production of light top squarks in the e^+e^- final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
434	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
435	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
436	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
437	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
438	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
439	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
440	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
441	Search for dark matter particles in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
442	Measurement of jet activity in top quark events using the e^+e^- final state with two b-tagged jets in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
443	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
444	Measurement of S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
445	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
446	Measurement of the k_t splitting scales in $Z \rightarrow \tau^+\tau^-$ events in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
447	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
448	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.		3
449	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
450	Measurements of the $(p) \rightarrow (Z)$ production cross section and the $(Z) \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13, \text{ext } \{\text{TeV}\})$. , 2018, 78, 1.		3

#	ARTICLE	IF	CITATIONS
451	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
452	Measurements of angular distance and momentum ratio distributions in three-jet and Z + two-jet final states in pp collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
453	Measurement of the t production cross-section using $(e\mu)$ events with (b) -tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
454	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8-)$ TeV with the ATLAS detector. , 2015, 75, 1.		2
455	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
456	Measurement of the inclusive t production cross section in proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
457	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, .	1.6	2
458	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $(\sqrt{s}=13)$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
459	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. , 2015, 75, 1.		1
460	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
461	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{TeV})$ with the ATLAS detector. , 2018, 78, 1.		1
462	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{TeV})$. , 2018, 78, 1.		1
463	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
464	Observation of $B^0 \rightarrow \text{Supersymmetry}(2S)K^0_{\text{charm}}$ and $B^0_{\text{charm}} \rightarrow \text{Supersymmetry}(2S)K^0_{\text{charm}}$ decays. European Physical Journal C, 2022, 82, .	1.4	1