Claudio Marcassa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5343758/publications.pdf

Version: 2024-02-01

		201674	144013
99	3,382	27	57
papers	citations	h-index	g-index
102	102	102	3155
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Functional capacity assessment and Minimal Clinically Important Difference in post-acute cardiac patients: the role of Short Physical Performance Battery. European Journal of Preventive Cardiology, 2022, 29, 1008-1014.	1.8	18
2	Multi-peak multi-isotopes myocardial SPECT: It's easier said than done. Journal of Nuclear Cardiology, 2020, 27, 751-754.	2.1	1
3	Clinical outcomes, pharmacological treatment, and quality of life of patients with stable coronary artery diseases managed by cardiologists: 1-year results of the START study. European Heart Journal Quality of Care & Dickery Clinical Outcomes, 2019, 5, 334-342.	4.0	14
4	The never-ending story of cardiac biomarkers: A further step toward a very early detection of ischemic patients?. Journal of Nuclear Cardiology, 2019, 26, 1684-1687.	2.1	0
5	Neuronal damage and abnormal contraction: Is the circle of synchronicity complete?. Journal of Nuclear Cardiology, 2019, 26, 880-882.	2.1	1
6	Validation of a protocol for airway clearance in patients with ineffective cough. , 2019, , .		0
7	Impact of age on the selection of nuclear cardiology stress protocols: The INCAPS (IAEA nuclear) Tj ETQq1 1 0.784	4314 rgBT 1.7	/Qverlock 1
8	Appropriateness and Budget Limitations: Effects on the Use of Cardiac Imaging Techniques. Current Cardiovascular Imaging Reports, 2018, 11, 1.	0.6	0
9	Dual-isotope cardiac SPECT: the Twin Peaks Saga in nuclear cardiology. Journal of Nuclear Cardiology, 2018, 25, 1705-1707.	2.1	O
10	Comparative analysis of iterative reconstruction algorithms with resolution recovery and time of flight modeling for 18F-FDG cardiac PET: A multi-center phantom study. Journal of Nuclear Cardiology, 2017, 24, 1036-1045.	2.1	4
11	Opportunities for improvement on current nuclear cardiology practices and radiation exposure in Latin America: Findings from the 65-country IAEA Nuclear Cardiology Protocols cross-sectional Study (INCAPS). Journal of Nuclear Cardiology, 2017, 24, 851-859.	2.1	14
12	Impact of imaging protocol on left ventricular ejection fraction using gated-SPECT myocardial perfusion imaging. Journal of Nuclear Cardiology, 2017, 24, 1292-1301.	2.1	4
13	Advances in image reconstruction software in nuclear cardiology: Is all that glitters gold?. Journal of Nuclear Cardiology, 2017, 24, 142-144.	2.1	6
14	Differences in polar-map patterns using the novel technologies for myocardial perfusion imaging. Journal of Nuclear Cardiology, 2017, 24, 1626-1636.	2.1	16
15	Comparative analysis of iterative reconstruction algorithms with resolution recovery and new solid state cameras dedicated to myocardial perfusion imaging. Physica Medica, 2017, 41, 109-116.	0.7	10
16	Nuclear Cardiology Practices and Radiation Exposure in the Oceania Region: Results From the IAEA Nuclear Cardiology Protocols Study (INCAPS). Heart Lung and Circulation, 2017, 26, 25-34.	0.4	5
17	Integrated care of chronic degenerative non-communicable diseases and rehabilitation: the odd couple?. Monaldi Archives for Chest Disease, 2017, 87, 818.	0.6	0
18	High dosage of a fixed combination oxycodone/naloxone prolonged release: efficacy and tolerability in patients with chronic cancer pain. Supportive Care in Cancer, 2017, 25, 3051-3058.	2.2	9

#	Article	IF	CITATIONS
19	Nuclear Cardiology Practice in Asia: Analysis of Radiation Exposure and Best Practice for Myocardial Perfusion Imaging ― Results From the IAEA Nuclear Cardiology Protocols Cross-Sectional Study (INCAPS) ―. Circulation Journal, 2017, 81, 501-510.	1.6	8
20	Selection of patients from Pulmonary Rehabilitation (PR) to Disease Management (DM) programmes. , 2017, , .		0
21	Switching to low-dose oral prolonged-release oxycodone/naloxone from WHO-Step I drugs in elderly patients with chronic pain at high risk of early opioid discontinuation. Clinical Interventions in Aging, 2016, $11,641$.	2.9	9
22	Low-dose modified-release prednisone in axial spondyloarthritis: 3-month efficacy and tolerability. Drug Design, Development and Therapy, 2016, Volume 10, 3717-3724.	4.3	9
23	Analgesic effectiveness and tolerability of oral oxycodone/naloxone and pregabalin in patients with lung cancer and neuropathic pain: an observational analysis. OncoTargets and Therapy, 2016, Volume 9, 4043-4052.	2.0	12
24	Low-dose oral prolonged-release oxycodone/naloxone for chronic pain in elderly patients with cognitive impairment: an efficacy–tolerability pilot study. Neuropsychiatric Disease and Treatment, 2016, 12, 559.	2.2	10
25	Nuclear cardiology practice and associated radiation doses in Europe: results of the IAEA Nuclear Cardiology Protocols Study (INCAPS) for the 27 European countries. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 718-728.	6.4	29
26	Radiation Dose Reduction from Radionuclide Myocardial Perfusion Imaging. Current Cardiovascular Imaging Reports, 2016, 9, 1.	0.6	1
27	Uncontrolled risk factors and worsening perfusion pattern on SPECT myocardial perfusion imaging in medically treated patients with stable chronic ischaemic heart disease. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1513-1521.	6.4	0
28	Five-year hospitalisations and survival in patients admitted to inpatient cardiac rehabilitation after cardiac surgery. European Journal of Preventive Cardiology, 2016, 23, 1609-1617.	1.8	14
29	Greater functional improvement in patients with diabetes after rehabilitation following cardiac surgery. Diabetic Medicine, 2016, 33, 1067-1075.	2.3	5
30	1-23I-MIBG thyroid uptake: Implications for MIBG imaging of the heart. Journal of Nuclear Cardiology, 2016, 23, 1335-1339.	2.1	13
31	Estimating the Reduction in the Radiation Burden From Nuclear Cardiology Through Use of Stress-Only Imaging in the United States and Worldwide. JAMA Internal Medicine, 2016, 176, 269.	5.1	34
32	Comparison of Radiation Doses and Best-Practice Use for Myocardial Perfusion Imaging in US and Non-US Laboratories. JAMA Internal Medicine, 2016, 176, 266.	5.1	19
33	Comparative analysis of cadmium-zincum-telluride cameras dedicated to myocardial perfusion SPECT: A phantom study. Journal of Nuclear Cardiology, 2016, 23, 885-893.	2.1	30
34	Disability after cardiac surgery is the major predictor of infections occurring in the rehabilitation phase. European Journal of Preventive Cardiology, 2016, 23, 584-592.	1.8	3
35	Efficacy and tolerability of low-dose oral prolonged-release oxycodone/naloxone for chronic nononcological pain in older patients. Clinical Interventions in Aging, 2015, 10, 1.	2.9	19
36	1515 Oxycodone/Naloxone vs. Oxycodone prolonged-release in moderate to severe chronic cancer pain: A propensity analysis comparison. European Journal of Cancer, 2015, 51, S209.	2.8	0

3

#	Article	IF	CITATIONS
37	A retrospective multicenter study on long-term prevalence of chronic pain after cardiac surgery. Journal of Cardiovascular Medicine, 2015, 16, 768-774.	1.5	31
38	Efficacy and tolerability of oral oxycodone and oxycodone/naloxone combination in opioid-naïve cancer patients: a propensity analysis. Drug Design, Development and Therapy, 2015, 9, 5863.	4.3	34
39	A retrospective multicenter study on long-term prevalence of chronic pain after cardiac surgery. Journal of Cardiovascular Medicine, 2015, 16, 857.	1.5	o
40	Long-term Echocardiographic and Cardioscintigraphic Effects of Growth Hormone Treatment in Adults With Prader-Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2106-2114.	3.6	14
41	Current worldwide nuclear cardiology practices and radiation exposure: results from the 65 country IAEA Nuclear Cardiology Protocols Cross-Sectional Study (INCAPS). European Heart Journal, 2015, 36, 1689-1696.	2.2	155
42	Risks and benefits of cardiac imaging: an analysis of risks related to imaging for coronary artery disease. European Heart Journal, 2014, 35, 633-638.	2.2	82
43	Effectiveness and tolerability of low-dose oral oxycodone/naloxone added to anticonvulsant therapy for noncancer neuropathic pain: an observational analysis. Current Medical Research and Opinion, 2014, 30, 555-564.	1.9	11
44	Alcohol, Pain, and Opioids. Annals of Pharmacotherapy, 2014, 48, 1531-1532.	1.9	6
45	Efficacy and Gastrointestinal Tolerability of Oral Oxycodone/Naloxone Combination for Chronic Pain in Outpatients With Cancer. American Journal of Hospice and Palliative Medicine, 2014, 31, 867-876.	1.4	27
46	Applicability of the appropriate use criteria for SPECT myocardial perfusion imaging in Italy: preliminary results. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 1695-1700.	6.4	14
47	Comparative analysis of iterative reconstruction algorithms with resolution recovery for cardiac SPECT studies. A multi-center phantom study. Journal of Nuclear Cardiology, 2014, 21, 135-148.	2.1	35
48	Temporal evolution of administered activity in cardiac gated SPECT and patients' effective dose: analysis of an historical series. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 325-330.	6.4	20
49	Prolonged-Release Oxycodone/Naloxone in Nonmalignant Pain: Single-Center Study in Patients with Constipation. Advances in Therapy, 2013, 30, 41-59.	2.9	26
50	OP0206â€Efficacy of modified-release prednisone in patients with rheumatoid arthritis (RA) chronically treated with standard glucocorticoids: An italian multicenter survey:. Annals of the Rheumatic Diseases, 2013, 71, 125.1-125.	0.9	0
51	CMR versus SPECT for diagnosis of coronary heart disease. Lancet, The, 2012, 379, 2145.	13.7	7
52	Hybrid cardiac imaging: SPECT/CT and PET/CT. A joint position statement by the European Association of Nuclear Medicine (EANM), the European Society of Cardiac Radiology (ESCR) and the European Council of Nuclear Cardiology (ECNC). European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 201-212.	6.4	163
53	Wide beam reconstruction for half-dose or half-time cardiac gated SPECT acquisitions: optimization of resources and reduction in radiation exposure. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 499-508.	6.4	36
54	Intracoronary electrocardiogram ST segment shift evaluation during intravenous adenosine infusion: A comparison with fractional flow reserve. Cardiology Journal, 2011, 18, 662-667.	1.2	9

#	Article	IF	Citations
55	Proposal for standardization of 123I-metaiodobenzylguanidine (MIBG) cardiac sympathetic imaging by the EANM Cardiovascular Committee and the European Council of Nuclear Cardiology. European Journal of Nuclear Medicine and Molecular Imaging, 2010, 37, 1802-1812.	6.4	295
56	EANM/ESC guidelines for radionuclide imaging of cardiac function. European Journal of Nuclear Medicine and Molecular Imaging, 2008, 35, 851-885.	6.4	184
57	Electronic nursing record system. Experience in a large cardiac rehabilitation depatment. , 2008, , .		0
58	Clinical value, cost-effectiveness, and safety of myocardial perfusion scintigraphy: a position statement. European Heart Journal, 2008, 29, 557-563.	2.2	117
59	Performance of a new iterative reconstruction algorithm for cardiac short-time single photon emission computed tomography: Preliminary results in an anthropomorphic cardiac phantom study. , 2008, , .		0
60	Conditional Cardiovascular Response to Growth Hormone Therapy in Adult Patients with Prader-Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 1364-1371.	3.6	29
61	Assessment of cardiac asynchrony by radionuclide phase analysis: Correlation with ventricular function in patients with narrow or prolonged QRS interval. European Journal of Heart Failure, 2007, 9, 484-490.	7.1	25
62	The regulatory background of nuclear cardiology in Europe: a survey by the European Council of Nuclear Cardiology. European Journal of Nuclear Medicine and Molecular Imaging, 2006, 33, 1508-1512.	6.4	9
63	Intracoronary ST-Segment Shift Soon After Elective Percutaneous Coronary Intervention Accurately Predicts Periprocedural Myocardial Injury. Circulation, 2006, 114, 1948-1954.	1.6	40
64	Intracoronary ST segment evolution during primary coronary stenting predicts infarct zone recovery. Catheterization and Cardiovascular Interventions, 2005, 64, 53-60.	1.7	16
65	EANM/ESC procedural guidelines for myocardial perfusion imaging in nuclear cardiology. European Journal of Nuclear Medicine and Molecular Imaging, 2005, 32, 855-897.	6.4	467
66	The Impact of Growth Hormone/Insulin-Like Growth Factor-I Axis and Nocturnal Breathing Disorders on Cardiovascular Features of Adult Patients with Prader-Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5639-5646.	3.6	42
67	Differential systolic and diastolic effects of \hat{l}^2 -adrenergic stimulation in patients with severe left ventricular dysfunction: A radionuclide ventriculographic study. Journal of Nuclear Cardiology, 2003, 10, 46-50.	2.1	6
68	Task force on the management of chest pain. European Heart Journal, 2002, 23, 1153-1176.	2.2	227
69	Beneficial effects of coronary revascularization in patients with ischaemic left ventricular dysfunction with and without anginal symptoms. Interactive Cardiovascular and Thoracic Surgery, 2002, 1, 9-15.	1.1	3
70	Electrocardiographic evolution after Q-wave anterior myocardial infarction: Correlations between QRS score and changes in left ventricular perfusion and function. Journal of Nuclear Cardiology, 2001, 8, 561-567.	2.1	6
71	Effects of Metoprolol CR in Patients With Ischemic and Dilated Cardiomyopathy. Circulation, 2000, 101, 378-384.	1.6	198
72	Independent and Incremental Prognostic Value of ²⁰¹ TI Lung Uptake at Rest in Patients With Severe Postischemic Left Ventricular Dysfunction. Circulation, 2000, 102, 1795-1801.	1.6	14

#	Article	IF	Citations
73	Myocardial Ischemia and Occult Coronary Artery Disease. Circulation, 1999, 99, 1774-1774.	1.6	1
74	Transient left ventricular dilation at quantitative stress-rest sestamibi tomography: Clinical, electrocardiographic, and angiographic correlates. Journal of Nuclear Cardiology, 1999, 6, 397-405.	2.1	37
75	High dose dipyridamole myocardial imaging: simultaneous sestamibi scintigraphy and two-dimensional echocardiography in the detection and evaluation of coronary artery disease. Coronary Artery Disease, 1999, 10, 177-184.	0.7	20
76	Heterogeneous fate of perfusion and contraction after anterior wall acute myocardial infarction and effects on left ventricular remodeling. American Journal of Cardiology, 1998, 82, 1457-1462.	1.6	1
77	Long-term Reproducibility of Residual Ischemia in Stable Patients After Anterior Q-Wave Myocardial Infarction. Journal of the American College of Cardiology, 1998, 31, 260A.	2.8	O
78	ECG-manifest and ECG-silent dipyridamole technetium-99m sestamibi SPET perfusion defects in patients with ischaemic heart disease. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 160-169.	2.1	2
79	Ischemic Burden in Silent and Painful Myocardial Ischemia: A Quantitative Exercise Sestamibi Tomographic Study. Journal of the American College of Cardiology, 1997, 29, 948-954.	2.8	17
80	Eventual recovery of regional perfusion after acute myocardial infarction. American Journal of Cardiology, 1997, 80, 109.	1.6	0
81	Early reinjection of thallium-201 after stress imaging. European Journal of Nuclear Medicine and Molecular Imaging, 1996, 23, 1014-1015.	2.1	0
82	Technetium-99m sestamibi tomographic evaluation of residual ischemia after anterior myocardial infarction. Journal of the American College of Cardiology, 1995, 25, 590-596.	2.8	14
83	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. Journal of the American College of Cardiology, 1995, 25, 1539-1546.	2.8	21
84	Dobutamine stress echocardiography Circulation, 1994, 89, 1446-1447.	1.6	O
85	Effects of nitroglycerin by technetium-99m sestamibi tomoscintigraphy on resting regional myocardial hypoperfusion in stable patients with healed myocardial infarction. American Journal of Cardiology, 1994, 74, 843-848.	1.6	52
86	Thallium-201 redistribution after early reinjection in patients with severe stress perfusion defects and ventricular dysfunction. American Heart Journal, 1994, 128, 41-52.	2.7	13
87	Spontaneous delayed recovery of perfusion and contraction after the first 5 weeks after anterior infarction. Evidence for the presence of hibernating myocardium in the infarcted area Circulation, 1994, 90, 1386-1397.	1.6	119
88	Evaluation of regional myocardial systolic and diastolic function using ECG-gated Sestamibi scintigraphy. International Journal of Cardiovascular Imaging, 1993, 9, 49-55.	0.6	1
89	Alteration in regulation of myocardial blood flow in one-vessel coronary artery disease determined by positron emission tomography. American Journal of Cardiology, 1993, 72, 538-543.	1.6	77
90	Does the myocardium become "stunned―after episodes of angina at rest, angina on effort, and coronary angioplasty?. American Journal of Cardiology, 1993, 71, 1045-1051.	1.6	26

#	Article	IF	CITATIONS
91	Prediction of reversible perfusion defects by quantitative analysis of post-exercise electrocardiogram-gated acquisition of technetium-99m 2-methoxyisobutylisonitrile myocardial perfusion scintigraphy. European Journal of Nuclear Medicine and Molecular Imaging, 1992, 19, 796-9.	2.1	9
92	The clinical usefulness of electrocardiogram-gated Tc-99 m methoxy-isobutyl-isonitrile images in the detection of basal wall motion abnormalities and reversibility of stress induced perfusion defects. International Journal of Cardiovascular Imaging, 1992, 8, 131-141.	0.6	12
93	Myocardial perfusion abnormalities in chronic Chagas' disease as detected by thallium-201 scintigraphy. American Journal of Cardiology, 1992, 69, 780-784.	1.6	133
94	Accuracy and safety of technetium-99m hexakis 2-methoxy-2-isobutyl isonitrile (Sestamibi) myocardial scintigraphy with high dose dipyridamole test in patients with effort angina pectoris: A multicenter study. Journal of the American College of Cardiology, 1991, 18, 1439-1444.	2.8	51
95	Clinical significance of 99mTc-MIBI uptake defects at rest in noninfarcted male patients. Journal of the American College of Cardiology, 1991, 17, A251.	2.8	2
96	Noninvasive Quantitative Assessment of Segmental Myocardial Wall Motion Using Technetium-99m 2-Methoxy-Isobutyl-Isonitrile Scintigraphy. American Journal of Noninvasive Cardiology, 1990, 4, 22-28.	0.1	6
97	Behavior of right and left ventricles during episodes of variant angina in relation to the site of coronary vasospasm Circulation, 1990, 81, 567-577.	1.6	15
98	Multiparametric approach to diagnosis of non-Q-wave acute myocardial infarction. American Journal of Cardiology, 1989, 63, 404-408.	1.6	30
99	Characterization of non-Q wave infarction by radioisotopic methods. European Journal of Nuclear Medicine and Molecular Imaging, 1986, 12, S51-S53.	2.1	0