

# Marcel Goldberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5344630/publications.pdf>

Version: 2024-02-01

398  
papers

19,661  
citations

10986

71  
h-index

18647

119  
g-index

476  
all docs

476  
docs citations

476  
times ranked

19796  
citing authors

#	ARTICLE	IF	CITATIONS
1	Socioeconomic status and the 25–25 risk factors as determinants of premature mortality: a multicohort study and meta-analysis of 1.7 million men and women. <i>Lancet</i> , The, 2017, 389, 1229-1237.	13.7	825
2	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet</i> , The, 2012, 380, 1491-1497.	13.7	786
3	Validity of self-reported weight and height in the French GAZEL cohort. <i>International Journal of Obesity</i> , 2000, 24, 1111-1118.	3.4	392
4	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120.813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health</i> , The, 2017, 2, e277-e285.	10.0	375
5	Epidemiologic surveillance of upper-extremity musculoskeletal disorders in the working population. <i>Arthritis and Rheumatism</i> , 2006, 55, 765-778.	6.7	340
6	What does self rated health measure? Results from the British Whitehall II and French Gazel cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 364-372.	3.7	333
7	Cancer Risks Associated with Occupational Exposure to Magnetic Fields among Electric Utility Workers in Ontario and Quebec, Canada, and France: 1970–1989. <i>American Journal of Epidemiology</i> , 1994, 139, 550-572.	3.4	319
8	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018, 14, 601-609.	0.8	284
9	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet</i> , The, 2009, 374, 1889-1896.	13.7	269
10	Health Behaviours, Socioeconomic Status, and Mortality: Further Analyses of the British Whitehall II and the French GAZEL Prospective Cohorts. <i>PLoS Medicine</i> , 2011, 8, e1000419.	8.4	255
11	Psychosocial factors at work and subsequent depressive symptoms in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 1998, 24, 197-205.	3.4	255
12	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e490-e497.	10.0	241
13	Effort–Reward Imbalance at Work and Incident Coronary Heart Disease. <i>Epidemiology</i> , 2017, 28, 619-626.	2.7	224
14	Socioeconomic, Demographic, Occupational, and Health Factors Associated with Participation in a Long-term Epidemiologic Survey: A Prospective Study of the French GAZEL Cohort and Its Target Population. <i>American Journal of Epidemiology</i> , 2001, 154, 373-384.	3.4	220
15	Psychosocial factors at work and sickness absence in the Gazel cohort: a prospective study. <i>Occupational and Environmental Medicine</i> , 1998, 55, 735-741.	2.8	212
16	Cohort profile: the GAZEL Cohort Study. <i>International Journal of Epidemiology</i> , 2007, 36, 32-39.	1.9	207
17	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	3.4	198
18	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	8.6	185

#	ARTICLE	IF	CITATIONS
19	THE PROBLEM OF MULTIPLE INFERENCE IN STUDIES DESIGNED TO GENERATE HYPOTHESES. <i>American Journal of Epidemiology</i> , 1985, 122, 1080-1095.	3.4	183
20	Social Integration and Mortality: A Prospective Study of French Employees of Electricity of France-Gas of France: The GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2004, 159, 167-174.	3.4	183
21	Association of Self-reported COVID-19 Infection and SARS-CoV-2 Serology Test Results With Persistent Physical Symptoms Among French Adults During the COVID-19 Pandemic. <i>JAMA Internal Medicine</i> , 2022, 182, 19.	5.1	183
22	Loneliness, worries, anxiety, and precautionary behaviours in response to the COVID-19 pandemic: A longitudinal analysis of 200,000 Western and Northern Europeans. <i>Lancet Regional Health - Europe</i> , The, 2021, 2, 100020.	5.6	180
23	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c6149-c6149.	2.3	179
24	The French CONSTANCES population-based cohort: design, inclusion and follow-up. <i>European Journal of Epidemiology</i> , 2015, 30, 1317-1328.	5.7	176
25	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.3	168
26	The French National Mesothelioma Surveillance Program. <i>Occupational and Environmental Medicine</i> , 2006, 63, 390-395.	2.8	162
27	Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 285-293.	3.7	158
28	The association between self-rated health and mortality in different socioeconomic groups in the GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2007, 36, 1222-1228.	1.9	150
29	Social relations and self-reported health: a prospective analysis of the French Gazel cohort. <i>Social Science and Medicine</i> , 2003, 56, 1817-1830.	3.8	146
30	Sleep Disturbances and Cause-Specific Mortality: Results From the GAZEL Cohort Study. <i>American Journal of Epidemiology</i> , 2011, 173, 300-309.	3.4	145
31	Association between Dietary Patterns and Depressive Symptoms Over Time: A 10-Year Follow-Up Study of the GAZEL Cohort. <i>PLoS ONE</i> , 2012, 7, e51593.	2.5	145
32	Validity of Nordic-style questionnaires in the surveillance of upper-limb work-related musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 58-65.	3.4	142
33	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	5.1	140
34	Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 741-745.	3.7	138
35	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	2.9	137
36	Work Factors and Occupational Class Disparities in Sickness Absence: Findings From the GAZEL Cohort Study. <i>American Journal of Public Health</i> , 2005, 95, 1206-1212.	2.7	133

#	ARTICLE	IF	CITATIONS
37	Job strain in relation to body mass index: pooled analysis of 160â€f000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012, 272, 65-73.	6.0	132
38	Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France. <i>Journal of Epidemiology and Community Health</i> , 1998, 52, 93-100.	3.7	130
39	Risk factors for upperâ€extremity musculoskeletal disorders in the working population. <i>Arthritis and Rheumatism</i> , 2009, 61, 1425-1434.	6.7	128
40	Well-differentiated Papillary Mesothelioma of the Pleura. <i>American Journal of Surgical Pathology</i> , 2004, 28, 534-540.	3.7	119
41	Occupational and non-occupational attributable risk of asbestos exposure for malignant pleural mesothelioma. <i>Thorax</i> , 2014, 69, 532-539.	5.6	115
42	Sinonasal cancer and occupational exposure to formaldehyde and other substances. <i>International Journal of Cancer</i> , 1993, 53, 224-231.	5.1	114
43	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118â€%000 Working Adults. <i>American Journal of Public Health</i> , 2013, 103, 2090-2097.	2.7	114
44	Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Epidemiology</i> , 2016, 45, 1260-1270.	1.9	114
45	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ</i> , The, 2013, 346, f165-f165.	6.0	112
46	Longitudinal study of associations between perceived health status and self reported diseases in the French Gazel cohort. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 233-238.	3.7	111
47	Health problems were the strongest predictors of attrition during follow-up of the GAZEL cohort. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1213-1221.	5.0	109
48	CONSTANCES: a general prospective population-based cohort for occupational and environmental epidemiology: cohort profile. <i>Occupational and Environmental Medicine</i> , 2017, 74, 66-71.	2.8	107
49	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	2.5	102
50	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 705-713.	11.4	100
51	Association between long-term exposure to air pollution and mortality in France: A 25-year follow-up study. <i>Environment International</i> , 2015, 85, 5-14.	10.0	98
52	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	2.0	97
53	Effect of Retirement on Sleep Disturbances: the GAZEL Prospective Cohort Study. <i>Sleep</i> , 2009, 32, 1459-1466.	1.1	96
54	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	2.0	95

#	ARTICLE	IF	CITATIONS
55	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	2.5	93
56	Prevalence of spondyloarthritis in reference to HLA-B27 in the French population: results of the GAZEL cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 689-693.	0.9	91
57	Socioeconomic Position, Health, and Possible Explanations: A Tale of Two Cohorts. <i>American Journal of Public Health</i> , 2002, 92, 1290-1294.	2.7	88
58	Socioeconomic position predicts long-term depression trajectory: a 13-year follow-up of the GAZEL cohort study. <i>Molecular Psychiatry</i> , 2013, 18, 112-121.	7.9	88
59	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e545-e554.	10.0	88
60	Socioeconomic status, non-communicable disease risk factors, and walking speed in older adults: multi-cohort population based study. <i>BMJ: British Medical Journal</i> , 2018, 360, k1046.	2.3	87
61	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. <i>Environmental Health Perspectives</i> , 2015, 123, 507-514.	6.0	86
62	Hostility May Explain the Association between Depressive Mood and Mortality: Evidence from the French GAZEL Cohort Study. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 164-171.	8.8	85
63	Operational definition of Active and Healthy Ageing (AHA): A conceptual framework. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 955-960.	3.3	85
64	Diagnosis-specific sickness absence and all-cause mortality in the GAZEL study. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 50-55.	3.7	84
65	Body mass index as a predictor of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Obesity</i> , 2017, 41, 769-775.	3.4	83
66	Lifelong socioeconomic trajectory and premature mortality (35-65 years) in France: findings from the GAZEL Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 937-944.	3.7	82
67	Why are manual workers at high risk of upper limb disorders? The role of physical work factors in a random sample of workers in France (the Pays de la Loire study). <i>Occupational and Environmental Medicine</i> , 2006, 63, 754-761.	2.8	81
68	Environmental Exposure to Tremolite and Respiratory Cancer in New Caledonia: A Case-Control Study. <i>American Journal of Epidemiology</i> , 2000, 151, 259-265.	3.4	80
69	Association between Exposure to Pulsed Electromagnetic Fields and Cancer in Electric Utility Workers in Quebec, Canada, and France. <i>American Journal of Epidemiology</i> , 1994, 140, 805-820.	3.4	79
70	Occupational risk factors for sinonasal cancer: A case-control study in France. <i>American Journal of Industrial Medicine</i> , 1992, 21, 163-175.	2.1	75
71	The Use of a Task-Based Exposure Assessment Model (T-BEAM) for Assessment of Metal Fume Exposures During Welding and Thermal Cutting. <i>Journal of Occupational and Environmental Hygiene</i> , 2000, 15, 26-38.	0.4	75
72	The mental health effects of multiple work and family demands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 573-582.	3.1	75

#	ARTICLE	IF	CITATIONS
73	Work increases the incidence of carpal tunnel syndrome in the general population. <i>Muscle and Nerve</i> , 2008, 37, 477-482.	2.2	73
74	Association of Parkinson's Disease and Its Subtypes with Agricultural Pesticide Exposures in Men: A Case-Control Study in France. <i>Environmental Health Perspectives</i> , 2015, 123, 1123-1129.	6.0	72
75	Job Exposure Matrices in Industry. <i>International Journal of Epidemiology</i> , 1993, 22, S10-S15.	1.9	71
76	Exposure to 50-Hz Electric Field and Incidence of Leukemia, Brain Tumors, and Other Cancers among French Electric Utility Workers. <i>American Journal of Epidemiology</i> , 1996, 144, 1107-1121.	3.4	71
77	Informal Caregiving and Self-Reported Mental and Physical Health: Results From the Gazel Cohort Study. <i>American Journal of Public Health</i> , 2011, 101, 1971-1979.	2.7	71
78	Future trends in mortality of French men from mesothelioma. <i>Occupational and Environmental Medicine</i> , 2000, 57, 488-494.	2.8	70
79	Long-term Effects of Psychosocial Work Stress in Midlife on Health Functioning After Labor Market Exit-Results From the GAZEL Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2012, 67, 471-480.	3.9	66
80	Gender Differences in the Association Between Morbidity and Mortality Among Middle-Aged Men and Women. <i>American Journal of Public Health</i> , 2008, 98, 2251-2257.	2.7	65
81	The French Musculoskeletal Disorders Surveillance Program: Pays de la Loire network. <i>Occupational and Environmental Medicine</i> , 2009, 66, 471-479.	2.8	65
82	Subjective cognitive complaints and mortality: Does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , 2014, 48, 73-78.	3.1	63
83	Risk factors for incidence of rotator cuff syndrome in a large working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 436-446.	3.4	62
84	The health impact of nonoccupational exposure to asbestos: what do we know?. <i>European Journal of Cancer Prevention</i> , 2009, 18, 489-503.	1.3	60
85	Personal, biomechanical, and psychosocial risk factors for rotator cuff syndrome in a working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 502-511.	3.4	60
86	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 155-159.	3.7	59
87	Work-related risk factors for lateral epicondylitis and other cause of elbow pain in the working population. <i>American Journal of Industrial Medicine</i> , 2013, 56, 400-409.	2.1	59
88	Effects of Individual and Work-related Factors on Incidence of Shoulder Pain in a Large Working Population. <i>Journal of Occupational Health</i> , 2012, 54, 278-288.	2.1	56
89	Trajectories of self-rated health in the last 15 years of life by cause of death. <i>European Journal of Epidemiology</i> , 2016, 31, 177-185.	5.7	56
90	Air pollution exposure and bladder, kidney and urinary tract cancer risk: A systematic review. <i>Environmental Pollution</i> , 2020, 267, 115328.	7.5	56

#	ARTICLE	IF	CITATIONS
91	Socioeconomic Inequalities in Disability-free Life Expectancy in Older People from England and the United States: A Cross-national Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 906-913.	3.6	56
92	Occupational and educational inequalities in exit from employment at older ages: evidence from seven prospective cohorts. <i>Occupational and Environmental Medicine</i> , 2018, 75, 369-377.	2.8	55
93	Effect of Retirement on Alcohol Consumption: Longitudinal Evidence from the French Gazel Cohort Study. <i>PLoS ONE</i> , 2011, 6, e26531.	2.5	55
94	The CONSTANCES cohort: an open epidemiological laboratory. <i>BMC Public Health</i> , 2010, 10, 479.	2.9	54
95	Past occupational exposure to asbestos among men in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 52-61.	3.4	54
96	Leukemia in relation to occupational exposures to benzene and other agents: A case-control study nested in a cohort of gas and electric utility workers. <i>American Journal of Industrial Medicine</i> , 2002, 42, 87-97.	2.1	53
97	Comparison of risk factors for shoulder pain and rotator cuff syndrome in the working population. <i>American Journal of Industrial Medicine</i> , 2012, 55, 605-615.	2.1	53
98	Association Between Electronic Cigarette Use and Smoking Reduction in France. <i>JAMA Internal Medicine</i> , 2019, 179, 1193.	5.1	53
99	Cohort Profile Update: The GAZEL Cohort Study. <i>International Journal of Epidemiology</i> , 2015, 44, 77-77g.	1.9	52
100	MatgÃ©nÃ©: A Program to Develop Job-Exposure Matrices in the General Population in France. <i>Annals of Occupational Hygiene</i> , 2011, 55, 865-78.	1.9	51
101	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 311-317.	3.7	50
102	Attributable risk of carpal tunnel syndrome according to industry and occupation in a general population. <i>Arthritis and Rheumatism</i> , 2008, 59, 1341-1348.	6.7	49
103	Depressive Symptoms and Vegetarian Diets: Results from the Constances Cohort. <i>Nutrients</i> , 2018, 10, 1695.	4.1	49
104	Factors associated with self-reporting of chronic health problems in the French GAZEL cohort. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 48-59.	5.0	48
105	Reanalysis of the Harvard Six Cities Study, Part II: Sensitivity Analysis. <i>Inhalation Toxicology</i> , 2005, 17, 343-353.	1.6	48
106	Do respiratory symptoms predict job choices in teenagers?. <i>European Respiratory Journal</i> , 2006, 27, 774-778.	6.7	48
107	Does personality predict mortality? Results from the GAZEL French prospective cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 386-396.	1.9	48
108	Work-related risk factors for incidence of lateral epicondylitis in a large working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 578-588.	3.4	48

#	ARTICLE	IF	CITATIONS
109	Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). <i>American Journal of Industrial Medicine</i> , 2010, 53, 1207-1219.	2.1	47
110	Risk factors for de Quervain's disease in a French working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 394-401.	3.4	47
111	Evolution of pleural cancers and malignant pleural mesothelioma incidence in France between 1980 and 2005. <i>International Journal of Cancer</i> , 2010, 126, 232-238.	5.1	46
112	Temporal patterns of occupational asbestos exposure and risk of pleural mesothelioma. <i>European Respiratory Journal</i> , 2012, 39, 1304-1312.	6.7	46
113	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 249-256.	2.3	46
114	Work conditions and mental health among prison staff in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 1996, 22, 45-54.	3.4	46
115	Occupational respiratory cancer and exposure to asbestos: A case-control study in a cohort of workers in the electricity and gas industry. <i>American Journal of Industrial Medicine</i> , 1995, 28, 339-352.	2.1	45
116	Occupational exposures and lung cancer in New Caledonia. <i>Occupational and Environmental Medicine</i> , 2003, 60, 584-589.	2.8	45
117	Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012, 2, e000522.	1.9	45
118	Developmental determinants in non-communicable chronic diseases and ageing. <i>Thorax</i> , 2015, 70, 595-597.	5.6	45
119	High quality standards for a large-scale prospective population-based observational cohort: Constances. <i>BMC Public Health</i> , 2016, 16, 877.	2.9	44
120	Diet and physical activity in the association between depression and metabolic syndrome: Constances study. <i>Journal of Affective Disorders</i> , 2019, 244, 25-32.	4.1	44
121	Special Report: The Biology of Inequalities in Health: The Lifepath Consortium. <i>Frontiers in Public Health</i> , 2020, 8, 118.	2.7	44
122	Socioeconomic position and low-back pain - the role of biomechanical strains and psychosocial work factors in the GAZEL cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 429-436.	3.4	44
123	Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort*. <i>Cancer Causes and Control</i> , 2005, 16, 515-524.	1.8	42
124	Systems Metabolomics for Prediction of Metabolic Syndrome. <i>Journal of Proteome Research</i> , 2017, 16, 2262-2272.	3.7	41
125	Lymphohistiocytoid Variant of Malignant Mesothelioma of the Pleura: A Series of 22 Cases. <i>American Journal of Surgical Pathology</i> , 2007, 31, 711-716.	3.7	40
126	Depression and the Risk of Cancer: A 15-year Follow-up Study of the GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2013, 178, 1712-1720.	3.4	40



#	ARTICLE	IF	CITATIONS
127	Organizational Downsizing and Depressive Symptoms in the European Recession: The Experience of Workers in France, Hungary, Sweden and the United Kingdom. <i>PLoS ONE</i> , 2014, 9, e97063.	2.5	40
128	Prevalence of prescribed benzodiazepine long-term use in the French general population according to sociodemographic and clinical factors: findings from the CONSTANCES cohort. <i>BMC Public Health</i> , 2019, 19, 566.	2.9	40
129	Socioeconomic indicators in epidemiologic research: A practical example from the LIFEPAATH study. <i>PLoS ONE</i> , 2017, 12, e0178071.	2.5	40
130	Morphometric analysis of collagen and elastic fibers in normal skin and gingiva in relation to age. <i>Clinical Oral Investigations</i> , 1997, 1, 147-152.	3.0	39
131	Mortality of workers exposed to ionizing radiation at the French National Electricity Company. <i>American Journal of Industrial Medicine</i> , 2005, 47, 72-82.	2.1	38
132	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. <i>Scientific Reports</i> , 2017, 7, 9282.	3.3	38
133	Socioeconomic status, social mobility and cancer occurrence during working life: a case-control study among French electricity and gas workers. <i>Cancer Causes and Control</i> , 1999, 10, 495-502.	1.8	37
134	Prediction Model of Parkinson's Disease Based on Antiparkinsonian Drug Claims. <i>American Journal of Epidemiology</i> , 2011, 174, 354-363.	3.4	37
135	Association among work exposure, alcohol intake, smoking and Dupuytren's disease in a large cohort study (GAZEL). <i>BMJ Open</i> , 2014, 4, e004214.	1.9	37
136	Risk factors for carpal tunnel syndrome related to the work organization: A prospective surveillance study in a large working population. <i>Applied Ergonomics</i> , 2015, 47, 1-10.	3.1	37
137	Alcohol, tobacco and cannabis use are associated with job loss at follow-up: Findings from the CONSTANCES cohort. <i>PLoS ONE</i> , 2019, 14, e0222361.	2.5	37
138	The Impact of Stressful Life Events on Excessive Alcohol Consumption in the French Population: Findings from the GAZEL Cohort Study. <i>PLoS ONE</i> , 2014, 9, e87653.	2.5	37
139	Does Sickness Absence Due to Psychiatric Disorder Predict Cause-specific Mortality? A 16-Year Follow-up of the GAZEL Occupational Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 700-707.	3.4	36
140	Working conditions and depressive symptoms in the 2003 decennial health survey: the role of the occupational category. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 1135-1147.	3.1	35
141	Personality and the Risk of Cancer. <i>Psychosomatic Medicine</i> , 2013, 75, 262-271.	2.0	35
142	Identifying diabetes cases in health administrative databases: a validation study based on a large French cohort. <i>International Journal of Public Health</i> , 2019, 64, 441-450.	2.3	35
143	Smoking cessation at the workplace. Results of a randomised controlled intervention study. <i>Journal of Epidemiology and Community Health</i> , 2000, 54, 349-354.	3.7	34
144	Sickness absence as a prognostic marker for common chronic conditions: analysis of mortality in the GAZEL study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 820-826.	2.8	34

#	ARTICLE	IF	CITATIONS
145	Influence of retirement and work stress on headache prevalence: A longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalgia</i> , 2011, 31, 696-705.	3.9	34
146	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 5-14.	3.4	34
147	The French GAZEL Cohort Study: 20 years of epidemiologic research. <i>Advances in Life Course Research</i> , 2009, 14, 135-146.	1.4	33
148	Work and family demands: predictors of all-cause sickness absence in the GAZEL cohort. <i>European Journal of Public Health</i> , 2012, 22, 101-106.	0.3	33
149	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 2014, Lisbon July 2, 2015. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1020-1026.	2.5	33
150	Heavy manual work, exposure to vibration and Dupuytren's disease? Results of a surveillance program for musculoskeletal disorders: Table 1. <i>Occupational and Environmental Medicine</i> , 2012, 69, 296-299.	2.8	32
151	Effects of job strain on fatigue: cross-sectional and prospective views of the job content questionnaire and effort-reward imbalance in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2012, 69, 377-384.	2.8	32
152	Association of longitudinal alcohol consumption trajectories with coronary heart disease: a meta-analysis of six cohort studies using individual participant data. <i>BMC Medicine</i> , 2018, 16, 124.	5.5	32
153	Occupational Epidemiology and Assessment of Exposure. <i>International Journal of Epidemiology</i> , 1993, 22, S5-S9.	1.9	31
154	A 10-year incidence survey of respiratory cancer and a case-control study within a cohort of nickel mining and refining workers in New Caledonia. <i>Cancer Causes and Control</i> , 1994, 5, 15-25.	1.8	31
155	Pleural Mesothelioma and Occupational Coexposure to Asbestos, Mineral Wool, and Silica. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 977-982.	5.6	31
156	Electronic cigarette use is associated with depressive symptoms among smokers and former smokers: Cross-sectional and longitudinal findings from the Constances cohort. <i>Addictive Behaviors</i> , 2019, 90, 85-91.	3.0	31
157	Dietary Factors and the Risk of Lung Cancer in New Caledonia (South Pacific). <i>Nutrition and Cancer</i> , 2002, 42, 18-24.	2.0	30
158	Reanalysis of the Harvard Six Cities Study, Part I: Validation and Replication. <i>Inhalation Toxicology</i> , 2005, 17, 335-342.	1.6	30
159	Occupational solvent exposure and cognition. <i>Neurology</i> , 2012, 78, 1754-1760.	1.1	30
160	Attributable risk of carpal tunnel syndrome in the general population: implications for intervention programs in the workplace. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 342-348.	3.4	30
161	Using Sickness Absence Records to Predict Future Depression in a Working Population: Prospective Findings From the GAZEL Cohort. <i>American Journal of Public Health</i> , 2009, 99, 1417-1422.	2.7	29
162	Perceived reciprocity in social exchange and health functioning in early old age: Prospective findings from the GAZEL study. <i>Aging and Mental Health</i> , 2010, 14, 425-432.	2.8	29

#	ARTICLE	IF	CITATIONS
163	Mortality associated with depression as compared with other severe mental disorders: A 20-year follow-up study of the GAZEL cohort.. Journal of Psychiatric Research, 2013, 47, 851-857.	3.1	29
164	Domains of cognitive function in early old age: which ones are predicted by pre-retirement psychosocial work characteristics?. Occupational and Environmental Medicine, 2016, 73, 640-647.	2.8	29
165	Development of a job-task-exposure matrix to assess occupational exposure to disinfectants among US nurses. Occupational and Environmental Medicine, 2017, 74, 130-137.	2.8	29
166	Adverse employment histories and health functioning: the CONSTANCES study. International Journal of Epidemiology, 2019, 48, 402-414.	1.9	29
167	Reducing socio-economic inequalities in all-cause mortality: a counterfactual mediation approach. International Journal of Epidemiology, 2020, 49, 497-510.	1.9	29
168	Sickness absence at the French National Electric and Gas Company.. Occupational and Environmental Medicine, 1987, 44, 101-110.	2.8	28
169	Predictors of change in alcohol consumption among Frenchmen of the GAZEL study cohort. Addiction, 1999, 94, 385-395.	3.3	28
170	Effectiveness of the SmartMV prototype BeefCam System to sort beef carcasses into expected palatability groups1. Journal of Animal Science, 2003, 81, 441-448.	0.5	28
171	Depressive symptoms and atypical jobs in France, from the 2003 Decennial health survey. American Journal of Industrial Medicine, 2009, 52, 799-810.	2.1	28
172	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. American Journal of Clinical Nutrition, 2010, 92, 16-23.	4.7	28
173	Long-term effects of compulsory schooling on physical, mental and cognitive ageing: a natural experiment. Journal of Epidemiology and Community Health, 2019, 73, 370-376.	3.7	28
174	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. European Journal of Public Health, 2019, 29, 267-272.	0.3	28
175	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. BMJ, The, 2021, 374, n1804.	6.0	28
176	Time-trend of sleep disorder in relation to night work: A study of sequential 1-year prevalences within the GAZEL cohort. Journal of Clinical Epidemiology, 1996, 49, 1133-1141.	5.0	27
177	Occupational mobility and risk factors in working men: selection, causality or both? Results from the GAZEL study. Journal of Epidemiology and Community Health, 2003, 57, 901-906.	3.7	27
178	Usefulness of a single-item measure of depression to predict mortality: the GAZEL prospective cohort study. European Journal of Public Health, 2012, 22, 643-647.	0.3	27
179	Long-term exposure to black carbon and mortality: A 28-year follow-up of the GAZEL cohort. Environment International, 2021, 157, 106805.	10.0	27
180	Incidence of Pleural Mesothelioma in New Caledonia: A 10-Year Survey (1978â€“1987). Archives of Environmental Health, 1991, 46, 306-309.	0.4	26

#	ARTICLE	IF	CITATIONS
181	Possible effect of environmental exposure to asbestos on geographical variation in mesothelioma rates. <i>Occupational and Environmental Medicine</i> , 2010, 67, 417-421.	2.8	26
182	Physical occupational exposures during working life and quality of life after labour market exit: results from the GAZEL study. <i>Aging and Mental Health</i> , 2013, 17, 697-706.	2.8	26
183	Association Between Potentially Inappropriate Medications and Frailty in the Early Old Age: A Longitudinal Study in the GAZEL Cohort. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 967-973.e3.	2.5	26
184	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018, 75, 486-493.	2.8	26
185	Longer schooling but not better off? A quasi-experimental study of the effect of compulsory schooling on biomarkers in France. <i>Social Science and Medicine</i> , 2019, 220, 379-386.	3.8	26
186	Outdoor air pollution exposure and cognitive performance: findings from the enrolment phase of the CONSTANCES cohort. <i>Lancet Planetary Health</i> , The, 2022, 6, e219-e229.	11.4	26
187	Malignant pleural mesothelioma associated with exposure to tremolite. <i>Lancet</i> , The, 1994, 344, 1777.	13.7	24
188	Socio-economic status and handedness in two large cohorts of French adults. <i>British Journal of Psychology</i> , 2008, 99, 533-554.	2.3	24
189	The relation between type of farming and prevalence of Parkinson's disease among agricultural workers in five french districts. <i>Movement Disorders</i> , 2011, 26, 271-279.	3.9	24
190	Time may not fully attenuate solvent-associated cognitive deficits in highly exposed workers. <i>Neurology</i> , 2014, 82, 1716-1723.	1.1	24
191	Ageing, retirement and changes in vegetable consumption in France: findings from the prospective GAZEL cohort. <i>British Journal of Nutrition</i> , 2015, 114, 979-987.	2.3	24
192	Work environment mediates a large part of social inequalities in the incidence of several common cardiovascular risk factors: Findings from the Gazel cohort. <i>Social Science and Medicine</i> , 2018, 216, 59-66.	3.8	24
193	Anticholinergic drug use and cognitive performances in middle age: findings from the CONSTANCES cohort. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 1107-1115.	1.9	24
194	Unhealthy behaviors and risk of uncontrolled hypertension among treated individuals-The CONSTANCES population-based study. <i>Scientific Reports</i> , 2020, 10, 1925.	3.3	24
195	Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor?. <i>International Journal of Hygiene and Environmental Health</i> , 2009, 212, 398-413.	4.3	23
196	High alcohol consumption in middle-aged adults is associated with poorer cognitive performance only in the low socio-economic group. Results from the GAZEL cohort study. <i>Addiction</i> , 2011, 106, 93-101.	3.3	23
197	Unhealthy behaviours and risk of visual impairment: The CONSTANCES population-based cohort. <i>Scientific Reports</i> , 2018, 8, 6569.	3.3	23
198	Evolution of the prevalence of obesity in the adult population in France, 2013-2016: the Constances study. <i>Scientific Reports</i> , 2021, 11, 14152.	3.3	23

#	ARTICLE	IF	CITATIONS
199	Occupational Risk Factors for Lung Cancer in the French Electricity and Gas Industry: A Case-Control Survey Nested in a Cohort of Active Employees. <i>American Journal of Epidemiology</i> , 2000, 151, 902-912.	3.4	22
200	Mental health of workers in Toulouse 2Âyears after the industrial AZF disaster: first results of a longitudinal follow-up of 3,000 people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 784-791.	3.1	22
201	Statistical methods for relating several exposure factors to several diseases in case-heterogeneity studies. <i>Statistics in Medicine</i> , 1986, 5, 49-60.	1.6	21
202	Occupational Exposure to Solvents and Cognitive Performance in the GAZEL Cohort: Preliminary Results. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 12-19.	1.5	21
203	Unhealthy behavior and risk of hypertension. <i>Journal of Hypertension</i> , 2019, 37, 2180-2189.	0.5	21
204	The biology of inequalities in health: the LIFEPAATH project. <i>Longitudinal and Life Course Studies</i> , 2017, 8, .	0.6	21
205	Using a representative sample of workers for constructing the SUMEX French general population based job-exposure matrix. <i>Occupational and Environmental Medicine</i> , 2004, 61, 586-593.	2.8	20
206	Long-term exposure to atmospheric metals assessed by mosses and mortality in France. <i>Environment International</i> , 2019, 129, 145-153.	10.0	20
207	Depression, treatable cardiovascular risk factors and incident cardiac events in the Gazel cohort. <i>International Journal of Cardiology</i> , 2019, 284, 90-95.	1.7	20
208	Assessment of Environmental and Domestic Exposure to Tremolite in New Caledonia. <i>Archives of Environmental Health</i> , 2004, 59, 91-100.	0.4	19
209	Do different measures of early life socioeconomic circumstances predict adult mortality? Evidence from the British Whitehall II and French GAZEL studies. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 1097-1103.	3.7	19
210	Biomechanical and psychosocial occupational exposures: Joint predictors of post-retirement functional health in the French GAZEL cohort. <i>Advances in Life Course Research</i> , 2013, 18, 235-243.	1.4	19
211	Mid-life occupational grade and quality of life following retirement: a 16-year follow-up of the French GAZEL study. <i>Aging and Mental Health</i> , 2015, 19, 634-646.	2.8	19
212	Occupational biomechanical exposure predicts low back pain in older age among men in the Gazel Cohort. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 501-510.	2.3	19
213	Metabolically healthy obesity and depressive symptoms: 16-year follow-up of the Gazel cohort study. <i>PLoS ONE</i> , 2017, 12, e0174678.	2.5	19
214	Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. <i>PLoS ONE</i> , 2018, 13, e0196330.	2.5	19
215	Association Between Lifeâ€Course Obesity and Frailty in Older Adults: Findings in the GAZEL Cohort. <i>Obesity</i> , 2020, 28, 388-396.	3.0	19
216	Effects on Health and Social Well- Being of On-Call Shifts. <i>Journal of Occupational and Environmental Medicine</i> , 1993, 35, 1131-1137.	1.7	18

#	ARTICLE	IF	CITATIONS
217	Incidence and Risk Factors for Thoracic Spine Pain in the Working Population: The French Pays de la Loire Study. <i>Arthritis Care and Research</i> , 2014, 66, 1695-1702.	3.4	18
218	Social engagement across the retirement transition among "young-old" adults in the French GAZEL cohort. <i>European Journal of Ageing</i> , 2015, 12, 311-320.	2.8	18
219	Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 20"21, 2014. <i>European Geriatric Medicine</i> , 2015, 6, 196-200.	2.8	18
220	Social Predictors of Active Life Engagement. <i>Research on Aging</i> , 2016, 38, 864-893.	1.8	18
221	Daily alcohol consumption and sickness absence in the GAZEL cohort. <i>European Journal of Public Health</i> , 2017, 27, 482-488.	0.3	18
222	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	5.9	18
223	Regional disparities in cardiovascular risk factors in France: a five-year analysis of the GAZEL cohort. <i>European Journal of Epidemiology</i> , 1998, 14, 535-543.	5.7	17
224	Can Exposure to Very Low Levels of Asbestos Induce Pleural Mesothelioma?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 939-940.	5.6	17
225	Attributable risk in men in two French case-control studies on mesothelioma and asbestos. <i>European Journal of Epidemiology</i> , 2010, 25, 799-806.	5.7	17
226	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011, 68, 729-733.	2.8	17
227	Left-Handedness and Male-Male Competition: Insights from Fighting and Hormonal Data. <i>Evolutionary Psychology</i> , 2011, 9, 354-370.	0.9	17
228	Personality and breast cancer screening in women of the <sc>GAZEL</sc> cohort study. <i>Cancer Medicine</i> , 2018, 7, 515-524.	2.8	17
229	Cardiovascular risk goes up as your mood goes down: Interaction of depression and socioeconomic status in determination of cardiovascular risk in the CONSTANCES cohort. <i>International Journal of Cardiology</i> , 2018, 262, 99-105.	1.7	17
230	Maternal educational inequalities in measured body mass index trajectories in three European countries. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, 226-237.	1.7	17
231	Norms for standard neuropsychological tests from the French <sc>CONSTANCES</sc> cohort. <i>European Journal of Neurology</i> , 2019, 26, 786-793.	3.3	17
232	Life-course socioeconomic disadvantage and lung function: a multicohort study of 70"496 individuals. <i>European Respiratory Journal</i> , 2021, 57, 2001600.	6.7	17
233	Housing environment and mental health of Europeans during the COVID-19 pandemic: a cross-country comparison. <i>Scientific Reports</i> , 2022, 12, 5612.	3.3	17
234	Selected questions on biomechanical exposures for surveillance of upper-limb work-related musculoskeletal disorders. <i>International Archives of Occupational and Environmental Health</i> , 2007, 81, 1-8.	2.3	16

#	ARTICLE	IF	CITATIONS
235	Risk factors for Raynaud's phenomenon in the workforce. <i>Arthritis Care and Research</i> , 2012, 64, 898-904.	3.4	16
236	Physical occupational exposures and health expectancies in a French occupational cohort. <i>Occupational and Environmental Medicine</i> , 2017, 74, 176-183.	2.8	16
237	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	3.3	16
238	Is effort-reward imbalance at work associated with different domains of health functioning? Baseline results from the French CONSTANCES study. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 467-480.	2.3	16
239	Long working hours, anthropometry, lung function, blood pressure and blood-based biomarkers: cross-sectional findings from the CONSTANCES study. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 130-135.	3.7	16
240	Asthma is associated with frailty among community-dwelling adults: the GAZEL cohort. <i>BMJ Open Respiratory Research</i> , 2020, 7, e000526.	3.0	16
241	Contribution of Long-Term Exposure to Outdoor Black Carbon to the Carcinogenicity of Air Pollution: Evidence regarding Risk of Cancer in the Gazel Cohort. <i>Environmental Health Perspectives</i> , 2021, 129, 37005.	6.0	16
242	Greenspace exposure and cancer incidence: A 27-year follow-up of the French GAZEL cohort. <i>Science of the Total Environment</i> , 2021, 787, 147553.	8.0	16
243	Long-term effects of biomechanical exposure on severe shoulder pain in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 568-576.	3.4	16
244	Association Between Occupational Exposure to Formaldehyde and Cognitive Impairment. <i>Neurology</i> , 2022, 98, .	1.1	16
245	A 26-Year Cohort Mortality Study of French Construction Workers Aged 20 to 64 Years. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 546-556.	1.7	15
246	Trajectories of Sleep Complaints From Early Midlife to Old Age: Longitudinal Modeling Study. <i>Sleep</i> , 2012, 35, 1559-68.	1.1	15
247	When Blue-Collars Feel Blue. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017, 10, .	2.2	15
248	Risk of psychological ill health and methods of organisational downsizing: a cross-sectional survey in four European countries. <i>BMC Public Health</i> , 2017, 17, 758.	2.9	15
249	Poor Awareness of Hypertension in France: The CONSTANCES Population-Based Study. <i>American Journal of Hypertension</i> , 2020, 33, 543-551.	2.0	15
250	Long-term effects of biomechanical exposure on severe knee pain in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 37-44.	3.4	15
251	Applying the exposome concept to working life health. <i>Environmental Epidemiology</i> , 2022, 6, e185.	3.0	15
252	Impact of recommendations on the initial therapy of Parkinson's disease: A population-based study in France. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 543-546.	2.2	14

#	ARTICLE	IF	CITATIONS
253	Obliterative bronchiolitis in workers laying up fiberglass-reinforced plastics with polyester resin and methylethyl ketone peroxide catalyst. <i>Occupational and Environmental Medicine</i> , 2013, 70, 675.1-676.	2.8	14
254	Co-exposure to refractory ceramic fibres and asbestos and risk of pleural mesothelioma. <i>European Respiratory Journal</i> , 2014, 44, 725-733.	6.7	14
255	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015, 10, e0143184.	2.5	14
256	Intergenerational Socioeconomic Mobility and Adult Depression. <i>American Journal of Epidemiology</i> , 2018, 187, 260-269.	3.4	14
257	The CONSTANCES Cohort Biobank: An Open Tool for Research in Epidemiology and Prevention of Diseases. <i>Frontiers in Public Health</i> , 2020, 8, 605133.	2.7	14
258	A Global View of the Relationships between the Main Behavioural and Clinical Cardiovascular Risk Factors in the GAZEL Prospective Cohort. <i>PLoS ONE</i> , 2016, 11, e0162386.	2.5	14
259	Epidemiology of respiratory cancers related to nickel mining and refining in New Caledonia (1978-1984). <i>International Journal of Cancer</i> , 1987, 40, 300-304.	5.1	13
260	Evaluation of the quality of coding of job episodes collected by self questionnaires among French retired men for use in a job-exposure matrix. <i>Occupational and Environmental Medicine</i> , 2003, 60, 438-443.	2.8	13
261	Alcohol consumption and marital status of French women in the GAZEL cohort: a longitudinal analysis between 1992 and 1996.. <i>Journal of Studies on Alcohol and Drugs</i> , 2003, 64, 784-789.	2.3	13
262	Estimated number of women likely to benefit from bone mineral density measurement in France. <i>Joint Bone Spine</i> , 2004, 71, 409-418.	1.6	13
263	Effect of stressful life events on changes in smoking among the French: longitudinal findings from GAZEL. <i>European Journal of Public Health</i> , 2015, 25, 711-715.	0.3	13
264	Childhood adversity and depressive symptoms following retirement in the Gazel cohort. <i>Journal of Psychiatric Research</i> , 2016, 82, 80-90.	3.1	13
265	Effect size for the main cognitive function determinants in a large cross-sectional study. <i>European Journal of Neurology</i> , 2016, 23, 1614-1626.	3.3	13
266	Excess mortality between 2007 and 2014 among patients with <i>Clostridium difficile</i> infection: a French health insurance database analysis. <i>Journal of Hospital Infection</i> , 2018, 98, 21-28.	2.9	13
267	Forgoing health care under universal health insurance: the case of France. <i>International Journal of Public Health</i> , 2020, 65, 617-625.	2.3	13
268	Le chômage: un problème de santé publique majeur. <i>La Revue De L Ires</i> , 2018, n° 91-92, 141-154.	0.3	13
269	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis. <i>Lancet Public Health</i> , The, 2022, 7, e447-e457.	10.0	13
270	Disparités sociales et professionnelles de la mortalité des travailleurs d'électricité et Gaz de France. <i>Population</i> , 1987, 42, 863.	0.3	12



#	ARTICLE	IF	CITATIONS
271	Do cardiovascular risk factors in men depend on their spouses' occupational category?. <i>European Journal of Epidemiology</i> , 2001, 17, 347-356.	5.7	12
272	Are lung and pleural benign asbestos induced diseases a preliminary step in the pathogenic process of mesothelioma and lung cancer development?. <i>Occupational and Environmental Medicine</i> , 2005, 62, 663-664.	2.8	12
273	Psychosocial factors at work and perceived health among agricultural meat industry workers in France. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 807-818.	2.3	12
274	Compensation of pleural mesothelioma in France: Data from the French National Mesothelioma Surveillance Programme. <i>American Journal of Industrial Medicine</i> , 2013, 56, 146-154.	2.1	12
275	Obesity and emergency care in the French CONSTANCES cohort. <i>PLoS ONE</i> , 2018, 13, e0194831.	2.5	12
276	The epidemiological information system of the French national electricity and gas company: the SI-EPI project. <i>Medicina Del Lavoro</i> , 1996, 87, 16-28.	0.4	12
277	Persistent symptoms after the first wave of COVID-19 in relation to SARS-CoV-2 serology and experience of acute symptoms: A nested survey in a population-based cohort. <i>Lancet Regional Health - Europe</i> , The, 2022, 17, 100363.	5.6	12
278	Choice of rating method for assessing occupational asbestos exposure: Study for compensation purposes in France. <i>American Journal of Industrial Medicine</i> , 2012, 55, 440-449.	2.1	11
279	Lifestyle-related risk factors and trajectories of work disability over 5 years in employees with diabetes: findings from two prospective cohort studies. <i>Diabetic Medicine</i> , 2015, 32, 1335-1341.	2.3	11
280	Hostility and the risk of peptic ulcer in the GAZEL cohort.. <i>Health Psychology</i> , 2015, 34, 181-185.	1.6	11
281	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , 2016, 33, 208-217.	2.3	11
282	Comorbidities Are Associated with Fibrosis in NAFLD Subjects: A Nationwide Study (NASH-CO Study). <i>Digestive Diseases and Sciences</i> , 2022, 67, 2584-2593.	2.3	11
283	Depression, Cognitive Functions, and Impaired Functioning in Middle-Aged Adults From the CONSTANCES Cohort. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	11
284	Adverse employment histories and allostatic load: associations over the working life. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 374-381.	3.7	11
285	Prevalence of Hearing Loss and Hearing Aid Use Among Adults in France in the CONSTANCES Study. <i>JAMA Network Open</i> , 2022, 5, e2217633.	5.9	11
286	Design of a Job Exposure Matrix on Electric and Magnetic Fields: Selection of an Efficient Job Classification for Workers in Thermoelectric Power Production Plants. <i>International Journal of Epidemiology</i> , 1993, 22, S16-S21.	1.9	10
287	Anxiety or depressive disorders and risk of ischaemic heart disease among French power company employees. <i>International Journal of Epidemiology</i> , 2004, 33, 779-786.	1.9	10
288	Can a Single-Item Measure Assess Physical Load at Work? An Analysis From the GAZEL Cohort. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 598-603.	1.7	10

#	ARTICLE	IF	CITATIONS
289	Personality and hormone therapy use among postmenopausal women in the GAZEL cohort study. <i>Fertility and Sterility</i> , 2012, 98, 929-936.	1.0	10
290	Comorbidity and work disability among employees with diabetes: Associations with risk factors in a pooled analysis of three cohort studies. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 84-90.	2.3	10
291	Association Between Hospitalization and Change of Frailty Status in the Gazel Cohort. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 466-473.	3.3	10
292	Individual and neighbourhood socioeconomic inequalities in cognitive impairment: cross-sectional findings from the French CONSTANCES cohort. <i>BMJ Open</i> , 2020, 10, e033751.	1.9	10
293	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort. <i>PLoS ONE</i> , 2020, 15, e0232262.	2.5	10
294	Long-term exposures to PM2.5, black carbon and NO2 and prevalence of current rhinitis in French adults: The Constances Cohort. <i>Environment International</i> , 2021, 157, 106839.	10.0	10
295	Blood inflammatory phenotypes were associated with distinct clinical expressions of asthma in adults from a large population-based cohort. <i>EBioMedicine</i> , 2022, 76, 103875.	6.1	10
296	The health data base of a nationwide company - its use in epidemiological studies. <i>Journal of Occupational Medicine</i> , 1982, 24, 47-52.	0.3	10
297	Incidence of Chronic and Other Knee Pain in Relation to Occupational Risk Factors in a Large Working Population. <i>Annals of Occupational Hygiene</i> , 2015, 59, 797-811.	1.9	9
298	Primary Cardiovascular Disease Risk Factors Predicted by Poor Working Conditions in the GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2017, 186, 815-823.	3.4	9
299	Informal caregiving as a risk factor for type 2 diabetes in individuals with favourable and unfavourable psychosocial work environments: A longitudinal multi-cohort study. <i>Diabetes and Metabolism</i> , 2018, 44, 38-44.	2.9	9
300	The contribution of sleep to social inequalities in cardiovascular disorders: a multi-cohort study. <i>Cardiovascular Research</i> , 2020, 116, 1514-1524.	3.8	9
301	The burden of <sc>NAFLD</sc> in type 2 diabetic subjects from the general population: A Nationwide population-based follow-up study (<sc>NASHCO</sc>). <i>Liver International</i> , 2022, 42, 595-606.	3.9	9
302	Asbestos Hazard Evaluation in South Korean Textile Production. <i>International Journal of Health Services</i> , 1994, 24, 131-144.	2.5	8
303	Epidemiological surveillance of lumbar disc surgery in the general population: A pilot study in a French region. <i>Joint Bone Spine</i> , 2011, 78, 298-302.	1.6	8
304	Organizational and psychosocial risk factors for carpal tunnel syndrome: a cross-sectional study of French workers. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 147-154.	2.3	8
305	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 125-131.	3.7	8
306	Should sensory impairment be considered in frailty assessment? A study in the GAZEL cohort. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 714-721.	3.3	8

#	ARTICLE	IF	CITATIONS
307	Hostility predicts alcohol consumption over a 21-year follow-up in the Gazel cohort. <i>Drug and Alcohol Dependence</i> , 2017, 177, 112-123.	3.2	8
308	Retrospective Evaluation of Occupational Exposures in Cancer Epidemiology: A European Concerted Action of Research. <i>Journal of Occupational and Environmental Hygiene</i> , 1991, 6, 541-546.	0.4	7
309	Long-term persistence of knee pain and occupational exposure in two large prospective cohorts of workers. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 411.	1.9	7
310	EV@LUTIL: An open access database on occupational exposures to asbestos and man-made mineral fibres. <i>American Journal of Industrial Medicine</i> , 2015, 58, 1059-1074.	2.1	7
311	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018, 53, 95-103.	1.6	7
312	Seasonal variations of lipid profiles in a French cohort. <i>Atherosclerosis</i> , 2019, 286, 181-183.	0.8	7
313	Association between occupational solvent exposure and cognitive performance in the French CONSTANCES study. <i>Occupational and Environmental Medicine</i> , 2020, 77, 223-230.	2.8	7
314	Long-term occupational trajectories and suicide: a 22-year follow-up of the GAZEL cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 158-165.	3.4	7
315	Handedness and reproductive success in two large cohorts of French adults. <i>Evolution and Human Behavior</i> , 2006, 27, 457-472.	2.2	6
316	An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned?. <i>Occupational and Environmental Medicine</i> , 2014, 71, 4-11.	2.8	6
317	Is physically arduous work associated with limitations after retirement? Findings from the GAZEL cohort: Table A1. <i>Occupational and Environmental Medicine</i> , 2016, 73, 183-186.	2.8	6
318	Intragenerational social mobility and depressive symptoms. Results from the French CONSTANCES cohort study. <i>SSM - Population Health</i> , 2019, 7, 100351.	2.7	6
319	Effort-reward imbalance and long-term benzodiazepine use: longitudinal findings from the CONSTANCES cohort. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 993-1001.	3.7	6
320	Work-Related Stressors and Increased Risk of Benzodiazepine Long-Term Use: Findings From the CONSTANCES Population-Based Cohort. <i>American Journal of Public Health</i> , 2019, 109, 119-125.	2.7	6
321	Cumulative disadvantage during employment careers – The link between employment histories and stressful working conditions. <i>Advances in Life Course Research</i> , 2020, 46, 100358.	1.4	6
322	Anticholinergic Activity of Psychotropic Drugs and Cognitive Impairment Among Participants Aged 45 and Over: The CONSTANCES Study. <i>Drug Safety</i> , 2021, 44, 565-579.	3.2	6
323	Computer Modeling of Population Exposure to a Carcinogen: The Example of Asbestos and Mesothelioma Mortality in France. <i>Journal of Biomedical Informatics</i> , 2000, 33, 97-109.	0.7	5
324	Characterization and measurement of social position in epidemiologic studies. <i>Revue D'Epidemiologie Et De Sante Publique</i> , 2007, 55, e1-e10.	0.5	5

#	ARTICLE	IF	CITATIONS
325	Work-related premature ageing: old concept but emerging stakes. <i>Occupational and Environmental Medicine</i> , 2013, 70, 675.2-675.	2.8	5
326	Natural course of rotator cuff syndrome in a French working population. <i>American Journal of Industrial Medicine</i> , 2014, 57, 683-694.	2.1	5
327	Association of depressive symptoms and socioeconomic status in determination of blood pressure levels and hypertension: The CONSTANCES population based study. <i>Journal of Affective Disorders</i> , 2021, 279, 282-291.	4.1	5
328	Depressive symptoms and non-adherence to treatable cardiovascular risk factors' medications in the CONSTANCES cohort. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 280-286.	3.0	5
329	Post-retirement surveillance of workers exposed to asbestos or wood dust: first results of the French national SPIRALE Program. <i>Epidemiologia E Prevenzione</i> , 2011, 35, 315-23.	1.1	5
330	Long-term exposure to ambient air pollution and asthma symptom score in the CONSTANCES cohort. <i>Thorax</i> , 2023, 78, 9-15.	5.6	5
331	Estimation du nombre de femmes françaises à risque d'ostéoporose susceptibles de bénéficier d'une ostéodensitométrie. <i>Revue Du Rhumatisme (Edition Française)</i> , 2004, 71, 790-800.	0.0	4
332	Description of Musculoskeletal Disorders and Occupational Exposure From a Field Pilot Study of Large Population-Based Cohort (CONSTANCES). <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 859-861.	1.7	4
333	How to optimize the use of biobanks from population-based cohorts in aging research. <i>Biogerontology</i> , 2016, 17, 221-227.	3.9	4
334	Poor Perceived Health is Associated with Current use of Electronic Cigarette among Current and Former Smokers: Findings from the CONSTANCES Cohort. <i>European Addiction Research</i> , 2019, 25, 310-319.	2.4	4
335	Does substance use explain social differences in terms of depression? Findings from the Constances cohort. <i>Comprehensive Psychiatry</i> , 2020, 102, 152203.	3.1	4
336	Obesity moderates the benefit of retirement on health: A 21-year prospective study in the GAZEL cohort. <i>Journal of Psychosomatic Research</i> , 2020, 131, 109938.	2.6	4
337	Using filled prescription sequences to rank antidepressants according to their acceptability in the general population: The Constances cohort. <i>Journal of Psychiatric Research</i> , 2020, 123, 72-80.	3.1	4
338	The Underestimated Prevalence of Neglected Chronic Pelvic Pain in Women, a Nationwide Cross-Sectional Study in France. <i>Journal of Clinical Medicine</i> , 2021, 10, 2481.	2.4	4
339	Adverse employment histories, work stress and self-reported depression in the French CONSTANCES study. <i>European Journal of Public Health</i> , 2021, 31, 1230-1236.	0.3	4
340	Respective Mediating Effects of Social Position and Work Environment on the Incidence of Common Cardiovascular Risk Factors. <i>Journal of the American Heart Association</i> , 2022, 11, e021373.	3.7	4
341	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe</i> , 2022, 19, 100417.	5.6	4
342	Geographical Distribution of Respiratory Cancer in New Caledonia. <i>Archives of Environmental Health</i> , 1987, 42, 315-320.	0.4	3

#	ARTICLE	IF	CITATIONS
343	Les Semaines des maladies Å caractÃ”re professionnel dans les Pays de la Loire. Archives Des Maladies Professionnelles Et De L'Environnement, 2007, 68, 223-232.	0.1	3
344	More than Light Alcohol Consumption Predicts Early Cessation from Employment in French Middle-Aged Men. Alcohol and Alcoholism, 2016, 51, 224-231.	1.6	3
345	Doseâ”time response association between occupational asbestos exposure and pleural mesothelioma: authorsâ”™ response. Occupational and Environmental Medicine, 2018, 75, 161-162.	2.8	3
346	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. Nutrients, 2020, 12, 2700.	4.1	3
347	Carpal tunnel syndrome and exposure to work-related biomechanical stressors and chemicals: Findings from the Constances cohort. PLoS ONE, 2020, 15, e0235051.	2.5	3
348	Changes in benzodiazepine use in the French general population after November 2015 terrorist attacks in Paris: an interrupted time series analysis of the national CONSTANCES cohort. BMJ Open, 2021, 11, e044891.	1.9	3
349	Occupational Exposures to Organic Solvents and Asthma Symptoms in the CONSTANCES Cohort. International Journal of Environmental Research and Public Health, 2021, 18, 9258.	2.6	3
350	The use of electronic cigarette by smokers and ex-smokers is associated with a poor perceived health status in the population-based Constances cohort. , 2018, , .		3
351	Rheumatoid arthritis, as a clinical disease, but not rheumatoid arthritis-associated autoimmunity, is linked to cardiovascular events. Arthritis Research and Therapy, 2022, 24, 56.	3.5	3
352	Retirement age does not modify the association of prior working conditions with self-rated health and mortality in retirees: results from a prospective study of retired French workers. International Archives of Occupational and Environmental Health, 2022, 95, 1921-1934.	2.3	3
353	Excess nonâ”psychiatric hospitalizations among employees with mental disorders: a 10â”year prospective study of the GAZEL cohort. Acta Psychiatrica Scandinavica, 2015, 131, 307-317.	4.5	2
354	THU-340-Epidemiology of NAFLD and advanced fibrosis in the French general population: A population-based cohort study in 118, 664 subjects (NASH-CO study). Journal of Hepatology, 2019, 70, e309-e310.	3.7	2
355	Hostility, depression and incident cardiac events in the GAZEL cohort. Journal of Affective Disorders, 2020, 266, 381-386.	4.1	2
356	Evaluation of saliva as a source of accurate wholeâ”genome and microbiome sequencing data. Genetic Epidemiology, 2021, 45, 537-548.	1.3	2
357	Do the associations between the use of electronic cigarettes and smoking reduction or cessation attempt persist after several years of use? Longitudinal analyses in smokers of the CONSTANCES cohort. Addictive Behaviors, 2021, 117, 106843.	3.0	2
358	Prevalence of Prediabetes and Undiagnosed Diabetes among Adults Aged 18 to 70 Years in Franceâ”The CONSTANCES Cohort. Diabetes, 2018, 67, 1657-P.	0.6	2
359	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat consumption: longitudinal analyses in the CONSTANCES cohort. Scientific Reports, 2022, 12, 661.	3.3	2
360	Modeling exposure to airborne metals using moss biomonitoring in cemeteries in two urban areas around Paris and Lyon in France. Environmental Pollution, 2022, 303, 119097.	7.5	2

#	ARTICLE	IF	CITATIONS
361	Re: "The Health Status of Nonparticipants in a Population-Based Health Study: The Hordaland Health Study". American Journal of Epidemiology, 2011, 173, 1345-1345.	3.4	1
362	Software for Unbiased Estimation of Attributable Risk. Epidemiology, 2012, 23, 646-647.	2.7	1
363	Effets à long terme des facteurs biomécaniques et psychosociaux professionnels sur les douleurs importantes de l'épaulé dans la cohorte Gazel. Archives Des Maladies Professionnelles Et De L'Environnement, 2013, 74, 499-508.	0.1	1
364	Post-approval Studies in France, Challenges Facing Medical Devices. Therapie, 2014, 69, 313-321.	1.0	1
365	Socioeconomic differences in healthy life expectancy: Evidence from four prospective cohort studies. European Journal of Public Health, 2016, 26, .	0.3	1
366	Social position modifies the association between severe shoulder/arm and knee/leg pain, and quality of life after retirement. International Archives of Occupational and Environmental Health, 2016, 89, 63-77.	2.3	1
367	The role of being a former smoker in the association between electronic cigarette and alcohol use. Addiction, 2021, 116, 973-975.	3.3	1
368	Les cohortes géographiques en population. L'exemple des cohortes Gazel et Constances. Bulletin De L'Académie Nationale De Médecine, 2013, 197, 299-313.	0.0	1
369	High Decision Latitude at Work Combined with Traumatic Life Events in Private Life is Associated with Reduced Sleep Quality: Results from the GAZEL Study. Scandinavian Journal of Work and Organizational Psychology, 2018, 3, .	0.9	1
370	Influence of exposure assessment methods on associations between long-term exposure to outdoor fine particulate matter and risk of cancer in the French cohort Gazel. Science of the Total Environment, 2022, 820, 153098.	8.0	1
371	Health care use by adults with obesity: A French cohort study. Obesity, 2022, 30, 733-742.	3.0	1
372	Batimex: une matrice emplois-expositions pour le ciment chez les travailleurs de la construction - Conception et validation. Archives Des Maladies Professionnelles Et De L'Environnement, 2009, 70, 502-515.	0.1	0
373	Organisation de la vigilance à partir des observations de terrain: exemple à partir du cluster de cas de cancers du rein d'une entreprise d'Allier: du signalement à l'action, critique positive et négative. Archives Des Maladies Professionnelles Et De L'Environnement, 2012, 73, 416-418.	0.1	0
374	6 Moss biomonitoring as an alternative to assess exposure to atmospheric metals in environmental epidemiology: the example of the bramm network and the gazel cohort. , 2018, , .		0
375	Individual and neighbourhood socioeconomic disparities and high blood pressure in France: Results from a cross-sectional analysis of the CONSTANCES cohort. Revue D'Epidémiologie Et De Santé Publique, 2018, 66, S368.	0.5	0
376	P3584: SOLVENTS, LIVING ENVIRONMENT AND COGNITIVE PERFORMANCE. Alzheimer's and Dementia, 2018, 14, P1348.	0.8	0
377	O3D7...Constances: a population-based cohort for occupational epidemiology. Occupational and Environmental Medicine, 2019, 76, A29.2-A29.	2.8	0
378	Electronic cigarette use and smoking reduction - longitudinal data from CONSTANCES cohort study. European Journal of Public Health, 2019, 29, .	0.3	0

#	ARTICLE	IF	CITATIONS
379	Socioeconomic inequalities in cognitive performance among early ageing people: The Constances cohort. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
380	Lifetime Duration of Exposure to Biomechanical Factors at Work as a Mediator of the Relationship Between Socioeconomic Position and Walking Speed. <i>Frontiers in Public Health</i> , 2020, 8, 412.	2.7	0
381	Flux s'curis de donn'es caract're personnel dans la cohorte Constances. <i>Journal De Gestion Et D'conomie M'odicales</i> , 2013, Vol. 30, 395-409.	0.3	0
382	Exposition de faibles niveaux d'amiante et risques de cancer : plausibilit' scientifique et probl'mes de sant' publique. <i>Medecine/Sciences</i> , 1997, 13, 749.	0.2	0
383	Compensation of pleural mesothelioma in construction workers in France. , 2017, , .		0
384	Occupational exposures to solvents and asthma in the Constances cohort. , 2019, , .		0
385	Asthma is associated with frailty: the GAZEL cohort. , 2019, , .		0
386	Association between occupational exposures to solvents and airway obstruction in the CONSTANCES cohort. , 2019, , .		0
387	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat intake. <i>European Journal of Public Health</i> , 2021, 31, .	0.3	0
388	Towards quantifying the reciprocal associations between frequency of cannabis use and alcohol consumption: a cross-lagged analysis from the CONSTANCES cohort. <i>BMJ Open</i> , 2022, 12, e052819.	1.9	0
389	Estimated confounding from smoking in a cohort of 20,000 French electrical workers. <i>Epidemiologia E Prevenzione</i> , 1992, 14, 43-51.	1.1	0
390	Current management of mediastinal tumors. <i>Oncology</i> , 1994, 8, 99-110; discussion 110-1.	0.5	0
391	SARI : A User-Oriented Data Bank System for Medical Applications. <i>Methods of Information in Medicine</i> , 1976, 15, 69-74.	1.2	0
392	Title is missing!. , 2020, 15, e0232262.		0
393	Title is missing!. , 2020, 15, e0232262.		0
394	Title is missing!. , 2020, 15, e0232262.		0
395	Title is missing!. , 2020, 15, e0232262.		0
396	Title is missing!. , 2020, 15, e0232262.		0

#	ARTICLE	IF	CITATIONS
397	Title is missing!. , 2020, 15, e0232262.		0
398	Cannabis Use Increases the Risk of Sickness Absence: Longitudinal Analyses From the CONSTANCES Cohort. Frontiers in Public Health, 2022, 10, .	2.7	0