

Jingbo Niu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5348763/publications.pdf>

Version: 2024-02-01

151
papers

12,330
citations

20817

60
h-index

26613

107
g-index

153
all docs

153
docs citations

153
times ranked

9418
citing authors

#	ARTICLE	IF	CITATIONS
1	Allopurinol Initiation and All-Cause Mortality Among Patients With Gout and Concurrent Chronic Kidney Disease. <i>Annals of Internal Medicine</i> , 2022, 175, 461-470.	3.9	17
2	Mortality, Kidney Failure, and Hospitalization Among Medicare Beneficiaries With CKD and Pulmonary Hypertension. <i>American Journal of Kidney Diseases</i> , 2021, 78, 700-708.e1.	1.9	4
3	MO114 NEPHROLITHIASIS AS CAUSE OF KIDNEY FAILURE AND MAJOR CARDIOVASCULAR OUTCOMES IN INCIDENT DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
4	Estimation of total mediation effect for high-dimensional omics mediators. <i>BMC Bioinformatics</i> , 2021, 22, 414.	2.6	6
5	Patient Health Outcomes following Dialysis Facility Closures in the United States. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 2613-2621.	6.1	3
6	Selective Serotonin Reuptake Inhibitor Use and Hip Fracture Risk Among Patients on Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2020, 75, 351-360.	1.9	19
7	Patterns of Change Over Time in Knee Bone Shape Are Associated with Sex. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1491-1502.	1.5	6
8	Hip Fracture Risk among Hemodialysis-Dependent Patients Prescribed Opioids and Gabapentinoids. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1325-1334.	6.1	11
9	Hospitalization and Critical Illness in Chronic Kidney Disease. <i>CardioRenal Medicine</i> , 2020, 10, 302-312.	1.9	2
10	Readmissions after Acute Kidney Injury during Left Ventricular Assist Device Implantation Hospitalization. <i>American Journal of Nephrology</i> , 2020, 51, 172-181.	3.1	7
11	Risk of Knee Osteoarthritis With Obesity, Sarcopenic Obesity, and Sarcopenia. <i>Arthritis and Rheumatology</i> , 2019, 71, 232-237.	5.6	106
12	Dialysis Catheter-related Bloodstream Infections in Patients Receiving Hemodialysis on an Emergency-only Basis: A Retrospective Cohort Analysis. <i>Clinical Infectious Diseases</i> , 2019, 68, 1011-1016.	5.8	21
13	Association of Hospitalization and Mortality Among Patients Initiating Dialysis With Hemodialysis Facility Ownership and Acquisitions. <i>JAMA Network Open</i> , 2019, 2, e193987.	5.9	13
14	Blood Pressure and Incident Atrial Fibrillation in Older Patients Initiating Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1029-1038.	4.5	7
15	Predialysis Nephrology Care and Incident Atrial Fibrillation in Older Patients With ESKD Initiating Dialysis. <i>Kidney International Reports</i> , 2019, 4, 679-687.	0.8	2
16	Dialysis Modality and Incident Atrial Fibrillation in Older Patients With ESRD. <i>American Journal of Kidney Diseases</i> , 2019, 73, 324-331.	1.9	18
17	Meniscal body extrusion and cartilage coverage in middle-aged and elderly without radiographic knee osteoarthritis. <i>European Radiology</i> , 2019, 29, 1848-1854.	4.5	18
18	Risk profiles for acute health events after incident atrial fibrillation in patients with end-stage renal disease on hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1590-1597.	0.7	8

#	ARTICLE	IF	CITATIONS
19	Changes in Pain Sensitization After Bariatric Surgery. <i>Arthritis Care and Research</i> , 2018, 70, 1525-1528.	3.4	29
20	Brief Report: Leg Length Inequality and Hip Osteoarthritis in the Multicenter Osteoarthritis Study and the Osteoarthritis Initiative. <i>Arthritis and Rheumatology</i> , 2018, 70, 1572-1576.	5.6	18
21	Association Between Metabolic Syndrome and Radiographic Hand Osteoarthritis: Data From a Community-Based Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 469-474.	3.4	28
22	Affect and Incident Participation Restriction in Adults With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2018, 70, 542-549.	3.4	8
23	Smoking paradox in the development of psoriatic arthritis among patients with psoriasis: a population-based study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 119-123.	0.9	67
24	Physical Function After Total Knee Replacement: An Observational Study Describing Outcomes in a Small Group of Women From China and the United States. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 194-197.	0.9	2
25	Trends in the Causes of Death among Kidney Transplant Recipients in the United States (1996-2014). <i>American Journal of Nephrology</i> , 2018, 48, 472-481.	3.1	131
26	Oral Anticoagulation in Patients With End-Stage Kidney Disease on Dialysis and Atrial Fibrillation. <i>Seminars in Nephrology</i> , 2018, 38, 618-628.	1.6	25
27	Body Mass Index Mediates the Association between Dietary Fiber and Symptomatic Knee Osteoarthritis in the Osteoarthritis Initiative and the Framingham Osteoarthritis Study. <i>Journal of Nutrition</i> , 2018, 148, 1961-1967.	2.9	13
28	Proton Pump Inhibitors, Histamine-2 Receptor Antagonists, and Hip Fracture Risk among Patients on Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1534-1541.	4.5	16
29	Bone shape mediates the relationship between sex and incident knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 331.	1.9	19
30	Patient-Reported Experiences of Dialysis Care Within a National Pay-for-Performance System. <i>JAMA Internal Medicine</i> , 2018, 178, 1358.	5.1	24
31	Trends in Left Ventricular Assist Device Implantation and Associated Mortality Among Patients With and Without ESRD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 620-622.	1.9	7
32	Association of Slow Gait Speed With Trajectories of Worsening Depressive Symptoms in Knee Osteoarthritis: An Observational Study. <i>Arthritis Care and Research</i> , 2017, 69, 209-215.	3.4	38
33	Obesity Paradox in Recurrent Attacks of Gout in Observational Studies: Clarification and Remedy. <i>Arthritis Care and Research</i> , 2017, 69, 561-566.	3.4	26
34	Reliability of MRI assessment of acute musculotendinous groin injuries in athletes. <i>European Radiology</i> , 2017, 27, 1486-1495.	4.5	29
35	Perceived Community Environmental Factors and Risk of Five-Year Participation Restriction Among Older Adults With or at Risk of Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2017, 69, 952-958.	3.4	12
36	Association of Chondrocalcinosis in Knee Joints With Pain and Synovitis: Data From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2017, 69, 1651-1658.	3.4	14

#	ARTICLE	IF	CITATIONS
37	Thigh Muscle Specific Strength and the Risk of Incident Knee Osteoarthritis: The Influence of Sex and Greater Body Mass Index. <i>Arthritis Care and Research</i> , 2017, 69, 1266-1270.	3.4	26
38	The Effect of Widespread Pain on Knee Pain Worsening, Incident Knee Osteoarthritis (OA), and Incident Knee Pain: The Multicenter OA (MOST) Study. <i>Journal of Rheumatology</i> , 2017, 44, 493-498.	2.0	17
39	Metabolic Syndrome, Its Components, and Knee Osteoarthritis: The Framingham Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2017, 69, 1194-1203.	5.6	123
40	Comparison of tibiofemoral joint space width measurements from standing CT and fixed flexion radiography. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1388-1395.	2.3	37
41	Dietary Fiber Intake in Relation to Knee Pain Trajectory. <i>Arthritis Care and Research</i> , 2017, 69, 1331-1339.	3.4	42
42	Dietary intake of fibre and risk of knee osteoarthritis in two US prospective cohorts. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1411-1419.	0.9	59
43	Knee Symptomatic Osteoarthritis, Walking Disability, NSAIDs Use and All-cause Mortality: Population-based Wuchuan Osteoarthritis Study. <i>Scientific Reports</i> , 2017, 7, 3309.	3.3	36
44	Brief Report: Partial and Full Thickness Focal Cartilage Defects Contribute Equally to Development of New Cartilage Damage in Knee Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2017, 69, 560-564.	5.6	68
45	The Association of Vibratory Perception and Muscle Strength With the Incidence and Worsening of Knee Instability: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2017, 69, 94-102.	5.6	14
46	Multiple Nonspecific Sites of Joint Pain Outside the Knees Develop in Persons With Knee Pain. <i>Arthritis and Rheumatology</i> , 2017, 69, 335-342.	5.6	21
47	The Association of Forefoot Varus Deformity with Patellofemoral Cartilage Damage in Older Adult Cadavers. <i>Anatomical Record</i> , 2017, 300, 1032-1038.	1.4	2
48	Longitudinal Course of Physical Function in People With Symptomatic Knee Osteoarthritis: Data From the Multicenter Osteoarthritis Study and the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2016, 68, 325-331.	3.4	37
49	Are Pressure Time Integral and Cumulative Plantar Stress Related to First Metatarsophalangeal Joint Pain? Results From a Community-Based Study. <i>Arthritis Care and Research</i> , 2016, 68, 1232-1238.	3.4	9
50	Association of Joint Inflammation With Pain Sensitization in Knee Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2016, 68, 654-661.	5.6	195
51	The Prevalence of Symptomatic Knee Osteoarthritis in China: Results From the China Health and Retirement Longitudinal Study. <i>Arthritis and Rheumatology</i> , 2016, 68, 648-653.	5.6	300
52	Relation of Step Length to Magnetic Resonance Imaging-Detected Structural Damage in the Patellofemoral Joint: The Multicenter Osteoarthritis Study. <i>Arthritis Care and Research</i> , 2016, 68, 776-783.	3.4	6
53	Editorial: Shifting Gears in Osteoarthritis Research Toward Symptomatic Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2016, 68, 1797-1800.	5.6	17
54	Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. <i>Arthritis Care and Research</i> , 2016, 68, 1640-1646.	3.4	18

#	ARTICLE	IF	CITATIONS
55	Trajectories of functional decline in knee osteoarthritis: the Osteoarthritis Initiative. <i>Rheumatology</i> , 2016, 55, 801-808.	1.9	54
56	Acute hamstring injury in football players: Association between anatomical location and extent of injury—A large single-center MRI report. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 317-322.	1.3	54
57	Patterns of Coexisting Lesions Detected on Magnetic Resonance Imaging and Relationship to Incident Knee Osteoarthritis: The Multicenter Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 3158-3165.	5.6	23
58	Association of hip pain with radiographic evidence of hip osteoarthritis: diagnostic test study. <i>BMJ</i> , The, 2015, 351, h5983.	6.0	119
59	Multi-dimensional reliability assessment of fractal signature analysis in an outpatient sports medicine population. <i>Annals of Anatomy</i> , 2015, 202, 57-60.	1.9	4
60	Sensitivity and sensitisation in relation to pain severity in knee osteoarthritis: trait or state?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 682-688.	0.9	158
61	The effect on treatment response of fibromyalgic symptoms in early rheumatoid arthritis patients: results from the ESPOIR cohort. <i>Rheumatology</i> , 2015, 54, 2166-2170.	1.9	18
62	Diagnostic performance of 3D standing CT imaging for detection of knee osteoarthritis features. <i>Physician and Sportsmedicine</i> , 2015, 43, 213-220.	2.1	53
63	Nocturnal Risk of Gout Attacks. <i>Arthritis and Rheumatology</i> , 2015, 67, 555-562.	5.6	47
64	Hand osteoarthritis in relation to mortality and incidence of cardiovascular disease: data from the Framingham Heart Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 74-81.	0.9	92
65	The Diagnostic Performance of Anterior Knee Pain and Activity-related Pain in Identifying Knees with Structural Damage in the Patellofemoral Joint: The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2014, 41, 1695-1702.	2.0	39
66	Synovitis in Knee Osteoarthritis Assessed by Contrast-enhanced Magnetic Resonance Imaging (MRI) is Associated with Radiographic Tibiofemoral Osteoarthritis and MRI-detected Widespread Cartilage Damage: The MOST Study. <i>Journal of Rheumatology</i> , 2014, 41, 501-508.	2.0	73
67	Relation of Temperature and Humidity to the Risk of Recurrent Gout Attacks. <i>American Journal of Epidemiology</i> , 2014, 180, 372-377.	3.4	26
68	MR arthrography of the shoulder: Optimizing pulse sequence protocols for the evaluation of cartilage and labrum. <i>European Journal of Radiology</i> , 2014, 83, 1421-1428.	2.6	6
69	Alcohol Quantity and Type on Risk of Recurrent Gout Attacks: An Internet-based Case-crossover Study. <i>American Journal of Medicine</i> , 2014, 127, 311-318.	1.5	101
70	What Effect Is Really Being Measured? An Alternative Explanation of Paradoxical Phenomena in Studies of Osteoarthritis Progression. <i>Arthritis Care and Research</i> , 2014, 66, 658-661.	3.4	17
71	Does Clinically Important Change in Function After Knee Replacement Guarantee Good Absolute Function? The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2014, 41, 60-64.	2.0	20
72	Comparing the functional impact of knee replacements in two cohorts. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 145.	1.9	4

#	ARTICLE	IF	CITATIONS
73	Ligamentous Injuries and the Risk of Associated Tissue Damage in Acute Ankle Sprains in Athletes. American Journal of Sports Medicine, 2014, 42, 1549-1557.	4.2	121
74	Anterior Cruciate Ligament OsteoArthritis Score (ACLOAS): Longitudinal MRI-based whole joint assessment of anterior cruciate ligament injury. Osteoarthritis and Cartilage, 2014, 22, 668-682.	1.3	76
75	Selection bias in rheumatic disease research. Nature Reviews Rheumatology, 2014, 10, 403-412.	8.0	93
76	Is symptomatic knee osteoarthritis a risk factor for a trajectory of fast decline in gait speed? Results from a longitudinal cohort study. Arthritis Care and Research, 2013, 65, 187-194.	3.4	68
77	Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. Arthritis and Rheumatism, 2013, 65, 355-362.	6.7	214
78	Do radiographic disease and pain account for why people with or at high risk of knee osteoarthritis do not meet physical activity guidelines?. Arthritis and Rheumatism, 2013, 65, 139-147.	6.7	52
79	Walking to Meet Physical Activity Guidelines in Knee Osteoarthritis: Is 10,000 Steps Enough?. Archives of Physical Medicine and Rehabilitation, 2013, 94, 711-717.	0.9	33
80	Body Mass Index and Mortality: Comment on Article by Wolfe and Michaud. Arthritis Care and Research, 2013, 65, 834-835.	3.4	1
81	The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRIâ€”The MOST study. Seminars in Arthritis and Rheumatism, 2013, 42, 573-581.	3.4	26
82	The Influence of the Contralateral Knee Prior to Knee Arthroplasty on Post-Arthroplasty Function: The Multicenter Osteoarthritis Study. Journal of Bone and Joint Surgery - Series A, 2013, 95, 989-993.	3.0	34
83	Progression of osteoarthritis as a state of inertia. Annals of the Rheumatic Diseases, 2013, 72, 924-929.	0.9	91
84	Magnetic Resonance Imagingâ€”Based Threeâ€”Dimensional Bone Shape of the Knee Predicts Onset of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Arthritis and Rheumatism, 2013, 65, 2048-2058.	6.7	149
85	Breaking the Law of Valgus: the surprising and unexplained prevalence of medial patellofemoral cartilage damage. Annals of the Rheumatic Diseases, 2012, 71, 1827-1832.	0.9	42
86	Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). BMJ, The, 2012, 345, e5339-e5339.	6.0	371
87	Anatomical Origin of Forefoot Varus Malalignment. Journal of the American Podiatric Medical Association, 2012, 102, 390-395.	0.3	5
88	Relation of Hand Enthesophytes with Knee Enthesopathy: Is Osteoarthritis Related to a Systemic Enthesopathy?. Journal of Rheumatology, 2012, 39, 359-364.	2.0	17
89	Purine-rich foods intake and recurrent gout attacks. Annals of the Rheumatic Diseases, 2012, 71, 1448-1453.	0.9	147
90	When it hurts, a positive attitude may help: association of positive affect with daily walking in knee osteoarthritis. Results from a multicenter longitudinal cohort study. Arthritis Care and Research, 2012, 64, 1312-1319.	3.4	44

#	ARTICLE	IF	CITATIONS
91	The Association of Obesity with Walking Independent of Knee Pain: The Multicenter Osteoarthritis Study. <i>Journal of Obesity</i> , 2012, 2012, 1-6.	2.7	15
92	Patterns of compartment involvement in tibiofemoral osteoarthritis in men and women and in whites and African Americans. <i>Arthritis Care and Research</i> , 2012, 64, 847-852.	3.4	128
93	Prevalence of magnetic resonance imagingâ€‘defined atrophic and hypertrophic phenotypes of knee osteoarthritis in a populationâ€‘based cohort. <i>Arthritis and Rheumatism</i> , 2012, 64, 429-437.	6.7	50
94	Increasing Prevalence of Knee Pain and Symptomatic Knee Osteoarthritis: Survey and Cohort Data. <i>Annals of Internal Medicine</i> , 2011, 155, 725.	3.9	419
95	Association of flat feet with knee pain and cartilage damage in older adults. <i>Arthritis Care and Research</i> , 2011, 63, 937-944.	3.4	110
96	Fluctuation of knee pain and changes in bone marrow lesions, effusions, and synovitis on magnetic resonance imaging. <i>Arthritis and Rheumatism</i> , 2011, 63, 691-699.	6.7	274
97	The associations between finger length pattern, osteoarthritis, and knee injury: Data from the Framingham community cohort. <i>Arthritis and Rheumatism</i> , 2011, 63, 2284-2288.	6.7	19
98	Morphologic differences between the hips of Chinese women and white women: Could they account for the ethnic difference in the prevalence of hip osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2011, 63, 2992-2999.	6.7	64
99	Defining radiographic incidence and progression of knee osteoarthritis: suggested modifications of the Kellgren and Lawrence scale. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1884-1886.	0.9	120
100	Prevalence, incidence and progression of hand osteoarthritis in the general population: the Framingham Osteoarthritis Study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1581-1586.	0.9	371
101	Reasons for Functional Decline Despite Reductions in Knee Pain: The Multicenter Osteoarthritis Study. <i>Physical Therapy</i> , 2011, 91, 1849-1856.	2.4	31
102	Presence of MRI-detected joint effusion and synovitis increases the risk of cartilage loss in knees without osteoarthritis at 30-month follow-up: the MOST study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1804-1809.	0.9	289
103	Consistency of Knee Pain and Risk of Knee Replacement: The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2011, 38, 1390-1395.	2.0	26
104	Assessment of synovitis with contrast-enhanced MRI using a whole-joint semiquantitative scoring system in people with, or at high risk of, knee osteoarthritis: the MOST study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 805-811.	0.9	164
105	Comparison of radiographic joint space width with magnetic resonance imaging cartilage morphometry: Analysis of longitudinal data from the osteoarthritis initiative. <i>Arthritis Care and Research</i> , 2010, 62, 932-937.	3.4	103
106	The independent effect of pain in one versus two knees on the presence of low physical function in a multicenter knee osteoarthritis study. <i>Arthritis Care and Research</i> , 2010, 62, 938-943.	3.4	35
107	Do worsening knee radiographs mean greater chances of severe functional limitation?. <i>Arthritis Care and Research</i> , 2010, 62, 1433-1439.	3.4	43
108	Methodologic challenges in studying risk factors for progression of knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010, 62, 1527-1532.	3.4	80

#	ARTICLE	IF	CITATIONS
109	Subchondral bone attrition may be a reflection of compartment-specific mechanical load: the MOST Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 841-844.	0.9	68
110	Subchondral Cystlike Lesions Develop Longitudinally in Areas of Bone Marrow Edema—like Lesions in Patients with or at Risk for Knee Osteoarthritis: Detection with MR Imaging—The MOST Study. <i>Radiology</i> , 2010, 256, 855-862.	7.3	95
111	Forefoot varus malalignment: anatomical origin and association with signs of patellofemoral joint osteoarthritis in cadavers. <i>FASEB Journal</i> , 2010, 24, 178.2.	0.5	0
112	Tibiofemoral Joint Osteoarthritis: Risk Factors for MR-depicted Fast Cartilage Loss over a 30-month Period in the Multicenter Osteoarthritis Study. <i>Radiology</i> , 2009, 252, 772-780.	7.3	176
113	Quadriceps strength and the risk of cartilage loss and symptom progression in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 189-198.	6.7	240
114	Current risk factors for work disability associated with rheumatoid arthritis: Recent data from a US national cohort. <i>Arthritis and Rheumatism</i> , 2009, 61, 321-328.	6.7	63
115	The high prevalence of knee osteoarthritis in a rural Chinese population: The Wuchuan osteoarthritis study. <i>Arthritis and Rheumatism</i> , 2009, 61, 641-647.	6.7	77
116	Effect of thigh strength on incident radiographic and symptomatic knee osteoarthritis in a longitudinal cohort. <i>Arthritis and Rheumatism</i> , 2009, 61, 1210-1217.	6.7	176
117	Association between radiographic features of knee osteoarthritis and pain: results from two cohort studies. <i>BMJ: British Medical Journal</i> , 2009, 339, b2844-b2844.	2.3	360
118	Knee Extensor Strength Does Not Protect Against Incident Knee Symptoms at 30 Months in the Multicenter Knee Osteoarthritis (MOST) Cohort. <i>PM and R</i> , 2009, 1, 459-465.	1.6	40
119	A Multistate Transition Model for Osteoarthritis Pain Change. <i>Communications in Statistics - Theory and Methods</i> , 2009, 38, 3297-3306.	1.0	5
120	Statistical approaches to evaluating the effect of risk factors on the pain of knee osteoarthritis in longitudinal studies. <i>Current Opinion in Rheumatology</i> , 2009, 21, 513-519.	4.3	18
121	Central bone marrow lesions in symptomatic knee osteoarthritis and their relationship to anterior cruciate ligament tears and cartilage loss. <i>Arthritis and Rheumatism</i> , 2008, 58, 130-136.	6.7	69
122	Contemporary prevalence and incidence of work disability associated with rheumatoid arthritis in the US. <i>Arthritis and Rheumatism</i> , 2008, 59, 474-480.	6.7	73
123	Evaluation of the effect of anti-tumor necrosis factor agent use on rheumatoid arthritis work disability: The jury is still out. <i>Arthritis and Rheumatism</i> , 2008, 59, 1082-1089.	6.7	45
124	Secular Trends in Alcohol Consumption over 50 Years: The Framingham Study. <i>American Journal of Medicine</i> , 2008, 121, 695-701.	1.5	45
125	A new approach yields high rates of radiographic progression in knee osteoarthritis. <i>Journal of Rheumatology</i> , 2008, 35, 2047-54.	2.0	94
126	Occupation-related squatting, kneeling, and heavy lifting and the knee joint: a magnetic resonance imaging-based study in men. <i>Journal of Rheumatology</i> , 2008, 35, 1645-9.	2.0	46

#	ARTICLE	IF	CITATIONS
127	Knee Buckling: Prevalence, Risk Factors, and Associated Limitations in Function. <i>Annals of Internal Medicine</i> , 2007, 147, 534.	3.9	134
128	Greater Trochanteric Pain Syndrome: Epidemiology and Associated Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 988-992.	0.9	365
129	The online case-crossover study is a novel approach to study triggers for recurrent disease flares. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 50-55.	5.0	29
130	The association between patellar alignment on magnetic resonance imaging and radiographic manifestations of knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2007, 9, R26.	3.5	44
131	Synovitis detected on magnetic resonance imaging and its relation to pain and cartilage loss in knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1599-1603.	0.9	426
132	Low levels of vitamin D and worsening of knee osteoarthritis: Results of two longitudinal studies. <i>Arthritis and Rheumatism</i> , 2007, 56, 129-136.	6.7	154
133	Effect of recreational physical activities on the development of knee osteoarthritis in older adults of different weights: The Framingham Study. <i>Arthritis and Rheumatism</i> , 2007, 57, 6-12.	6.7	143
134	Knee alignment does not predict incident osteoarthritis: The Framingham osteoarthritis study. <i>Arthritis and Rheumatism</i> , 2007, 56, 1212-1218.	6.7	123
135	Varus foot alignment and hip conditions in older adults. <i>Arthritis and Rheumatism</i> , 2007, 56, 2993-2998.	6.7	46
136	Correlation of the development of knee pain with enlarging bone marrow lesions on magnetic resonance imaging. <i>Arthritis and Rheumatism</i> , 2007, 56, 2986-2992.	6.7	392
137	Alcohol Consumption as a Trigger of Recurrent Gout Attacks. <i>American Journal of Medicine</i> , 2006, 119, 800.e11-800.e16.	1.5	87
138	Increase in bone marrow lesions associated with cartilage loss: A longitudinal magnetic resonance imaging study of knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 1529-1535.	6.7	372
139	Extent of occupational hand use among persons with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 55, 294-299.	6.7	18
140	Lower prevalence of chondrocalcinosis in Chinese subjects in Beijing than in white subjects in the United States: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2006, 54, 3508-3512.	6.7	42
141	Recent diuretic use and the risk of recurrent gout attacks: the online case-crossover gout study. <i>Journal of Rheumatology</i> , 2006, 33, 1341-5.	2.0	67
142	Knee height, knee pain, and knee osteoarthritis: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2005, 52, 1418-1423.	6.7	42
143	The relationship between cartilage loss on magnetic resonance imaging and radiographic progression in men and women with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 3152-3159.	6.7	190
144	Work disability and its economic effect on 55-64-year-old adults with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005, 53, 603-608.	6.7	62

#	ARTICLE	IF	CITATIONS
145	Structural factors associated with malalignment in knee osteoarthritis: the Boston osteoarthritis knee study. <i>Journal of Rheumatology</i> , 2005, 32, 2192-9.	2.0	64
146	Association of squatting with increased prevalence of radiographic tibiofemoral knee osteoarthritis: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2004, 50, 1187-1192.	6.7	119
147	Chopstick arthropathy: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2004, 50, 1495-1500.	6.7	36
148	Quadriceps weakness and its relationship to tibiofemoral and patellofemoral knee osteoarthritis in Chinese: The Beijing osteoarthritis study. <i>Arthritis and Rheumatism</i> , 2004, 50, 1815-1821.	6.7	138
149	The effect of body weight on progression of knee osteoarthritis is dependent on alignment. <i>Arthritis and Rheumatism</i> , 2004, 50, 3904-3909.	6.7	289
150	Lower prevalence of hand osteoarthritis among Chinese subjects in Beijing compared with white subjects in the United States: The Beijing Osteoarthritis Study. <i>Arthritis and Rheumatism</i> , 2003, 48, 1034-1040.	6.7	114
151	Prevalence of Symptomatic Hand Osteoarthritis and Its Impact on Functional Status among the Elderly: The Framingham Study. <i>American Journal of Epidemiology</i> , 2002, 156, 1021-1027.	3.4	509