

Barry H Hirst

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/534881/publications.pdf>

Version: 2024-02-01

74
papers

4,794
citations

94433

37
h-index

91884

69
g-index

74
all docs

74
docs citations

74
times ranked

3903
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduction of Rapid Proliferating Tumour Cell Lines by Inhibition of the Specific Glycine Transporter GLYT1. <i>Biomedicines</i> , 2021, 9, 1770.	3.2	2
2	Editorial overview: New technologies: drug delivery and medical devices combinations, more than the sum of the parts. <i>Current Opinion in Pharmacology</i> , 2017, 36, iv-vii.	3.5	0
3	Expression of the glycine transporter type 1 (GlyT1) is upregulated by ATF4 following physiological stress in human intestinal epithelial cells (1109.14). <i>FASEB Journal</i> , 2014, 28, 1109.14.	0.5	0
4	Glycine transporter GLYT1 is essential for glycine-mediated protection of human intestinal epithelial cells against oxidative damage. <i>Journal of Physiology</i> , 2010, 588, 995-1009.	2.9	48
5	Postgraduate opportunities in research at NEAS. <i>Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals</i> , 2010, 2, 230-232.	0.1	1
6	Roles of Minor Pilin Subunits Spy0125 and Spy0130 in the Serotype M1 <i>Streptococcus pyogenes</i> Strain SF370. <i>Journal of Bacteriology</i> , 2010, 192, 4651-4659.	2.2	48
7	Pili mediate specific adhesion of <i>Streptococcus pyogenes</i> to human tonsil and skin. <i>Cellular Microbiology</i> , 2007, 9, 1822-1833.	2.1	177
8	Predicting oral drug absorption and hepatobiliary clearance: Human intestinal and hepatic in vitro cell models. <i>Environmental Toxicology and Pharmacology</i> , 2006, 21, 168-178.	4.0	33
9	The novel avian protein, AWAK, contains multiple domains with homology to protease inhibitory modules. <i>Molecular Immunology</i> , 2006, 43, 388-394.	2.2	9
10	Exploiting receptor biology for oral vaccination with biodegradable particulates. <i>Advanced Drug Delivery Reviews</i> , 2005, 57, 431-450.	13.7	62
11	Antibiotic exposure does not influence MRP2 functional expression in Caco-2 cells. <i>Journal of Drug Targeting</i> , 2005, 13, 1-6.	4.4	9
12	Increased Expression of Specific Intestinal Amino Acid and Peptide Transporter mRNA in Rats Fed by TPN Is Reversed by GLP-2. <i>Journal of Nutrition</i> , 2004, 134, 2957-2964.	2.9	47
13	P-glycoprotein Potentiates CYP3A4-mediated Drug Disappearance during Caco-2 Intestinal Secretory Detoxification. <i>Journal of Drug Targeting</i> , 2004, 12, 405-413.	4.4	20
14	Differential Multidrug Resistance-Associated Protein 1 through 6 Isoform Expression and Function in Human Intestinal Epithelial Caco-2 Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 311, 476-484.	2.5	123
15	Who's talking to whom? Epithelial-bacterial pathogen interactions. <i>Molecular Microbiology</i> , 2004, 55, 655-663.	2.5	12
16	Secretin and the exposition of hormonal control. <i>Journal of Physiology</i> , 2004, 560, 339-339.	2.9	20
17	The ABCs of drug transport in intestine and liver: efflux proteins limiting drug absorption and bioavailability. <i>European Journal of Pharmaceutical Sciences</i> , 2004, 21, 25-51.	4.0	531
18	M cell targeting by lectins: a strategy for mucosal vaccination and drug delivery. <i>Advanced Drug Delivery Reviews</i> , 2004, 56, 511-525.	13.7	117

#	ARTICLE	IF	CITATIONS
19	Expression of the peptide transporter hPepT1 in human colon: a potential route for colonic protein nitrogen and drug absorption. <i>Histochemistry and Cell Biology</i> , 2003, 119, 37-43.	1.7	36
20	Comparison of Poly(dl-Lactide-co-glycolide) and Polystyrene Microsphere Targeting to Intestinal M Cells. <i>Journal of Drug Targeting</i> , 2003, 11, 269-272.	4.4	31
21	K ⁺ recycling and gastric acid secretion. <i>Journal of Physiology</i> , 2002, 540, 1-1.	2.9	3
22	Water transport controversies – an overview. <i>Journal of Physiology</i> , 2002, 542, 1-2.	2.9	13
23	Expression of junction-associated proteins differentiates mouse intestinal M cells from enterocytes. <i>Histochemistry and Cell Biology</i> , 2002, 118, 137-147.	1.7	41
24	Glycine supply to human enterocytes mediated by high-affinity basolateral GLYT1. <i>Gastroenterology</i> , 2001, 120, 439-448.	1.3	23
25	Targeting polymerised liposome vaccine carriers to intestinal M cells. <i>Vaccine</i> , 2001, 20, 208-217.	3.8	117
26	Exploiting M cells for drug and vaccine delivery. <i>Advanced Drug Delivery Reviews</i> , 2001, 50, 81-106.	13.7	228
27	Lectin-mediated mucosal delivery of drugs and microparticles. <i>Advanced Drug Delivery Reviews</i> , 2000, 43, 207-223.	13.7	211
28	Differential cytokeratin and glycoconjugate expression by the surface and crypt epithelia of human palatine tonsils. <i>Histochemistry and Cell Biology</i> , 2000, 114, 311-321.	1.7	25
29	Parietal cell membrane trafficking Focus on – Expression of rab11a N124I in gastric parietal cells inhibits stimulatory recruitment of the H ⁺ -K ⁺ -ATPase. <i>American Journal of Physiology - Cell Physiology</i> , 1999, 277, C359-C360.	4.6	2
30	Bacterial xylanase expression in mammalian cells and transgenic mice. <i>Journal of Biotechnology</i> , 1999, 72, 95-101.	3.8	18
31	Absorptive apical amiloride-sensitive Na ⁺ conductance in human endometrial epithelium. <i>Journal of Physiology</i> , 1998, 513, 443-452.	2.9	17
32	Substrate upregulation of the human small intestinal peptide transporter, hPepT1. <i>Journal of Physiology</i> , 1998, 507, 697-706.	2.9	130
33	Increased tyrosine phosphorylation causes redistribution of adherens junction and tight junction proteins and perturbs paracellular barrier function in MDCK epithelia. <i>European Journal of Cell Biology</i> , 1998, 76, 85-92.	3.6	136
34	The rat mucosal mast cell chymase, RMCP-11, alters epithelial cell monolayer permeability in association with altered distribution of the tight junction proteins ZO-1 and occludin. <i>European Journal of Cell Biology</i> , 1998, 75, 321-330.	3.6	99
35	Co-culture of two MDCK strains with distinct junctional protein expression: a model for intercellular junction rearrangement and cell sorting. <i>Cell and Tissue Research</i> , 1998, 291, 267-276.	2.9	21
36	Ulex europaeus 1 lectin targets microspheres to mouse Peyer's patch M-cells in vivo. <i>Vaccine</i> , 1998, 16, 536-541.	3.8	147

#	ARTICLE	IF	CITATIONS
37	Inoculum Composition and <i>Salmonella</i> Pathogenicity Island 1 Regulate M-Cell Invasion and Epithelial Destruction by <i>Salmonella typhimurium</i> . <i>Infection and Immunity</i> , 1998, 66, 724-731.	2.2	75
38	M-Cell Surface $\alpha 1$ Integrin Expression and Invasin-Mediated Targeting of <i>Yersinia pseudotuberculosis</i> to Mouse Peyer's Patch M Cells. <i>Infection and Immunity</i> , 1998, 66, 1237-1243.	2.2	322
39	Cell-Contact-Stimulated Formation of Filamentous Appendages by <i>Salmonella typhimurium</i> Does Not Depend on the Type III Secretion System Encoded by <i>Salmonella</i> Pathogenicity Island 1. <i>Infection and Immunity</i> , 1998, 66, 2007-2017.	2.2	26
40	Co-integration and expression of bacterial and genomic transgenes in the pancreatic and intestinal tissues of transgenic mice. <i>Gene</i> , 1997, 202, 203-208.	2.2	5
41	Vectorial secretion of granulocyte-macrophage colony stimulating factor (GM-CSF) by human endometrial epithelial cells: implications for the control of intrauterine events. <i>Journal of Reproductive Immunology</i> , 1997, 34, 51-52.	1.9	0
42	Intestinal secretion of drugs. The role of P-glycoprotein and related drug efflux systems in limiting oral drug absorption. <i>Advanced Drug Delivery Reviews</i> , 1997, 25, 129-157.	13.7	253
43	A protein targeting signal that functions in polarized epithelial cells <i>in vivo</i> . <i>Biochemical Journal</i> , 1996, 315, 857-862.	3.7	16
44	Lectin binding defines and differentiates M-cells in mouse small intestine and caecum. <i>Histochemistry and Cell Biology</i> , 1995, 104, 161-168.	1.7	43
45	Enterocytes in the follicle-associated epithelia of rabbit small intestine display distinctive lectin-binding properties. <i>Histochemistry</i> , 1995, 103, 131-134.	1.9	11
46	Selective binding and transcytosis of <i>Ulex europaeus</i> 1 lectin by mouse Peyer's patch M-cells <i>in vivo</i> . <i>Cell and Tissue Research</i> , 1995, 282, 455-461.	2.9	89
47	Angiotensin-converting enzyme (ACE) inhibitor transport in human intestinal epithelial (Caco-2) cells. <i>British Journal of Pharmacology</i> , 1995, 114, 981-986.	5.4	75
48	Cycloserine transport in human intestinal epithelial (Caco-2) cells: mediation by a H ⁺ -coupled amino acid transporter. <i>British Journal of Pharmacology</i> , 1995, 115, 761-766.	5.4	39
49	Variations in Lectin Binding Properties of Intestinal M Cells. <i>Journal of Drug Targeting</i> , 1995, 3, 75-77.	4.4	37
50	Selective binding and transcytosis of <i>Ulex europaeus</i> 1 lectin by mouse Peyer's patch M-cells <i>in vivo</i> . <i>Cell and Tissue Research</i> , 1995, 282, 455-461.	2.9	9
51	GASTROINTESTINAL EPITHELIUM: OPPORTUNITIES AND OBSTACLES TO XENOBIOTIC ABSORPTION. <i>Drug Metabolism and Pharmacokinetics</i> , 1995, 10, 50-53.	0.0	0
52	Differential surface characteristics of M cells from mouse intestinal Peyer's and caecal patches. <i>The Histochemical Journal</i> , 1994, 26, 271-280.	0.6	63
53	Heterogenous Na ⁺ , K ⁺ -ATPase expression in the epithelia of rabbit gut-associated lymphoid tissues. <i>Pflügers Archiv European Journal of Physiology</i> , 1994, 427, 343-347.	2.8	9
54	Autocrine growth stimulation of human renal Wilms' tumour G401 cells by a gastrin-like peptide. <i>International Journal of Cancer</i> , 1994, 57, 385-391.	5.1	19

#	ARTICLE	IF	CITATIONS
55	Paracellular barrier and junctional protein distribution depend on basolateral extracellular Ca ²⁺ in cultured epithelia. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1994, 1222, 147-158.	4.1	75
56	Substrate specificity of the di/tripeptide transporter in human intestinal epithelia (Caco-2): identification of substrates that undergo H ⁺ -coupled absorption. <i>British Journal of Pharmacology</i> , 1994, 113, 1050-1056.	5.4	59
57	Bradykinin stimulation of electrogenic ion transport in epithelial layers of cultured human endometrium. <i>Pflugers Archiv European Journal of Physiology</i> , 1993, 422, 401-403.	2.8	13
58	Transepithelial dipeptide (glycylsarcosine) transport across epithelial monolayers of human Caco-2 cells is rheogenic. <i>Pflugers Archiv European Journal of Physiology</i> , 1993, 425, 178-180.	2.8	29
59	Manipulation of the Repertoire of Digestive Enzymes Secreted into the Gastrointestinal Tract of Transgenic Mice. <i>Bio/technology</i> , 1993, 11, 376-379.	1.5	61
60	Passive transepithelial absorption of thyrotropin-releasing hormone (TRH) via a paracellular route in cultured intestinal and renal epithelial cell lines. <i>Pharmaceutical Research</i> , 1993, 10, 674-681.	3.5	45
61	Drug absorption limited by P-glycoprotein-mediated secretory drug transport in human intestinal epithelial Caco-2 cell layers. <i>Pharmaceutical Research</i> , 1993, 10, 743-749.	3.5	195
62	Thyrotropin-releasing hormone (TRH) uptake in intestinal brush-border membrane vesicles: comparison with proton-coupled dipeptide and Na ⁺ -coupled glucose transport. <i>Pharmaceutical Research</i> , 1993, 10, 667-673.	3.5	14
63	Identification of M cells and their distribution in rabbit intestinal Peyer's patches and appendix. <i>Cell and Tissue Research</i> , 1993, 273, 127-136.	2.9	56
64	Selective binding and transcytosis of latex microspheres by rabbit intestinal M cells. <i>Cell and Tissue Research</i> , 1993, 271, 399-405.	2.9	118
65	Comparison of Poly(DL-Lactide-co-Glycolide) and Polystyrene Microsphere Targeting to Intestinal M Cells. <i>Journal of Drug Targeting</i> , 1993, 1, 245-249.	4.4	115
66	H ⁺ -coupled (Na ⁺ -independent) proline transport in human intestinal (Caco-2) epithelial cell monolayers. <i>FEBS Letters</i> , 1993, 333, 78-82.	2.8	59
67	H ⁺ -coupled dipeptide (glycylsarcosine) transport across apical and basal borders of human intestinal Caco-2 cell monolayers display distinctive characteristics. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1993, 1151, 237-245.	2.6	72
68	Active secretion of the fluoroquinolone ciprofloxacin by human intestinal epithelial Caco-2 cell layers. <i>British Journal of Pharmacology</i> , 1993, 108, 575-576.	5.4	59
69	Secretion of a prokaryotic cellulase in bacterial and mammalian cells. <i>Gene</i> , 1993, 125, 85-89.	2.2	17
70	Physiology: Ion transport by human endometrial epithelia in vitro. <i>Human Reproduction</i> , 1993, 8, 1570-1575.	0.9	32
71	Characterization of human purified epithelial and stromal cells from endometrium and endometriosis in tissue culture. <i>Fertility and Sterility</i> , 1992, 57, 990-997.	1.0	79
72	Polarized efflux of 2,7-bis(2-carboxyethyl)-5(6)-carboxyfluorescein from cultured epithelial cell monolayers. <i>Biochemical Pharmacology</i> , 1992, 44, 417-424.	4.4	32

#	ARTICLE	IF	CITATIONS
73	Transepithelial vinblastine secretion mediated by P-glycoprotein is inhibited by forskolin derivatives. <i>Biochemical and Biophysical Research Communications</i> , 1991, 181, 671-676.	2.1	16
74	Fade and tachyphylaxis of gastric acid secretory response to pentagastrin in rat isolated gastric mucosa. <i>British Journal of Pharmacology</i> , 1988, 95, 1047-1056.	5.4	0